

Joachim S Nielsen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8009235/joachim-s-nielsen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34
papers

1,754
citations

17
h-index

38
g-index

38
ext. papers

2,184
ext. citations

4.3
avg, IF

4.66
L-index

#	Paper	IF	Citations
34	Exercise and Muscle Glycogen Metabolism. <i>Physiology in Health and Disease</i> , 2022 , 71-114	0.2	
33	Glycogen supercompensation is due to increased number, not size, of glycogen particles in human skeletal muscle. <i>Experimental Physiology</i> , 2021 , 106, 1272-1284	2.4	2
32	Short-term intensified training temporarily impairs mitochondrial respiratory capacity in elite endurance athletes. <i>Journal of Applied Physiology</i> , 2021 , 131, 388-400	3.7	1
31	Subcellular localization- and fibre type-dependent utilization of muscle glycogen during heavy resistance exercise in elite power and Olympic weightlifters. <i>Acta Physiologica</i> , 2021 , 231, e13561	5.6	8
30	Myocardial subcellular glycogen distribution and sarcoplasmic reticulum Ca handling: effects of ischaemia, reperfusion and ischaemic preconditioning. <i>Journal of Muscle Research and Cell Motility</i> , 2021 , 42, 17-31	3.5	1
29	Nampt controls skeletal muscle development by maintaining Ca homeostasis and mitochondrial integrity. <i>Molecular Metabolism</i> , 2021 , 53, 101271	8.8	7
28	Effects of Acute Exercise and Training on the Sarcoplasmic Reticulum Ca Release and Uptake Rates in Highly Trained Endurance Athletes. <i>Frontiers in Physiology</i> , 2020 , 11, 810	4.6	5
27	Mitochondrial Structure and Function in the Metabolic Myopathy Accompanying Patients with Critical Limb Ischemia. <i>Cells</i> , 2020 , 9,	7.9	4
26	Inhibition of glycogenolysis prolongs action potential repriming period and impairs muscle function in rat skeletal muscle. <i>Journal of Physiology</i> , 2020 , 598, 789-803	3.9	14
25	Heterogeneity in subcellular muscle glycogen utilisation during exercise impacts endurance capacity in men. <i>Journal of Physiology</i> , 2020 , 598, 4271-4292	3.9	12
24	Comment on: "Changes in Skeletal Muscle Glycogen Content in Professional Soccer Players before and after a Match by a NonInvasive MuscleSound Technology. A Cross Sectional Pilot Study Nutrients 2020, 12(4), 971". <i>Nutrients</i> , 2020 , 12,	6.7	2
23	Utilization of biomarkers as predictors of skeletal muscle mitochondrial content after physiological intervention and in clinical settings. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020 , 318, E886-E889	6	6
22	High-intensity interval, but not endurance, training induces muscle fiber type-specific subsarcolemmal lipid droplet size reduction in type 2 diabetic patients. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018 , 315, E872-E884	6	16
21	The Muscle Fiber Profiles, Mitochondrial Content, and Enzyme Activities of the Exceptionally Well-Trained Arm and Leg Muscles of Elite Cross-Country Skiers. <i>Frontiers in Physiology</i> , 2018 , 9, 1031	4.6	39
20	Reply from Joachim Nielsen, Kasper D. Gejl and Niels Ibenblad. <i>Journal of Physiology</i> , 2017 , 595, 2987-2988		
19	Fundamental constraints in synchronous muscle limit superfast motor control in vertebrates. <i>ELife</i> , 2017 , 6,	8.9	20
18	Lipid droplet size and location in human skeletal muscle fibers are associated with insulin sensitivity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017 , 313, E721-E730	6	21

17	Pronounced limb and fibre type differences in subcellular lipid droplet content and distribution in elite skiers before and after exhaustive exercise. <i>Journal of Physiology</i> , 2017 , 595, 5781-5795	3.9	15
16	Plasticity in mitochondrial cristae density allows metabolic capacity modulation in human skeletal muscle. <i>Journal of Physiology</i> , 2017 , 595, 2839-2847	3.9	90
15	Local depletion of glycogen with supramaximal exercise in human skeletal muscle fibres. <i>Journal of Physiology</i> , 2017 , 595, 2809-2821	3.9	25
14	Low Oxygen Tension Enhances Expression of Myogenic Genes When Human Myoblasts Are Activated from G0 Arrest. <i>PLoS ONE</i> , 2016 , 11, e0158860	3.7	3
13	Muscle glycogen and cell function--Location, location, location. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015 , 25 Suppl 4, 34-40	4.6	29
12	Enhanced Glycogen Storage of a Subcellular Hot Spot in Human Skeletal Muscle during Early Recovery from Eccentric Contractions. <i>PLoS ONE</i> , 2015 , 10, e0127808	3.7	9
11	Subcellular distribution of glycogen and decreased tetanic Ca ²⁺ in fatigued single intact mouse muscle fibres. <i>Journal of Physiology</i> , 2014 , 592, 2003-12	3.9	45
10	Physiological aspects of the subcellular localization of glycogen in skeletal muscle. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013 , 38, 91-9	3	26
9	Muscle glycogen stores and fatigue. <i>Journal of Physiology</i> , 2013 , 591, 4405-13	3.9	168
8	Skeletal muscle glycogen content and particle size of distinct subcellular localizations in the recovery period after a high-level soccer match. <i>European Journal of Applied Physiology</i> , 2012 , 112, 3559-67	3.4	21
7	Biomarkers of mitochondrial content in skeletal muscle of healthy young human subjects. <i>Journal of Physiology</i> , 2012 , 590, 3349-60	3.9	665
6	Role of glycogen availability in sarcoplasmic reticulum Ca ²⁺ kinetics in human skeletal muscle. <i>Journal of Physiology</i> , 2011 , 589, 711-25	3.9	128
5	Human skeletal muscle glycogen utilization in exhaustive exercise: role of subcellular localization and fibre type. <i>Journal of Physiology</i> , 2011 , 589, 2871-85	3.9	68
4	Maximal voluntary contraction force, SR function and glycogen resynthesis during the first 72 h after a high-level competitive soccer game. <i>European Journal of Applied Physiology</i> , 2011 , 111, 2987-95	3.4	90
3	Subcellular localization-dependent decrements in skeletal muscle glycogen and mitochondria content following short-term disuse in young and old men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 299, E1053-60	6	38
2	Increased subsarcolemmal lipids in type 2 diabetes: effect of training on localization of lipids, mitochondria, and glycogen in sedentary human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 298, E706-13	6	116
1	Distinct effects of subcellular glycogen localization on tetanic relaxation time and endurance in mechanically skinned rat skeletal muscle fibres. <i>Journal of Physiology</i> , 2009 , 587, 3679-90	3.9	59