

Tessa F Blanken

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8009564/publications.pdf>

Version: 2024-02-01

30
papers

1,854
citations

471509

17
h-index

454955

30
g-index

33
all docs

33
docs citations

33
times ranked

2966
citing authors

#	ARTICLE	IF	CITATIONS
1	A new method for constructing networks from binary data. <i>Scientific Reports</i> , 2014, 4, 5918.	3.3	398
2	Genome-wide association analysis of insomnia complaints identifies risk genes and genetic overlap with psychiatric and metabolic traits. <i>Nature Genetics</i> , 2017, 49, 1584-1592.	21.4	248
3	Sleep quality during the COVID-19 pandemic: not one size fits all. <i>Sleep Medicine</i> , 2020, 76, 86-88.	1.6	131
4	Insomnia heterogeneity: Characteristics to consider for data-driven multivariate subtyping. <i>Sleep Medicine Reviews</i> , 2017, 36, 71-81.	8.5	121
5	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020, 10, 172.	4.8	121
6	Insomnia disorder subtypes derived from life history and traits of affect and personality. <i>Lancet Psychiatry</i> , 2019, 6, 151-163.	7.4	117
7	Reporting standards for psychological network analyses in cross-sectional data. <i>Psychological Methods</i> , 2023, 28, 806-824.	3.5	104
8	Introducing Network Intervention Analysis to Investigate Sequential, Symptom-Specific Treatment Effects: A Demonstration in Co-Occurring Insomnia and Depression. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 52-54.	8.8	92
9	Insomnia disorder: State of the science and challenges for the future. <i>Journal of Sleep Research</i> , 2022, 31, .	3.2	77
10	Network outcome analysis identifies difficulty initiating sleep as a primary target for prevention of depression: a 6-year prospective study. <i>Sleep</i> , 2020, 43, .	1.1	49
11	The role of stabilizing and communicating symptoms given overlapping communities in psychopathology networks. <i>Scientific Reports</i> , 2018, 8, 5854.	3.3	41
12	Insomnia Really Hurts: Effect of a Bad Night's Sleep on Pain Increases With Insomnia Severity. <i>Frontiers in Psychiatry</i> , 2018, 9, 377.	2.6	41
13	A Primer on Bayesian Analysis for Experimental Psychopathologists. <i>Journal of Experimental Psychopathology</i> , 2017, 8, 140-157.	0.8	38
14	Insomnia and Personality – A Network Approach. <i>Brain Sciences</i> , 2017, 7, 28.	2.3	37
15	Sleep Stage Transition Dynamics Reveal Specific Stage 2 Vulnerability in Insomnia. <i>Sleep</i> , 2017, 40, .	1.1	32
16	Brain structural correlates of insomnia severity in 1053 individuals with major depressive disorder: results from the ENIGMA MDD Working Group. <i>Translational Psychiatry</i> , 2020, 10, 425.	4.8	31
17	Expanding Network Analysis Tools in Psychological Networks: Minimal Spanning Trees, Participation Coefficients, and Motif Analysis Applied to a Network of 26 Psychological Attributes. <i>Complexity</i> , 2019, 1-27.	1.6	29
18	Connecting brain and behavior in clinical neuroscience: A network approach. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 130, 81-90.	6.1	23

#	ARTICLE	IF	CITATIONS
19	Treating Insomnia with High Risk of Depression Using Therapist-Guided Digital Cognitive, Behavioral, and Circadian Rhythm Support Interventions to Prevent Worsening of Depressive Symptoms: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2022, 91, 168-179.	8.8	21
20	Actigraphic multi-night home-recorded sleep estimates reveal three types of sleep misperception in Insomnia Disorder and good sleepers. <i>Journal of Sleep Research</i> , 2020, 29, e12937.	3.2	20
21	Dynamics of sleep: Exploring critical transitions and early warning signals. <i>Computer Methods and Programs in Biomedicine</i> , 2020, 193, 105448.	4.7	13
22	Symptom-specific effects of cognitive therapy and behavior therapy for insomnia: A network intervention analysis. <i>Journal of Consulting and Clinical Psychology</i> , 2021, 89, 364-370.	2.0	13
23	A network analysis of self-reported sleep bruxism in the Netherlands sleep registry: its associations with insomnia and several demographic, psychological, and life-style factors. <i>Sleep Medicine</i> , 2022, 93, 63-70.	1.6	11
24	Internet-guided cognitive, behavioral and chronobiological interventions in depression-prone insomnia subtypes: protocol of a randomized controlled prevention trial. <i>BMC Psychiatry</i> , 2020, 20, 163.	2.6	9
25	Smart Distance Lab™s art fair, experimental data on social distancing during the COVID-19 pandemic. <i>Scientific Data</i> , 2021, 8, 179.	5.3	9
26	Promoting physical distancing during COVID-19: a systematic approach to compare behavioral interventions. <i>Scientific Reports</i> , 2021, 11, 19463.	3.3	9
27	Is an irritable ADHD profile traceable using personality dimensions? Replicability, stability, and predictive value over time of data-driven profiles. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 633-645.	4.7	4
28	Subtyping insomnia disorder – Authors' reply. <i>Lancet Psychiatry</i> , 2019, 6, 285-286.	7.4	3
29	Quantifying agent impacts on contact sequences in social interactions. <i>Scientific Reports</i> , 2022, 12, 3483.	3.3	2
30	The network of psychosocial health in middle-aged and older adults during the first COVID-19 lockdown. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2469-2479.	3.1	1