

# Shih-Yuan Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8009595/publications.pdf>

Version: 2024-02-01

109  
papers

1,207  
citations

471509  
17  
h-index

414414  
32  
g-index

109  
all docs

109  
docs citations

109  
times ranked

974  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Duplexing Hybrid Slot Antenna Design With High Isolation for Short-Range Radar Detection and Identification Applications at 24 GHz Band. IEEE Transactions on Antennas and Propagation, 2022, 70, 2468-2479.	5.1	1
2	Generalized equivalent circuit model of a split-ring-loaded dipole reflectarray unit cell under TE oblique incidence. IEICE Communications Express, 2022, 11, 284-289.	0.4	0
3	Design of Dual-Band Miniaturized Loop Antenna for Harmonic Radar Transponder. , 2021, , .		1
4	Analysis of Truncation Error in 3-D Microwave Holographic Imaging. , 2021, , .		0
5	Modified Binomial Power Distribution Beamformer for Switched-Beam Circular Array. , 2020, , .		0
6	Polarization-Reconfigurable Patch Antenna-on-Package for Millimeter-Wave Operations with DC Bias Circuit Design. , 2020, , .		1
7	Brewster Angle and Vanishing Polarization of Wave Reflected by Conductor-Backed Water Slab. , 2020, , .		0
8	Dual-Linearly-Polarized Printed Dual-Dipole Antenna Array for Polarimetric Radar Application. , 2020, , .		0
9	Dual-Probe Probe- and Phase-Compensated Reflection-Coefficient-Only 3-D Microwave Holographic Imaging. IEEE Transactions on Antennas and Propagation, 2019, 67, 1884-1897.	5.1	2
10	Enhanced Phase Compensation Method for 3-D Microwave Holographic Imaging. , 2019, , .		0
11	Parasitic Phase Contribution of A Double-Sided Parallel Stripline Phase Inverter. , 2019, , .		1
12	Compact Printed Dual-Dipole Antenna with a New T-Shaped Feeding Structure for Dual Broadband Operation. , 2019, , .		2
13	3-D Microwave Holographic Imaging With Probe and Phase Compensations. IEEE Transactions on Antennas and Propagation, 2018, 66, 368-380.	5.1	11
14	Frequency-Tunable Zeroth-Order Resonator Antenna Based on Capacitor-Loaded Coplanar Waveguide. , 2018, , .		0
15	The competitions of electromagnetic for undergraduate students in Taiwan: Taiwan creative electromagnetic implementation competition T-CEIC. , 2017, , .		0
16	Dual-Band broadside slot array with corporate-series-feed based on crlh microstrip line. , 2017, , .		1
17	A novel circular-polarization-switchable slot ring antenna with diagonal cross slit. , 2017, , .		2
18	Design of beam-steerable dual-beam reflectarray. , 2017, , .		2

#	ARTICLE	IF	CITATIONS
19	A criterion for radar antenna design to enhance efficacy of polarimetric entropy in moving target discrimination. , 2017, , .		0
20	A modified U-slot patch antenna with full polarization agility. , 2016, , .		4
21	Efficient Structure Resonance Energy Transfer from Microwaves to Confined Acoustic Vibrations in Viruses. Scientific Reports, 2016, 5, 18030.	3.3	50
22	A compact slot loop rectenna for dual-band operation at 2.4- and 5.8-GHz bands. , 2016, , .		9
23	Efficiency analysis of capacitive-coupled chassis antenna based on characteristic modes. , 2016, , .		1
24	Frequency-Tunable Miniaturized Strip Loop Antenna Fed by a Coplanar Strip. IEEE Antennas and Wireless Propagation Letters, 2016, 15, 1000-1003.	4.0	10
25	Design of beam-steerable parasitic patch arrays using variable reactive loads. , 2015, , .		2
26	Embedded antenna design based on zero and pole resonances for wireless sensor modules for applications in advanced greenhouses. , 2015, , .		1
27	A 2.45-GHz high-efficiency loop-shaped PIFA rectenna for portable devices and wireless sensors. , 2015, , .		8
28	A continuously beam-steerable patch array using variable reactive reflection load. , 2014, , .		1
29	Modified short backfire antenna for antennas-on-package applications. , 2014, , .		0
30	Probe-compensated microwave holographic imaging. , 2014, , .		1
31	A compact RFID tag antenna using miniaturized patch structure for metallic object applications. , 2014, , .		5
32	A Planar and Subwavelength Open Guided Wave Structure Based on Spoof Surface Plasmons. IEEE Photonics Journal, 2014, 6, 1-19.	2.0	3
33	Miniaturized SRRs-loaded loop structure for enhanced wireless power transmission. , 2014, , .		0
34	A novel design of reflection-type phase shifter for microwave life-detection system. , 2014, , .		0
35	Compact CRLH Asymmetric-CPS Resonant Antenna With Frequency Agility. IEEE Transactions on Antennas and Propagation, 2014, 62, 527-534.	5.1	14
36	Miniaturized CPW-fed slot loop antenna with frequency agility. , 2014, , .		1

#	ARTICLE	IF	CITATIONS
37	A focusing reflectarray and its application in microwave virus sanitizer. Radio Science, 2014, 49, 890-898.	1.6	9
38	On the Fundamental Resonance of Slot Loop Antenna Inductively Fed by a Coplanar Waveguide. IEEE Transactions on Antennas and Propagation, 2013, 61, 6191-6195.	5.1	13
39	Compact CRLH CPW Antennas Using Novel Termination Circuits for Dual-Band Operation at Zeroth-Order Series and Shunt Resonances. IEEE Transactions on Antennas and Propagation, 2013, 61, 1071-1080.	5.1	29
40	A V-Band On-Wafer Near-Field Antenna Measurement System Using an IC Probe Station. IEEE Transactions on Antennas and Propagation, 2013, 61, 2058-2067.	5.1	30
41	Rattlesnake Antenna System [Education Column]. IEEE Antennas and Propagation Magazine, 2013, 55, 232-243.	1.4	0
42	Compact dual-band loop antenna using c-shaped resonator for USB dongle application. , 2013, , .		1
43	Miniaturization of CPW-fed slot antenna using a pair of interdigital capacitors. , 2013, , .		6
44	Self-structuring electromagnetic scatterer using a conductor-backed template. , 2013, , .		3
45	Circularly polarized resonant cavity antenna using single-layer double-sided FSS superstrate. , 2012, , .		10
46	General rules for objective functions in wide- and multi-band pixelized antenna design. , 2012, , .		1
47	A Self-Structuring Electromagnetic Scatterer. IEEE Transactions on Antennas and Propagation, 2012, 60, 1931-1941.	5.1	6
48	Design consideration of closely spaced polarization-and pattern-diversity antenna pair. , 2012, , .		1
49	Design of antenna on package exploiting self-resonance of carrier board. , 2012, , .		0
50	A Differential-Mode Wideband Bandpass Filter With Enhanced Common-Mode Suppression Using Slotline Resonator. IEEE Microwave and Wireless Components Letters, 2012, 22, 503-505.	3.2	111
51	Applications of optimization techniques to designs of ultra-wideband planar monopole antennas. , 2012, , .		7
52	Miniaturization of CPW-Fed Slot Antennas Using Reactive Terminations and Truncated Bilateral Ground Plane. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 1072-1075.	4.0	23
53	Propagation, Resonance, and Radiation on Terahertz Optoelectronic Integrated Circuits. IEEE Photonics Journal, 2012, 4, 699-706.	2.0	3
54	A Self-Tuning Electromagnetic Shutter. IEEE Transactions on Antennas and Propagation, 2011, 59, 513-519.	5.1	2

#	ARTICLE	IF	CITATIONS
55	Modification of Radiation Patterns of First Harmonic Mode of Slot Dipole for Dual-Frequency Operation. IEEE Transactions on Antennas and Propagation, 2011, 59, 2707-2710.	5.1	13
56	A Modified CPW-Fed Slot Loop Antenna With Reduced Cross Polarization and Size. IEEE Antennas and Wireless Propagation Letters, 2011, 10, 1124-1126.	4.0	16
57	Zeroth-Order Resonator Antennas Using Inductor-Loaded and Capacitor-Loaded CPWs. IEEE Transactions on Antennas and Propagation, 2011, 59, 3448-3453.	5.1	38
58	A Novel Dual-Antenna Structure for UHF RFID Tags. IEEE Transactions on Antennas and Propagation, 2011, 59, 3950-3960.	5.1	12
59	Leakage-Reduced Conductor-Backed Coplanar Waveguide With Periodic Structures and its Antenna Application. IEEE Transactions on Antennas and Propagation, 2011, 59, 2078-2086.	5.1	3
60	Design and optimization of a dual-antenna structure for passive RFID tags using design of experiments technique. , 2011, , .		1
61	High-gain circularly polarized resonant cavity antenna using FSS superstrate. , 2011, , .		8
62	A coupled folded resonator antenna for wireless sensor network application. , 2011, , .		1
63	Terahertz photonic transmitters with a high-gain open-ended rampart slot array antenna. , 2010, , .		1
64	An Automatically Tunable Cavity Resonator System. IEEE Transactions on Microwave Theory and Techniques, 2010, 58, 894-902.	4.6	6
65	Conductor-backed coplanar waveguide fed bilateral slot loop antenna. , 2010, , .		0
66	Frequency-agile, miniaturized slot antenna for hand-held devices. , 2010, , .		4
67	1Slot dipole antenna capacitively fed by CPW for dual-frequency operations. , 2010, , .		0
68	Finite-width conductor-backed coplanar waveguide-fed circularly polarized side-plane antenna. , 2010, , .		0
69	Analysis of Antenna Coupling in Near-Field Communication Systems. IEEE Transactions on Antennas and Propagation, 2010, 58, 3327-3335.	5.1	27
70	In Situ Optimization of Metamaterial-Inspired Loop Antennas. IEEE Antennas and Wireless Propagation Letters, 2010, 9, 75-78.	4.0	26
71	Metal strip-embedded slot bowtie antenna for Wi-Fi and WiMAX applications. , 2010, , .		0
72	A Compact Triband Bow-Tie Slot Antenna Fed by a Coplanar Waveguide. IEEE Antennas and Wireless Propagation Letters, 2010, 9, 1205-1208.	4.0	26

#	ARTICLE	IF	CITATIONS
73	A method to determine the structure mode and antenna mode of A RFID tag antenna scattering. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	0
74	Analysis of antenna coupling in near-field RFID systems. , 2009, , .		9
75	Miniaturization of slot loop antenna using split-ring resonators. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	10
76	Compact modified bow-tie slot antenna fed by CPW for ultra-wideband applications. , 2009, , .		4
77	A novel dual-antenna structure for UHF RFID tags. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	3
78	Wideband asymmetric slot antenna fed by coplanar waveguide. , 2009, , .		0
79	Efficiency-Enhanced and Size-Reduced Coupled Twin Slots Capacitively Fed by Conductor-Backed Coplanar Waveguide. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 1033-1035.	4.0	4
80	Miniaturized composite right/left-handed coplanar waveguide antenna for dual-frequency operation. , 2009, , .		2
81	Integrated Dual Planar Inverted-F Antenna With Enhanced Isolation. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 963-965.	4.0	52
82	Broadband Slot-Type Bruce Array Fed by a Microstrip-to-Slotline T-Junction. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 116-119.	4.0	11
83	MNG-metamaterial-based efficient small loop antenna. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	8
84	Isosceles Triangular Slot Antenna for Broadband Dual Polarization Applications. IEEE Transactions on Antennas and Propagation, 2009, 57, 3347-3351.	5.1	63
85	Balanced-to-Unbalanced Bandpass Filters and the Antenna Application. IEEE Transactions on Microwave Theory and Techniques, 2008, 56, 2474-2482.	4.6	88
86	Capacitively-Loaded Loop Antenna for Multi-Band Mobile Handsets. , 2008, , .		4
87	CBCPW-Fed Side-Plane Patch Antenna. , 2008, , .		2
88	Dual-Band Planar Monopole Antenna for Multiband Mobile Systems. IEEE Antennas and Wireless Propagation Letters, 2008, 7, 769-772.	4.0	26
89	Coplanar waveguide-fed twin slot antenna with and without back conductor. , 2008, , .		0
90	Finite-width conductor-backed coplanar waveguide-fed side-plane antenna. , 2008, , .		2

#	ARTICLE	IF	CITATIONS
91	Coupled Twin Slots Fed by Conductor-Backed Coplanar Waveguide. IEEE Transactions on Antennas and Propagation, 2008, 56, 1784-1786.	5.1	9
92	Broadband quarter-wavelength slot array fed by a microstrip line. , 2008, , .		1
93	Pattern smoothness and gain enhancement of finite ground slot dipole antenna fed by conductor-backed coplanar waveguide. , 2008, , .		0
94	CPW-Fed Aperture-Coupled Slot Dipole Antenna for Tri-Band Operation. IEEE Antennas and Wireless Propagation Letters, 2008, 7, 535-537.	4.0	55
95	Short-ended coplanar strip antenna for UHF RFID tags. , 2007, , .		0
96	CPW-fed hybrid bow-tie/slot loop antenna for dual-frequency. , 2007, , .		1
97	In-Line Series-Feed Collinear Slot Array Fed by a Coplanar Waveguide. IEEE Transactions on Antennas and Propagation, 2007, 55, 1739-1744.	5.1	18
98	A Simplified Method to Calculate Far-Field Patterns of Extended Hemispherical Dielectric Lens. , 2007, , .		0
99	Uniplanar Log-Periodic Slot Antenna Fed by a CPW for UWB Applications. IEEE Antennas and Wireless Propagation Letters, 2006, 5, 256-259.	4.0	57
100	Dual-Band Slot Dipole Antenna Fed by a Coplanar Waveguide. , 2006, , .		25
101	Open-ended rampart slot array antenna fed by a CPW. IEEE Antennas and Wireless Propagation Letters, 2005, 4, 320-322.	4.0	14
102	Broad-band radial slot antenna fed by coplanar waveguide for dual-frequency operation. IEEE Transactions on Antennas and Propagation, 2005, 53, 3448-3452.	5.1	48
103	A modified bow-tie slot antenna fed by a coplanar waveguide. , 2004, , .		7
104	CPW-fed folded-slot antenna for 5.8â€¦GHz RFID tags. Electronics Letters, 2004, 40, 1516.	1.0	89
105	A 650 GHz photonic transmitter design using CPW-fed slot antenna. , 2004, , .		0
106	Device Saturation Behavior of Submillimeter-Wave Membrane Photonic Transmitters. IEEE Photonics Technology Letters, 2004, 16, 873-875.	2.5	15
107	Conversion efficiency and device behavior of edge-coupled membrane photonic transmitters. , 0, , .		0
108	Design of Rampart Slot Array Antenna in Integrated 850GHz Photonic Transmitter. , 0, , .		0

#	ARTICLE	IF	CITATIONS
109	Broadband Microstrip-Fed Modified Quasi-Yagi Antenna. , 0, , .		9