

Carla Giordano

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8010013/carla-giordano-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

191
papers

6,305
citations

42
h-index

72
g-index

203
ext. papers

7,268
ext. citations

5.2
avg, IF

5.55
L-index

#	Paper	IF	Citations
191	Visceral Adiposity Index: a reliable indicator of visceral fat function associated with cardiometabolic risk. <i>Diabetes Care</i> , 2010 , 33, 920-2	14.6	668
190	Potential involvement of Fas and its ligand in the pathogenesis of Hashimoto's thyroiditis. <i>Science</i> , 1997 , 275, 960-3	33.3	508
189	Nitric oxide primes pancreatic beta cells for Fas-mediated destruction in insulin-dependent diabetes mellitus. <i>Journal of Experimental Medicine</i> , 1997 , 186, 1193-200	16.6	223
188	BRAF(V600E) mutation and the biology of papillary thyroid cancer. <i>Endocrine-Related Cancer</i> , 2008 , 15, 191-205	5.7	183
187	No effect of oral insulin on residual beta-cell function in recent-onset type I diabetes (the IMDIAB VII). IMDIAB Group. <i>Diabetologia</i> , 2000 , 43, 1000-4	10.3	182
186	Effects on the incidence of cardiovascular events of the addition of pioglitazone versus sulfonylureas in patients with type 2 diabetes inadequately controlled with metformin (TOSCA.IT): a randomised, multicentre trial. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 887-897	18.1	154
185	Visceral adiposity index: an indicator of adipose tissue dysfunction. <i>International Journal of Endocrinology</i> , 2014 , 2014, 730827	2.7	125
184	Cut-off points of the visceral adiposity index (VAI) identifying a visceral adipose dysfunction associated with cardiometabolic risk in a Caucasian Sicilian population. <i>Lipids in Health and Disease</i> , 2011 , 10, 183	4.4	122
183	Papillary thyroid cancer incidence in the volcanic area of Sicily. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1575-83	9.7	111
182	Development and characterization of co-loaded curcumin/triazole-halloysite systems and evaluation of their potential anticancer activity. <i>International Journal of Pharmaceutics</i> , 2014 , 475, 613-23	6.5	91
181	In vitro identification and characterization of CD133(pos) cancer stem-like cells in anaplastic thyroid carcinoma cell lines. <i>PLoS ONE</i> , 2008 , 3, e3544	3.7	81
180	Fine-needle aspiration molecular analysis for the diagnosis of papillary thyroid carcinoma through BRAF V600E mutation and RET/PTC rearrangement. <i>Thyroid</i> , 2007 , 17, 1109-15	6.2	81
179	Visceral adiposity index (VAI) is predictive of an altered adipokine profile in patients with type 2 diabetes. <i>PLoS ONE</i> , 2014 , 9, e91969	3.7	79
178	MON-445 Long-Term Results of an Ongoing Non-Interventional, Real-World Observational Study of Pasireotide SC in Cushing's Disease. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
177	Visceral adiposity index is associated with histological findings and high viral load in patients with chronic hepatitis C due to genotype 1. <i>Hepatology</i> , 2010 , 52, 1543-52	11.2	76
176	COVID-19 infection and glucocorticoids: update from the Italian Society of Endocrinology Expert Opinion on steroid replacement in adrenal insufficiency. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 1141-1147	5.2	74
175	Visceral adiposity index is associated with significant fibrosis in patients with non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 238-47	6.1	74

174	BRAF V600E mutation and p27 kip1 expression in papillary carcinomas of the thyroid . <i>Cancer</i> , 2007 , 110, 1218-26	6.4	73
173	Multicavity halloysite-amphiphilic cyclodextrin hybrids for co-delivery of natural drugs into thyroid cancer cells. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 4074-4081	7.3	72
172	The oligomenorrhic phenotypes of polycystic ovary syndrome are characterized by a high visceral adiposity index: a likely condition of cardiometabolic risk. <i>Human Reproduction</i> , 2011 , 26, 1486-94	5.7	72
171	Evaluation of the autoimmune regulator (AIRE) gene mutations in a cohort of Italian patients with autoimmune-polyendocrinopathy-candidiasis-ectodermal-dystrophy (APECED) and in their relatives. <i>Clinical Endocrinology</i> , 2009 , 70, 421-8	3.4	68
170	Insulin resistance and polycystic ovary syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008 , 18, 511-8	4.5	62
169	In vivo and in vitro cytokine profiles and mononuclear cell subsets in Sicilian patients with active visceral leishmaniasis. <i>Cytokine</i> , 1995 , 7, 740-5	4	61
168	Mesenchymal stem cells derived from inflamed dental pulpal and gingival tissue: a potential application for bone formation. <i>Stem Cell Research and Therapy</i> , 2017 , 8, 179	8.3	59
167	The impact of insulin resistance, serum adipocytokines and visceral obesity on steatosis and fibrosis in patients with chronic hepatitis C. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 25, 1181-91	6.1	59
166	Metabolic parameters and adipokine profile during GH replacement therapy in children with GH deficiency. <i>European Journal of Endocrinology</i> , 2007 , 156, 353-60	6.5	59
165	Papillary thyroid microcarcinomas: a comparative study of the characteristics and risk factors at presentation in two cancer registries. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1427-34	5.6	57
164	Epigenetic involvement in Hutchinson-Gilford progeria syndrome: a mini-review. <i>Gerontology</i> , 2014 , 60, 197-203	5.5	52
163	Higher doses of cabergoline further improve metabolic parameters in patients with prolactinoma regardless of the degree of reduction in prolactin levels. <i>Clinical Endocrinology</i> , 2013 , 79, 845-52	3.4	52
162	BRAFV600E mutation, TIMP-1 upregulation, and NF- κ B activation: closing the loop on the papillary thyroid cancer trilogy. <i>Endocrine-Related Cancer</i> , 2011 , 18, 669-85	5.7	52
161	Body composition assessment for the definition of cardiometabolic risk. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 537-43	5.2	52
160	Increased thyroid cancer incidence in a basaltic volcanic area is associated with non-anthropogenic pollution and biocontamination. <i>Endocrine</i> , 2016 , 53, 471-9	4	50
159	Dual drug-loaded halloysite hybrid-based glycocluster for sustained release of hydrophobic molecules. <i>RSC Advances</i> , 2016 , 6, 87935-87944	3.7	49
158	Interleukin 2 and soluble interleukin 2-receptor secretion defect in vitro in newly diagnosed type I diabetic patients. <i>Diabetes</i> , 1989 , 38, 310-5	0.9	48
157	Impact of a Mediterranean Dietary Pattern and Its Components on Cardiovascular Risk Factors, Glucose Control, and Body Weight in People with Type 2 Diabetes: A Real-Life Study. <i>Nutrients</i> , 2018 , 10,	6.7	47

156	Hyperinsulinism and polycystic ovary syndrome (PCOS): role of insulin clearance. <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 1319-26	5.2	46
155	Multiple pluripotent stem cell markers in human anaplastic thyroid cancer: the putative upstream role of SOX2. <i>Thyroid</i> , 2013 , 23, 829-37	6.2	46
154	Is diabetes in Cushing's syndrome only a consequence of hypercortisolism?. <i>European Journal of Endocrinology</i> , 2014 , 170, 311-9	6.5	45
153	Treatment of recent-onset type 1 diabetic patients with DiaPep277: results of a double-blind, placebo-controlled, randomized phase 3 trial. <i>Diabetes Care</i> , 2014 , 37, 1392-400	14.6	43
152	Expression of apoptosis-inducing CD95 (Fas/Apo-1) on human beta-cells sorted by flow-cytometry and cultured in vitro. <i>Transplantation Proceedings</i> , 1995 , 27, 3271-5	1.1	43
151	Polyphenol intake and cardiovascular risk factors in a population with type 2 diabetes: The TOSCA.IT study. <i>Clinical Nutrition</i> , 2017 , 36, 1686-1692	5.9	42
150	Effect of cabergoline on metabolism in prolactinomas. <i>Neuroendocrinology</i> , 2013 , 98, 299-310	5.6	42
149	Identification of tyrosine phosphatase 2(256-760) construct as a new, sensitive marker for the detection of islet autoimmunity in type 2 diabetic patients: the non-insulin requiring autoimmune diabetes (NIRAD) study 2. <i>Diabetes</i> , 2008 , 57, 1276-83	0.9	42
148	Regulation of apoptosis in endocrine autoimmunity: insights from Hashimoto's thyroiditis and Graves' disease. <i>Annals of the New York Academy of Sciences</i> , 2002 , 966, 496-501	6.5	42
147	Differential regulation of Fas-mediated apoptosis in both thyrocyte and lymphocyte cellular compartments correlates with opposite phenotypic manifestations of autoimmune thyroid disease. <i>Thyroid</i> , 2001 , 11, 233-44	6.2	42
146	Defective T cell receptor/CD3 complex signaling in human type I diabetes. <i>European Journal of Immunology</i> , 1994 , 24, 999-1002	6.1	42
145	CD4(+)IL-13(+) cells in peripheral blood well correlates with the severity of atopic dermatitis in children. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005 , 60, 391-5	9.3	41
144	Use of glargine in pregnant women with type 1 diabetes mellitus: a case-control study. <i>Clinical Therapeutics</i> , 2008 , 30, 1476-84	3.5	39
143	Insulin resistance and hyperandrogenism drive steatosis and fibrosis risk in young females with PCOS. <i>PLoS ONE</i> , 2017 , 12, e0186136	3.7	38
142	The metabolic profile in active acromegaly is gender-specific. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E51-9	5.6	38
141	BRAF(V600E) mutation influences hypoxia-inducible factor-1alpha expression levels in papillary thyroid cancer. <i>Modern Pathology</i> , 2010 , 23, 1052-60	9.8	38
140	Diabetes Secondary to Acromegaly: Physiopathology, Clinical Features and Effects of Treatment. <i>Frontiers in Endocrinology</i> , 2018 , 9, 358	5.7	37
139	Influence of dietary fat and carbohydrates proportions on plasma lipids, glucose control and low-grade inflammation in patients with type 2 diabetes-The TOSCA.IT Study. <i>European Journal of Nutrition</i> , 2016 , 55, 1645-51	5.2	32

138	The evaluation of metabolic parameters and insulin sensitivity for a more robust diagnosis of the polycystic ovary syndrome. <i>Clinical Endocrinology</i> , 2008 , 69, 52-60	3.4	32
137	Increased expression of transketolase-like-1 in papillary thyroid carcinomas smaller than 1.5 cm in diameter is associated with lymph-node metastases. <i>Cancer</i> , 2008 , 113, 936-44	6.4	32
136	Possible pathogenetic relevance of interleukin-1 beta in "destructive" organ-specific autoimmune disease (Hashimoto's thyroiditis). <i>Annals of the New York Academy of Sciences</i> , 1999 , 876, 221-8	6.5	31
135	T-cell activation in HLA-B8, DR3-positive individuals. Early antigen expression defect in vitro. <i>Human Immunology</i> , 1995 , 42, 289-94	2.3	31
134	Immunoregulatory T-lymphocyte subset deficiency in newly diagnosed type 1 (insulin-dependent) diabetes mellitus. <i>Diabetologia</i> , 1984 , 26, 426-30	10.3	30
133	Sex differences in food choices, adherence to dietary recommendations and plasma lipid profile in type 2 diabetes - The TOSCA.IT study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 879-85	4.5	30
132	Factors associated with circulating concentrations of irisin in the general population cohort of the ABCD study. <i>International Journal of Obesity</i> , 2018 , 42, 398-404	5.5	29
131	Cornea in acromegalic patients as a possible target of growth hormone action. <i>Journal of Endocrinological Investigation</i> , 2011 , 34, e30-5	5.2	29
130	Defective expression of the apoptosis-inducing CD95 (Fas/APO-1) molecule on T and B cells in IDDM. <i>Diabetologia</i> , 1995 , 38, 1449-54	10.3	29
129	Visual evoked potentials in insulin-dependent diabetics. <i>Acta Diabetologica Latina</i> , 1985 , 22, 343-9		29
128	B7.1 Costimulatory Molecule Is Expressed on Thyroid Follicular Cells in Hashimoto's Thyroiditis, But Not in Graves Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998 , 83, 4130-4139	5.6	29
127	B7.1 costimulatory molecule is expressed on thyroid follicular cells in Hashimoto's thyroiditis, but not in Graves Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998 , 83, 4130-9	5.6	27
126	Clinical and metabolic effects of first-line treatment with somatostatin analogues or surgery in acromegaly: a retrospective and comparative study. <i>Pituitary</i> , 2012 , 15, 539-51	4.3	26
125	Lower insulin sensitivity differentiates hirsute from non-hirsute Sicilian women with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2006 , 155, 859-65	6.5	26
124	(Dipyrido[3,2-a:2'-b]phenazine)(glycinato)copper(II) perchlorate: a novel DNA-intercalator with anti-proliferative activity against thyroid cancer cell lines. <i>Journal of Inorganic Biochemistry</i> , 2012 , 117, 103-10	4.2	25
123	The degree of urinary hypercortisolism is not correlated with the severity of Cushing's syndrome. <i>Endocrine</i> , 2017 , 55, 564-572	4	24
122	Metabolically healthy polycystic ovary syndrome (MH-PCOS) and metabolically unhealthy polycystic ovary syndrome (MU-PCOS): a comparative analysis of four simple methods useful for metabolic assessment. <i>Human Reproduction</i> , 2013 , 28, 1919-28	5.7	24
121	Role of PTPRJ genotype in papillary thyroid carcinoma risk. <i>Endocrine-Related Cancer</i> , 2010 , 17, 1001-6	5.7	24

120	In vitro T cell activation in elderly individuals: failure in CD69 and CD71 expression. <i>Mechanisms of Ageing and Development</i> , 1996 , 89, 51-8	5.6	24
119	Study of T-cell activation in type I diabetic patients and pre-type I diabetic subjects by cytometric analysis: antigen expression defect in vitro. <i>Journal of Clinical Immunology</i> , 1993 , 13, 68-78	5.7	24
118	Increased soluble interleukin-2 receptor levels in the sera of type 1 diabetic patients. <i>Diabetes Research</i> , 1988 , 8, 135-8		24
117	Visceral adiposity index and DHEAS are useful markers of diabetes risk in women with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2015 , 172, 79-88	6.5	23
116	Vitamin D across growth hormone (GH) disorders: From GH deficiency to GH excess. <i>Growth Hormone and IGF Research</i> , 2017 , 33, 35-42	2	22
115	Characterization of Metabolically Healthy Obese People and Metabolically Unhealthy Normal-Weight People in a General Population Cohort of the ABCD Study. <i>Journal of Diabetes Research</i> , 2017 , 2017, 9294038	3.9	22
114	Competing endogenous RNA and interactome bioinformatic analyses on human telomerase. <i>Rejuvenation Research</i> , 2014 , 17, 161-7	2.6	22
113	Clinical indications and proper use of Visceral Adiposity Index. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, e31-2	4.5	21
112	Recovery of endogenous beta-cell function in nonhuman primates after chemical diabetes induction and islet transplantation. <i>Diabetes</i> , 2009 , 58, 442-7	0.9	21
111	Depression of CD4 T cell subsets and alteration in cytokine profile in boutonneuse fever. <i>Journal of Infectious Diseases</i> , 1996 , 174, 1051-7	7	21
110	Interleukin 2 and soluble interleukin 2-receptor secretion defect in vitro in newly diagnosed type I diabetic patients. <i>Diabetes</i> , 1989 , 38, 310-315	0.9	21
109	Towards the tailoring of glucocorticoid replacement in adrenal insufficiency: the Italian Society of Endocrinology Expert Opinion. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 683-696	5.2	21
108	The medical treatment with pasireotide in Cushing's disease: an Italian multicentre experience based on "real-world evidence". <i>Endocrine</i> , 2019 , 64, 657-672	4	20
107	Low bcl-2 expression and increased spontaneous apoptosis in T-lymphocytes from newly-diagnosed IDDM patients. <i>Diabetologia</i> , 1995 , 38, 953-8	10.3	20
106	Improved insulin sensitivity and secretion in prediabetic patients with adrenal insufficiency on dual-release hydrocortisone treatment: a 36-month retrospective analysis. <i>Clinical Endocrinology</i> , 2018 , 88, 665-672	3.4	19
105	Differential proteomic and phenotypic behaviour of papillary and anaplastic thyroid cell lines. <i>Journal of Proteomics</i> , 2013 , 90, 115-25	3.9	19
104	Defective expression of CD95 (FAS/APO-1) molecule suggests apoptosis impairment of T and B cells in HLA-B8, DR3-positive individuals. <i>Human Immunology</i> , 1997 , 55, 39-45	2.3	19
103	Are diabetes and its medications risk factors for the development of COVID-19? Data from a population-based study in Sicily. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 396-398	4.5	18

102	Reduction in insulin sensitivity and inadequate β cell capacity to counteract the increase in insulin resistance in children with idiopathic growth hormone deficiency during 12 months of growth hormone treatment. <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 351-9	5.2	17
101	Dental pulp stem cells for bone tissue engineering: a review of the current literature and a look to the future. <i>Regenerative Medicine</i> , 2018 ,	2.5	17
100	Low estradiol-to-testosterone ratio is associated with oligo-anovulatory cycles and atherogenic lipidic pattern in women with polycystic ovary syndrome. <i>Gynecological Endocrinology</i> , 2011 , 27, 579-86	2.4	17
99	Follicular thyroid cells of autoimmune thyroiditis may coexpress ICAM-1 (CD54) and its natural ligand LFA-1 (CD11a/CD18). <i>Journal of Allergy and Clinical Immunology</i> , 1995 , 95, 1036-43	11.5	17
98	Serum miRNAs in women affected by hyperandrogenic polycystic ovary syndrome: the potential role of miR-155 as a biomarker for monitoring the estroprogestinic treatment. <i>Gynecological Endocrinology</i> , 2018 , 34, 704-708	2.4	16
97	Predictors of microvascular complications in type 1 diabetic patients at onset: the role of metabolic memory. <i>European Journal of Internal Medicine</i> , 2011 , 22, 266-74	3.9	16
96	Phenotyping of type 2 diabetes mellitus at onset on the basis of fasting incretin tone: Results of a two-step cluster analysis. <i>Journal of Diabetes Investigation</i> , 2016 , 7, 219-25	3.9	16
95	High prevalence of hypovitaminosis D in Sicilian children affected by growth hormone deficiency and its improvement after 12 months of replacement treatment. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 631-8	5.2	15
94	In vitro phenotypic, genomic and proteomic characterization of a cytokine-resistant murine β Tc3 cell line. <i>PLoS ONE</i> , 2012 , 7, e32109	3.7	15
93	Accumulation of apoE-enriched triglyceride-rich lipoproteins in patients with coronary artery disease. <i>Metabolism: Clinical and Experimental</i> , 2006 , 55, 662-8	12.7	15
92	Soluble interleukin-2 receptor secretion defect in vitro in HLA-B8, DR3 positive subjects. <i>Autoimmunity</i> , 1990 , 7, 87-96	3	15
91	Contribution of secretory IgA, polymeric IgA and IgA/secretory component-containing circulating immune complexes to the serum hyper-IgA in diabetes mellitus. <i>Diabetologia</i> , 1984 , 27 Suppl, 157-9	10.3	15
90	Serum visfatin levels in acromegaly: Correlation with disease activity and metabolic alterations. <i>Growth Hormone and IGF Research</i> , 2015 , 25, 240-6	2	14
89	NANOG Plays a Hierarchical Role in the Transcription Network Regulating the Pluripotency and Plasticity of Adipose Tissue-Derived Stem Cells. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	14
88	Early administration of an immunomodulator and induction of remission in insulin-dependent diabetes mellitus. <i>Journal of Autoimmunity</i> , 1990 , 3, 611-7	15.5	14
87	The influence of high dose intravenous immunoglobulins on immunological and metabolic pattern in newly diagnosed type I diabetic patients. <i>Journal of Autoimmunity</i> , 1990 , 3, 587-92	15.5	14
86	Glucocorticoid excess and COVID-19 disease. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2020 , 1	10.5	14
85	Alteration of the growth hormone axis, visceral fat dysfunction, and early cardiometabolic risk in adults: the role of the visceral adiposity index. <i>Endocrine</i> , 2015 , 49, 492-502	4	13

84	Pasireotide treatment reduces cardiometabolic risk in CushingQ disease patients: an Italian, multicenter study. <i>Endocrine</i> , 2018 , 61, 118-124	4	13
83	Myristic acid is associated to low plasma HDL cholesterol levels in a Mediterranean population and increases HDL catabolism by enhancing HDL particles trapping to cell surface proteoglycans in a liver hepatoma cell model. <i>Atherosclerosis</i> , 2016 , 246, 50-6	3.1	13
82	No phenotypic differences for polycystic ovary syndrome (PCOS) between women with and without type 1 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 203-11	5.6	13
81	A ceRNA analysis on LMNA gene focusing on the Hutchinson-Gilford progeria syndrome. <i>Journal of Clinical Bioinformatics</i> , 2013 , 3, 2		13
80	OCT is not useful for detection of minimal diabetic retinopathy in type 1 diabetes. <i>Acta Diabetologica</i> , 2010 , 47, 259-63	3.9	13
79	Resistin, visfatin, leptin and omentin are differently related to hormonal and metabolic parameters in growth hormone-deficient children. <i>Journal of Endocrinological Investigation</i> , 2016 , 39, 1023-30	5.2	13
78	The visceral adiposity index is associated with insulin sensitivity and IGF-I levels in adults with growth hormone deficiency. <i>Endocrine</i> , 2017 , 56, 579-588	4	12
77	Dual-release hydrocortisone vs conventional glucocorticoids in adrenal insufficiency. <i>Endocrine Connections</i> , 2019 , 8, 853-862	3.5	12
76	Glycometabolic control in acromegalic patients with diabetes: a study of the effects of different treatments for growth hormone excess and for hyperglycemia. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 154-9	5.2	11
75	Reevaluation of the clinical and metabolic behavior of children with isolated growth hormone deficiency during GH treatment according to newly proposed note 39 of the Italian Medicines Agency (AIFA). <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 1301-7	5.2	10
74	Effects of pasireotide treatment on coagulative profile: a prospective study in patients with CushingQ disease. <i>Endocrine</i> , 2018 , 62, 207-214	4	10
73	In vitro generation of pancreatic endocrine cells from human adult fibroblast-like limbal stem cells. <i>Cell Transplantation</i> , 2012 , 21, 73-90	4	10
72	Leukocyte migration test in subacute thyroiditis: hypothetical role of cell-mediated immunity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1980 , 50, 1038-41	5.6	10
71	Early lung function abnormalities in acromegaly. <i>Lung</i> , 2015 , 193, 393-9	2.9	9
70	Lacrimal gland herniation in Graves ophthalmopathy: a simple and useful MRI biomarker of disease activity. <i>European Radiology</i> , 2020 , 30, 2138-2141	8	9
69	Human limbal fibroblast-like stem cells induce immune-tolerance in autoreactive T lymphocytes from female patients with HashimotoQ thyroiditis. <i>Stem Cell Research and Therapy</i> , 2017 , 8, 154	8.3	9
68	Anaplastic Thyroid Carcinoma: A ceRNA Analysis Pointed to a Crosstalk between SOX2, TP53, and microRNA Biogenesis. <i>International Journal of Endocrinology</i> , 2015 , 2015, 439370	2.7	9
67	Autoimmune polyendocrinopathy-candidiasis-ectodermal-dystrophy (APECED) in Sicily: confirmation that R203X is the peculiar AIRE gene mutation. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 384-8	5.2	9

66	Hepatic Steatosis Index in Acromegaly: Correlation with Insulin Resistance Regardless of the Disease Control. <i>International Journal of Endocrinology</i> , 2018 , 2018, 5421961	2.7	9
65	Corneal thickness in children with growth hormone deficiency: the effect of GH treatment. <i>Growth Hormone and IGF Research</i> , 2014 , 24, 150-4	2	8
64	Pasta Consumption and Connected Dietary Habits: Associations with Glucose Control, Adiposity Measures, and Cardiovascular Risk Factors in People with Type 2 Diabetes-TOSCA.IT Study. <i>Nutrients</i> , 2019 , 12,	6.7	8
63	Physical activity and cardiovascular prevention: Is healthy urban living a possible reality or utopia?. <i>European Journal of Internal Medicine</i> , 2017 , 40, 8-15	3.9	7
62	Knockdown of NANOG Reduces Cell Proliferation and Induces G0/G1 Cell Cycle Arrest in Human Adipose Stem Cells. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
61	Growth hormone and hematopoiesis: A retrospective analysis on a large cohort of children with growth hormone deficiency. <i>Growth Hormone and IGF Research</i> , 2018 , 42-43, 8-13	2	7
60	Efficacy of combined treatment with pasireotide, pegvisomant and cabergoline in an acromegalic patient resistant to other treatments: a case report. <i>BMC Endocrine Disorders</i> , 2018 , 18, 2	3.3	7
59	The Daily Consumption of Cola Can Determine Hypocalcemia: A Case Report of Postsurgical Hypoparathyroidism-Related Hypocalcemia Refractory to Supplemental Therapy with High Doses of Oral Calcium. <i>Frontiers in Endocrinology</i> , 2017 , 8, 7	5.7	7
58	Adrenal morphology and function in acromegalic patients in relation to disease activity. <i>Endocrine</i> , 2009 , 36, 346-54	4	7
57	Analysis of T-lymphocyte subsets after phytohemagglutinin stimulation in normal and type 1 diabetic mothers and their infants. <i>American Journal of Reproductive Immunology</i> , 1992 , 28, 65-70	3.8	7
56	Clinical and hormonal characteristics in heterozygote carriers of congenital adrenal hyperplasia. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020 , 198, 105554	5.1	7
55	Autoimmune polyendocrine syndrome type 1: an Italian survey on 158 patients. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 2493-2510	5.2	7
54	Utility of C-peptide for a reliable estimate of insulin secretion in children with growth hormone deficiency. <i>Growth Hormone and IGF Research</i> , 2016 , 29, 71-77	2	7
53	Circulating Irisin Levels in Children With GH Deficiency Before and After 1 Year of GH Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 801-808	5.6	6
52	Insulin sensitivity and secretion and adipokine profile in patients with Cushing's disease treated with pasireotide. <i>Journal of Endocrinological Investigation</i> , 2018 , 41, 1137-1147	5.2	6
51	Glucose Metabolism in Children With Growth Hormone Deficiency. <i>Frontiers in Endocrinology</i> , 2018 , 9, 321	5.7	6
50	Dissociated production of interleukin-2 and immune gamma-interferon by phytohaemoagglutinin stimulated peripheral mononuclear cells in type 1 (insulin-dependent) diabetes. <i>Journal of Clinical & Laboratory Immunology</i> , 1988 , 27, 73-6		6
49	Efficacy and safety of photodynamic therapy with RLP068 for diabetic foot ulcers: a review of the literature and clinical experience. <i>Drugs in Context</i> , 2020 , 9,	5.2	6

48	Anti-Inflammatory Action of Heterogeneous Nuclear Ribonucleoprotein A2/B1 in Patients with Autoimmune Endocrine Disorders. <i>Journal of Clinical Medicine</i> , 2019 , 9,	5.1	6
47	PFN1 and integrin- α /mTOR axis involvement in cornea differentiation of fibroblast limbal stem cells. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 7210-7221	5.6	5
46	Dual-release hydrocortisone improves hepatic steatosis in patients with secondary adrenal insufficiency: a real-life study. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019 , 10, 20420188119871169	4.5	5
45	Long-term safety and efficacy of subcutaneous pasireotide in patients with Cushing's disease: interim results from a long-term real-world evidence study. <i>Pituitary</i> , 2019 , 22, 542-551	4.3	5
44	Circulating Irisin Levels as a Marker of Osteosarcopenic-Obesity in Cushing's Disease. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 1565-1574	3.4	5
43	Comparison between euglycemic hyperinsulinemic clamp and surrogate indices of insulin sensitivity in children with growth hormone deficiency. <i>Growth Hormone and IGF Research</i> , 2018 , 39, 40-44	4.4	5
42	Pasireotide versus pituitary surgery: a retrospective analysis of 12 months of treatment in patients with Cushing's disease. <i>Endocrine</i> , 2018 , 59, 454-457	4	5
41	Donor age and long-term culture do not negatively influence the stem potential of limbal fibroblast-like stem cells. <i>Stem Cell Research and Therapy</i> , 2016 , 7, 83	8.3	5
40	Higher cardiometabolic risk in idiopathic versus autoimmune type 1 diabetes: a retrospective analysis. <i>Diabetology and Metabolic Syndrome</i> , 2018 , 10, 40	5.6	5
39	Ambulatory Glucose Profile Applied to Flash Glucose Monitoring in Real Life: An Expert Opinion. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 633-634	4.1	5
38	The role of FAS/FASLig and apoptosis in beta-cell death in animal models: relevance for human IDDM. <i>Diabetes/metabolism Reviews</i> , 1998 , 14, 194-5		5
37	Growth and Osteogenic Differentiation of Discarded Gingiva-Derived Mesenchymal Stem Cells on a Commercial Scaffold. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 292	5.7	4
36	More Favorable Metabolic Impact of Three-Times-Weekly versus Daily Growth Hormone Treatment in Naïve GH-Deficient Children. <i>International Journal of Endocrinology</i> , 2017 , 2017, 8469680	2.7	4
35	Production of a Double-Layer Scaffold for the "On-Demand" Release of Fibroblast-like Limbal Stem Cells. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 22206-22217	9.5	3
34	One-hour post-load plasma glucose level is associated with a worse metabolic profile in children with GH deficiency. <i>Journal of Endocrinological Investigation</i> , 2018 , 41, 789-797	5.2	3
33	The metabolic outcomes of growth hormone treatment in children are gender specific. <i>Endocrine Connections</i> , 2018 , 7, 879-887	3.5	3
32	The current version of the visceral adiposity index is not suitable for application in pediatric populations: comments on the article by Al-Daghri et al. <i>Pediatric Research</i> , 2014 , 76, 415	3.2	3
31	Development of a fuzzy expert system for the control of glycemia in type 1 diabetic patients. <i>Computer Aided Chemical Engineering</i> , 2011 , 1568-1572	0.6	3

30	Liraglutide Improves Cardiovascular Risk as an Add-on to Metformin and Not to Insulin Secretagogues in Type 2 Diabetic Patients: A Real-life 48-Month Retrospective Study. <i>Diabetes Therapy</i> , 2018 , 9, 363-371	3.6	3
29	Insulin therapy: unmet needs and new perspectives. <i>Minerva Endocrinologica</i> , 2013 , 38, 95-102	1.9	3
28	Improved Cardiovascular and Cardiometabolic Risk in Patients With Type 1 Diabetes and Autoimmune Polyglandular Syndrome Switched From Glargine to Degludec Due to Hypoglycaemic Variability. <i>Frontiers in Endocrinology</i> , 2018 , 9, 428	5.7	2
27	Thyocytes--not innocent bystanders in autoimmune disease. <i>Nature Immunology</i> , 2001 , 2, 183	19.1	2
26	Heterogeneity of Stem Cells in the Thyroid. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1169, 81-93	3.6	2
25	Bilateral Ultrathin Descemet® Stripping Automated Endothelial Keratoplasty vs. Bilateral Penetrating Keratoplasty in Fuchs Dystrophy: Corneal Higher-Order Aberrations, Contrast Sensitivity and Quality of Life. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	2
24	Direct and indirect effects of Growth Hormone Deficiency (GHD) on lung function in children: A mediation analysis. <i>Respiratory Medicine</i> , 2018 , 137, 61-69	4.6	1
23	Correlation between adrenal function, growth hormone secretion, and insulin sensitivity in children with idiopathic growth hormone deficiency. <i>Journal of Endocrinological Investigation</i> , 2018 , 41, 333-342	5.2	1
22	Correlation between severity of growth hormone deficiency and thyroid metabolism and effects of long-term growth hormone treatment on thyroid function in children with idiopathic growth hormone deficiency. <i>Hormone Research in Paediatrics</i> , 2014 , 81, 379-85	3.3	1
21	Janus kinase (JAK) 2 V617F mutation as the cause of primary thrombocythemia in acromegaly with severe visceromegaly and divergence between growth hormone and insulin-like growth factor-1 concentrations during the follow-up: causal or casual association?. <i>Growth Hormone and IGF Research</i> , 2012 , 22, 92-6	2	1
20	Relative hypoleptinemia in poorly controlled patients with type 1 diabetes. <i>Hormone and Metabolic Research</i> , 2007 , 39, 398-9	3.1	1
19	T-cell cloning in human type I diabetes. <i>Diabetes/metabolism Reviews</i> , 1992 , 8, 39-51		1
18	Prevalence of residual B-cell function related to age at onset and genetic profile in newly diagnosed type I diabetics. <i>Acta Diabetologica Latina</i> , 1987 , 24, 317-23		1
17	Low bcl-2 expression and increased spontaneous apoptosis in T-lymphocytes from newly-diagnosed IDDM patients 1995 , 38, 953		1
16	Maternal-foetal complications in pregnancy: a retrospective comparison between type 1 and type 2 diabetes mellitus. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 243	3.2	1
15	Metabolic comorbidities of adrenal insufficiency: Focus on steroid replacement therapy and chronopharmacology. <i>Current Opinion in Pharmacology</i> , 2021 , 60, 123-132	5.1	1
14	Gender-specific soluble Iκklotho levels as marker of GH deficiency in children: a case-control study.. <i>Journal of Endocrinological Investigation</i> , 2022 , 1	5.2	1
13	3D polymeric supports promote the growth and progression of anaplastic thyroid carcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 531, 223-227	3.4	0

12	Predictive factors of polycystic ovary syndrome in girls with precocious pubarche. <i>Endocrine Connections</i> , 2021 , 10, 796-804	3.5	o
11	Effects of GLP-1 receptor agonists on myokine levels and pro-inflammatory cytokines in patients with type 2 diabetes mellitus. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 3193-3201	4.5	o
10	Levothyroxine and insulin requirement in autoimmune polyglandular type 3 syndrome: a real-life study. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 1387-1394	5.2	o
9	Metabolic Profile in a Cohort of Young Sicilian Patients with Klinefelter Syndrome: The Role of Irisin.. <i>International Journal of Endocrinology</i> , 2022 , 2022, 3780741	2.7	o
8	Diabetic foot ulcers: Retrospective comparative analysis from Sicily between two eras. <i>PLoS ONE</i> , 2021 , 16, e0259405	3.7	o
7	Transient chylomicronemia preceding the onset of insulin-dependent diabetes in a young girl with no humoral markers of islet autoimmunity. <i>European Journal of Endocrinology</i> , 2004 , 150, 831-6	6.5	
6	Leukocyte migration test (LMT) in patients with thyroid disease: the response to human thyroid subcellular fractions. <i>Journal of Endocrinological Investigation</i> , 1981 , 4, 173-6	5.2	
5	Prediction of diabetes mellitus induced by steroid overtreatment in adrenal insufficiency.. <i>Scientific Reports</i> , 2022 , 12, 885	4.9	
4	Serum reactivity against RINm5F purified membrane antigens (ICMA) in newly diagnosed diabetic subjects. <i>Diabetes Research</i> , 1990 , 15, 113-6		
3	Reduced Rates of Hypoglycemia in Type 1 or Type 2 Diabetes After Switching to Insulin Degludec: Results from the Italian Cohort of the ReFLeCT Study. <i>Diabetes Therapy</i> , 2020 , 11, 2909-2920	3.6	
2	One Year of Dapaglifozin Add-On Therapy Ameliorates Surrogate Indexes of Insulin Resistance and Adiposity in Patients with Type 2 Diabetes Mellitus. <i>Diabetes Therapy</i> , 2021 , 12, 1677-1688	3.6	
1	Prevalence and clinical features of polycystic ovarian syndrome in adolescents with previous childhood growth hormone deficiency. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2016 , 29, 571-8 ^{1.6}		