Francesco E Boccalatte

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8010149/publications.pdf

Version: 2024-02-01

21 papers 1,029 citations

687363 13 h-index 940533 16 g-index

23 all docs 23 docs citations

times ranked

23

2536 citing authors

#	Article	IF	CITATIONS
1	²²³ Ra Induces Transient Functional Bone Marrow Toxicity. Journal of Nuclear Medicine, 2022, 63, 1544-1550.	5.0	2
2	CRL4AMBRA1 is a master regulator of D-type cyclins. Nature, 2021, 592, 789-793.	27.8	78
3	Selective STAT3 Degraders Dissect Peripheral T-Cell Lymphomas Vulnerabilities Empowering Personalized Regimens. Blood, 2021, 138, 865-865.	1.4	O
4	A Predictive Endothelial-Leukemia Pre-Clinical Platform to Uncover Drug Vulnerabilities for Personalized Treatments. Blood, 2021, 138, 704-704.	1.4	O
5	Therapeutic targeting of the E3 ubiquitin ligase SKP2 in T-ALL. Leukemia, 2020, 34, 1241-1252.	7.2	27
6	Coactivation of NF- $\hat{\mathbb{P}}$ B and Notch signaling is sufficient to induce B-cell transformation and enables B-myeloid conversion. Blood, 2020, 135, 108-120.	1.4	14
7	Three-dimensional chromatin landscapes in T cell acute lymphoblastic leukemia. Nature Genetics, 2020, 52, 388-400.	21.4	118
8	Efficient ExÂVivo Engineering and Expansion of Highly Purified Human Hematopoietic Stem and Progenitor Cell Populations for Gene Therapy. Stem Cell Reports, 2017, 8, 977-990.	4.8	124
9	The ubiquitin ligase Huwe1 regulates the maintenance and lymphoid commitment of hematopoietic stem cells. Nature Immunology, 2016, 17, 1312-1321.	14.5	62
10	miRNA-126 Orchestrates an Oncogenic Program in B Cell Precursor Acute Lymphoblastic Leukemia. Cancer Cell, 2016, 29, 905-921.	16.8	57
11	27. Aberrant Expression of the Stem Cell microRNA-126 Induces B Cell Malignancy. Molecular Therapy, 2015, 23, S12.	8.2	O
12	295. Hematopoietic Stem Cell Gene Therapy (2.0) Based on Purified CD34+CD38- Cells. Molecular Therapy, 2015, 23, S119.	8.2	O
13	MicroRNA-223 dose levels fine tune proliferation and differentiation in human cord blood progenitors and acute myeloid leukemia. Experimental Hematology, 2015, 43, 858-868.e7.	0.4	28
14	Assessment of Tocilizumab in the Treatment of Cancer Cachexia. Journal of Clinical Oncology, 2013, 31, 2970-2970.	1.6	23
15	The EGFR family members sustain the neoplastic phenotype of ALK+ lung adenocarcinoma via EGR1. Oncogenesis, 2013, 2, e43-e43.	4.9	27
16	A Mechanistic Role For Mir-126, a Hematopoietic Stem Cell Microrna, In Acute Leukemias. Blood, 2013, 122, 886-886.	1.4	1
17	Attenuation of miR-126 Activity Expands HSC InÂVivo without Exhaustion. Cell Stem Cell, 2012, 11, 799-811.	11.1	197
18	Hematopoietic Stem Cell Expansion, without Exhaustion or Transformation, by Stable Microrna Antagonism in Vivo. Blood, 2012, 120, 30-30.	1.4	0

#	Article	IF	CITATIONS
19	The enzymatic activity of 5-aminoimidazole-4-carboxamide ribonucleotide formyltransferase/IMP cyclohydrolase is enhanced by NPM-ALK: new insights in ALK-mediated pathogenesis and the treatment of ALCL. Blood, 2009, 113, 2776-2790.	1.4	42
20	The Tyrosine Phosphatase Shp2 Interacts with NPM-ALK and Regulates Anaplastic Lymphoma Cell Growth and Migration. Cancer Research, 2007, 67, 4278-4286.	0.9	86
21	Functional validation of the anaplastic lymphoma kinase signature identifies CEBPB and Bcl2A1 as critical target genes. Journal of Clinical Investigation, 2006, 116, 3171-3182.	8.2	139