

Raimondo Bruno

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/801069/raimondo-bruno-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

253
papers

5,185
citations

38
h-index

57
g-index

264
ext. papers

6,229
ext. citations

4.7
avg, IF

5.82
L-index

#	Paper	IF	Citations
253	Is Mindfulness a Noticeable Quality? Development and Validation of the Observed Mindfulness Measure. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2022 , 44, 165	2	2
252	Changes in illicit drug use and markets with the COVID-19 pandemic and associated restrictions: findings from the Ecstasy and Related Drugs Reporting System, 2016-20. <i>Addiction</i> , 2022 , 117, 182-194	4.6	4
251	Mood, sleep and pain comorbidity outcomes in cannabis dependent patients: Findings from a nabiximols versus placebo randomised controlled trial.. <i>Drug and Alcohol Dependence</i> , 2022 , 234, 109388	4.9	0
250	Assessing driving-relevant attentional impairment after a multiday drinking session: A two-phase pilot study.. <i>Alcoholism: Clinical and Experimental Research</i> , 2022 , 46, 628-640	3.7	
249	Combining transdermal and breath alcohol assessments, real-time drink logs and retrospective self-reports to measure alcohol consumption and intoxication across a multi-day music festival. <i>Drug and Alcohol Review</i> , 2021 , 40, 1112-1121	3.2	3
248	Perceptions of injectable opioid agonist treatment (iOAT) among people who regularly use opioids in Australia: findings from a cross-sectional study in three Australian cities. <i>Addiction</i> , 2021 , 116, 1482-1494	4.6	1
247	Pharmaceutical Opioid Use Patterns and Indicators of Extramedical Use and Harm in Adults With Chronic Noncancer Pain, 2012-2018. <i>JAMA Network Open</i> , 2021 , 4, e213059	10.4	2
246	Trends and characteristics of extra-medical use of quetiapine among people who regularly inject drugs in Australia, 2011-2018. <i>Drug and Alcohol Dependence</i> , 2021 , 221, 108636	4.9	1
245	Changes in mental health and help-seeking among young Australian adults during the COVID-19 pandemic: a prospective cohort study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	7
244	Safety and tolerability of oral lisdexamfetamine in adults with methamphetamine dependence: a phase-2 dose-escalation study. <i>BMJ Open</i> , 2021 , 11, e044696	3	2
243	Alcohol use among young Australian adults in May-June 2020 during the COVID-19 pandemic: a prospective cohort study. <i>Addiction</i> , 2021 , 116, 3398-3407	4.6	7
242	Cannabinoid polymorphisms interact with plasma endocannabinoid levels to predict fear extinction learning. <i>Depression and Anxiety</i> , 2021 , 38, 1087-1099	8.4	7
241	Gender differences in the supply of alcohol to adolescent daughters and sons. <i>American Journal of Drug and Alcohol Abuse</i> , 2021 , 47, 508-520	3.7	0
240	What predicts pharmacists' engagement with opioid-outcome screening? Secondary analysis from an implementation study in community pharmacy. <i>International Journal of Clinical Pharmacy</i> , 2021 , 43, 420-429	2.3	1
239	Dopamine, endocannabinoids and their interaction in fear extinction and negative affect in PTSD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 105, 110118	5.5	16
238	Assessing the concurrent validity, inter-rater reliability and test-re-test reliability of the Australian Treatment Outcomes Profile (ATOP) in alcohol and opioid treatment populations. <i>Addiction</i> , 2021 , 116, 1245-1255	4.6	2
237	A Systematic Review and Meta-Analysis of Cognitive Performance among People with Chronic Use of Opioids for Chronic Non-Cancer Pain. <i>Pain Medicine</i> , 2021 , 22, 979-993	2.8	1

236	Endocannabinoid reactivity to acute stress: Investigation of the relationship between salivary and plasma levels. <i>Biological Psychology</i> , 2021 , 159, 108022	3.2	7
235	Trajectories of alcohol-induced blackouts in adolescence: early risk factors and alcohol use disorder outcomes in early adulthood. <i>Addiction</i> , 2021 , 116, 2039-2048	4.6	3
234	Trends in cocaine use, markets and harms in Australia, 2003-2019. <i>Drug and Alcohol Review</i> , 2021 , 40, 946-956	3.2	2
233	Chloroform-based liquid-liquid extraction and LC-MS/MS quantification of endocannabinoids, cortisol and progesterone in human hair. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 201, 114103	3.5	5
232	Profile and correlates of colorimetric reagent kit use among people who use ecstasy/MDMA and other illegal stimulants in Australia. <i>International Journal of Drug Policy</i> , 2021 , 97, 103334	5.5	0
231	Clinical correlates and outcomes associated with pregabalin use among people prescribed opioids for chronic non-cancer pain: A five-year prospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 3092-3104	3.8	2
230	The experience of physiological and psychosocial alcohol-related harms across adolescence and its association with alcohol use disorder in early adulthood: A prospective cohort study.. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 2518-2527	3.7	
229	Validity and Reliability of the Computer-Administered Routine Opioid Outcome Monitoring (ROOM) Tool. <i>Pain Medicine</i> , 2020 , 21, 3645-3654	2.8	0
228	Alprazolam use among a sample of Australians who inject drugs: Trends up to six years post regulatory changes. <i>International Journal of Drug Policy</i> , 2020 , 79, 102721	5.5	3
227	Assessing the validity of the Australian Treatment Outcomes Profile for telephone administration in drug health treatment populations. <i>Drug and Alcohol Review</i> , 2020 , 39, 441-446	3.2	7
226	Patterns and correlates of prescribed and non-prescribed pregabalin use among a sample of people who inject drugs in Australia. <i>Drug and Alcohol Review</i> , 2020 , 39, 568-574	3.2	1
225	The association between parental supply of alcohol and supply from other sources to young people: a prospective cohort. <i>Addiction</i> , 2020 , 115, 2140-2147	4.6	1
224	Validation of the Australian Treatment Outcomes Profile for use in clients with cannabis dependence. <i>Drug and Alcohol Review</i> , 2020 , 39, 356-364	3.2	4
223	Simultaneous quantification of endocannabinoids, oleoylethanolamide and steroid hormones in human plasma and saliva. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020 , 1152, 122252	3.2	12
222	The overall effect of parental supply of alcohol across adolescence on alcohol-related harms in early adulthood-a prospective cohort study. <i>Addiction</i> , 2020 , 115, 1833-1843	4.6	1
221	Routine opioid outcome monitoring in community pharmacy: Outcomes from an open-label single-arm implementation-effectiveness pilot study. <i>Research in Social and Administrative Pharmacy</i> , 2020 , 16, 1694-1701	2.9	4
220	Development of a Brief Patient-Administered Screening Tool for Prescription Opioid Dependence for Primary Care Settings. <i>Pain Medicine</i> , 2020 , 21, e79-e88	2.8	4
219	Adolescent Alcohol Use Trajectories: Risk Factors and Adult Outcomes. <i>Pediatrics</i> , 2020 , 146,	7.4	14

218	Impact of Removing Nonprescription Codeine in Australia: Protocol for a Prospective Cohort Study. <i>JMIR Research Protocols</i> , 2020 , 9, e15540	2	0
217	Mixing alcohol and energy drinks: associations with risk-taking, alcohol consumption and motivations in a New Zealand sample. <i>Journal of Substance Use</i> , 2020 , 25, 157-162	0.8	1
216	Clinical Significance and Outcomes in Trial of Nabiximols for Treatment of Cannabis Dependence-Reply. <i>JAMA Internal Medicine</i> , 2020 , 180, 163-164	11.5	
215	Measuring Alcohol Use-Related Shame and Guilt: Development and Validation of the Perceptions of Drinking Scale. <i>Substance Use and Misuse</i> , 2020 , 55, 441-451	2.2	4
214	Correlates of indicators of potential extra-medical opioid use in people prescribed opioids for chronic non-cancer pain. <i>Drug and Alcohol Review</i> , 2020 , 39, 128-134	3.2	3
213	Perceptions of extended-release buprenorphine injections for opioid use disorder among people who regularly use opioids in Australia. <i>Addiction</i> , 2020 , 115, 1295-1305	4.6	29
212	Use of alcohol swabs to clean injecting sites among people who regularly inject drugs in Australia. <i>Drug and Alcohol Review</i> , 2020 , 39, 83-92	3.2	2
211	Parental supply of sips and whole drinks of alcohol to adolescents and associations with binge drinking and alcohol-related harms: A prospective cohort study. <i>Drug and Alcohol Dependence</i> , 2020 , 215, 108204	4.9	5
210	Validation of the OWLS, a Screening Tool for Measuring Prescription Opioid Use Disorder in Primary Care. <i>Pain Medicine</i> , 2020 , 21, 2757-2764	2.8	0
209	Profile and correlates of injecting-related injuries and diseases among people who inject drugs in Australia. <i>Drug and Alcohol Dependence</i> , 2020 , 216, 108267	4.9	5
208	Risk factors for indicators of opioid-related harms amongst people living with chronic non-cancer pain: Findings from a 5-year prospective cohort study. <i>EclinicalMedicine</i> , 2020 , 28, 100592	11.3	3
207	Cannabis use in patients 3 months after ceasing nabiximols for the treatment of cannabis dependence: Results from a placebo-controlled randomised trial. <i>Drug and Alcohol Dependence</i> , 2020 , 215, 108220	4.9	8
206	The metabolomic signatures of alcohol consumption in young adults. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 840-849	3.9	6
205	Parental supply of alcohol as a predictor of adolescent alcohol consumption patterns: A prospective cohort. <i>Drug and Alcohol Dependence</i> , 2019 , 204, 107529	4.9	3
204	A systematic review of event-level measures of risk-taking behaviors and harms during alcohol intoxication. <i>Addictive Behaviors</i> , 2019 , 99, 106101	4.2	2
203	The Australian drug harms ranking study. <i>Journal of Psychopharmacology</i> , 2019 , 33, 759-768	4.6	48
202	Parent hazardous drinking and their children's alcohol use in early and mid-adolescence: prospective cohort study. <i>European Journal of Public Health</i> , 2019 , 29, 736-740	2.1	3
201	Antidepressant Use Among People Prescribed Opioids for Chronic Noncancer Pain. <i>Pain Medicine</i> , 2019 , 20, 2450-2458	2.8	7

200	Cannabinoid interventions for PTSD: Where to next?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 93, 124-140	5.5	36
199	Concerns and Help-Seeking Among Patients Using Opioids for Management of Chronic Noncancer Pain. <i>Pain Medicine</i> , 2019 , 20, 758-769	2.8	7
198	Post-marketing studies of pharmaceutical opioid abuse-deterrent formulations: a framework for research design and reporting. <i>Addiction</i> , 2019 , 114, 389-399	4.6	10
197	Nabiximols for the Treatment of Cannabis Dependence: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2019 , 179, 1242-1253	11.5	37
196	New psychoactive substances: challenges for drug surveillance, control, and public health responses. <i>Lancet, The</i> , 2019 , 394, 1668-1684	4.0	100
195	Trends in methamphetamine and opioid use among clients of needle-syringe programs in Queensland, Australia: 2007-2015. <i>Drug and Alcohol Review</i> , 2019 , 38, 159-168	3.2	
194	Commentary on "Sex differences in the effect of cannabinoid type 1 receptor deletion on locus coeruleus-norepinephrine neurons and corticotropin releasing factor-mediated responses". <i>European Journal of Neuroscience</i> , 2019 , 49, 1210-1211	3.5	2
193	Aggression in the Australian night time economy: A comparison of alcohol only versus alcohol and illicit drug consumption. <i>Drug and Alcohol Review</i> , 2019 , 38, 744-749	3.2	2
192	A Roadmap for Integrating Neuroscience Into Addiction Treatment: A Consensus of the Neuroscience Interest Group of the International Society of Addiction Medicine. <i>Frontiers in Psychiatry</i> , 2019 , 10, 877	5	32
191	A National Wastewater Monitoring Program for a better understanding of public health: A case study using the Australian Census. <i>Environment International</i> , 2019 , 122, 400-411	12.9	40
190	Routine opioid outcome monitoring in community pharmacy: Pilot implementation study protocol. <i>Research in Social and Administrative Pharmacy</i> , 2019 , 15, 1047-1055	2.9	9
189	Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD-11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. <i>Addiction</i> , 2019 , 114, 534-552	4.6	17
188	Energy drinks, alcohol and cardiovascular functioning. <i>Drug and Alcohol Dependence</i> , 2018 , 185, 423-424	4.9	1
187	Substance Use and Sex Index (SUSI): First stage development of an assessment tool to measure behaviour change in sexualised drug use for substance use treatment studies. <i>International Journal of Drug Policy</i> , 2018 , 55, 165-168	5.5	2
186	Using the Severity of Dependence Scale to screen for DSM-5 khat use disorder. <i>Human Psychopharmacology</i> , 2018 , 33, e2653	2.3	4
185	Association of parental supply of alcohol with adolescent drinking, alcohol-related harms, and alcohol use disorder symptoms: a prospective cohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e64-e71	22.4	39
184	Inhibiting automatic negative social responses in alcohol intoxication: interactions with theory of mind ability and level of task guidance. <i>Psychopharmacology</i> , 2018 , 235, 1221-1232	4.7	0
183	Measuring spatial and temporal trends of nicotine and alcohol consumption in Australia using wastewater-based epidemiology. <i>Addiction</i> , 2018 , 113, 1127-1136	4.6	40

182	Targeting at-risk samples through brief face-to-face interviews in night-time entertainment precincts. <i>Journal of Substance Use</i> , 2018 , 23, 353-357	0.8	4
181	Guilt-proneness is associated with the use of protective behavioral strategies during episodes of alcohol use. <i>Addictive Behaviors</i> , 2018 , 79, 120-123	4.2	10
180	The effect of a potentially tamper-resistant oxycodone formulation on opioid use and harm: main findings of the National Opioid Medications Abuse Deterrence (NOMAD) study. <i>Lancet Psychiatry</i> , 2018 , 5, 155-166	23.3	22
179	Association between purity of drug seizures and illicit drug loads measured in wastewater in a South East Queensland catchment over a six year period. <i>Science of the Total Environment</i> , 2018 , 635, 779-783	10.2	19
178	Knowledge of Opioid Overdose and Attitudes to Supply of Take-Home Naloxone Among People with Chronic Noncancer Pain Prescribed Opioids. <i>Pain Medicine</i> , 2018 , 19, 533-540	2.8	23
177	Attitudes in Australia on the upscheduling of over-the-counter codeine to a prescription-only medication. <i>Drug and Alcohol Review</i> , 2018 , 37, 257-261	3.2	14
176	A nationwide study of the extent and factors associated with fentanyl use in Australia. <i>Research in Social and Administrative Pharmacy</i> , 2018 , 14, 303-308	2.9	5
175	Pill testing or drug checking in Australia: Acceptability of service design features. <i>Drug and Alcohol Review</i> , 2018 , 37, 226-236	3.2	40
174	Perception of intoxication in a field study of the night-time economy: Blood alcohol concentration, patron characteristics, and event-level predictors. <i>Addictive Behaviors</i> , 2018 , 76, 195-200	4.2	11
173	Behavioral measures of state impulsivity and their psychometric properties: A systematic review. <i>Personality and Individual Differences</i> , 2018 , 135, 67-79	3.3	8
172	Adherence to the Caffeine Intake Guideline during Pregnancy and Birth Outcomes: A Prospective Cohort Study. <i>Nutrients</i> , 2018 , 10,	6.7	8
171	Modulation of the endocannabinoid system by sex hormones: Implications for posttraumatic stress disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 94, 302-320	9	27
170	Alcohol Text Messages: A Developmental Study. <i>International Journal of Mental Health and Addiction</i> , 2018 , 16, 1125-1139	8.8	2
169	LiMA: a study protocol for a randomised, double-blind, placebo controlled trial of lisdexamfetamine for the treatment of methamphetamine dependence. <i>BMJ Open</i> , 2018 , 8, e020723	3	9
168	What do we know about alcohol mixed with energy drink (AmED) use in Australia? Expanding local evidence. <i>Public Health Research and Practice</i> , 2018 , 28,	5.1	1
167	Khat withdrawal symptoms among chronic khat users following a quit attempt: An ecological momentary assessment study. <i>Psychology of Addictive Behaviors</i> , 2018 , 32, 320-326	3.4	5
166	Cognitive, physical, and mental health outcomes between long-term cannabis and tobacco users. <i>Addictive Behaviors</i> , 2018 , 79, 178-188	4.2	15
165	Stopping khat use: Predictors of success in an unaided quit attempt. <i>Drug and Alcohol Review</i> , 2018 , 37 Suppl 1, S235-S239	3.2	5

164	Age of Alcohol Initiation and Progression to Binge Drinking in Adolescence: A Prospective Cohort Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 100-110	3.7	42
163	The Rushes—Data Shadows and Methylamphetamine Use in Rural Towns: Wastewater Analysis. <i>Current Issues in Criminal Justice</i> , 2018 , 29, 195-208	1	
162	Understanding an emerging treatment population: Protocol for and baseline characteristics of a prospective cohort of people receiving treatment for pharmaceutical opioid dependence. <i>Drug and Alcohol Review</i> , 2018 , 37, 887-896	3.2	3
161	Parent characteristics associated with approval of their children drinking alcohol from ages 13 to 16 years: prospective cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2018 , 42, 347-353	3.3	3
160	Typology of new psychoactive substance use among the general Australian population. <i>Drug and Alcohol Dependence</i> , 2018 , 188, 126-134	4.9	9
159	Effect of cannabis use in people with chronic non-cancer pain prescribed opioids: findings from a 4-year prospective cohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e341-e350	22.4	117
158	Cohort Profile: The Australian Parental Supply of Alcohol Longitudinal Study (APSALS). <i>International Journal of Epidemiology</i> , 2017 , 46, e6	7.8	24
157	Opioid agonist doses for oxycodone and morphine dependence: Findings from a retrospective case series. <i>Drug and Alcohol Review</i> , 2017 , 36, 311-316	3.2	3
156	Defined daily doses (DDD) do not accurately reflect opioid doses used in contemporary chronic pain treatment. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 587-591	2.6	28
155	The recovery of online drug markets following law enforcement and other disruptions. <i>Drug and Alcohol Dependence</i> , 2017 , 173, 159-162	4.9	29
154	Combined use of alcohol and energy drinks: Dose relationship with self-reported physiological stimulation and sedation side effects. <i>Addictive Behaviors</i> , 2017 , 71, 68-74	4.2	5
153	Motivations for new psychoactive substance use among regular psychostimulant users in Australia. <i>International Journal of Drug Policy</i> , 2017 , 43, 23-32	5.5	26
152	Parental supply of alcohol and alcohol consumption in adolescence: prospective cohort study. <i>Psychological Medicine</i> , 2017 , 47, 267-278	6.9	29
151	New psychoactive substances: Purchasing and supply patterns in Australia. <i>Human Psychopharmacology</i> , 2017 , 32, e2577	2.3	7
150	Trends in reports of driving following illicit drug consumption among regular drug users in Australia, 2007-2013: Has random roadside drug testing had a deterrent effect?. <i>Accident Analysis and Prevention</i> , 2017 , 104, 146-155	6.1	15
149	Energy drink use frequency among an international sample of people who use drugs: Associations with other substance use and well-being. <i>Drug and Alcohol Dependence</i> , 2017 , 174, 70-79	4.9	12
148	I like the old stuff better than the new stuff? Subjective experiences of new psychoactive substances. <i>International Journal of Drug Policy</i> , 2017 , 40, 44-49	5.5	17
147	Parental Supply of Alcohol in Childhood and Risky Drinking in Adolescence: Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	47

146	The prevalence of pain and analgesia use in the Australian population: Findings from the 2011 to 2012 Australian National Health Survey. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1403-1410	2.6	18
145	Nature versus intensity of intoxication: Co-ingestion of alcohol and energy drinks and the effect on objective and subjective intoxication. <i>Drug and Alcohol Dependence</i> , 2017 , 180, 292-303	4.9	8
144	Trends in PIEDs use among male clients of needle-syringe programs in Queensland, Australia; 2007-2015. <i>International Journal of Drug Policy</i> , 2017 , 46, 74-78	5.5	8
143	Associations between alcohol consumption and cardio-metabolic risk factors in young adults. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 1967-1978	3.9	12
142	Effects of parental alcohol rules on risky drinking and related problems in adolescence: Systematic review and meta-analysis. <i>Drug and Alcohol Dependence</i> , 2017 , 178, 243-256	4.9	34
141	Randomised controlled trial (RCT) of daily aerobic exercise for inpatient cannabis withdrawal: A study protocol. <i>Mental Health and Physical Activity</i> , 2017 , 13, 57-67	5	4
140	Recreational 3,4-methylenedioxymethamphetamine or 'ecstasy': Current perspective and future research prospects. <i>Journal of Psychopharmacology</i> , 2017 , 31, 959-966	4.6	12
139	How does the use of multiple needles/syringes per injecting episode impact on the measurement of individual level needle and syringe program coverage?. <i>International Journal of Drug Policy</i> , 2017 , 46, 99-106	5.5	6
138	Verbal Learning and Memory in Cannabis and Alcohol Users: An Event-Related Potential Investigation. <i>Frontiers in Psychology</i> , 2017 , 8, 2129	3.4	6
137	A review of caffeine use as a risk or protective factor for women's health and pregnancy. <i>Current Opinion in Psychiatry</i> , 2017 , 30, 253-259	4.9	6
136	Injection of Pharmaceuticals Designed for Oral Use: Harms Experienced and Effective Harm Reduction Through Filtration. <i>Current Topics in Behavioral Neurosciences</i> , 2017 , 34, 77-98	3.4	6
135	Concordance of ICD-11 and DSM-5 definitions of alcohol and cannabis use disorders: a population survey. <i>Lancet Psychiatry</i> , 2016 , 3, 673-84	23.3	29
134	Cocaine, MDMA and methamphetamine residues in wastewater: Consumption trends (2009-2015) in South East Queensland, Australia. <i>Science of the Total Environment</i> , 2016 , 568, 803-809	10.2	50
133	Age-related differences in patterns of criminal activity among a large sample of polydrug injectors in Australia. <i>Journal of Substance Use</i> , 2016 , 21, 48-56	0.8	11
132	Preliminary Development of a Brief Cannabis Use Disorder Screening Tool: The Cannabis Use Disorder Identification Test Short-Form. <i>Cannabis and Cannabinoid Research</i> , 2016 , 1, 252-261	4.6	32
131	Health service utilisation by people living with chronic non-cancer pain: findings from the Pain and Opioids IN Treatment (POINT) study. <i>Australian Health Review</i> , 2016 , 40, 490-499	1.8	3
130	Co-ingestion of energy drinks with alcohol and other substances among a sample of people who regularly use ecstasy. <i>Drug and Alcohol Review</i> , 2016 , 35, 352-8	3.2	6
129	An ecological study of the extent and factors associated with the use of prescription and over-the-counter codeine in Australia. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 469-94	2.8	29

128	Prevalence and Correlates of Suicidal Thoughts and Suicide Attempts in People Prescribed Pharmaceutical Opioids for Chronic Pain. <i>Clinical Journal of Pain</i> , 2016 , 32, 292-301	3.5	28
127	Pain, alcohol use disorders and risky patterns of drinking among people with chronic non-cancer pain receiving long-term opioid therapy. <i>Drug and Alcohol Dependence</i> , 2016 , 162, 79-87	4.9	29
126	Challenges and opportunities in using wastewater analysis to measure drug use in a small prison facility. <i>Drug and Alcohol Review</i> , 2016 , 35, 138-47	3.2	19
125	Typology of alcohol consumers in five Australian nighttime entertainment districts. <i>Drug and Alcohol Review</i> , 2016 , 35, 539-48	3.2	12
124	Monitoring temporal changes in use of two cathinones in a large urban catchment in Queensland, Australia. <i>Science of the Total Environment</i> , 2016 , 545-546, 250-5	10.2	30
123	Characterising dark net marketplace purchasers in a sample of regular psychostimulant users. <i>International Journal of Drug Policy</i> , 2016 , 35, 32-7	5.5	33
122	Evaluation of Monitoring Schemes for Wastewater-Based Epidemiology to Identify Drug Use Trends Using Cocaine, Methamphetamine, MDMA and Methadone. <i>Environmental Science & Technology</i> , 2016 , 50, 4760-8	10.3	14
121	Treating codeine dependence with buprenorphine: Dose requirements and induction outcomes from a retrospective case series in New South Wales, Australia. <i>Drug and Alcohol Review</i> , 2016 , 35, 70-75 ^{3.2}		5
120	New psychoactive substance use among regular psychostimulant users in Australia, 2010-2015. <i>Drug and Alcohol Dependence</i> , 2016 , 161, 110-8	4.9	42
119	Tobacco and e-cigarette use amongst illicit drug users in Australia. <i>Drug and Alcohol Dependence</i> , 2016 , 159, 35-41	4.9	16
118	Awareness of energy drink intake guidelines and associated consumption practices: a cross-sectional study. <i>BMC Public Health</i> , 2016 , 16, 6	4.1	11
117	Geographic Variation in Health Service Use and Perceived Access Barriers for Australian Adults with Chronic Non-Cancer Pain Receiving Opioid Therapy. <i>Pain Medicine</i> , 2016 , 17, 2003-2016	2.8	6
116	Sleep Quality Among People Living With Chronic Noncancer Pain: Findings From the Pain and Opioids IN Treatment (POINT) Cohort. <i>Clinical Journal of Pain</i> , 2016 , 32, 380-7	3.5	8
115	Defining problematic pharmaceutical opioid use among people prescribed opioids for chronic noncancer pain: do different measures identify the same patients?. <i>Pain</i> , 2016 , 157, 1489-1498	8	25
114	Is khat use disorder a valid diagnostic entity?. <i>Addiction</i> , 2016 , 111, 1666-76	4.6	22
113	The extent and correlates of community-based pharmaceutical opioid utilisation in Australia. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 521-38	2.6	50
112	Study protocol: a dose-escalating, phase-2 study of oral lisdexamfetamine in adults with methamphetamine dependence. <i>BMC Psychiatry</i> , 2016 , 16, 428	4.2	8
111	Parents Who Supply Sips of Alcohol in Early Adolescence: A Prospective Study of Risk Factors. <i>Pediatrics</i> , 2016 , 137, e20152611	7.4	19

110	Development of a brief tool for monitoring aberrant behaviours among patients receiving long-term opioid therapy: The Opioid-Related Behaviours In Treatment (ORBIT) scale. <i>Drug and Alcohol Dependence</i> , 2016 , 159, 42-52	4.9	22
109	Refining the excretion factors of methadone and codeine for wastewater analysis - Combining data from pharmacokinetic and wastewater studies. <i>Environment International</i> , 2016 , 94, 307-314	12.9	38
108	Spatial variations in the consumption of illicit stimulant drugs across Australia: A nationwide application of wastewater-based epidemiology. <i>Science of the Total Environment</i> , 2016 , 568, 810-818	10.2	65
107	Prime Time for In Situ Measurement: What Are the Drivers and Implications of Energy Drink Co-Ingestion on Alcohol Priming?. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 2073-2075	3.7	
106	Same-day use of opioids and other central nervous system depressants amongst people who tamper with pharmaceutical opioids: A retrospective 7-day diary study. <i>Drug and Alcohol Dependence</i> , 2016 , 166, 125-33	4.9	7
105	Who sells what? Country specific differences in substance availability on the Agora cryptomarket. <i>International Journal of Drug Policy</i> , 2016 , 35, 16-23	5.5	51
104	A Typology of Predictive Risk Factors for Non-Adherent Medication-Related Behaviors among Chronic Non-Cancer Pain Patients Prescribed Opioids: A Cohort Study. <i>Pain Physician</i> , 2016 , 19, E421-34	1.8	1
103	The prevalence and correlates of chronic pain and suicidality in a nationally representative sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 803-11	2.6	46
102	Methods and predictors of tampering with a tamper-resistant controlled-release oxycodone formulation. <i>International Journal of Drug Policy</i> , 2015 , 26, 1265-72	5.5	13
101	The introduction of a potentially abuse deterrent oxycodone formulation: Early findings from the Australian National Opioid Medications Abuse Deterrence (NOMAD) study. <i>Drug and Alcohol Dependence</i> , 2015 , 151, 56-67	4.9	27
100	Chronic cannabis use and ERP correlates of visual selective attention during the performance of a flanker go/nogo task. <i>Biological Psychology</i> , 2015 , 110, 115-25	3.2	14
99	Factors associated with the development of depression in chronic non-cancer pain patients following the onset of opioid treatment for pain. <i>Journal of Affective Disorders</i> , 2015 , 184, 72-80	6.6	24
98	Changes in non-opioid substitution treatment episodes for pharmaceutical opioids and heroin from 2002 to 2011. <i>Drug and Alcohol Dependence</i> , 2015 , 149, 212-9	4.9	35
97	The Pain and Opioids IN Treatment study: characteristics of a cohort using opioids to manage chronic non-cancer pain. <i>Pain</i> , 2015 , 156, 231-242	8	85
96	Detecting impairment: sensitive cognitive measures of dose-related acute alcohol intoxication. <i>Journal of Psychopharmacology</i> , 2015 , 29, 436-46	4.6	7
95	Young adults who mix alcohol with energy drinks: typology of risk-taking behaviour. <i>Addictive Behaviors</i> , 2015 , 45, 252-8	4.2	10
94	Sipping, drinking, and early adolescent alcohol consumption: a cautionary note. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 350-4	3.7	13
93	Cognitive impairment following consumption of alcohol with and without energy drinks. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 733-42	3.7	17

92	Evaluating the potential impact of a reformulated version of oxycodone upon tampering, non-adherence and diversion of opioids: the National Opioid Medications Abuse Deterrence (NOMAD) study protocol. <i>Addiction</i> , 2015 , 110, 226-37	4.6	18
91	Filtration of crushed tablet suspensions has potential to reduce infection incidence in people who inject drugs. <i>Drug and Alcohol Review</i> , 2015 , 34, 67-73	3.2	8
90	The characteristics of a cohort who tamper with prescribed and diverted opioid medications. <i>Journal of Substance Abuse Treatment</i> , 2015 , 58, 51-61	4.2	17
89	The Potential Reach of Opioid Substitution Settings to Deliver HCV Care to People Who Inject Drugs in Australia. <i>Journal of Substance Abuse Treatment</i> , 2015 , 58, 90-4	4.2	11
88	The expectancy valence model of the Iowa Gambling Task: Can it produce reliable estimates for individuals?. <i>Journal of Mathematical Psychology</i> , 2015 , 64-65, 17-34	1.2	5
87	The use of paracetamol (acetaminophen) among a community sample of people with chronic non-cancer pain prescribed opioids. <i>International Journal of Clinical Practice</i> , 2015 , 69, 1366-76	2.9	5
86	Multiply disadvantaged: Health and service utilisation factors faced by homeless injecting drug consumers in Australia. <i>Drug and Alcohol Review</i> , 2015 , 34, 379-87	3.2	34
85	Self-reported risk-taking behavior during matched-frequency sessions of alcohol versus combined alcohol and energy drinks consumption: does co-ingestion increase risk-taking?. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 911-8	3.7	15
84	Typology of alcohol mixed with energy drink consumers: motivations for use. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1083-92	3.7	12
83	Day-by-day variation in affect, arousal and alcohol consumption in young adults. <i>Drug and Alcohol Review</i> , 2015 , 34, 588-94	3.2	23
82	Jurisdictional differences in opioid use, other licit and illicit drug use, and harms associated with substance use among people who tamper with pharmaceutical opioids. <i>Drug and Alcohol Review</i> , 2015 , 34, 611-22	3.2	10
81	A typology of people who tamper with pharmaceutical opioids: responses to introduction of a tamper-resistant formulation of controlled-release oxycodone. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1321-33	2.6	4
80	Early Adolescent Alcohol Use: Are Sipping and Drinking Distinct?. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1805-13	3.7	14
79	Associations of borderline personality with pain, problems with medications and suicidality in a community sample of chronic non-cancer pain patients prescribed opioids for pain. <i>General Hospital Psychiatry</i> , 2015 , 37, 434-40	5.6	15
78	Pharmaceutical Opioid Use and Dependence among People Living with Chronic Pain: Associations Observed within the Pain and Opioids in Treatment (POINT) Cohort. <i>Pain Medicine</i> , 2015 , 16, 1745-58	2.8	58
77	Benzodiazepine use among chronic pain patients prescribed opioids: associations with pain, physical and mental health, and health service utilization. <i>Pain Medicine</i> , 2015 , 16, 356-66	2.8	77
76	Agreement between definitions of pharmaceutical opioid use disorders and dependence in people taking opioids for chronic non-cancer pain (POINT): a cohort study. <i>Lancet Psychiatry</i> , 2015 , 2, 314-22 ²³⁻³		37
75	Experience of adjunctive cannabis use for chronic non-cancer pain: findings from the Pain and Opioids IN Treatment (POINT) study. <i>Drug and Alcohol Dependence</i> , 2015 , 147, 144-50	4.9	80

74	Systematic and day-to-day effects of chemical-derived population estimates on wastewater-based drug epidemiology. <i>Environmental Science & Technology</i> , 2015 , 49, 999-1008	10.3	57
73	The rise of new psychoactive substance use in Australia. <i>Drug Testing and Analysis</i> , 2014 , 6, 846-9	3.5	64
72	Self-reported physiological and psychological side-effects of an acute alcohol and energy drink dose. <i>Appetite</i> , 2014 , 76, 60-5	4.5	13
71	Driving under the influence among frequent ecstasy consumers in Australia: trends over time and the role of risk perceptions. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 218-24	4.9	13
70	Monitoring substance use in prisons: Assessing the potential value of wastewater analysis. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2014 , 54, 338-45	2	15
69	'High' risk? A systematic review of the acute outcomes of mixing alcohol with energy drinks. <i>Addiction</i> , 2014 , 109, 1612-33	4.6	49
68	Monitoring drug markets in the Internet age and the evolution of drug monitoring systems in Australia. <i>Drug Testing and Analysis</i> , 2014 , 6, 840-5	3.5	20
67	Cohort protocol paper: the Pain and Opioids In Treatment (POINT) study. <i>BMC Pharmacology & Toxicology</i> , 2014 , 15, 17	2.6	34
66	The effect of the ecstasy 'come-down' on the diagnosis of ecstasy dependence. <i>Drug and Alcohol Dependence</i> , 2014 , 139, 26-32	4.9	13
65	Self-reported recent testing and diagnosis for sexually transmitted infections among regular ecstasy users in Australia, 2011-2012. <i>Drug and Alcohol Review</i> , 2014 , 33, 211-4	3.2	
64	Diversion of prescribed opioids by people living with chronic pain: results from an Australian community sample. <i>Drug and Alcohol Review</i> , 2014 , 33, 27-32	3.2	11
63	Commentary on Ort et al. (2014): What next to deliver on the promise of large scale sewage-based drug epidemiology?. <i>Addiction</i> , 2014 , 109, 1353-4	4.6	13
62	Prevalence and associations of quetiapine fumarate misuse among an Australian national city sample of people who regularly inject drugs. <i>Addiction</i> , 2014 , 109, 295-302	4.6	4
61	The impact of alcohol and energy drink consumption on intoxication and risk-taking behavior. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 1234-42	3.7	57
60	Exercise increases plasma THC concentrations in regular cannabis users. <i>Drug and Alcohol Dependence</i> , 2013 , 133, 763-7	4.9	25
59	Estimating daily and diurnal variations of illicit drug use in Hong Kong: a pilot study of using wastewater analysis in an Asian metropolitan city. <i>Forensic Science International</i> , 2013 , 233, 126-32	2.6	76
58	Correlates of pain in an in-treatment sample of opioid-dependent people. <i>Drug and Alcohol Review</i> , 2013 , 32, 489-94	3.2	6
57	Profiles of illicit drug use during annual key holiday and control periods in Australia: wastewater analysis in an urban, a semi-rural and a vacation area. <i>Addiction</i> , 2013 , 108, 556-65	4.6	86

56	The relationship between age and risky injecting behaviours among a sample of Australian people who inject drugs. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 541-6	4.9	37
55	Using quantitative wastewater analysis to measure daily usage of conventional and emerging illicit drugs at an annual music festival. <i>Drug and Alcohol Review</i> , 2013 , 32, 594-602	3.2	80
54	Monitoring the Internet for emerging psychoactive substances available to Australia. <i>Drug and Alcohol Review</i> , 2013 , 32, 541-4	3.2	19
53	Valid points, but the trends remain: a response to Rossheim, Suzuki, and Thombs (in press). <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 2171-4	3.7	4
52	Estimating the proportion of prescription opioids that is consumed by people who inject drugs in Australia. <i>Drug and Alcohol Review</i> , 2013 , 32, 468-74	3.2	12
51	A cross-sectional analysis of over-the-counter codeine use among an Australian sample of people who regularly inject drugs. <i>Drug and Alcohol Review</i> , 2013 , 32, 574-81	3.2	12
50	"High" motivation for alcohol: what are the practical effects of energy drinks on alcohol priming?. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 185-7	3.7	9
49	Patterns of use and motivations for consuming alcohol mixed with energy drinks. <i>Psychology of Addictive Behaviors</i> , 2013 , 27, 202-6	3.4	51
48	The sources of pharmaceuticals for problematic users of benzodiazepines and prescription opioids. <i>Medical Journal of Australia</i> , 2013 , 199, 696-9	4	19
47	Shame and guilt-proneness: Divergent implications for problematic alcohol use and drinking to cope with anxiety and depression symptomatology. <i>Personality and Individual Differences</i> , 2012 , 53, 613-617	3.3	58
46	An analysis of ethical issues in using wastewater analysis to monitor illicit drug use. <i>Addiction</i> , 2012 , 107, 1767-73	4.6	57
45	Drug detection dogs in Australia: more bark than bite?. <i>Drug and Alcohol Review</i> , 2012 , 31, 778-83	3.2	16
44	The impact of comorbid cannabis and methamphetamine use on mental health among regular ecstasy users. <i>Addictive Behaviors</i> , 2012 , 37, 1058-62	4.2	10
43	Emerging psychoactive substance use among regular ecstasy users in Australia. <i>Drug and Alcohol Dependence</i> , 2012 , 124, 19-25	4.9	47
42	The subjective physiological, psychological, and behavioral risk-taking consequences of alcohol and energy drink co-ingestion. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 2008-15	3.7	73
41	The effects of 'ecstasy' (MDMA) on visuospatial memory performance: findings from a systematic review with meta-analyses. <i>Human Psychopharmacology</i> , 2012 , 27, 113-38	2.3	28
40	Residual effects of ecstasy (3,4-methylenedioxymethamphetamine) on low level visual processes. <i>Human Psychopharmacology</i> , 2012 , 27, 226-34	2.3	6
39	Effects of filtration on the presence of particulate and oxycodone content of injections prepared from crushed OxyContin [®] tablets. <i>Current Drug Safety</i> , 2012 , 7, 218-24	1.4	9

38	Refining the estimation of illicit drug consumptions from wastewater analysis: co-analysis of prescription pharmaceuticals and uncertainty assessment. <i>Water Research</i> , 2011 , 45, 4437-48	12.5	175
37	Prescription of opioid analgesics and related harms in Australia. <i>Medical Journal of Australia</i> , 2011 , 195, 280-4	4	133
36	Pharmaceutical opioid analgesic and heroin dependence: how do treatment-seeking clients differ in Australia?. <i>Drug and Alcohol Review</i> , 2011 , 30, 291-9	3.2	25
35	Commentary on Fidler et al. (2011): Identifying quitters who are at increased risk of relapse - where to from here?. <i>Addiction</i> , 2011 , 106, 639-40	4.6	3
34	Effectiveness of and challenges faced by surveillance systems. <i>Drug Testing and Analysis</i> , 2011 , 3, 635-41	3.5	6
33	Choosing a Cut-Off on the Severity of Dependence Scale for Ecstasy Use. <i>The Open Addiction Journal</i> , 2011 , 4, 13-14		3
32	Benzodiazepines - Their role in aggression and why GPs should prescribe with caution. <i>Australian Family Physician</i> , 2011 , 40, 862-5		20
31	The self-reported personal wellbeing of a sample of Australian injecting drug users. <i>Addiction</i> , 2010 , 105, 2141-8	4.6	30
30	Contextualising psychological distress among regular ecstasy users: the importance of sociodemographic factors and patterns of drug use. <i>Drug and Alcohol Review</i> , 2010 , 29, 243-9	3.2	20
29	An investigation of factors associated with depressive symptoms among a sample of regular ecstasy consumers. <i>Neuropsychobiology</i> , 2010 , 61, 215-22	4	10
28	Detouring Civil Liberties?. <i>Griffith Law Review</i> , 2010 , 19, 330-349	0.2	8
27	Is ecstasy a drug of dependence?. <i>Drug and Alcohol Dependence</i> , 2010 , 107, 1-10	4.9	100
26	Sexual and injecting risk behaviours among regular ecstasy users. <i>Addictive Behaviors</i> , 2010 , 35, 157-60	4.2	9
25	Transition to and from injecting drug use among regular ecstasy users. <i>Addictive Behaviors</i> , 2010 , 35, 909-12	4.2	14
24	Investigating the role of serotonin in visual orientation processing using an 'ecstasy' (MDMA)-based research model. <i>Neuropsychobiology</i> , 2009 , 60, 204-12	4	16
23	Alprazolam prescribing in Tasmania: a two-fold intervention designed to reduce inappropriate prescribing and concomitant opiate prescription. <i>Australasian Psychiatry</i> , 2009 , 17, 300-5	1.7	8
22	Can the severity of dependence scale be usefully applied to 'ecstasy'?. <i>Neuropsychobiology</i> , 2009 , 60, 137-47	4	50
21	The epidemiology of ecstasy use and harms in Australia. <i>Neuropsychobiology</i> , 2009 , 60, 176-87	4	16

20	Evaluation of Peakmaster for computer-aided multivariate optimisation of a CE separation of 17 antipsychotic drugs using minimal experimental data. <i>Electrophoresis</i> , 2009 , 30, 839-47	3.6	10
19	Effect of filtration on morphine and particle content of injections prepared from slow-release oral morphine tablets. <i>Harm Reduction Journal</i> , 2009 , 6, 37	4.6	17
18	Factors associated with driving under the influence of alcohol and drugs among an Australian sample of regular ecstasy users. <i>Drug and Alcohol Dependence</i> , 2009 , 100, 24-31	4.9	23
17	Drug use and risk among regular injecting drug users in Australia: does age make a difference?. <i>Drug and Alcohol Review</i> , 2008 , 27, 357-60	3.2	16
16	The epidemiology of methamphetamine use and harm in Australia. <i>Drug and Alcohol Review</i> , 2008 , 27, 243-52	3.2	90
15	Eye movement and visual motion perception in schizophrenia I: Apparent motion evoked smooth pursuit eye movement reveals a hidden dysfunction in smooth pursuit eye movement in schizophrenia. <i>Experimental Brain Research</i> , 2007 , 182, 399-413	2.3	12
14	Eye movement and visual motion perception in schizophrenia II: Global coherent motion as a function of target velocity and stimulus density. <i>Experimental Brain Research</i> , 2007 , 182, 415-26	2.3	25
13	A survey of regular ecstasy users' knowledge and practices around determining pill content and purity: Implications for policy and practice. <i>International Journal of Drug Policy</i> , 2006 , 17, 464-472	5.5	32
12	Daily and spaced treatment with transcranial magnetic stimulation in major depression: a pilot study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 759-63	2.6	14
11	Alcohol use and risk taking among regular ecstasy users. <i>Substance Use and Misuse</i> , 2006 , 41, 1095-109	2.2	34
10	Risk and benefit perceptions of party drug use. <i>Addictive Behaviors</i> , 2006 , 31, 137-42	4.2	36
9	Prevalence of injecting drug use and associated risk behavior among regular ecstasy users in Australia. <i>Drug and Alcohol Dependence</i> , 2006 , 83, 210-7	4.9	19
8	Trends in morphine prescriptions, illicit morphine use and associated harms among regular injecting drug users in Australia. <i>Drug and Alcohol Review</i> , 2006 , 25, 403-12	3.2	60
7	The effects of restricting publicly subsidised temazepam capsules on benzodiazepine use among injecting drug users in Australia. <i>Medical Journal of Australia</i> , 2004 , 181, 300-4	4	30
6	Recent trends in benzodiazepine use by injecting drug users in Victoria and Tasmania. <i>Drug and Alcohol Review</i> , 2002 , 21, 363-7	3.2	23
5	Effect on the emotions of healthy individuals of slow repetitive transcranial magnetic stimulation applied to the prefrontal cortex. <i>Journal of ECT</i> , 2001 , 17, 184-9	2	25
4	Postexercise facilitation appears durable in normal subjects. <i>Psychiatry and Clinical Neurosciences</i> , 2001 , 55, 157-9	6.2	4
3	Comparison of unlimited numbers of rapid transcranial magnetic stimulation (rTMS) and ECT treatment sessions in major depressive episode. <i>International Journal of Neuropsychopharmacology</i> , 2000 , 3, 129-134	5.8	91

2 Are shame and guilt personality styles associated with different alcohol use-related outcome expectancies?. *Journal of Substance Use*,1-4 0.8

1 Trends in methamphetamine use, markets and harms in Australia, 2003-2019. *Drug and Alcohol Review*, 3.2 1