

# Byoung-Jin Park

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8010789/publications.pdf>

Version: 2024-02-01

68  
papers

1,253  
citations

361045

20  
h-index

414034

32  
g-index

72  
all docs

72  
docs citations

72  
times ranked

2219  
citing authors

#	ARTICLE	IF	CITATIONS
1	Longitudinal Effects of Serum Calcium and Phosphate Levels and Their Ratio on Incident Ischemic Heart Disease among Korean Adults. <i>Biomolecules</i> , 2022, 12, 103.	1.8	5
2	Relationship of the Triglyceride-Glucose Index with Subclinical White Matter Hypersensitivities of Presumed Vascular Origin Among Community-Dwelling Koreans. <i>International Journal of General Medicine</i> , 2022, Volume 15, 603-608.	0.8	2
3	Genome-Wide Association of New-Onset Hypertension According to Renin Concentration: The Korean Genome and Epidemiology Cohort Study. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 104.	0.8	2
4	Predictive Value of Serum Uric Acid to HDL Cholesterol Ratio for Incident Ischemic Heart Disease in Non-Diabetic Koreans. <i>Biomedicines</i> , 2022, 10, 1422.	1.4	12
5	Dyslipidaemiaâ€™Genotype Interactions with Nutrient Intake and Cerebro-Cardiovascular Disease. <i>Biomedicines</i> , 2022, 10, 1615.	1.4	4
6	Triglyceride glucose (TyG) index as a predictor of incident type 2 diabetes among nonobese adults: a 12-year longitudinal study of the Korean Genome and Epidemiology Study cohort. <i>Translational Research</i> , 2021, 228, 42-51.	2.2	73
7	Pterostilbene Improves Stress-Related Behaviors and Partially Reverses Underlying Neuroinflammatory and Hormonal Changes in Stress-Challenged Mice. <i>Journal of Medicinal Food</i> , 2021, 24, 299-309.	0.8	5
8	Joint Effect of Hepatic Steatosis and Alanine Aminotransferase Within the Normal Range on Incident Ischemic Heart Disease: A Prospective Study in Koreans. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 513-523.	1.3	5
9	Longitudinal Effect of Hemoglobin Concentration With Incident Ischemic Heart Disease According to Hepatic Steatosis Status Among Koreans. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 677040.	1.1	3
10	Association between Copperâ€™Zinc Ratio in Hair and Neutrophilâ€™Lymphocyte Ratio within the Context of a Normal White Blood Cell Count among Overweight or Obese Korean Individuals: A Pilot Study. <i>Korean Journal of Family Medicine</i> , 2021, 42, 240-244.	0.4	6
11	Dietary iron to total energy intake ratio and type 2 diabetes incidence in a longitudinal 12-year analysis of the Korean Genome and Epidemiology Cohort Study. <i>European Journal of Nutrition</i> , 2021, 60, 4453-4461.	1.8	4
12	The Metabolic Score for Insulin Resistance (METS-IR) as a Predictor of Incident Ischemic Heart Disease: A Longitudinal Study among Korean without Diabetes. <i>Journal of Personalized Medicine</i> , 2021, 11, 742.	1.1	39
13	Gallbladder Polyps Increase the Risk of Ischaemic Heart Disease Among Korean Adults. <i>Frontiers in Medicine</i> , 2021, 8, 693245.	1.2	4
14	Clinical Practice Guideline for Frailty Applicable in Primary Care Setting. <i>Korean Journal of Family Practice</i> , 2021, 11, 223-235.	0.1	3
15	Triglyceride to HDL-Cholesterol Ratio and the Incident Risk of Ischemic Heart Disease Among Koreans Without Diabetes: A Longitudinal Study Using National Health Insurance Data. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 716698.	1.1	13
16	Early Chronic Kidney Disease (G1-G3a) in Combination with Steatosis as a Predictor of Incident Ischemic Heart Disease: A Longitudinal Study in Non-Diabetic Koreans. <i>Biomedicines</i> , 2021, 9, 1358.	1.4	3
17	Predictive Value of the Atherogenic Index of Plasma (AIP) for the Risk of Incident Ischemic Heart Disease among Non-Diabetic Koreans. <i>Nutrients</i> , 2021, 13, 3231.	1.7	24
18	Clinical Practice Guidelines for Managing Frailty in Community-Dwelling Korean Elderly Adults in Primary Care Settings. <i>Korean Journal of Family Medicine</i> , 2021, 42, 413-424.	0.4	6

#	ARTICLE	IF	CITATIONS
19	Association of serum carbohydrate antigen 19-9 level with arterial stiffness and coronary artery calcification in middle-aged and older adults. <i>Journal of Hypertension</i> , 2020, 38, 95-101.	0.3	2
20	The triglyceride-glucose index predicts ischemic heart disease risk in Koreans: a prospective study using National Health Insurance Service data. <i>Cardiovascular Diabetology</i> , 2020, 19, 210.	2.7	33
21	Upcoming Aging Society and Men's Health: Focus on Clinical Implications of Exercise and Lifestyle Modification. <i>World Journal of Men's Health</i> , 2020, 38, 24.	1.7	6
22	Relationship of Calcium-Magnesium Ratio in Hair with Triglyceride-Glucose Index and Triglyceride/High-Density Lipoprotein-Cholesterol Ratio among Overweight or Obese Korean Individuals: A Pilot Study. <i>Korean Journal of Family Practice</i> , 2020, 10, 443-447.	0.1	1
23	Borderline-High Mean Corpuscular Volume Levels Are Associated with Arterial Stiffness among the Apparently Healthy Korean Individuals. <i>Korean Journal of Family Medicine</i> , 2020, 41, 387-391.	0.4	5
24	Anemia in Association with Cognitive Impairment: A Systematic Review and Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 803-814.	1.2	14
25	Association between Household Food Insecurity and Asthma in Korean Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2115.	1.2	9
26	Borderline high serum calcium levels are associated with arterial stiffness and 10-year cardiovascular disease risk determined by Framingham risk score. <i>Journal of Clinical Hypertension</i> , 2019, 21, 668-673.	1.0	14
27	Association of white blood cell count with breast cancer burden varies according to menopausal status, body mass index, and hormone receptor status: a case-control study. <i>Scientific Reports</i> , 2019, 9, 5762.	1.6	12
28	Higher monocyte count with normal white blood cell count is positively associated with 10-year cardiovascular disease risk determined by Framingham risk score among community-dwelling Korean individuals. <i>Medicine (United States)</i> , 2019, 98, e15340.	0.4	23
29	Relationship of Forced Vital Capacity with Chronic Kidney Disease among Middle-Aged and Elder Korean Men. <i>Korean Journal of Family Practice</i> , 2019, 9, 96-101.	0.1	0
30	Association between Resting Heart Rate and Borderline Ankle-Brachial Index Among the Health Screen Examinees. <i>Korean Journal of Family Practice</i> , 2019, 9, 161-166.	0.1	0
31	The Association between Neutrophil to Lymphocyte Ratio and Development of Early Adenomatous Colon Polyps among Middle-Aged and Elderly Individuals in Korea. <i>Korean Journal of Family Practice</i> , 2019, 9, 284-289.	0.1	0
32	Trends in diabetes prevalence among Korean adults based on Korean National Health and Nutrition Examination Surveys III-VI. <i>Diabetes Research and Clinical Practice</i> , 2018, 138, 57-65.	1.1	22
33	Long-Term Exposure to Air Pollutants and Cancer Mortality: A Meta-Analysis of Cohort Studies. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2608.	1.2	103
34	Metabolic syndrome and its components as risk factors for prolonged corrected QT interval in apparently healthy Korean men and women. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1298-1304.	0.6	9
35	Inverse association of testosterone and sex hormone binding globulin levels with leukocyte count in middle-aged and elderly men. <i>Aging Male</i> , 2018, 21, 176-181.	0.9	6
36	Sex Difference in the Relationship between Evening Meal-Sharing and Prevalence of Metabolic Syndrome: The 2013-2014 Korean National Health and Nutrition Examination Survey. <i>Korean Journal of Family Practice</i> , 2018, 8, 125-130.	0.1	3

#	ARTICLE	IF	CITATIONS
37	Functional approach to chronic fatigue and energy homeostasis in perspective of adrenal hormones. Journal of Korean Institute for Functional Medicine, 2018, 1, 32-38.	0.0	1
38	Higher Serum Calcium Levels Are Associated with Preclinical Peripheral Arterial Disease among the Apparently Healthy Individuals. Korean Journal of Family Medicine, 2018, 39, 279-283.	0.4	0
39	High Calcium-Magnesium Ratio in Hair Is Associated with Coronary Artery Calcification in Middle-Aged and Elderly Individuals. Biological Trace Element Research, 2017, 179, 52-58.	1.9	9
40	Use of benzodiazepine and risk of cancer: A meta-analysis of observational studies. International Journal of Cancer, 2017, 140, 513-525.	2.3	27
41	Uric Acid Level Has a J-Shaped Association with Arterial Stiffness in Korean Postmenopausal Women. Korean Journal of Family Medicine, 2017, 38, 333.	0.4	4
42	Ferritin Level Is Positively Associated with Chronic Kidney Disease in Korean Men, Based on the 2010-2012 Korean National Health and Nutrition Examination Survey. International Journal of Environmental Research and Public Health, 2016, 13, 1058.	1.2	13
43	High-risk drinking is associated with dyslipidemia in a different way, based on the 2010-2012 KNHANES. Clinica Chimica Acta, 2016, 456, 170-175.	0.5	14
44	Alcoholic liver disease: focus on prodromal gut health. Journal of Digestive Diseases, 2016, 17, 493-500.	0.7	18
45	Effect of <i>Achyranthes bidentata</i> Blume on 3T3-L1 Adipogenesis and Rats Fed with a High-Fat Diet. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-7.	0.5	14
46	Trends in Prevalence of Overweight and Obesity in Korean Adults, 1998-2009: The Korean National Health and Nutrition Examination Survey. Journal of Epidemiology, 2014, 24, 109-116.	1.1	60
47	Chronic liver inflammation: Clinical implications beyond alcoholic liver disease. World Journal of Gastroenterology, 2014, 20, 2168.	1.4	39
48	Reading nutrition labels is associated with a lower risk of metabolic syndrome in Korean adults: The 2007-2008 Korean NHANES. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 876-882.	1.1	34
49	Trends in the prevalence of chronic kidney disease in Korean adults: the Korean National Health and Nutrition Examination Survey from 1998 to 2009. Nephrology Dialysis Transplantation, 2013, 28, 927-936.	0.4	27
50	Prevalence of metabolic syndrome in children and adolescents - the recent trends in South Korea. Journal of Pediatric Endocrinology and Metabolism, 2013, 26, 105-110.	0.4	17
51	Elevated intraocular pressure is associated with metabolic syndrome in postmenopausal women. Menopause, 2013, 20, 742-746.	0.8	20
52	The relationship of platelet count, mean platelet volume with metabolic syndrome according to the criteria of the American Association of Clinical Endocrinologists: A focus on gender differences. Platelets, 2012, 23, 45-50.	1.1	52
53	Association between serum total bilirubin level and leukoaraiosis in Korean adults. Clinical Biochemistry, 2012, 45, 289-292.	0.8	8
54	Sex differences in the relationship between socioeconomic status and metabolic syndrome: The Korean National Health and Nutrition Examination Survey. Diabetes Research and Clinical Practice, 2012, 96, 400-406.	1.1	37

#	ARTICLE	IF	CITATIONS
55	Association between sex hormone levels and leukoaraiosis (LA) in older Korean men. Archives of Gerontology and Geriatrics, 2012, 54, e73-e76.	1.4	2
56	Mean platelet volume (MPV) is associated with leukoaraiosis in the apparently healthy elderly. Archives of Gerontology and Geriatrics, 2012, 54, e118-e121.	1.4	11
57	Relationship between non-alcoholic fatty liver disease and pulmonary function. Internal Medicine Journal, 2012, 42, 541-546.	0.5	28
58	Inverse relationship between bioavailable testosterone and subclinical coronary artery calcification in non-obese Korean men. Asian Journal of Andrology, 2012, 14, 612-615.	0.8	23
59	Effects of Korean Red Ginseng on Cardiovascular Risks in Subjects with Metabolic Syndrome: a Double-blind Randomized Controlled Study. Korean Journal of Family Medicine, 2012, 33, 190.	0.4	30
60	Sex Differences in the Relationship Between Leukocyte Count and Chronic Kidney Disease: The 2007 Korean National Health and Nutrition Examination Survey. Journal of Women's Health, 2011, 20, 99-105.	1.5	6
61	Relationship of neutrophil-lymphocyte ratio with arterial stiffness and coronary calcium score. Clinica Chimica Acta, 2011, 412, 925-929.	0.5	101
62	Alcohol-drinking patterns and metabolic syndrome risk: the 2007 Korean National Health and Nutrition Examination Survey. Alcohol, 2011, 45, 499-505.	0.8	26
63	The association between coronary artery calcification and mean platelet volume in the general population. Platelets, 2011, 22, 567-571.	1.1	22
64	The Association Between Arterial Stiffness and Colorectal Adenomatous Polyp in Women. Journal of Women's Health, 2011, 20, 765-769.	1.5	7
65	Association between resting heart rate and arterial stiffness in Korean adults. Archives of Cardiovascular Diseases, 2010, 103, 246-252.	0.7	53
66	Association between screen time and metabolic syndrome in children and adolescents in Korea: The 2005 Korean National Health and Nutrition Examination Survey. Diabetes Research and Clinical Practice, 2010, 89, 72-78.	1.1	57
67	Integrative Approach to Elderly Frailty. Korean Journal of Family Medicine, 2010, 31, 747.	0.4	16
68	Relationship of Serum Homocysteine with Brachial-Ankle Pulse Wave Velocity in Middle Aged Women. Korean Journal of Family Medicine, 2009, 30, 457.	0.4	1