## Qunying Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/801138/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Convergence of asymptotically almost negatively associated random variables with random coefficients. Communications in Statistics - Theory and Methods, 2023, 52, 2931-2945.  | 0.6 | 2         |
| 2  | Complete convergence and complete moment convergence for weighted sums of extended negatively dependent random variables. Communications in Statistics - Theory and Methods, 2022, 51, 3847-3863.                              | 0.6 | 8         |
| 3  | Complete convergence and complete integral convergence of partial sums for moving average process under sub-linear expectations. AIMS Mathematics, 2022, 7, 9694-9715.   | 0.7 | 12        |
| 4  | Complete convergence and complete integral convergence for weighted sums of widely acceptable random variables under the sub-linear expectations. AIMS Mathematics, 2022, 7, 8430-8448.  | 0.7 | 1         |
| 5  | Complete and complete moment convergence for weighted sums of arrays of rowwise negatively dependent random variables under the sub-linear expectations. Communications in Statistics - Theory and Methods, 2021, 50, 594-608. | 0.6 | 9         |
| 6  | Several Different Types of Convergence for ND Random Variables under Sublinear Expectations.<br>Discrete Dynamics in Nature and Society, 2021, 2021, 1-9.  | 0.5 | 0         |
| 7  | Complete Convergence for Weighted Sums of Widely Acceptable Random Variables under Sublinear Expectations. Discrete Dynamics in Nature and Society, 2021, 2021, 1-10.  | 0.5 | 2         |
| 8  | Complete Convergence for END Random Variables under Sublinear Expectations. Discrete Dynamics in<br>Nature and Society, 2021, 2021, 1-10.  | 0.5 | 2         |
| 9  | Complete integration convergence for arrays of rowwise extended negatively dependent random variables under the sub-linear expectations. AIMS Mathematics, 2021, 6, 12166-12181.   | 0.7 | 3         |
| 10 | Complete integral convergence for arrays of row-wise extended independent random variables under<br>Sub-linear expectations. Communications in Statistics - Theory and Methods, 2020, 49, 5613-5626.                           | 0.6 | 8         |
| 11 | Another form of Chover's law of the iterated logarithm under sub-linear expectations. Revista De La<br>Real Academia De Ciencias Exactas, Fisicas Y Naturales - Serie A: Matematicas, 2020, 114, 1.                            | 0.6 | 6         |
| 12 | Complete convergence theorem for negatively dependent random variables under sub-linear expectations. Communications in Statistics - Theory and Methods, 2020, , 1-14.   | 0.6 | 0         |
| 13 | Precise Asymptotics for Complete Integral Convergence under Sublinear Expectations. Mathematical<br>Problems in Engineering, 2020, 2020, 1-13.   | 0.6 | 11        |
| 14 | Complete convergence and complete moment convergence for negatively dependent random variables under sub-linear expectations. Filomat, 2020, 34, 1093-1104.  | 0.2 | 10        |
| 15 | Theorems of complete convergence and complete integral convergence for END random variables under sub-linear expectations. Journal of Inequalities and Applications, 2019, 2019, .   | 0.5 | 10        |
| 16 | Complete convergence for arrays of row-wise ND random variables under sub-linear expectations.<br>Communications in Statistics - Theory and Methods, 2019, 48, 3165-3176.  | 0.6 | 3         |
| 17 | On Some Conditions for Strong Law of Large Numbers for Weighted Sums of END Random Variables under Sublinear Expectations. Discrete Dynamics in Nature and Society, 2019, 2019, 1-8.   | 0.5 | 5         |
| 18 | Some Types of Convergence for Negatively Dependent Random Variables under Sublinear Expectations.<br>Discrete Dynamics in Nature and Society, 2019, 2019, 1-7.   | 0.5 | 21        |

QUNYING WU

| #  | Article   | IF   | CITATIONS   |
|----|---|--|-------------|
| 19 | Complete convergence for weighted sums of extended negatively dependent random variables under sub-linear expectations. Communications in Statistics - Theory and Methods, 2018, 47, 4741-4750.   | 0.6  | 4           |
| 20 | Complete convergence and complete moment convergence for arrays of rowwise negatively superadditive dependent random variables. Communications in Statistics - Theory and Methods, 2018, 47, 3910-3922.   | 0.6  | 6           |
| 21 | SOME LIMITING BEHAVIOR FOR ASYMPTOTICALLY NEGATIVE ASSOCIATED RANDOM VARIABLES. Probability in the Engineering and Informational Sciences, 2018, 32, 58-66.   | 0.6  | 5           |
| 22 | Strong law of large numbers and Chover's law of the iterated logarithm under sub-linear expectations. Journal of Mathematical Analysis and Applications, 2018, 460, 252-270.  | 0.5  | 55          |
| 23 | Almost sure central limit theorem for self-normalized products of partial sums of negatively associated sequences. Communications in Statistics - Theory and Methods, 2017, 46, 2593-2606.  | 0.6  | 4           |
| 24 | An extension of almost sure central limit theorem for the maximum of stationary Gaussian random fields. Communications in Statistics - Theory and Methods, 2017, 46, 3667-3675.   | 0.6  | 0           |
| 25 | Almost sure central limit theorem for self-normalized partial sums of <mml:math<br>xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" display="inline"<br/>overflow="scroll"&gt;<mml:msup><mml:mrow><mml:mi>i</mml:mi></mml:mrow><mml:mrow><mml:mo>â^'sequences_Statistics and Probability Letters_2017_129_17-27</mml:mo></mml:mrow></mml:msup></mml:math<br> | nl:mo <sup>4</sup> <td>ıml?mrow&gt; «</td> | ıml?mrow> « |
| 26 | Equivalent conditions of complete moment convergence for extended negatively dependent random variables. Journal of Inequalities and Applications, 2017, 2017, 125.   | 0.5  | 4           |
| 27 | Complete convergence and complete moment convergence for weighted sums of extended negatively dependent random variables under sub-linear expectation. Journal of Inequalities and Applications, 2017, 2017, 261.   | 0.5  | 38          |
| 28 | Complete Moment Convergence for Negatively Dependent Sequences of Random Variables. Discrete<br>Dynamics in Nature and Society, 2016, 2016, 1-6.  | 0.5  | 1           |
| 29 | A note on the almost sure central limit theorems for the maxima of strongly dependent<br>nonstationary Gaussian vector sequences. Journal of Inequalities and Applications, 2016, 2016, .   | 0.5  | 0           |
| 30 | Complete convergence and complete moment convergence for negatively associated sequences of random variables. Journal of Inequalities and Applications, 2016, 2016, .   | 0.5  | 16          |
| 31 | Almost sure central limit theorem for self-normalized partial sums and maxima. Revista De La Real<br>Academia De Ciencias Exactas, Fisicas Y Naturales - Serie A: Matematicas, 2016, 110, 699-710.  | 0.6  | 1           |
| 32 | Further study of complete convergence for weighted sums of PNQD random variables. Journal of<br>Inequalities and Applications, 2015, 2015, .  | 0.5  | 4           |
| 33 | The improved results in almost sure central limit theorem for the maxima of strongly dependent stationary Gaussian vector sequences. Journal of Inequalities and Applications, 2015, 2015, .  | 0.5  | 2           |
| 34 | Improved results in almost sure central limit theorems for the maxima and partial sums for Gaussian sequences. Journal of Inequalities and Applications, 2015, 2015, .  | 0.5  | 1           |
| 35 | Further Study on the Marcinkiewicz Strong Laws for Linear Statistics of Ï*-Mixing Sequences of Random Variables. Communications in Statistics - Theory and Methods, 2015, 44, 125-134.  | 0.6  | 0           |
| 36 | A Note on the Almost Sure Central Limit Theorem for Partial Sums of<br><i>i</i> <sup>−</sup> -Mixing Sequences. Applied Mathematics, 2015, 06,<br>1574-1580.  | 0.1  | 1           |

QUNYING WU

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | An improved result in almost sure central limit theorem for self-normalized products of partial sums. Journal of Inequalities and Applications, 2013, 2013, .   | 0.5 | 8         |
| 38 | Strong representation results of the Kaplan-Meier estimator for censored negatively associated data.<br>Journal of Inequalities and Applications, 2013, 2013, .   | 0.5 | 4         |
| 39 | A Berry-Esseen Type Bound in Kernel Density Estimation for Negatively Associated Censored Data.<br>Journal of Applied Mathematics, 2013, 2013, 1-9.   | 0.4 | 4         |
| 40 | The Almost Sure Local Central Limit Theorem for the Negatively Associated Sequences. Journal of Applied Mathematics, 2013, 2013, 1-9.   | 0.4 | 2         |
| 41 | Limiting Behavior of the Maximum of the Partial Sum for Linearly Negative Quadrant Dependent<br>Random Variables under Residual CesÃro Alpha-Integrability Assumption. Journal of Applied<br>Mathematics, 2012, 2012, 1-10. | 0.4 | 0         |
| 42 | Sufficient and Necessary Conditions of Complete Convergence for Weighted Sums of PNQD Random<br>Variables. Journal of Applied Mathematics, 2012, 2012, 1-10.  | 0.4 | 6         |
| 43 | The Rate of Strong Consistency of the Nearest Neighbor Density Estimator for Negatively Dependent<br>Random Variables. ISRN Applied Mathematics, 2012, 2012, 1-10.  | 0.5 | 1         |
| 44 | An improved result in almost sure central limit theory for products of partial sums with stable distribution. Chinese Annals of Mathematics Series B, 2012, 33, 919-930.  | 0.2 | 7         |
| 45 | A complete convergence theorem for weighted sums of arrays of rowwise negatively dependent random variables. Journal of Inequalities and Applications, 2012, 2012, .  | 0.5 | 27        |
| 46 | Central limit theorem for stationary linear processes generated by linearly negative quadrant-dependent sequence. Journal of Inequalities and Applications, 2012, 2012, .   | 0.5 | 7         |
| 47 | A note on the almost sure limit theorem for self-normalized partial sums of random variables in the<br>domain of attraction of the normal law. Journal of Inequalities and Applications, 2012, 2012, .                      | 0.5 | 15        |
| 48 | Almost Sure Central Limit Theory for Self-Normalized Products of Sums of Partial Sums. Journal of<br>Applied Mathematics, 2012, 2012, 1-13.   | 0.4 | 0         |
| 49 | The Strong Consistency ofMEstimator in a Linear Model for Negatively Dependent Random Samples.<br>Communications in Statistics - Theory and Methods, 2011, 40, 467-491.   | 0.6 | 33        |
| 50 | Almost Sure Central Limit Theorem for Product of Partial Sums of Strongly Mixing Random Variables.<br>Journal of Inequalities and Applications, 2011, 2011, 576301.   | 0.5 | 5         |
| 51 | Almost sure limit theorems for stable distributions. Statistics and Probability Letters, 2011, 81, 662-672.   | 0.4 | 19        |
| 52 | An almost sure central limit theorem for the weight function sequences of NA random variables.<br>Proceedings of the Indian Academy of Sciences: Mathematical Sciences, 2011, 121, 369-377.                                 | 0.2 | 16        |
| 53 | The strong law of large numbers for pairwise NQD random variables. Journal of Systems Science and Complexity, 2011, 24, 347-357.  | 1.6 | 14        |
| 54 | Further study strong consistency of M estimator in linear model for \$\$ilde ho\$\$ -mixing random samples. Journal of Systems Science and Complexity, 2011, 24, 969-980.   | 1.6 | 7         |

QUNYING WU

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | A note on the complete convergence for sequences of pairwise NQD random variables. Journal of Inequalities and Applications, 2011, 2011, .   | 0.5 | 12        |
| 56 | Complete Convergence for Weighted Sums of Sequences of Negatively Dependent Random Variables.<br>Journal of Probability and Statistics, 2011, 2011, 1-16.  | 0.3 | 22        |
| 57 | Strong Laws of Large Numbers for Arrays of Rowwise NA and LNQD Random Variables. Journal of Probability and Statistics, 2011, 2011, 1-10.  | 0.3 | 3         |
| 58 | Chover-type laws of the k-iterated logarithm for <mml:math<br>xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"&gt;<mml:mover<br>accent="true"&gt;<mml:mi>I</mml:mi><mml:mo>˜</mml:mo>-mixing sequences<br/>of random variables. Journal of Mathematical Analysis and Applications, 2010, 366, 435-443.</mml:mover<br></mml:math<br> | 0.5 | 22        |
| 59 | Chover's law of the iterated logarithm for negatively associated sequences. Journal of Systems<br>Science and Complexity, 2010, 23, 293-302.   | 1.6 | 14        |
| 60 | A law of the iterated logarithm of partial sums for NA random variables. Journal of the Korean<br>Statistical Society, 2010, 39, 199-206.  | 0.3 | 16        |
| 61 | A Strong Limit Theorem for Weighted Sums of Sequences of Negatively Dependent Random Variables.<br>Journal of Inequalities and Applications, 2010, 2010, 383805.   | 0.5 | 24        |
| 62 | Complete Convergence for Negatively Dependent Sequences of Random Variables. Journal of Inequalities and Applications, 2010, 2010, 507293.   | 0.5 | 24        |
| 63 | Some Strong Limit Theorems for Weighted Product Sums of -Mixing Sequences of Random Variables.<br>Journal of Inequalities and Applications, 2009, 2009, 174768.  | 0.5 | 4         |
| 64 | Some strong limit theorems for -mixing sequences of random variables. Statistics and Probability Letters, 2008, 78, 1017-1023.   | 0.4 | 38        |
| 65 | Strong Consistency of M Estimator in Linear Model for Negatively Associated Samples. Journal of Systems Science and Complexity, 2006, 19, 592-600.   | 1.6 | 15        |
| 66 | Strong laws of large numbers for weighted sums of extended negatively dependent random variables under sub-linear expectations. Communications in Statistics - Theory and Methods, 0, , 1-24.  | 0.6 | 3         |
| 67 | Strong limit theorems of weighted sums for extended negatively dependent random variables under sub-linear expectations. Communications in Statistics - Theory and Methods, 0, , 1-13.   | 0.6 | 4         |
| 68 | Complete convergence theorems for arrays of row-wise extended negatively dependent random variables under sub-linear expectations. Communications in Statistics - Theory and Methods, 0, , 1-15.   | 0.6 | 0         |
| 69 | Complete integral convergence for weighted sums of widely negative dependent random variables under the sub-linear expectations. Communications in Statistics - Theory and Methods, 0, , 1-22.   | 0.6 | 0         |