

Ake Lernmark

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8011532/publications.pdf>

Version: 2024-02-01

440
papers

27,413
citations

10373

72
h-index

8156

148
g-index

455
all docs

455
docs citations

455
times ranked

25859
citing authors

#	ARTICLE	IF	CITATIONS
1	Enteroviruses and Type 1 Diabetes: Multiple Mechanisms and Factors?. Annual Review of Medicine, 2022, 73, 483-499.	5.0	25
2	Is staff consistency important to parents' satisfaction in a longitudinal study of children at risk for type 1 diabetes: the TEDDY study. BMC Endocrine Disorders, 2022, 22, 19.	0.9	4
3	Heterogeneity of DKA Incidence and Age-Specific Clinical Characteristics in Children Diagnosed With Type 1 Diabetes in the TEDDY Study. Diabetes Care, 2022, 45, 624-633.	4.3	7
4	Progression of type 1 diabetes from latency to symptomatic disease is predicted by distinct autoimmune trajectories. Nature Communications, 2022, 13, 1514.	5.8	16
5	Telomere length is not a main factor for the development of islet autoimmunity and type 1 diabetes in the TEDDY study. Scientific Reports, 2022, 12, 4516.	1.6	6
6	Multiplex agglutination-PCR (ADAP) autoantibody assays compared to radiobinding autoantibodies in type 1 diabetes and celiac disease. Journal of Immunological Methods, 2022, 506, 113265.	0.6	9
7	Sources of dietary gluten in the first 2 years of life and associations with celiac disease autoimmunity and celiac disease in Swedish genetically predisposed children: The Environmental Determinants of Diabetes in the Young (TEDDY) study. American Journal of Clinical Nutrition, 2022, 116, 394-403.	2.2	5
8	Association of HLA-DQ Heterodimer Residues $\hat{r}18\hat{r}2$ and $\hat{r}257$ With Progression From Islet Autoimmunity to Diabetes in the Diabetes Prevention Trial "Type 1. Diabetes Care, 2022, 45, 1610-1620.	4.3	1
9	Temporal changes in gastrointestinal fungi and the risk of autoimmunity during early childhood: the TEDDY study. Nature Communications, 2022, 13, .	5.8	13
10	Immunocyte single cell analysis of vaccine-induced narcolepsy. European Journal of Immunology, 2021, 51, 247-249.	1.6	3
11	Plasma Metabolome and Circulating Vitamins Stratified Onset Age of an Initial Islet Autoantibody and Progression to Type 1 Diabetes: The TEDDY Study. Diabetes, 2021, 70, 282-292.	0.3	13
12	Beta cell function in participants with single or multiple islet autoantibodies at baseline in the TEDDY Family Prevention Study: TEFA. Endocrinology, Diabetes and Metabolism, 2021, 4, e00198.	1.0	3
13	An Age-Related Exponential Decline in the Risk of Multiple Islet Autoantibody Seroconversion During Childhood. Diabetes Care, 2021, 44, 2260-2268.	4.3	23
14	Children's erythrocyte fatty acids are associated with the risk of islet autoimmunity. Scientific Reports, 2021, 11, 3627.	1.6	10
15	The Vbeta13 T Cell Receptor Monoclonal Antibody Reduces Hyaluronan and CD68+, CD3+, and CD8+ Cell Infiltrations to Delay Diabetes in Congenic BB DRLyp/Lyp Rats. Frontiers in Endocrinology, 2021, 12, 629242.	1.5	1
16	Transcriptional networks in at-risk individuals identify signatures of type 1 diabetes progression. Science Translational Medicine, 2021, 13, .	5.8	22
17	Nine residues in HLA-DQ molecules determine with susceptibility and resistance to type 1 diabetes among young children in Sweden. Scientific Reports, 2021, 11, 8821.	1.6	6
18	Associations of breastfeeding with childhood autoimmunity, allergies, and overweight: The Environmental Determinants of Diabetes in the Young (TEDDY) study. American Journal of Clinical Nutrition, 2021, 114, 134-142.	2.2	14

#	ARTICLE	IF	CITATIONS
19	Neutralizing Ljungan virus antibodies in children with newly diagnosed type 1 diabetes. <i>Journal of General Virology</i> , 2021, 102, .	1.3	3
20	Complete blood counts with red blood cell determinants associate with reduced betaâ€cell function in seroconverted Swedish TEDDY children. <i>Endocrinology, Diabetes and Metabolism</i> , 2021, 4, e00251.	1.0	3
21	Metabolomics Profiling of Patients With Aâˆ²+ Ketosis-Prone Diabetes During Diabetic Ketoacidosis. <i>Diabetes</i> , 2021, 70, 1898-1909.	0.3	8
22	Etiology of Autoimmune Islet Disease: Timing Is Everything. <i>Diabetes</i> , 2021, 70, 1431-1439.	0.3	9
23	Characteristics of children diagnosed with type 1 diabetes before vs after 6Âyears of age in the TEDDY cohort study. <i>Diabetologia</i> , 2021, 64, 2247-2257.	2.9	14
24	The KAG motif of HLA-DRB1 (âˆ²71, âˆ²74, âˆ²86) predicts seroconversion and development of type 1 diabetes. <i>EBioMedicine</i> , 2021, 69, 103431.	2.7	6
25	Simplifying prediction of disease progression in pre-symptomatic type 1 diabetes using a single blood sample. <i>Diabetologia</i> , 2021, 64, 2432-2444.	2.9	8
26	First-appearing islet autoantibodies for type 1 diabetes in young children: maternal life events during pregnancy and the childâ€™s genetic risk. <i>Diabetologia</i> , 2021, 64, 591-602.	2.9	7
27	Dynamic changes in immune gene co-expression networks predict development of type 1 diabetes. <i>Scientific Reports</i> , 2021, 11, 22651.	1.6	3
28	Heterogeneity of beta-cell function in subjects with multiple islet autoantibodies in the TEDDY family prevention study - TEFA. <i>Clinical Diabetes and Endocrinology</i> , 2021, 7, 23.	1.3	1
29	Autoimmune (Type 1) Diabetes. , 2020, , 769-787.		4
30	Hyaluronan deposition in islets may precede and direct the location of islet immune-cell infiltrates. <i>Diabetologia</i> , 2020, 63, 549-560.	2.9	9
31	Plasma ascorbic acid and the risk of islet autoimmunity and type 1 diabetes: the TEDDY study. <i>Diabetologia</i> , 2020, 63, 278-286.	2.9	18
32	Characterization of plasma lipidomics in adolescent subjects with increased risk for type 1 diabetes in the DiPiS cohort. <i>Metabolomics</i> , 2020, 16, 109.	1.4	1
33	A combined risk score enhances prediction of type 1 diabetes among susceptible children. <i>Nature Medicine</i> , 2020, 26, 1247-1255.	15.2	83
34	Next-Generation HLA Sequence Analysis Uncovers Seven HLA-DQ Amino Acid Residues and Six Motifs Resistant to Childhood Type 1 Diabetes. <i>Diabetes</i> , 2020, 69, 2523-2535.	0.3	7
35	Distinct Growth Phases in Early Life Associated With the Risk of Type 1 Diabetes: The TEDDY Study. <i>Diabetes Care</i> , 2020, 43, 556-562.	4.3	28
36	Periodontal conditions, retinopathy, and serum markers in individuals with type 1 diabetes. <i>Journal of Periodontology</i> , 2020, 91, 1436-1443.	1.7	2

#	ARTICLE	IF	CITATIONS
37	Longitudinal Metabolome-Wide Signals Prior to the Appearance of a First Islet Autoantibody in Children Participating in the TEDDY Study. <i>Diabetes</i> , 2020, 69, 465-476.	0.3	30
38	Decreased HLA-DQ expression on peripheral blood cells in children with varying number of beta cell autoantibodies. <i>Journal of Translational Autoimmunity</i> , 2020, 3, 100052.	2.0	5
39	Hierarchical Order of Distinct Autoantibody Spreading and Progression to Type 1 Diabetes in the TEDDY Study. <i>Diabetes Care</i> , 2020, 43, 2066-2073.	4.3	41
40	Screening for autoantibody targets in post-vaccination narcolepsy using proteome arrays. <i>Scandinavian Journal of Immunology</i> , 2020, 91, e12864.	1.3	4
41	Absence of Islet Autoantibodies and Modestly Raised Glucose Values at Diabetes Diagnosis Should Lead to Testing for MODY: Lessons From a 5-Year Pediatric Swedish National Cohort Study. <i>Diabetes Care</i> , 2020, 43, 82-89.	4.3	68
42	Motifs of Three HLA-DQ Amino Acid Residues (Î±44, Î²57, Î²135) Capture Full Association With the Risk of Type 1 Diabetes in DQ2 and DQ8 Children. <i>Diabetes</i> , 2020, 69, 1573-1587.	0.3	17
43	Maternal dietary supplement use and development of islet autoimmunity in the offspring: TEDDY study. <i>Pediatric Diabetes</i> , 2019, 20, 86-92.	1.2	17
44	Identical and Nonidentical Twins: Risk and Factors Involved in Development of Islet Autoimmunity and Type 1 Diabetes. <i>Diabetes Care</i> , 2019, 42, 192-199.	4.3	27
45	Early Probiotic Supplementation and the Risk of Celiac Disease in Children at Genetic Risk. <i>Nutrients</i> , 2019, 11, 1790.	1.7	22
46	Association of Gluten Intake During the First 5 Years of Life With Incidence of Celiac Disease Autoimmunity and Celiac Disease Among Children at Increased Risk. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 514.	3.8	95
47	Autoantibodies in Pandemrix [®] -induced narcolepsy: Nine candidate autoantigens fail the conformational autoantibody test. <i>Autoimmunity</i> , 2019, 52, 185-191.	1.2	17
48	Identification of infants with increased type 1 diabetes genetic risk for enrollment into Primary Prevention Trialsâ€”GPPADâ€”2 study design and first results. <i>Pediatric Diabetes</i> , 2019, 20, 720-727.	1.2	31
49	Metabolite-related dietary patterns and the development of islet autoimmunity. <i>Scientific Reports</i> , 2019, 9, 14819.	1.6	34
50	HLA high-resolution typing by next-generation sequencing in Pandemrix-induced narcolepsy. <i>PLoS ONE</i> , 2019, 14, e0222882.	1.1	10
51	Genetic Contribution to the Divergence in Type 1 Diabetes Risk Between Children From the General Population and Children From Affected Families. <i>Diabetes</i> , 2019, 68, 847-857.	0.3	22
52	Eleven Amino Acids of HLA-DRB1 and Fifteen Amino Acids of HLA-DRB3, 4, and 5 Include Potentially Causal Residues Responsible for the Risk of Childhood Type 1 Diabetes. <i>Diabetes</i> , 2019, 68, 1692-1704.	0.3	11
53	Genetic Variation Within the <i>HLA-DRA1</i> Gene Modulates Susceptibility to Type 1 Diabetes in HLA-DR3 Homozygotes. <i>Diabetes</i> , 2019, 68, 1523-1527.	0.3	13
54	Predicting Islet Cell Autoimmunity and Type 1 Diabetes: An 8-Year TEDDY Study Progress Report. <i>Diabetes Care</i> , 2019, 42, 1051-1060.	4.3	75

#	ARTICLE	IF	CITATIONS
55	Rationale for enteroviral vaccination and antiviral therapies in human type 1 diabetes. <i>Diabetologia</i> , 2019, 62, 744-753.	2.9	65
56	The association between stressful life events and respiratory infections during the first 4 years of life: The Environmental Determinants of Diabetes in the Young study. <i>Stress and Health</i> , 2019, 35, 289-303.	1.4	9
57	Prospective virome analyses in young children at increased genetic risk for type 1 diabetes. <i>Nature Medicine</i> , 2019, 25, 1865-1872.	15.2	161
58	Predicting progression to type 1 diabetes from ages 3 to 6 in islet autoantibody positive TEDDY children. <i>Pediatric Diabetes</i> , 2019, 20, 263-270.	1.2	31
59	Time-Resolved Autoantibody Profiling Facilitates Stratification of Preclinical Type 1 Diabetes in Children. <i>Diabetes</i> , 2019, 68, 119-130.	0.3	28
60	Progression from islet autoimmunity to clinical type 1 diabetes is influenced by genetic factors: results from the prospective TEDDY study. <i>Journal of Medical Genetics</i> , 2019, 56, 602-605.	1.5	22
61	1345-P: Presymptomatic and Clinical T1D in The U.S., Sweden, and Finland: Joint Analysis of Four Birth Cohort Studies. <i>Diabetes</i> , 2019, 68, .	0.3	0
62	210-OR: A Combined Method Improves Risk Prediction for Childhood Type 1 Diabetes in the TEDDY Study. <i>Diabetes</i> , 2019, 68, .	0.3	0
63	1682-P: A Rule-Based Discovery of Gene-Environment Interactions on Risk of Islet Autoimmunity: TEDDY Study. <i>Diabetes</i> , 2019, 68, .	0.3	0
64	Genetic risk scores in adult-onset type 1 diabetes. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 168-169.	5.5	5
65	Novel subgroups of adult-onset diabetes and their association with outcomes: a data-driven cluster analysis of six variables. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 361-369.	5.5	1,430
66	The Better Diabetes Diagnosis (BDD) study – A review of a nationwide prospective cohort study in Sweden. <i>Diabetes Research and Clinical Practice</i> , 2018, 140, 236-244.	1.1	15
67	Early Infant Diet and Islet Autoimmunity in the TEDDY Study. <i>Diabetes Care</i> , 2018, 41, 522-530.	4.3	48
68	Early deficits in insulin secretion, beta cell mass and islet blood perfusion precede onset of autoimmune type 1 diabetes in BioBreeding rats. <i>Diabetologia</i> , 2018, 61, 896-905.	2.9	10
69	Identification of non-HLA genes associated with development of islet autoimmunity and type 1 diabetes in the prospective TEDDY cohort. <i>Journal of Autoimmunity</i> , 2018, 89, 90-100.	3.0	46
70	First trimester enterovirus IgM and beta cell autoantibodies in mothers to children affected by type 1 diabetes autoimmunity before 7 years of age. <i>Journal of Reproductive Immunology</i> , 2018, 127, 1-6.	0.8	4
71	Plasma 25-Hydroxyvitamin D Concentration and Risk of Islet Autoimmunity. <i>Diabetes</i> , 2018, 67, 146-154.	0.3	72
72	Gestational respiratory infections interacting with offspring HLA and CTLA-4 modifies incident β -cell autoantibodies. <i>Journal of Autoimmunity</i> , 2018, 86, 93-103.	3.0	22

#	ARTICLE	IF	CITATIONS
73	HLA, infections and inflammation in early stages of atherosclerosis in children with type 1 diabetes. <i>Acta Diabetologica</i> , 2018, 55, 41-47.	1.2	6
74	Pandemrix® vaccination is not associated with increased risk of islet autoimmunity or type 1 diabetes in the TEDDY study children. <i>Diabetologia</i> , 2018, 61, 193-202.	2.9	18
75	Cesarean Section on the Risk of Celiac Disease in the Offspring. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018, 66, 417-424.	0.9	47
76	Tissue transglutaminase autoantibodies in children with newly diagnosed type 1 diabetes are related to human leukocyte antigen but not to islet autoantibodies: A Swedish nationwide prospective population-based cohort study. <i>Autoimmunity</i> , 2018, 51, 221-227.	1.2	6
77	The Environmental Determinants of Diabetes in the Young (TEDDY) Study: 2018 Update. <i>Current Diabetes Reports</i> , 2018, 18, 136.	1.7	77
78	Temporal development of the gut microbiome in early childhood from the TEDDY study. <i>Nature</i> , 2018, 562, 583-588.	13.7	1,220
79	The human gut microbiome in early-onset type 1 diabetes from the TEDDY study. <i>Nature</i> , 2018, 562, 589-594.	13.7	623
80	Genetic scores to stratify risk of developing multiple islet autoantibodies and type 1 diabetes: A prospective study in children. <i>PLoS Medicine</i> , 2018, 15, e1002548.	3.9	101
81	A Type 1 Diabetes Genetic Risk Score Predicts Progression of Islet Autoimmunity and Development of Type 1 Diabetes in Individuals at Risk. <i>Diabetes Care</i> , 2018, 41, 1887-1894.	4.3	104
82	Reduction in White Blood Cell, Neutrophil, and Red Blood Cell Counts Related to Sex, HLA, and Islet Autoantibodies in Swedish TEDDY Children at Increased Risk for Type 1 Diabetes. <i>Diabetes</i> , 2018, 67, 2329-2336.	0.3	15
83	Thyroid and islet autoantibodies predict autoimmune thyroid disease already at Type 1 diabetes diagnosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2335.	1.8	38
84	Islet autoantibodies present in association with Ljungan virus infection in bank voles (<i>Myodes</i>) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50	2.5	5
85	First Infant Formula Type and Risk of Islet Autoimmunity in The Environmental Determinants of Diabetes in the Young (TEDDY) Study. <i>Diabetes Care</i> , 2017, 40, 398-404.	4.3	35
86	Residual beta-cell function in diabetes children followed and diagnosed in the TEDDY study compared to community controls. <i>Pediatric Diabetes</i> , 2017, 18, 794-802.	1.2	39
87	Maternal use of dietary supplements during pregnancy is not associated with coeliac disease in the offspring: The Environmental Determinants of Diabetes in the Young (TEDDY) study. <i>British Journal of Nutrition</i> , 2017, 117, 466-472.	1.2	14
88	The feasibility of salivary sample collection in an international pediatric cohort: The the TEDDY study. <i>Developmental Psychobiology</i> , 2017, 59, 658-667.	0.9	8
89	Type 1 diabetes mellitus. <i>Nature Reviews Disease Primers</i> , 2017, 3, 17016.	18.1	790
90	An Increased Diagnostic Sensitivity of Truncated GAD65 Autoantibodies in Type 1 Diabetes May Be Related to HLA-DQ8. <i>Diabetes</i> , 2017, 66, 735-740.	0.3	6

#	ARTICLE	IF	CITATIONS
91	Co-occurrence of Type 1 Diabetes and Celiac Disease Autoimmunity. <i>Pediatrics</i> , 2017, 140, .	1.0	70
92	Association Between Early-Life Antibiotic Use and the Risk of Islet or Celiac Disease Autoimmunity. <i>JAMA Pediatrics</i> , 2017, 171, 1217.	3.3	79
93	Joint modeling of longitudinal autoantibody patterns and progression to type 1 diabetes: results from the TEDDY study. <i>Acta Diabetologica</i> , 2017, 54, 1009-1017.	1.2	24
94	The Influence of Type 1 Diabetes Genetic Susceptibility Regions, Age, Sex, and Family History on the Progression From Multiple Autoantibodies to Type 1 Diabetes: A TEDDY Study Report. <i>Diabetes</i> , 2017, 66, 3122-3129.	0.3	93
95	Building and validating a prediction model for paediatric type 1 diabetes risk using next generation targeted sequencing of class II HLA genes. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2921.	1.7	2
96	Antibody Affinity Against 2009 A/H1N1 Influenza and Pandemrix Vaccine Nucleoproteins Differs Between Childhood Narcolepsy Patients and Controls. <i>Viral Immunology</i> , 2017, 30, 590-600.	0.6	4
97	Respiratory infections are temporally associated with initiation of type 1 diabetes autoimmunity: the TEDDY study. <i>Diabetologia</i> , 2017, 60, 1931-1940.	2.9	112
98	Understanding and preventing type 1 diabetes through the unique working model of TrialNet. <i>Diabetologia</i> , 2017, 60, 2139-2147.	2.9	59
99	Effect of Oral Insulin on Prevention of Diabetes in Relatives of Patients With Type 1 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1891.	3.8	142
100	Are Perinatal Events Risk Factors for Childhood Thyroid Autoimmunity?. <i>European Thyroid Journal</i> , 2017, 6, 298-306.	1.2	5
101	Genetic and Environmental Interactions Modify the Risk of Diabetes-Related Autoimmunity by 6 Years of Age: The TEDDY Study. <i>Diabetes Care</i> , 2017, 40, 1194-1202.	4.3	138
102	Early prediction of autoimmune (type 1) diabetes. <i>Diabetologia</i> , 2017, 60, 1370-1381.	2.9	136
103	Analgesic antipyretic use among young children in the TEDDY study: no association with islet autoimmunity. <i>BMC Pediatrics</i> , 2017, 17, 127.	0.7	17
104	Factors That Increase Risk of Celiac Disease Autoimmunity After a Gastrointestinal Infection in Early Life. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 694-702.e5.	2.4	140
105	Longitudinal analysis of hepatic transcriptome and serum metabolome demonstrates altered lipid metabolism following the onset of hyperglycemia in spontaneously diabetic biobreeding rats. <i>PLoS ONE</i> , 2017, 12, e0171372.	1.1	5
106	Type 1 Diabetes. , 2016, , 159-167.		9
107	Identification of Non-HLA Genes Associated with Celiac Disease and Country-Specific Differences in a Large, International Pediatric Cohort. <i>PLoS ONE</i> , 2016, 11, e0152476.	1.1	46
108	Pancreas volume and fat fraction in children with Type 1 diabetes. <i>Diabetic Medicine</i> , 2016, 33, 1374-1379.	1.2	25

#	ARTICLE	IF	CITATIONS
109	Increased DNA methylation variability in type 1 diabetes across three immune effector cell types. <i>Nature Communications</i> , 2016, 7, 13555.	5.8	142
110	Factors associated with longitudinal food record compliance in a paediatric cohort study. <i>Public Health Nutrition</i> , 2016, 19, 804-813.	1.1	15
111	Altered regulatory T cell phenotype in latent autoimmune diabetes of the adults (LADA). <i>Clinical and Experimental Immunology</i> , 2016, 186, 46-56.	1.1	21
112	Environmental factors in the etiology of type 1 diabetes, celiac disease, and narcolepsy. <i>Pediatric Diabetes</i> , 2016, 17, 65-72.	1.2	19
113	The International Human Epigenome Consortium: A Blueprint for Scientific Collaboration and Discovery. <i>Cell</i> , 2016, 167, 1145-1149.	13.5	404
114	Complement gene variants in relation to autoantibodies to beta cell specific antigens and type 1 diabetes in the TEDDY Study. <i>Scientific Reports</i> , 2016, 6, 27887.	1.6	31
115	An Object-Oriented Regression for Building Disease Predictive Models with Multiallelic HLA Genes. <i>Genetic Epidemiology</i> , 2016, 40, 315-332.	0.6	10
116	Reversion of Î²-Cell Autoimmunity Changes Risk of Type 1 Diabetes: TEDDY Study. <i>Diabetes Care</i> , 2016, 39, 1535-1542.	4.3	56
117	Genetic risk factors for type 1 diabetes. <i>Lancet, The</i> , 2016, 387, 2331-2339.	6.3	389
118	Growth and Risk for Islet Autoimmunity and Progression to Type 1 Diabetes in Early Childhood: The Environmental Determinants of Diabetes in the Young Study. <i>Diabetes</i> , 2016, 65, 1988-1995.	0.3	49
119	Next-Generation Sequencing Reveals That <i>HLA-DRB3</i> , <i>DRB4</i> , and <i>DRB5</i> May Be Associated With Islet Autoantibodies and Risk for Childhood Type 1 Diabetes. <i>Diabetes</i> , 2016, 65, 710-718.	0.3	58
120	Association of Early Exposure of Probiotics and Islet Autoimmunity in the TEDDY Study. <i>JAMA Pediatrics</i> , 2016, 170, 20.	3.3	238
121	Effects of Gluten Intake on Risk of Celiac Disease: A Case-Control Study on a Swedish Birth Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 403-409.e3.	2.4	102
122	Diabetes at the crossroads: relevance of disease classification to pathophysiology and treatment. <i>Diabetologia</i> , 2016, 59, 13-20.	2.9	151
123	Type 1 (Insulin-Dependent) Diabetes Mellitus. , 2016, , 672-690.e5.		5
124	Determination of 21-hydroxylase autoantibodies: inter-laboratory concordance in the Euradrenal International Serum Exchange Program. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 1761-70.	1.4	22
125	Elevated Serum GAD65 and GAD65-GADA Immune Complexes in Stiff Person Syndrome. <i>Scientific Reports</i> , 2015, 5, 11196.	1.6	5
126	Prevalence of celiac disease autoimmunity in children with type 1 diabetes: regional variations across the Åresund strait between Denmark and southernmost Sweden. <i>Pediatric Diabetes</i> , 2015, 16, 504-509.	1.2	20

#	ARTICLE	IF	CITATIONS
127	Serological evaluation of possible exposure to Ljungan virus and related parechovirus in autoimmune (type 1) diabetes in children. <i>Journal of Medical Virology</i> , 2015, 87, 1130-1140.	2.5	20
128	Doubly Reactive <sc>INS</sc>â€‹<sc>IGF</sc>2 Autoantibodies in Children with Newly Diagnosed Autoimmune (type 1) Diabetes. <i>Scandinavian Journal of Immunology</i> , 2015, 82, 361-369.	1.3	9
129	The Streetlight Effectâ€”Is There Light at the End of the Tunnel?. <i>Diabetes</i> , 2015, 64, 1105-1107.	0.3	7
130	Zinc transporter 8 (ZnT8) autoantibody epitope specificity and affinity examined with recombinant ZnT8 variant proteins in specific ZnT8R and ZnT8W autoantibody-positive type 1 diabetes patients. <i>Clinical and Experimental Immunology</i> , 2015, 179, 220-229.	1.1	13
131	The 6Â-year incidence of diabetes-associated autoantibodies in genetically at-risk children: the TEDDY study. <i>Diabetologia</i> , 2015, 58, 980-987.	2.9	313
132	Predictors of Progression From the Appearance of Islet Autoantibodies to Early Childhood Diabetes: The Environmental Determinants of Diabetes in the Young (TEDDY). <i>Diabetes Care</i> , 2015, 38, 808-813.	4.3	135
133	Baseline heterogeneity in glucose metabolism marks the risk for type 1 diabetes and complicates secondary prevention. <i>Acta Diabetologica</i> , 2015, 52, 473-481.	1.2	7
134	A Functional Polymorphism of Ptpn22 Is Associated with Type 1 Diabetes in the BioBreeding Rat. <i>Journal of Immunology</i> , 2015, 194, 615-629.	0.4	7
135	Dietary intake of soluble fiber and risk of islet autoimmunity by 5 y of age: results from the TEDDY study. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 345-352.	2.2	18
136	Plasma GAD65, a Marker for Early Î²-Cell Loss After Intraportal Islet Cell Transplantation in Diabetic Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2314-2321.	1.8	22
137	A method for reporting and classifying acute infectious diseases in a prospective study of young children: TEDDY. <i>BMC Pediatrics</i> , 2015, 15, 24.	0.7	24
138	Staging Presymptomatic Type 1 Diabetes: A Scientific Statement of JDRF, the Endocrine Society, and the American Diabetes Association. <i>Diabetes Care</i> , 2015, 38, 1964-1974.	4.3	690
139	Magnetic resonance imaging reveals altered distribution of hepatic fat in children with type 1 diabetes compared to controls. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 872-878.	1.5	30
140	Non-HLA type 1 diabetes genes modulate disease risk together with HLA-DQ and islet autoantibodies. <i>Genes and Immunity</i> , 2015, 16, 541-551.	2.2	15
141	Role of Type 1 Diabetesâ€”Associated SNPs on Risk of Autoantibody Positivity in the TEDDY Study. <i>Diabetes</i> , 2015, 64, 1818-1829.	0.3	108
142	Early Childhood Gut Microbiomes Show Strong Geographic Differences Among Subjects at High Risk for Type 1 Diabetes. <i>Diabetes Care</i> , 2015, 38, 329-332.	4.3	79
143	Neuropeptide Y is a minor autoantigen in newly diagnosed type 1 diabetes patients. <i>Pediatric Diabetes</i> , 2015, 16, 621-628.	1.2	7
144	Cell-surface MHC density profiling reveals instability of autoimmunity-associated HLA. <i>Journal of Clinical Investigation</i> , 2015, 125, 275-291.	3.9	62

#	ARTICLE	IF	CITATIONS
145	Immunology of Î²-Cell Destruction. , 2015, , 1047-1080.		0
146	High Plasma Levels of Islet Amyloid Polypeptide in Young with New-Onset of Type 1 Diabetes Mellitus. PLoS ONE, 2014, 9, e93053.	1.1	23
147	Lack of Evidence for a Role of Islet Autoimmunity in the Aetiology of Canine Diabetes Mellitus. PLoS ONE, 2014, 9, e105473.	1.1	31
148	GAD Autoantibody Affinity in Adult Patients With Latent Autoimmune Diabetes, the Study Participants of a GAD65 Vaccination Trial. Diabetes Care, 2014, 37, 1675-1680.	4.3	39
149	Variability in the CIITA gene interacts with HLA in multiple sclerosis. Genes and Immunity, 2014, 15, 162-167.	2.2	10
150	Reduced morbidity at diagnosis and improved glycemc control in children previously enrolled in DiPiS follow-up. Pediatric Diabetes, 2014, 15, 494-501.	1.2	26
151	Biomarker discovery study design for type 1 diabetes in The Environmental Determinants of Diabetes in the Young (TEDDY) study. Diabetes/Metabolism Research and Reviews, 2014, 30, 424-434.	1.7	44
152	Carl-David Agardh, 1946â€“2013. Diabetologia, 2014, 57, 651-652.	2.9	0
153	Autoimmune (Type 1) Diabetes. , 2014, , 575-586.		0
154	Islet cell antibodies (ICA) identify autoimmunity in children with new onset diabetes mellitus negative for other islet cell antibodies. Pediatric Diabetes, 2014, 15, 336-344.	1.2	33
155	Children followed in the TEDDY study are diagnosed with type 1 diabetes at an early stage of disease. Pediatric Diabetes, 2014, 15, 118-126.	1.2	73
156	Activating germline mutations in STAT3 cause early-onset multi-organ autoimmune disease. Nature Genetics, 2014, 46, 812-814.	9.4	411
157	A/H1N1 antibodies and TRIB2 autoantibodies in narcolepsy patients diagnosed in conjunction with the Pandemrix vaccination campaign in Sweden 2009â€“2010. Journal of Autoimmunity, 2014, 50, 99-106.	3.0	41
158	Antibodies to Influenza Virus A</sc>/sc>H</sc>1</sc>N</sc>1 Hemagglutinin in Type 1 Diabetes Children Diagnosed Before, During and After the SWEDISH A</sc>/sc>H</sc>1</sc>N</sc>1pdm09 Vaccination Campaign 2009â€“2010. Scandinavian Journal of Immunology, 2014, 79, 137-148.	1.3	7
159	Meta-Immunological Profiling of Children With Type 1 Diabetes Identifies New Biomarkers to Monitor Disease Progression. Diabetes, 2013, 62, 2481-2491.	0.3	21
160	Relationship Between Ljungan Virus Antibodies, HLA-DQ8, and Insulin Autoantibodies in Newly Diagnosed Type 1 Diabetes Children. Viral Immunology, 2013, 26, 207-215.	0.6	14
161	Viruses, Diabetes, and Autoimmunity: Studies of Subjects at Genetic Risk for Type 1 Diabetes. , 2013, , 187-194.		0
162	Next-generation sequencing for viruses in children with rapid-onset type 1 diabetes. Diabetologia, 2013, 56, 1705-1711.	2.9	34

#	ARTICLE	IF	CITATIONS
163	Thyroid autoimmunity in relation to islet autoantibodies and HLA-DQ genotype in newly diagnosed type 1 diabetes in children and adolescents. <i>Diabetologia</i> , 2013, 56, 1735-1742.	2.9	38
164	Neuropeptide Y autoantibodies in patients with long-term type 1 and type 2 diabetes and neuropathy. <i>Journal of Diabetes and Its Complications</i> , 2013, 27, 609-617.	1.2	10
165	Decline of C-peptide during the first year after diagnosis of Type 1 diabetes in children and adolescents. <i>Diabetes Research and Clinical Practice</i> , 2013, 100, 203-209.	1.1	63
166	Is there evidence for post-translational modification of beta cell autoantigens in the aetiology and pathogenesis of type 1 diabetes?. <i>Diabetologia</i> , 2013, 56, 2355-2358.	2.9	4
167	Decreased Cord-Blood Phospholipids in Young Ageâ€“atâ€“Onset Type 1 Diabetes. <i>Diabetes</i> , 2013, 62, 3951-3956.	0.3	83
168	The environment and the origins of islet autoimmunity and Type 1 diabetes. <i>Diabetic Medicine</i> , 2013, 30, 155-160.	1.2	61
169	Immune therapy in type 1 diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2013, 9, 92-103.	4.3	96
170	Triple specificity of ZnT8 autoantibodies in relation to HLA and other islet autoantibodies in childhood and adolescent type 1 diabetes. <i>Pediatric Diabetes</i> , 2013, 14, 97-105.	1.2	59
171	Residual beta cell function at diagnosis of type 1 diabetes in children and adolescents varies with gender and season. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 85-89.	1.7	37
172	Antigenicity and Epitope Specificity of ZnT8 Autoantibodies in Type 1 Diabetes. <i>Scandinavian Journal of Immunology</i> , 2013, 77, 21-29.	1.3	20
173	Biobreeding rat islets exhibit reduced antioxidative defense and N-acetyl cysteine treatment delays type 1 diabetes. <i>Journal of Endocrinology</i> , 2013, 216, 111-123.	1.2	25
174	Depleting T Cells in Newly Diagnosed Autoimmune (Type 1) Diabetes--Are We Getting Anywhere?. <i>Diabetes</i> , 2013, 62, 3669-3670.	0.3	1
175	Use of dietary supplements in pregnant women in relation to sociodemographic factors â€“ a report from The Environmental Determinants of Diabetes in the Young (TEDDY) study. <i>Public Health Nutrition</i> , 2013, 16, 1390-1402.	1.1	44
176	Glucose tolerance and beta-cell function in islet autoantibody-positive children recruited to a secondary prevention study. <i>Pediatric Diabetes</i> , 2013, 14, 341-349.	1.2	10
177	Methods, quality control and specimen management in an international multicentre investigation of type 1 diabetes: TEDDY. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 557-567.	1.7	44
178	Autoimmunity against INS-IGF2 Protein Expressed in Human Pancreatic Islets*. <i>Journal of Biological Chemistry</i> , 2013, 288, 29013-29023.	1.6	33
179	Decline in Titers of Anti-Idiotypic Antibodies Specific to Autoantibodies to GAD65 (GAD65Ab) Precedes Development of GAD65Ab and Type 1 Diabetes. <i>PLoS ONE</i> , 2013, 8, e65173.	1.1	7
180	Etiopathogenesis of Insulin Autoimmunity. <i>Anatomy Research International</i> , 2012, 2012, 1-20.	1.1	6

#	ARTICLE	IF	CITATIONS
181	Zinc Transporter 8 Autoantibodies and Their Association With <i>SLC30A8</i> and <i>HLA-DQ</i> Genes Differ Between Immigrant and Swedish Patients With Newly Diagnosed Type 1 Diabetes in the Better Diabetes Diagnosis Study. <i>Diabetes</i> , 2012, 61, 2556-2564.	0.3	67
182	Age-dependent variation of genotypes in MHC II transactivator gene (CIITA) in controls and association to type 1 diabetes. <i>Genes and Immunity</i> , 2012, 13, 632-640.	2.2	24
183	Guthrie card methylomics identifies temporally stable epialleles that are present at birth in humans. <i>Genome Research</i> , 2012, 22, 2138-2145.	2.4	61
184	Seroconversion to Islet Autoantibodies After Enterovirus Infection in Early Pregnancy. <i>Viral Immunology</i> , 2012, 25, 254-261.	0.6	21
185	Low risk HLA-DQ and increased body mass index in newly diagnosed type 1 diabetes children in the Better Diabetes Diagnosis study in Sweden. <i>International Journal of Obesity</i> , 2012, 36, 718-724.	1.6	44
186	High levels of immunoglobulin E and a continuous increase in immunoglobulin G and immunoglobulin M by age in children with newly diagnosed type 1 diabetes. <i>Human Immunology</i> , 2012, 73, 17-25.	1.2	12
187	HLA-DQB1 genotypes and islet cell autoantibodies against GAD65 and IA-2 in relation to development of diabetes post partum in women with gestational diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2012, 95, 260-264.	1.1	13
188	Islet autoantibodies and residual beta cell function in type 1 diabetes children followed for 3-6 years. <i>Diabetes Research and Clinical Practice</i> , 2012, 96, 204-210.	1.1	15
189	Few differences in cytokines between patients newly diagnosed with type 1 diabetes and their healthy siblings. <i>Human Immunology</i> , 2012, 73, 1116-1126.	1.2	18
190	HTR1A a Novel Type 1 Diabetes Susceptibility Gene on Chromosome 5p13-q13. <i>PLoS ONE</i> , 2012, 7, e35439.	1.1	20
191	BLUEPRINT to decode the epigenetic signature written in blood. <i>Nature Biotechnology</i> , 2012, 30, 224-226.	9.4	323
192	C-peptide in the classification of diabetes in children and adolescents. <i>Pediatric Diabetes</i> , 2012, 13, 45-50.	1.2	52
193	Association between autoantibodies to the Arginine variant of the Zinc transporter 8 (ZnT8) and stimulated C-peptide levels in Danish children and adolescents with newly diagnosed type 1 diabetes. <i>Pediatric Diabetes</i> , 2012, 13, 454-462.	1.2	22
194	High-titer GAD65 autoantibodies detected in adult diabetes patients using a high efficiency expression vector and cold GAD65 displacement. <i>Autoimmunity</i> , 2011, 44, 129-136.	1.2	7
195	Relationship between ZnT8Ab, the <i>SLC30A8</i> gene and disease progression in children with newly diagnosed type 1 diabetes. <i>Autoimmunity</i> , 2011, 44, 616-623.	1.2	25
196	BB rat Gimap gene expression in sorted lymphoid T and B cells. <i>Life Sciences</i> , 2011, 89, 748-754.	2.0	9
197	Hepatic Steatosis in Type 1 Diabetes. <i>Review of Diabetic Studies</i> , 2011, 8, 454-467.	0.5	84
198	HLA Genes, Islet Autoantibodies and Residual C-Peptide at the Clinical Onset of Type 1 Diabetes Mellitus and the Risk of Retinopathy 15 Years Later. <i>PLoS ONE</i> , 2011, 6, e17569.	1.1	23

#	ARTICLE	IF	CITATIONS
199	The Environmental Determinants of Diabetes in the Young (TEDDY): genetic criteria and international diabetes risk screening of 421 000 infants. <i>Pediatric Diabetes</i> , 2011, 12, 733-743.	1.2	187
200	Gestational diabetes mellitus is associated with TCF7L2 gene polymorphisms independent of HLA-DQB1*0602 genotypes and islet cell autoantibodies. <i>Diabetic Medicine</i> , 2011, 28, 1018-1027.	1.2	36
201	Vaccination against type 1 diabetes. <i>Journal of Internal Medicine</i> , 2011, 269, 626-635.	2.7	14
202	Editorial Comment on type 1 diabetes and antigen-specific immunotherapy. <i>Journal of Internal Medicine</i> , 2011, 270, 132-135.	2.7	1
203	Early-Pregnancy Cytokines in Mothers to Children Developing Multiple, Persistent Islet Autoantibodies, Type 1 Diabetes, or Both Before 7 Years of Age. <i>American Journal of Reproductive Immunology</i> , 2011, 66, 495-503.	1.2	10
204	Increased GABAA channel subunits expression in CD8+ but not in CD4+ T cells in BB rats developing diabetes compared to their congenic littermates. <i>Molecular Immunology</i> , 2011, 48, 399-407.	1.0	54
205	A novel triple mix radiobinding assay for the three ZnT8 (ZnT8-RWQ) autoantibody variants in children with newly diagnosed diabetes. <i>Journal of Immunological Methods</i> , 2011, 371, 25-37.	0.6	58
206	Seroconversion to islet autoantibodies between early pregnancy and delivery in non-diabetic mothers. <i>Journal of Reproductive Immunology</i> , 2011, 88, 72-79.	0.8	7
207	Sustained glucagon-like peptide 1 expression from encapsulated transduced cells to treat obese diabetic rats. <i>Journal of Bioscience and Bioengineering</i> , 2011, 111, 383-387.	1.1	2
208	The three ZNT8 autoantibody variants together improve the diagnostic sensitivity of childhood and adolescent type 1 diabetes. <i>Autoimmunity</i> , 2011, 44, 394-405.	1.2	69
209	Serum metabolite signature predicts the acute onset of diabetes in spontaneously diabetic congenic BB rats. <i>Metabolomics</i> , 2011, 7, 593-603.	1.4	11
210	Guidelines and Recommendations for Laboratory Analysis in the Diagnosis and Management of Diabetes Mellitus. <i>Clinical Chemistry</i> , 2011, 57, e1-e47.	1.5	583
211	Executive Summary: Guidelines and Recommendations for Laboratory Analysis in the Diagnosis and Management of Diabetes Mellitus. <i>Clinical Chemistry</i> , 2011, 57, 793-798.	1.5	104
212	Correlations between islet autoantibody specificity and the <i>SLC30A8</i> genotype with <i>HLA-DQB1</i> and metabolic control in new onset type 1 diabetes. <i>Autoimmunity</i> , 2011, 44, 107-114.	1.2	28
213	Danish children born with glutamic acid decarboxylase-65 and islet antigen-2 autoantibodies at birth had an increased risk to develop type 1 diabetes. <i>European Journal of Endocrinology</i> , 2011, 164, 247-252.	1.9	9
214	Does immune-tolerance treatment with Alum-formulated GAD65 protect insulin-production in the pancreatic islet β cells?. <i>Hum Vaccin</i> , 2011, 7, 45-49.	2.4	11
215	Country-specific birth weight and length in type 1 diabetes high-risk HLA genotypes in combination with prenatal characteristics. <i>Journal of Perinatology</i> , 2011, 31, 764-769.	0.9	9
216	Guidelines and Recommendations for Laboratory Analysis in the Diagnosis and Management of Diabetes Mellitus. <i>Diabetes Care</i> , 2011, 34, e61-e99.	4.3	389

#	ARTICLE	IF	CITATIONS
217	Position Statement Executive Summary: Guidelines and Recommendations for Laboratory Analysis in the Diagnosis and Management of Diabetes Mellitus. <i>Diabetes Care</i> , 2011, 34, 1419-1423.	4.3	138
218	Immunology of Î²-Cell Destruction. <i>Advances in Experimental Medicine and Biology</i> , 2010, 654, 537-583.	0.8	27
219	Prolonged survival and improved glycemia in BioBreeding diabetic rats after early sustained exposure to glucagon-like peptide 1. <i>Journal of Gene Medicine</i> , 2010, 12, 538-544.	1.4	7
220	Altered natural killer (NK) cell frequency and phenotype in latent autoimmune diabetes in adults (LADA) prior to insulin deficiency. <i>Clinical and Experimental Immunology</i> , 2010, 161, 48-56.	1.1	42
221	The association between the PTPN22 1858C>T variant and type 1 diabetes depends on HLA risk and GAD65 autoantibodies. <i>Genes and Immunity</i> , 2010, 11, 406-415.	2.2	25
222	Type 1 diabetes patients born to immigrants to Sweden increase their native diabetes risk and differ from Swedish patients in HLA types and islet autoantibodies. <i>Pediatric Diabetes</i> , 2010, 11, 513-520.	1.2	51
223	Differential effects of leptin receptor mutation on male and female BBDR. ^{<i>Gimap5</i>/Gimap5} spontaneously diabetic rats. <i>Physiological Genomics</i> , 2010, 41, 9-20.	1.0	9
224	Context and disease when disease risk is low: the case of type 1 diabetes in Sweden. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 789-795.	2.0	10
225	Comparison of Radioimmunoprecipitation With Luciferase Immunoprecipitation for Autoantibodies to GAD65 and IA-2. <i>Diabetes Care</i> , 2010, 33, 754-756.	4.3	24
226	ZnT8 autoantibody titers in type 1 diabetes patients decline rapidly after clinical onset. <i>Autoimmunity</i> , 2010, 43, 598-606.	1.2	72
227	Identification of a Serum-Induced Transcriptional Signature Associated With Type 1 Diabetes in the BioBreeding Rat. <i>Diabetes</i> , 2010, 59, 2375-2385.	0.3	26
228	Changes in GAD65Ab-Specific Antiidiotypic Antibody Levels Correlate with Changes in C-Peptide Levels and Progression to Islet Cell Autoimmunity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E310-E318.	1.8	12
229	Type 1 (Insulin-Dependent) Diabetes Mellitus. , 2010, , 744-764.		0
230	Low agreement between radio binding assays in analyzing glutamic acid decarboxylase (GAD65Ab) autoantibodies in patients classified with type 2 diabetes. <i>Autoimmunity</i> , 2009, 42, 507-514.	1.2	9
231	Genetic dissection reveals diabetes loci proximal to the gimap5 lymphopenia gene. <i>Physiological Genomics</i> , 2009, 38, 89-97.	1.0	13
232	Sequence Variation and Expression of theGimapGene Family in the BB Rat. <i>Experimental Diabetes Research</i> , 2009, 2009, 1-10.	3.8	11
233	Comparison of three assays for the detection of GAD65Ab-specific anti-idiotypic antibodies. <i>Journal of Immunological Methods</i> , 2009, 351, 55-61.	0.6	5
234	The non-inherited maternal HLA haplotype affects the risk for type 1 diabetes. <i>International Journal of Immunogenetics</i> , 2009, 36, 1-8.	0.8	5

#	ARTICLE	IF	CITATIONS
235	The type 1 diabetes protective HLA DQB1*0602 allele is less frequent in gestational diabetes mellitus. <i>Diabetologia</i> , 2009, 52, 1339-1342.	2.9	11
236	GAD65 vaccination: 5Âyears of follow-up in a randomised dose-escalating study in adult-onset autoimmune diabetes. <i>Diabetologia</i> , 2009, 52, 1363-1368.	2.9	80
237	Analysis of the rat Iddm14 diabetes susceptibility locus in multiple rat strains: identification of a susceptibility haplotype in the Tcrb-V locus. <i>Mammalian Genome</i> , 2009, 20, 162-169.	1.0	27
238	Children developing type 1 diabetes before 6Âyears of age have increased linear growth independent of HLA genotypes. <i>Diabetologia</i> , 2008, 51, 1623-1630.	2.9	54
239	Temporal trends of HLA genotype frequencies of type 1 diabetes patients in Sweden from 1986 to 2005 suggest altered risk. <i>Acta Diabetologica</i> , 2008, 45, 231-235.	1.2	28
240	The Risk Conferred by HLAâDR and DQ for Type 1 Diabetes in 0â€“35â€Years Age Group are Different in Different Regions of Sweden. <i>Annals of the New York Academy of Sciences</i> , 2008, 1150, 106-111.	1.8	20
241	Number of islet autoantibodies present in newly diagnosed type 1 diabetes children born to non-diabetic mothers is affected by islet autoantibodies present at birth. <i>Pediatric Diabetes</i> , 2008, 9, 127-134.	1.2	15
242	Annual screening detects celiac disease in children with type 1 diabetes. <i>Pediatric Diabetes</i> , 2008, 9, 354-359.	1.2	101
243	Selective screening of secretory vesicle-associated proteins for autoantigens in type 1 diabetes: VAMP2 and NPY are new minor autoantigens. <i>Clinical Immunology</i> , 2008, 127, 366-374.	1.4	41
244	Treatment of diabetic rats with encapsulated islets. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 2644-2650.	1.6	31
245	Antigen presentation of detergent-free glutamate decarboxylase (GAD65) is affected by human serum albumin as carrier protein. <i>Journal of Immunological Methods</i> , 2008, 334, 114-121.	0.6	6
246	Chapter 3 GAD65 Autoimmunityâ€Clinical Studies. <i>Advances in Immunology</i> , 2008, 100, 39-78.	1.1	32
247	HLA Class II Alleles Specify Phenotypes of Ketosis-Prone Diabetes. <i>Diabetes Care</i> , 2008, 31, 1195-1200.	4.3	20
248	Maternal Enterovirus Infection during Pregnancy as a Risk Factor in Offspring Diagnosed with Type 1 Diabetes between 15 and 30 Years of Age. <i>Experimental Diabetes Research</i> , 2008, 2008, 1-6.	3.8	44
249	A New Luminescence Assay for Autoantibodies to Mammalian Cellâ€Prepared Insulinoma-Associated Protein 2. <i>Diabetes Care</i> , 2008, 31, 1824-1826.	4.3	35
250	Increased Lipid Oxidation Heralds Diabetes Onset in DR.lyp/lyp Rats. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2008, 116, 475-480.	0.6	5
251	Cutaneous Microvascular Dysfunction Is Associated With Human Leukocyte Antigen-DQ in Youths With Type 1 Diabetes. <i>Pediatric Research</i> , 2008, 63, 420-422.	1.1	3
252	Impaired survival of peripheral T cells, disrupted NK/NKT cell development, and liver failure in mice lacking Gimap5. <i>Blood</i> , 2008, 112, 4905-4914.	0.6	56

#	ARTICLE	IF	CITATIONS
253	Type 1 Diabetes Onset with Ketoacidosis and Suspected Cerebral Edema. , 2008, , 327-330.		0
254	En Passant Diagnosis of Type 1 Diabetes in Infancy. , 2008, , 331-335.		0
255	Type 1 Diabetes and Comorbidity of Addison's Disease. , 2008, , 337-340.		0
256	A comparison of serum and EDTA plasma in the measurement of glutamic acid decarboxylase autoantibodies (GADA) and autoantibodies to islet antigen-2 (IA-2A) using the RSR radioimmunoassay (RIA) and enzyme linked immunosorbent assay (ELISA) kits. Clinical Laboratory, 2008, 54, 227-35.	0.2	25
257	Atherogenic vascular and lipid phenotypes in young patients with Type 1 diabetes are associated with diabetes high-risk HLA genotype. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H3175-H3179.	1.5	13
258	Epitope Analysis of GAD65 Binding in both Cord Blood and at the Time of Clinical Diagnosis of Childhood Type 1 Diabetes. Hormone and Metabolic Research, 2007, 39, 790-796.	0.7	4
259	Glutamate Cysteine Ligase Catalytic Subunit Promoter Polymorphisms and Associations with Type 1 Diabetes Age-at-onset and GAD65 Autoantibody Levels. Experimental and Clinical Endocrinology and Diabetes, 2007, 115, 221-228.	0.6	24
260	Decreased Core Temperature and Increased β 3-Adrenergic Sensitivity in Diabetes-Prone BB Rats. Diabetes Technology and Therapeutics, 2007, 9, 354-362.	2.4	6
261	Low-density cells isolated from the rat thymus resemble branched cortical macrophages and have a reduced capability of rescuing double-positive thymocytes from apoptosis in the BB-DP rat. Journal of Leukocyte Biology, 2007, 82, 869-876.	1.5	7
262	The importance of CTLA-4 polymorphism and human leukocyte antigen genotype for the induction of diabetes-associated cytokine response in healthy school children. Pediatric Diabetes, 2007, 8, 185-192.	1.2	6
263	Two Insulin Gene Single Nucleotide Polymorphisms Associated with Type 1 Diabetes Risk in the Finnish and Swedish Populations. Disease Markers, 2007, 23, 139-145.	0.6	13
264	IA-2 autoantibodies in incident type I diabetes patients are associated with a polyadenylation signal polymorphism in GIMAP5. Genes and Immunity, 2007, 8, 503-512.	2.2	38
265	Relative predispositional effects of HLA class II DRB1-DQB1 haplotypes and genotypes on type 1 diabetes: a meta-analysis. Tissue Antigens, 2007, 70, 110-127.	1.0	153
266	GAD65 autoantibody epitopes in adult patients with latent autoimmune diabetes following GAD65 vaccination. Diabetic Medicine, 2007, 24, 521-526.	1.2	20
267	Islet cell autoantibody levels after the diagnosis of young adult diabetic patients. Diabetic Medicine, 2007, 24, 1221-1228.	1.2	16
268	Type 1 diabetes risk analysis on dried blood spot samples from population-based newborns: design and feasibility of an unselected case-control study. Paediatric and Perinatal Epidemiology, 2007, 21, 507-517.	0.8	34
269	Multiple factors affect the loss of measurable C-peptide over 6 years in newly diagnosed 15- to 35-year-old diabetic subjects. Journal of Diabetes and Its Complications, 2007, 21, 205-213.	1.2	20
270	Species and epitope specificity of two 65 kDa glutamate decarboxylase time-resolved fluorometric immunoassays. Journal of Immunological Methods, 2007, 319, 133-143.	0.6	24

#	ARTICLE	IF	CITATIONS
271	Antibodies to GAD65 and peripheral nerve function in the DCCT. <i>Journal of Neuroimmunology</i> , 2007, 185, 182-189.	1.1	16
272	The BioBreeding rat diabetes model is infected with Ljungan virus. <i>Diabetologia</i> , 2007, 50, 1559-1560.	2.9	22
273	Islet Cell Autoantigens. , 2007, , 243-274.		0
274	Genetic Mapping at 3-Kilobase Resolution Reveals Inositol 1,4,5-Triphosphate Receptor 3 as a Risk Factor for Type 1 Diabetes in Sweden. <i>American Journal of Human Genetics</i> , 2006, 79, 614-627.	2.6	58
275	Reduction of tissue transglutaminase autoantibody levels by gluten-free diet is associated with changes in subsets of peripheral blood lymphocytes in children with newly diagnosed coeliac disease. <i>Clinical and Experimental Immunology</i> , 2006, 144, 67-75.	1.1	29
276	Evidence for immunological priming and increased frequency of CD4+ α CD25+cord blood T cells in children born to mothers with type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2006, 146, 493-502.	1.1	22
277	MHC Class I Chain-Related Gene-A Is Associated with IA2 and IAA but Not GAD in Swedish Type 1 Diabetes Mellitus. <i>Annals of the New York Academy of Sciences</i> , 2006, 1079, 229-239.	1.8	5
278	TEDDY-The Environmental Determinants of Diabetes in the Young: An Observational Clinical Trial. <i>Annals of the New York Academy of Sciences</i> , 2006, 1079, 320-326.	1.8	95
279	Cord Blood Islet Autoantibodies Are Related to Stress in the Mother during Pregnancy. <i>Annals of the New York Academy of Sciences</i> , 2006, 1079, 345-349.	1.8	12
280	Prenatal viral exposure followed by adult stress produces glucose intolerance in a mouse model. <i>Diabetologia</i> , 2006, 49, 2192-2199.	2.9	41
281	Age-dependent loss of tolerance to an immunodominant epitope of glutamic acid decarboxylase in diabetic-prone RIP-B7/DR4 mice. <i>Clinical Immunology</i> , 2006, 121, 294-304.	1.4	14
282	Increased galanin expression in the celiac ganglion of BB diabetic rats. <i>Neuropeptides</i> , 2006, 40, 1-10.	0.9	6
283	Accuracy and Predictive Value of Classification Schemes for Ketosis-Prone Diabetes. <i>Diabetes Care</i> , 2006, 29, 2575-2579.	4.3	137
284	Introgession of F344 Rat Genomic DNA on BB Rat Chromosome 4 Generates Diabetes-Resistant Lymphopenic BB Rats. <i>Diabetes</i> , 2006, 55, 3351-3357.	0.3	17
285	Evidence of a Functional Role for Mast Cells in the Development of Type 1 Diabetes Mellitus in the BioBreeding Rat. <i>Journal of Immunology</i> , 2006, 177, 7275-7286.	0.4	64
286	Autoantibodies in Diabetes. <i>Diabetes</i> , 2005, 54, S52-S61.	0.3	235
287	Increased risk of diabetes among relatives of female insulin-treated patients diagnosed at 15-34 years of age. <i>Diabetic Medicine</i> , 2005, 22, 1551-1557.	1.2	9
288	Epitope analysis of insulin autoantibodies using recombinant Fab. <i>Clinical and Experimental Immunology</i> , 2005, 140, 564-571.	1.1	15

#	ARTICLE	IF	CITATIONS
289	Clinical evidence for the safety of GAD65 immunomodulation in adult-onset autoimmune diabetes. <i>Journal of Diabetes and Its Complications</i> , 2005, 19, 238-246.	1.2	203
290	D6S265*15 marks a DRB1*15, DQB1*0602 haplotype associated with attenuated protection from type 1 diabetes mellitus. <i>Diabetologia</i> , 2005, 48, 2540-2543.	2.9	21
291	Diabetes-associated HLA genotypes affect birthweight in the general population. <i>Diabetologia</i> , 2005, 48, 1484-1491.	2.9	99
292	Type 1 Diabetes â€” Does Suppressing T Cells Increase Insulin?. <i>New England Journal of Medicine</i> , 2005, 352, 2642-2644.	13.9	5
293	Glutathione-s-transferase M1 and T1 polymorphisms and associations with type 1 diabetes age-at-onset. <i>Autoimmunity</i> , 2005, 38, 567-575.	1.2	50
294	Defects in differentiation of bone-marrow derived dendritic cells of the BB rat are partly associated with IDDM2 (the lyp gene) and partly associated with other genes in the BB rat background. <i>Journal of Autoimmunity</i> , 2005, 25, 46-56.	3.0	8
295	Aberrancies in the differentiation and maturation of dendritic cells from bone-marrow precursors are linked to various genes on chromosome 4 and other chromosomes of the BB-DP rat. <i>Journal of Autoimmunity</i> , 2005, 25, 1-12.	3.0	10
296	DR.lyp/lyp bone marrow maintains lymphopenia and promotes diabetes in lyp/lyp but not in +/+ recipient DR.lyp BB rats. <i>Journal of Autoimmunity</i> , 2005, 25, 251-257.	3.0	8
297	Immunomodulation with human recombinant autoantigens. <i>Trends in Immunology</i> , 2005, 26, 608-612.	2.9	25
298	Transgenic rescue demonstrates involvement of the lan5 gene in T cell development in the rat. <i>Physiological Genomics</i> , 2004, 19, 228-232.	1.0	34
299	Non-Invasive Imaging of Beta Cell Mass: A Quantitative Analysis. <i>Diabetes Technology and Therapeutics</i> , 2004, 6, 652-659.	2.4	57
300	Involvement of Eotaxin, Eosinophils, and Pancreatic Predisposition in Development of Type 1 Diabetes Mellitus in the BioBreeding Rat. <i>Journal of Immunology</i> , 2004, 173, 6993-7002.	0.4	53
301	Type 1 Diabetes as a Model for Prediction and Diagnosis. <i>Autoimmunity</i> , 2004, 37, 341-345.	1.2	8
302	Epitope-Restricted 65-Kilodalton Glutamic Acid Decarboxylase Autoantibodies among New-Onset Sardinian Type 2 Diabetes Patients Define Phenotypes of Autoimmune Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 5675-5682.	1.8	10
303	HLA-DRB1, -DQA1, and -DQB1 subtypes or ACE gene polymorphisms do not seem to be risk markers for severe retinopathy in younger Type 1 diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2004, 18, 32-36.	1.2	12
304	Conformation-dependent GAD65 autoantibodies in diabetes. <i>Diabetologia</i> , 2004, 47, 1581-1591.	2.9	9
305	Genetic and perinatal factors as risk for childhood type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2004, 20, 429-437.	1.7	62
306	Development of glutamic acid decarboxylase 65 (GAD65) autoantibody assay using biotin?GAD65 fusion protein. <i>Journal of Biotechnology</i> , 2004, 111, 97-97.	1.9	0

#	ARTICLE	IF	CITATIONS
307	A high prevalence of organ-specific autoimmunity in patients with bipolar disorder. <i>Biological Psychiatry</i> , 2004, 56, 476-482.	0.7	96
308	Systematic screening of potential β^2 -cell imaging agents. <i>Biochemical and Biophysical Research Communications</i> , 2004, 314, 976-983.	1.0	95
309	Development of glutamic acid decarboxylase 65 (GAD65) autoantibody assay using biotin-GAD65 fusion protein. <i>Journal of Biotechnology</i> , 2004, 111, 97-104.	1.9	7
310	Type 1 Diabetes in Swedish Bank Voles (<i>Clethrionomys glareolus</i>): Signs of Disease in Both Colonized and Wild Cyclic Populations at Peak Density. <i>Annals of the New York Academy of Sciences</i> , 2003, 1005, 170-175.	1.8	49
311	High GAD65 autoantibody levels in nondiabetic adults are associated with HLA but not with CTLA-4 or INS VNTR. <i>Journal of Internal Medicine</i> , 2003, 253, 447-453.	2.7	15
312	Molecular engineering of biotin-GAD65 fusion protein (Biotin-GAD65) for non-radioactive GAD65 antibody assay. <i>Journal of Biotechnology</i> , 2003, 103, 249-255.	1.9	2
313	Association between the transmembrane region polymorphism of MHC class I chain related Gene-A and type 1 diabetes mellitus in Sweden. <i>Human Immunology</i> , 2003, 64, 553-561.	1.2	32
314	Genetic dissection of lymphopenia from autoimmunity by introgression of mutated <i>Ian5</i> gene onto the F344 rat. <i>Journal of Autoimmunity</i> , 2003, 21, 315-324.	3.0	32
315	Follow-up Report on the Diagnosis of Diabetes Mellitus. <i>Diabetes Care</i> , 2003, 26, 3160-3167.	4.3	3,392
316	Bead injection ELISA for the determination of antibodies implicated in type 1 diabetes mellitus. <i>Analyst</i> , 2003, 128, 1157.	1.7	31
317	GAD2 on Chromosome 10p12 Is a Candidate Gene for Human Obesity. <i>PLoS Biology</i> , 2003, 1, e68.	2.6	128
318	Tissue Transglutaminase Immunoglobulin Isotypes in Children With Untreated and Treated Celiac Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003, 36, 77-82.	0.9	27
319	Islet Cell Autoantibodies in Cord Blood from Children with Blood Group Incompatibility or Hyperbilirubinemia. <i>Autoimmunity</i> , 2003, 36, 111-115.	1.2	6
320	Unique Epitopes of Glutamic Acid Decarboxylase Autoantibodies in Slowly Progressive Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 4768-4775.	1.8	54
321	Ketosis-Prone Diabetes: Dissection of a Heterogeneous Syndrome Using an Immunogenetic and β^2 -Cell Functional Classification, Prospective Analysis, and Clinical Outcomes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 5090-5098.	1.8	201
322	Islet Autoantibodies in Cord Blood from Patients who developed Type 1 Diabetes Mellitus at 15-30 Years of Age. <i>Autoimmunity</i> , 2003, 36, 227-231.	1.2	5
323	Impaired glucagon response to sympathetic nerve stimulation in the BB diabetic rat: effect of early sympathetic islet neuropathy. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E1047-E1054.	1.8	30
324	Development of Type 1 Diabetes in Wild Bank Voles Associated With Islet Autoantibodies and the Novel Ljungan Virus. <i>Experimental Diabetes Research</i> , 2003, 4, 35-44.	1.0	77

#	ARTICLE	IF	CITATIONS
325	Genetic Effects on Age-Dependent Onset and Islet Cell Autoantibody Markers in Type 1 Diabetes. <i>Diabetes</i> , 2002, 51, 1346-1355.	0.3	203
326	GAD65 Antibody Epitope Patterns of Type 1.5 Diabetic Patients Are Consistent With Slow-Onset Autoimmune Diabetes. <i>Diabetes Care</i> , 2002, 25, 1481-1482.	4.3	37
327	Lymphopenia in the BB Rat Model of Type 1 Diabetes is Due to a Mutation in a Novel Immune-Associated Nucleotide (Ian)-Related Gene. <i>Genome Research</i> , 2002, 12, 1029-1039.	2.4	199
328	Streptozotocin Induced Diabetes in Minipig: A Case Report of a Possible Model for Type 1 Diabetes?. <i>Autoimmunity</i> , 2002, 35, 261-264.	1.2	15
329	Stable GAD65 Autoantibody Epitope Patterns in Type 1 Diabetes Children Five Years after Onset. <i>Journal of Autoimmunity</i> , 2002, 18, 49-53.	3.0	15
330	Multiple sclerosis and type 1 diabetes: an unlikely alliance. <i>Lancet</i> , The, 2002, 359, 1450-1451.	6.3	16
331	Protein-free diets do not protect high-incidence diabetes-prone BioBreeding rats from diabetes. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 569-574.	1.5	6
332	GAD65 and IA-2 autoantibodies are common in a subset of siblings of Sardinian Type 2 diabetes families. <i>Diabetes Research and Clinical Practice</i> , 2002, 56, 41-47.	1.1	9
333	Animal models of endocrine/organ-specific autoimmune diseases: do they really help us to understand human autoimmunity?. <i>Seminars in Immunopathology</i> , 2002, 24, 297-321.	4.0	54
334	Macrophages from High-Risk HLA-DQB1*0201/*0302 Type 1 Diabetes Mellitus Patients are Hypersensitive to Lipopolysaccharide Stimulation. <i>Scandinavian Journal of Immunology</i> , 2002, 56, 522-529.	1.3	34
335	The antibody response to bacteriophage is linked to the lymphopenia gene in congenic BioBreeding rats. <i>FEMS Immunology and Medical Microbiology</i> , 2002, 32, 205-209.	2.7	10
336	Early, Selective, and Marked Loss of Sympathetic Nerves From the Islets of BioBreeder Diabetic Rats. <i>Diabetes</i> , 2002, 51, 2997-3002.	0.3	87
337	Tissue transglutaminase autoantibodies and human leucocyte antigen in Down's syndrome patients with coeliac disease. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 34-38.	0.7	11
338	Controlling the controls: GAD65 autoreactive T cells in type 1 diabetes. <i>Journal of Clinical Investigation</i> , 2002, 109, 869-870.	3.9	8
339	Type 1 diabetes-related autoantibodies are rare in Alaska native populations. <i>International Journal of Circumpolar Health</i> , 2002, 61, 21-31.	0.5	15
340	Site-directed mutagenesis of K396R of the 65 kDa glutamic acid decarboxylase active site obliterates enzyme activity but not antibody binding. <i>FEBS Letters</i> , 2001, 488, 185-189.	1.3	21
341	Molecular Manipulation of Autoantibody Testing in Type 1 Diabetes: Two for One. <i>Clinical Chemistry</i> , 2001, 47, 803-804.	1.5	4
342	Prediction of silent celiac disease at diagnosis of childhood type 1 diabetes by tissue transglutaminase autoantibodies and HLA. <i>Pediatric Diabetes</i> , 2001, 2, 58-65.	1.2	33

#	ARTICLE	IF	CITATIONS
343	Treatment outcome for IDDM patients in relation to glutamic acid decarboxylase autoantibodies and serum IgG to periodontal pathogens. <i>Journal of Clinical Periodontology</i> , 2001, 28, 550-557.	2.3	7
344	Low-Dose Streptozotocin Induces Sustained Hyperglycemia in <i>Macaca nemestrina</i> . <i>Autoimmunity</i> , 2001, 33, 103-114.	1.2	13
345	Activated human epitope-specific T cells identified by class II tetramers reside within a CD4 ^{high} , proliferating subset. <i>International Immunology</i> , 2001, 13, 799-806.	1.8	62
346	Glucose-Regulated Insulin Expression in Diabetic Rats. <i>Human Gene Therapy</i> , 2001, 12, 131-139.	1.4	26
347	Stability of disease-associated antibody titers in pregnant women with type 1 diabetes with or without residual beta-cell function. <i>Diabetes Care</i> , 2000, 23, 1019-1021.	4.3	11
348	Glutamic acid decarboxylase antibodies (GADA) is the most important factor for prediction of insulin therapy within 3 years in young adult diabetic patients not classified as Type 1 diabetes on clinical grounds. <i>Diabetes/Metabolism Research and Reviews</i> , 2000, 16, 442-447.	1.7	53
349	The World Health Organization International Collaborative Study for Islet Cell Antibodies. <i>Diabetologia</i> , 2000, 43, 1282-1292.	2.9	109
350	Alternative Splicing of GAD67 Results in the Synthesis of a Third Form of Glutamic-acid Decarboxylase in Human Islets and Other Non-neural Tissues. <i>Journal of Biological Chemistry</i> , 2000, 275, 5188-5192.	1.6	34
351	The Length of the CTLA-4 Microsatellite (AT) _N -Repeat Affects the Risk for Type 1 Diabetes: For the Swedish Childhood Diabetes Study Group. <i>Autoimmunity</i> , 2000, 32, 173-180.	1.2	22
352	Rapid-Onset Type 1 Diabetes with Pancreatic Exocrine Dysfunction. <i>New England Journal of Medicine</i> , 2000, 342, 344-345.	13.9	22
353	Antibodies to Glutamic Acid Decarboxylase and Peripheral Nerve Function in Type 1 Diabetes*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3297-3308.	1.8	19
354	The HLA Component of Type I Diabetes. <i>American Journal of Human Genetics</i> , 2000, 66, 1468.	2.6	4
355	GAD65-specific autoantibodies enhance the presentation of an immunodominant T-cell epitope from GAD65. <i>Diabetes</i> , 2000, 49, 1621-1626.	0.3	75
356	Previous Exposure to Measles, Mumps, and Rubella"but Not Vaccination During Adolescence"Correlates to the Prevalence of Pancreatic and Thyroid Autoantibodies. <i>Pediatrics</i> , 1999, 104, e12-e12.	1.0	55
357	Prevalence of Î²-cell and Thyroid Autoantibody Positivity in Schoolchildren during Three-Year Follow-up. <i>Autoimmunity</i> , 1999, 31, 175-185.	1.2	8
358	Appearance of Islet Cell Autoantibodies after Clinical Diagnosis of Diabetes Mellitus. <i>Autoimmunity</i> , 1999, 29, 57-63.	1.2	32
359	Radioimmunoassay for Glutamic Acid Decarboxylase-65. <i>Diabetes Technology and Therapeutics</i> , 1999, 1, 13-20.	2.4	13
360	Influence of heredity on the appearance of islet autoantibodies in cordblood from children developing Type I diabetes before 15 years of age. <i>Diabetologia</i> , 1999, 42, B896-B897.	2.9	0

#	ARTICLE	IF	CITATIONS
361	Auto- and alloimmune reactivity to human islet allografts transplanted into type 1 diabetic patients. <i>Diabetes</i> , 1999, 48, 484-490.	0.3	183
362	Tolerance to kidney allograft transplanted into Type I diabetic patients persists after in vivo challenge with pancreatic islet allografts that express repeated mismatches. <i>Diabetologia</i> , 1999, 42, 1379-1380.	2.9	19
363	BB rat diabetes susceptibility and body weight regulation genes colocalize on Chromosome 2. <i>Mammalian Genome</i> , 1999, 10, 883-887.	1.0	25
364	Islet autoantibodies in cord blood from children who developed Type I (insulin-dependent) diabetes mellitus before 15 years of age. <i>Diabetologia</i> , 1999, 42, 181-187.	2.9	79
365	Glutamate decarboxylase (GAD65) and tyrosine phosphatase-like protein (IA-2) autoantibodies index in a regional population is related to glucose intolerance and body mass index. <i>Diabetologia</i> , 1999, 42, 555-559.	2.9	71
366	Negative association between type 1 diabetes and HLA DQB1*0602-DQA1*0102 is attenuated with age at onset. <i>International Journal of Immunogenetics</i> , 1999, 26, 117-127.	1.2	9
367	Negative association between type 1 diabetes and HLA DQB1*0602-DQA1*0102 is attenuated with age at onset. <i>International Journal of Immunogenetics</i> , 1999, 26, 117-127.	1.2	51
368	The development of a World Health Organisation international standard for islet cell antibodies: the aims and design of an international collaborative study. <i>Diabetes/Metabolism Research and Reviews</i> , 1999, 15, 72-77.	1.7	23
369	Animal Models for Insulin-Dependent Diabetes Mellitus. , 1999, , 113-139.		1
370	Sometimes it's hot, sometimes it's not. <i>Nature Genetics</i> , 1998, 19, 213-214.	9.4	82
371	A simple and rapid microSepharose assay for GAD65 and ICA512 autoantibodies in diabetes. <i>Journal of Immunological Methods</i> , 1998, 213, 87-97.	0.6	21
372	Immunology in diabetes: an update. <i>Diabetes/metabolism Reviews</i> , 1998, 14, 3-29.	0.4	124
373	Inverse relationship between GAD65 antibody levels and severe retinopathy in younger type 1 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 1998, 40, 9-14.	1.1	16
374	Immunology in diabetes: an update. , 1998, 14, 3.		1
375	Glutamate Decarboxylase Antibodies in Non-Diabetic Pregnancy Precedes Insulin-Dependent Diabetes in the Mother but not Necessarily in the Offspring. <i>Autoimmunity</i> , 1997, 26, 261-269.	1.2	24
376	Autoantibodies to the GM2-1 Islet Ganglioside and to GAD-65 at Type 1 Diabetes Onset. <i>Journal of Autoimmunity</i> , 1997, 10, 585-588.	3.0	21
377	Family Cell Lines Available for Research—An Endangered Resource?. <i>American Journal of Human Genetics</i> , 1997, 61, 778-779.	2.6	5
378	The beta cell glucokinase promoter variant is an unlikely risk factor for diabetes mellitus. <i>Diabetologia</i> , 1997, 40, 959-962.	2.9	9

#	ARTICLE	IF	CITATIONS
379	HLA and Glutamic Acid Decarboxylase in Human Insulin-dependent Diabetes Mellitus. <i>Diabetic Medicine</i> , 1996, 13, 209-217.	1.2	28
380	Association between HLA and islet cell antibodies in diabetic patients with a mitochondrial DNA mutation at base pair 3243. <i>Diabetologia</i> , 1996, 39, 1196-1200.	2.9	23
381	Diagnostic sensitivity of immunodominant epitopes of glutamic acid decarboxylase (GAD65) autoantibodies in childhood IDDM. <i>Diabetologia</i> , 1996, 39, 1091-1098.	2.9	73
382	Differential detection of rat islet and brain glutamic acid decarboxylase (GAD) isoforms with sequence-specific peptide antibodies.. <i>Journal of Histochemistry and Cytochemistry</i> , 1995, 43, 53-59.	1.3	38
383	Flow injection fluorescence microscopy applied to a rapid cell surface immunoassay. <i>Cytometry</i> , 1995, 19, 70-76.	1.8	3
384	Radioimmunoassays for glutamic acid decarboxylase (GAD65) and GAD65 autoantibodies using 35S or 3H recombinant human ligands. <i>Journal of Immunological Methods</i> , 1995, 186, 89-99.	0.6	188
385	T Cells from BB-DP Rats Show a Unique Cytokine mRNA Profile Associated with the IDDM Susceptibility Gene, LYP. <i>Autoimmunity</i> , 1995, 22, 149-161.	1.2	2
386	Targeting of the 67-kDa Isoform of Glutamic Acid Decarboxylase to Intracellular Organelles Is Mediated by Its Interaction with the NH ₂ -terminal Region of the 65-kDa Isoform of Glutamic Acid Decarboxylase. <i>Journal of Biological Chemistry</i> , 1995, 270, 2241-2246.	1.6	74
387	Thyroiditis in the BB rat is associated with lymphopenia but occurs independently of diabetes. <i>Journal of Autoimmunity</i> , 1995, 8, 493-505.	3.0	35
388	Pathogenesis of insulin-dependent diabetes mellitus. <i>Bailliere's Clinical Endocrinology and Metabolism</i> , 1995, 9, 25-46.	1.0	19
389	Decreased weight gain in BB rats before the clinical onset of insulin-dependent diabetes. <i>Diabetes Research and Clinical Practice</i> , 1993, 21, 31-38.	1.1	15
390	Protection from Bb Rat Diabetes by the Platelet-Activating Factor Inhibitor BN50730. <i>Autoimmunity</i> , 1993, 16, 259-266.	1.2	5
391	Quantitative Analysis of Islet Glutamic Acid Decarboxylase p64 Autoantibodies in Insulin-Dependent Diabetes Mellitus. <i>Autoimmunity</i> , 1992, 13, 187-196.	1.2	3
392	IN VIVO EFFECTS OF INTERLEUKIN-1 β ON BLOOD LEUKOCYTES IN BB RATS PRONE OR RESISTANT TO DIABETES. <i>Autoimmunity</i> , 1992, 11, 233-237.	1.2	10
393	Sequential injection immunoassay utilizing immunomagnetic beads. <i>Analytical Chemistry</i> , 1992, 64, 1356-1361.	3.2	77
394	Genetic dissection of autoimmune type I diabetes in the BB rat. <i>Nature Genetics</i> , 1992, 2, 56-60.	9.4	232
395	Flow-injection immunoassays: Present and future. <i>Microchemical Journal</i> , 1992, 45, 121-128.	2.3	23
396	Autoimmune Diabetes Mellitus. , 1992, , 235-278.		15

#	ARTICLE	IF	CITATIONS
397	Improved specificity of ICA assays in the Fourth International Immunology of Diabetes Serum Exchange Workshop. <i>Diabetes</i> , 1992, 41, 1570-1574.	0.3	23
398	Interleukin-1 β regulation of islet and thyroid autoimmunity in the BB rat. <i>Journal of Autoimmunity</i> , 1991, 4, 717-732.	3.0	21
399	Islet cell antibody reactivity with human fetal pancreatic islets. <i>Diabetes Research and Clinical Practice</i> , 1991, 14, 1-7.	1.1	9
400	Leukocytosis at the onset of diabetes in crosses of inbred BB rats. <i>Diabetes Research and Clinical Practice</i> , 1991, 12, 113-123.	1.1	15
401	Autoimmunity of Diabetes. <i>Endocrinology and Metabolism Clinics of North America</i> , 1991, 20, 589-617.	1.2	12
402	Cloning and primary structure of a human islet isoform of glutamic acid decarboxylase from chromosome 10. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 8337-8341.	3.3	262
403	Islet Cell Cytoplasmic Antibodies (ICA) in Diabetes and Disorders of Glucose Tolerance. <i>Diabetic Medicine</i> , 1991, 8, 812-816.	1.2	10
404	Risk for developing Type 1 (insulin-dependent) diabetes mellitus and the presence of islet 64K antibodies. <i>Diabetologia</i> , 1991, 34, 727-733.	2.9	55
405	Effects of Ginkgolide B, A Platelet-Activating Factor Inhibitor on Insulinitis in the Spontaneously Diabetic Bb Rat. <i>Autoimmunity</i> , 1991, 9, 225-235.	1.2	24
406	Islet cell antibodies and fasting C-peptide predict insulin requirement at diagnosis of diabetes mellitus. <i>Diabetologia</i> , 1990, 33, 561-568.	2.9	112
407	A novel affinity purification method to isolate peptide specific antibodies. <i>Journal of Immunological Methods</i> , 1990, 128, 151-157.	0.6	12
408	The Humoral Anti-Islet Response: Biochemical Characterization. <i>E&M Endocrinology and Metabolism</i> , 1990, , 87-104.	0.1	1
409	Multiple Growth Hormone-Binding Proteins are Expressed on Insulin-Producing Cells. <i>Molecular Endocrinology</i> , 1989, 3, 1173-1182.	3.7	19
410	Islet cell and other organ-specific autoantibodies in all children developing Type 1 (insulin-dependent) diabetes mellitus in Sweden during one year and in matched control children. <i>Diabetologia</i> , 1989, 32, 387-395.	2.9	146
411	The genetics of susceptibility to diabetes. <i>Clinical Immunology and Immunopathology</i> , 1989, 53, 358-399.	2.1	46
412	How do I get that abstract accepted?. <i>Diabetologia</i> , 1988, 31, 455-456.	2.9	1
413	Interleukin-1 potentiates glucose stimulated insulin release in the isolated perfused pancreas. <i>European Journal of Endocrinology</i> , 1988, 117, 302-306.	1.9	24
414	Immunology and Diabetes Workshops: Report of the Second International Workshop on the Standardisation of Cytoplasmic Islet Cell Antibodies. <i>Diabetologia</i> , 1987, 30, 273-273.	2.9	37

#	ARTICLE	IF	CITATIONS
415	Islet-specific immune mechanisms. <i>Diabetes/metabolism Reviews</i> , 1987, 3, 959-980.	0.4	18
416	Insulin release and pancreatic insulin is reduced in young prediabetic BB rats. <i>European Journal of Endocrinology</i> , 1986, 112, 367-371.	1.9	22
417	Locus-specific detection of HLA-DQ and -DR antigens by antibodies against synthetic N-terminal octapeptides of the β^2 chain. <i>FEBS Letters</i> , 1985, 189, 329-337.	1.3	5
418	Spontaneous in vitro immunoglobulin secretion at the diagnosis of insulin-dependent diabetes. <i>European Journal of Endocrinology</i> , 1984, 105, 521-527.	1.9	14
419	HLA-D region β^2 -chain DNA endonuclease fragments differ between HLA-DR identical healthy and insulin-dependent diabetic individuals. <i>Nature</i> , 1983, 303, 815-817.	13.7	270
420	Humoral immunity in the spontaneously diabetic BB rat. <i>Metabolism: Clinical and Experimental</i> , 1983, 32, 87-91.	1.5	19
421	Glucose stimulates the biosynthesis of a human pancreatic islet cell protein detected by an antiserum against the human erythrocyte glucose transporter. <i>FEBS Letters</i> , 1983, 157, 331-335.	1.3	0
422	Inhibition of Insulin Release after Passive Transfer of Immunoglobulin from Insulin-Dependent Diabetic Children to Mice*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1983, 57, 1301-1304.	1.8	35
423	6 Islet cell antibodies in diabetes. <i>Clinics in Endocrinology and Metabolism</i> , 1982, 11, 409-430.	1.8	22
424	SPECIFIC HUMAN PANCREATIC ISLET CELL PROTEINS RECOGNIZED BY ANTIBODIES IN DIABETIC CHILDREN. <i>Annals of the New York Academy of Sciences</i> , 1982, 392, 378-378.	1.8	0
425	Autoantibodies in newly diagnosed diabetic children immunoprecipitate human pancreatic islet cell proteins. <i>Nature</i> , 1982, 298, 167-169.	13.7	551
426	Autoimmunity in insulin-dependent diabetes mellitus. <i>American Journal of Medicine</i> , 1981, 70, 135-141.	0.6	121
427	Studies on the biosynthesis of the other peptide hormones of the rat islets of Langerhans. <i>Biochemical Society Transactions</i> , 1980, 8, 411-413.	1.6	4
428	ISLET AUTOANTIBODIES IN HUMAN PANCREATIC TRANSPLANT RECIPIENTS. <i>Lancet, The</i> , 1979, 313, 926.	6.3	2
429	Islet-Cell-Surface Antibodies in Juvenile Diabetes Mellitus. <i>New England Journal of Medicine</i> , 1978, 299, 375-380.	13.9	377
430	Glucagon and Insulin Release from the Allografted Canine Pancreas. <i>European Surgical Research</i> , 1975, 7, 170-180.	0.6	1
431	The pancreatic β^2 -cell recognition of insulin secretagogues. <i>Archives of Biochemistry and Biophysics</i> , 1974, 162, 448-457.	1.4	106
432	The pancreatic β^2 -cell recognition of insulin secretagogues. Effects of calcium and sodium on glucose metabolism and insulin release. <i>Biochemical Journal</i> , 1974, 138, 33-45.	1.7	139

#	ARTICLE	IF	CITATIONS
433	The pancreatic β^2 -cell recognition of insulin secretagoguesâ€™III. <i>Biochemical Pharmacology</i> , 1973, 22, 29-35.	2.0	42
434	Iodoacetamide-induced sensitization of the pancreatic β^2 -cells to glucose stimulation. <i>Biochemical Journal</i> , 1973, 132, 775-789.	3.2	42
435	Effects of organic mercurials on mammalian pancreatic β^2 -cells. Insulin release, glucose transport, glucose oxidation, membrane permeability and ultrastructure. <i>Biochemical Journal</i> , 1972, 129, 241-254.	3.2	65
436	Transport and storage of 5-hydroxytryptamine in pancreatic β^2 -cells. <i>Biochemical Pharmacology</i> , 1972, 21, 695-706.	2.0	37
437	Effects of phlorizin on metabolism and function of pancreatic β^2 -cell. <i>Metabolism: Clinical and Experimental</i> , 1972, 21, 60-66.	1.5	31
438	Effect of epinephrine and mannoheptulose on early and late phases of glucose-stimulated insulin release. <i>Metabolism: Clinical and Experimental</i> , 1970, 19, 614-618.	1.5	18
439	The β^2 -cell capacity for insulin secretion in microdissected pancreatic islets from obese-hyperglycemic mice. <i>Life Sciences</i> , 1969, 8, 53-59.	2.0	23
440	EFFECTS ON THE ENDOCRINE PANCREAS IN CHINESE HAMSTERS FED ZINC DEFICIENT DIETS. <i>Acta Pathologica Et Microbiologica Scandinavica</i> , 1969, 76, 215-228.	0.0	54