Michel Galinier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8011670/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Plasma Brain Natriuretic Peptide-Guided Therapy to Improve Outcome in Heart Failure. Journal of the American College of Cardiology, 2007, 49, 1733-1739.	2.8	597
2	Initiation of sacubitril/valsartan in haemodynamically stabilised heart failure patients in hospital or early after discharge: primary results of the randomised TRANSITION study. European Journal of Heart Failure, 2019, 21, 998-1007.	7.1	233
3	Intracoronary autologous mononucleated bone marrow cell infusion for acute myocardial infarction: results of the randomized multicenter BONAMI trial. European Heart Journal, 2011, 32, 1748-1757.	2.2	158
4	Current aspects of the spectrum of acute heart failure syndromes in a realâ€ i ife setting: the OFICA study. European Journal of Heart Failure, 2013, 15, 465-476.	7.1	135
5	B-CONVINCED: Beta-blocker CONtinuation Vs. INterruption in patients with Congestive heart failure hospitalizED for a decompensation episode. European Heart Journal, 2009, 30, 2186-2192.	2.2	128
6	ApoO, a Novel Apolipoprotein, Is an Original Glycoprotein Up-regulated by Diabetes in Human Heart. Journal of Biological Chemistry, 2006, 281, 36289-36302.	3.4	70
7	Peripheral chemoreflex activation contributes to sympathetic baroreflex impairment in chronic heart failure. Journal of Hypertension, 2012, 30, 753-760.	0.5	70
8	Reversal of dilated cardiomyopathy by the elimination of frequent left or right premature ventricular contractions. Journal of Interventional Cardiac Electrophysiology, 2007, 20, 9-13.	1.3	65
9	Anxiodepressive Disorders and Chronic Psychological Stress Are Associated With Tako-Tsubo Cardiomyopathy. Circulation Journal, 2013, 77, 175-180.	1.6	60
10	Improvement in the management of chronic heart failure since the publication of the updated guidelines of the European Society of Cardiology. European Journal of Heart Failure, 2009, 11, 85-91.	7.1	51
11	Association between serum alkaline phosphatase and coronary artery calcification in a sample of primary cardiovascular prevention patients. Atherosclerosis, 2017, 260, 81-86.	0.8	51
12	High-Intensity Interval Exercise Improves Vagal Tone and Decreases Arrhythmias in Chronic Heart Failure. Medicine and Science in Sports and Exercise, 2013, 45, 1861-1867.	0.4	50
13	Accuracy of the screening physical examination to identify subclinical atherosclerosis and peripheral arterial disease in asymptomatic subjects. Journal of Vascular Surgery, 2007, 46, 1215-1221.	1.1	45
14	New concept of myocardial longitudinal strain reserve assessed by a dipyridamole infusion using 2D-strain echocardiography: the impact of diabetes and age, and the prognostic value. Cardiovascular Diabetology, 2013, 12, 84.	6.8	42
15	Genetic deletion of MAO-A promotes serotonin-dependent ventricular hypertrophy by pressure overload. Journal of Molecular and Cellular Cardiology, 2009, 46, 587-595.	1.9	41
16	Excessive sympathetic activation in heart failure with chronic renal failure: role of chemoreflex activation. Journal of Hypertension, 2009, 27, 1849-1854.	0.5	40
17	Coronary artery calcification: From crystal to plaque rupture. Archives of Cardiovascular Diseases, 2017, 110, 550-561.	1.6	39
18	Hyperuricemia and Hypertension, Coronary Artery Disease, Kidney Disease: From Concept to Practice. International Journal of Molecular Sciences, 2020, 21, 4066.	4.1	39

MICHEL GALINIER

#	Article	IF	CITATIONS
19	Adiponectin and Long-Term Mortality in Coronary Artery Disease Participants and Controls. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, e19-29.	2.4	36
20	Tonic Chemoreflex Activation Contributes to Increased Sympathetic Nerve Activity in Heart Failure–Related Anemia. Hypertension, 2010, 55, 1012-1017.	2.7	35
21	Bortezomib and heart failure: caseâ€report and review of the French <scp>P</scp> harmacovigilance database. Fundamental and Clinical Pharmacology, 2014, 28, 349-352.	1.9	35
22	Prevalence of Memory Disorders in Ambulatory Patients Aged ≥70ÂYears With Chronic Heart Failure (from the EFICARE Study). American Journal of Cardiology, 2014, 113, 1205-1210.	1.6	34
23	Additional prognostic value of physical examination, exercise testing, and arterial ultrasonography for coronary risk assessment in primary prevention. American Heart Journal, 2009, 158, 845-851.	2.7	31
24	Risk of Neurological Decompression Sickness in the Diver With a Right-to-Left Shunt: Literature Review and Meta-Analysis. Clinical Journal of Sport Medicine, 2009, 19, 231-235.	1.8	31
25	Relationship between time of day, day of the week and in-hospital mortality in patients undergoing emergency percutaneous coronary intervention. Archives of Cardiovascular Diseases, 2009, 102, 811-820.	1.6	30
26	A Single Bout of High-Intensity Interval Exercise Does Not Increase Endothelial or Platelet Microparticles in Stable, Physically Fit Men With Coronary Heart Disease. Canadian Journal of Cardiology, 2013, 29, 1285-1291.	1.7	30
27	Prognostic Usefulness of Clinical and Subclinical Peripheral Arterial Disease in Men With Stable Coronary Heart Disease. American Journal of Cardiology, 2012, 110, 197-202.	1.6	27
28	Transcatheter Aortic Valve Implantation Reduces Sympathetic Activity and Normalizes Arterial Spontaneous Baroreflex in Patients With Aortic Stenosis. JACC: Cardiovascular Interventions, 2013, 6, 1195-1202.	2.9	27
29	Relationship between left ventricular sphericity and trabeculation indexes in patients with dilated cardiomyopathy: a cardiac magnetic resonance study. European Heart Journal Cardiovascular Imaging, 2013, 14, 914-920.	1.2	26
30	Lifeâ€ŧhreatening drugâ€associated hyperkalemia: a retrospective study from laboratory signals. Pharmacoepidemiology and Drug Safety, 2011, 20, 747-753.	1.9	25
31	Metabonomics Analysis of Plasma Reveals the Lactate to Cholesterol Ratio as an Independent Prognostic Factor of Short-Term Mortality in Acute Heart Failure. PLoS ONE, 2013, 8, e60737.	2.5	24
32	First experience of percutaneous radio-frequency ablation for atrial flutter and atrial fibrillation in a patient with HeartMate II left ventricular assist device. Journal of Interventional Cardiac Electrophysiology, 2010, 29, 63-67.	1.3	23
33	Blood Signature of Pre-Heart Failure: A Microarrays Study. PLoS ONE, 2011, 6, e20414.	2.5	23
34	Thrombolysis by recombinant tissue plasminogen activator during pregnancy: a case of massive pulmonary embolism. American Journal of Emergency Medicine, 2011, 29, 694.e1-694.e2.	1.6	21
35	Impact of chronic obstructive pulmonary disease severity on symptoms and prognosis in patients with systolic heart failure. Clinical Research in Cardiology, 2012, 101, 717-726.	3.3	21
36	Heart Failure in Acute Myocardial Infarction: a Comparison Between Patients With or Without Heart Failure Criteria From the FAST-MI Registry. Revista Espanola De Cardiologia (English Ed), 2012, 65, 326-333.	0.6	21

MICHEL GALINIER

#	Article	IF	CITATIONS
37	Insulin-like Growth Factor Binding Protein 2 predicts mortality risk in heart failure. International Journal of Cardiology, 2020, 300, 245-251.	1.7	19
38	High Maintenance Dosage of Clopidogrel is Associated with a Reduced Risk of Stent Thrombosis in Clopidogrel-Resistant Patients. American Journal of Cardiovascular Drugs, 2010, 10, 29-35.	2.2	18
39	Vericiguat for the treatment of heart failure: mechanism of action and pharmacological properties compared with other emerging therapeutic options. Expert Opinion on Pharmacotherapy, 2021, 22, 1847-1855.	1.8	18
40	Effects of Short-Term Exercise and Exercise Training on Cognitive Function Among Patients With Cardiac Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2007, 27, 395-399.	2.1	17
41	Absolute iron deficiency without anaemia in patients with chronic systolic heart failure is associated with poorer functional capacity. Archives of Cardiovascular Diseases, 2017, 110, 99-105.	1.6	17
42	Acute electromyostimulation Decreases Muscle Sympathetic Nerve Activity in Patients with Advanced Chronic Heart Failure (EMSICA Study). PLoS ONE, 2013, 8, e79438.	2.5	15
43	Prevalence of cardiovascular risk factors in men with stable coronary heart disease in France and Spain. Archives of Cardiovascular Diseases, 2010, 103, 80-89.	1.6	14
44	Cardiorenal anemia syndrome in chronic heart failure contributes to increased sympathetic nerve activity. International Journal of Cardiology, 2013, 168, 2352-2357.	1.7	14
45	Reversal of left ventricular dysfunction after ablation of premature ventricular contractions related parameters, paradoxes and exceptions to the rule. International Journal of Cardiology, 2016, 222, 31-36.	1.7	14
46	Arterial Ultrasound Screening as a Tool for Coronary Risk Assessment in Asymptomatic Men and Women. Angiology, 2012, 63, 282-288.	1.8	13
47	ST-segment changes after direct current external cardioversion for atrial fibrillation. Incidence, characteristics and predictive factors. International Journal of Cardiology, 2011, 148, 341-346.	1.7	12
48	Non-vitamin K antagonist oral anticoagulants and heart failure. Archives of Cardiovascular Diseases, 2016, 109, 641-650.	1.6	12
49	Levosimedan improves hemodynamics functions without sympathetic activation in severe heart failure patients: Direct evidence from sympathetic neural recording. Acute Cardiac Care, 2010, 12, 25-30.	0.2	10
50	ls exercise testing useful to improve the prediction of coronary events in asymptomatic subjects?. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 37-44.	2.8	10
51	Relation between left ventricular outflow tract obstruction and left ventricular shape in patients with hypertrophic cardiomyopathy: A cardiac magnetic resonance imaging study. Archives of Cardiovascular Diseases, 2013, 106, 440-447.	1.6	9
52	Prediction of all-cause mortality from gated-SPECT global myocardial wall thickening. Journal of Nuclear Cardiology, 2014, 21, 86-95.	2.1	9
53	Prognostic value of residual vegetation after antibiotic treatment for infective endocarditis: A retrospective cohort study. International Journal of Infectious Diseases, 2020, 94, 34-40.	3.3	9
54	Patent foramen ovale appearance with association of left ventricular assist device and mechanical ventilation. American Journal of Emergency Medicine, 2012, 30, 259.e1-259.e3.	1.6	8

MICHEL GALINIER

#	Article	IF	CITATIONS
55	Gender disparity in 48-hour mortality is limited to emergency percutaneous coronary intervention for ST-elevation myocardial infarction. Archives of Cardiovascular Diseases, 2010, 103, 293-301.	1.6	7
56	Early triage of emergency department patients with acute coronary syndrome: Contribution of 64-slice computed tomography angiography. Archives of Cardiovascular Diseases, 2012, 105, 338-346.	1.6	7
57	Coronary angiography in the setting of acute infective endocarditis requiring surgical treatment. Archives of Cardiovascular Diseases, 2020, 113, 50-58.	1.6	7
58	Predictive factors for long-term mortality in miscellaneous cardiogenic shock: Protective role of beta-blockers at admission. Archives of Cardiovascular Diseases, 2019, 112, 738-747.	1.6	6
59	Factors predictive for in-hospital mortality following percutaneous coronary intervention. Archives of Cardiovascular Diseases, 2008, 101, 443-448.	1.6	5
60	Unusual presentation of primary toxoplasmosis infection in a kidney-transplant patient complicated by an acute left-ventricular failure. CKJ: Clinical Kidney Journal, 2008, 1, 429-432.	2.9	5
61	Incidence of Early Adverse Events Surrounding Direct Current Cardioversion of Persistent Atrial Fibrillation. A Cohort Study of Practices. Therapie, 2007, 62, 45-48.	1.0	4
62	Are there specific prognostic factors for acute coronary syndrome in patients over 80 years of age?. Archives of Cardiovascular Diseases, 2008, 101, 449-458.	1.6	4
63	Calcific aortic stenosis and statin therapy: A new insight. International Journal of Cardiology, 2009, 131, 275-276.	1.7	4
64	Takotsubo Cardiomyopathy in a Squash Player. Cardiology Research and Practice, 2009, 2009, 1-4.	1.1	3
65	Voluminous pseudoaneurysm of a saphenous vein graft. Archives of Cardiovascular Diseases, 2010, 103, 133-134.	1.6	3
66	Sports participation and myocarditis: Influence of sport types on disease severity. IJC Heart and Vasculature, 2021, 37, 100895.	1.1	3
67	Limited prognostic value of cardiac metaiodobenzylguanidine in advanced heart failure. Journal of Heart and Lung Transplantation, 2010, 29, 591-592.	0.6	2
68	Evaluation of Mitral and Aortic Valvular Disease and Left Ventricular Dysfunction in a Lebanese Population: Retrospective Single-Center Experience. Medical Science Monitor, 2021, 27, e928218.	1.1	2
69	Slower heart rate and altered rate dependence of ventricular repolarization in patients with lone atrial fibrillation. Archives of Cardiovascular Diseases, 2013, 106, 12-18.	1.6	1
70	Pulmonary embolism originating from germ cell tumor causes severe left ventricular dysfunction in a healthy young adult with full recovery: a case report. BMC Cardiovascular Disorders, 2021, 21, 260.	1.7	1
71	Retrospective Study of 573 Patients with Heart Failure Evaluated for Coronary Artery Disease at Toulouse University Center, France. Medical Science Monitor, 2022, 28, e934804.	1.1	1
72	Variations in duration and composition of the excitable gap around the tricuspid annulus during typical atrial flutter. Archives of Cardiovascular Diseases, 2010, 103, 585-594.	1.6	0

#	Article	IF	CITATIONS
73	The Use of Transthoracic Echocardiogram to Quantify Pulmonary Vascular Resistance in Patients with Systemic Sclerosis. Journal of Rheumatology, 2019, 46, 1495-1501.	2.0	0