

Michel Galinier

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8011670/michel-galinier-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

2,055
citations

24
h-index

44
g-index

77
ext. papers

2,426
ext. citations

3.6
avg, IF

3.84
L-index

#	Paper	IF	Citations
73	Retrospective Study of 573 Patients with Heart Failure Evaluated for Coronary Artery Disease at Toulouse University Center, France.. <i>Medical Science Monitor</i> , 2022 , 28, e934804	3.2	
72	Sports participation and myocarditis: Influence of sport types on disease severity. <i>IJC Heart and Vasculature</i> , 2021 , 37, 100895	2.4	0
71	Evaluation of Mitral and Aortic Valvular Disease and Left Ventricular Dysfunction in a Lebanese Population: Retrospective Single-Center Experience. <i>Medical Science Monitor</i> , 2021 , 27, e928218	3.2	1
70	Pulmonary embolism originating from germ cell tumor causes severe left ventricular dysfunction in a healthy young adult with full recovery: a case report. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 260	2.3	
69	Vericiguat for the treatment of heart failure: mechanism of action and pharmacological properties compared with other emerging therapeutic options. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 1847-1855	4	4
68	Hyperuricemia and Hypertension, Coronary Artery Disease, Kidney Disease: From Concept to Practice. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	11
67	Prognostic value of residual vegetation after antibiotic treatment for infective endocarditis: A retrospective cohort study. <i>International Journal of Infectious Diseases</i> , 2020 , 94, 34-40	10.5	5
66	Coronary angiography in the setting of acute infective endocarditis requiring surgical treatment. <i>Archives of Cardiovascular Diseases</i> , 2020 , 113, 50-58	2.7	4
65	Insulin-like Growth Factor Binding Protein 2 predicts mortality risk in heart failure. <i>International Journal of Cardiology</i> , 2020 , 300, 245-251	3.2	7
64	Initiation of sacubitril/valsartan in haemodynamically stabilised heart failure patients in hospital or early after discharge: primary results of the randomised TRANSITION study. <i>European Journal of Heart Failure</i> , 2019 , 21, 998-1007	12.3	114
63	Predictive factors for long-term mortality in miscellaneous cardiogenic shock: Protective role of beta-blockers at admission. <i>Archives of Cardiovascular Diseases</i> , 2019 , 112, 738-747	2.7	0
62	The Use of Transthoracic Echocardiogram to Quantify Pulmonary Vascular Resistance in Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2019 , 46, 1495-1501	4.1	
61	Absolute iron deficiency without anaemia in patients with chronic systolic heart failure is associated with poorer functional capacity. <i>Archives of Cardiovascular Diseases</i> , 2017 , 110, 99-105	2.7	11
60	Association between serum alkaline phosphatase and coronary artery calcification in a sample of primary cardiovascular prevention patients. <i>Atherosclerosis</i> , 2017 , 260, 81-86	3.1	34
59	Coronary artery calcification: From crystal to plaque rupture. <i>Archives of Cardiovascular Diseases</i> , 2017 , 110, 550-561	2.7	28
58	Non-vitamin K antagonist oral anticoagulants and heart failure. <i>Archives of Cardiovascular Diseases</i> , 2016 , 109, 641-650	2.7	10
57	Reversal of left ventricular dysfunction after ablation of premature ventricular contractions related parameters, paradoxes and exceptions to the rule. <i>International Journal of Cardiology</i> , 2016 , 222, 31-36	3.2	12

56	Prediction of all-cause mortality from gated-SPECT global myocardial wall thickening: comparison with ejection fraction and global longitudinal 2D-strain. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 86-95	2.1	8
55	Prevalence of memory disorders in ambulatory patients aged \geq 70 years with chronic heart failure (from the EFICARE study). <i>American Journal of Cardiology</i> , 2014 , 113, 1205-10	3	27
54	Bortezomib and heart failure: case-report and review of the French Pharmacovigilance database. <i>Fundamental and Clinical Pharmacology</i> , 2014 , 28, 349-52	3.1	30
53	A single bout of high-intensity interval exercise does not increase endothelial or platelet microparticles in stable, physically fit men with coronary heart disease. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1285-91	3.8	28
52	New concept of myocardial longitudinal strain reserve assessed by a dipyridamole infusion using 2D-strain echocardiography: the impact of diabetes and age, and the prognostic value. <i>Cardiovascular Diabetology</i> , 2013 , 12, 84	8.7	32
51	Transcatheter aortic valve implantation reduces sympathetic activity and normalizes arterial spontaneous baroreflex in patients with aortic stenosis. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 1195-202	5	17
50	Relationship between left ventricular sphericity and trabeculation indexes in patients with dilated cardiomyopathy: a cardiac magnetic resonance study. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 914-20	4.1	17
49	Slower heart rate and altered rate dependence of ventricular repolarization in patients with lone atrial fibrillation. <i>Archives of Cardiovascular Diseases</i> , 2013 , 106, 12-8	2.7	1
48	Cardiorenal anemia syndrome in chronic heart failure contributes to increased sympathetic nerve activity. <i>International Journal of Cardiology</i> , 2013 , 168, 2352-7	3.2	10
47	Relation between left ventricular outflow tract obstruction and left ventricular shape in patients with hypertrophic cardiomyopathy: a cardiac magnetic resonance imaging study. <i>Archives of Cardiovascular Diseases</i> , 2013 , 106, 440-7	2.7	7
46	Adiponectin and long-term mortality in coronary artery disease participants and controls. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, e19-29	9.4	30
45	High-intensity interval exercise improves vagal tone and decreases arrhythmias in chronic heart failure. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 1861-7	1.2	39
44	Current aspects of the spectrum of acute heart failure syndromes in a real-life setting: the OFICA study. <i>European Journal of Heart Failure</i> , 2013 , 15, 465-76	12.3	94
43	Anxiodepressive disorders and chronic psychological stress are associated with Tako-Tsubo cardiomyopathy- New Physiopathological Hypothesis. <i>Circulation Journal</i> , 2013 , 77, 175-80	2.9	45
42	Metabonomics analysis of plasma reveals the lactate to cholesterol ratio as an independent prognostic factor of short-term mortality in acute heart failure. <i>PLoS ONE</i> , 2013 , 8, e60737	3.7	17
41	Acute electromyostimulation decreases muscle sympathetic nerve activity in patients with advanced chronic heart failure (EMSICA Study). <i>PLoS ONE</i> , 2013 , 8, e79438	3.7	12
40	Impact of chronic obstructive pulmonary disease severity on symptoms and prognosis in patients with systolic heart failure. <i>Clinical Research in Cardiology</i> , 2012 , 101, 717-26	6.1	19
39	Heart Failure in Acute Myocardial Infarction: a Comparison Between Patients With or Without Heart Failure Criteria From the FAST-MI Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012 , 65, 326-333	0.7	6

38	Patent foramen ovale appearance with association of left ventricular assist device and mechanical ventilation. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 259.e1-3	2.9	6
37	Early triage of emergency department patients with acute coronary syndrome: contribution of 64-slice computed tomography angiography. <i>Archives of Cardiovascular Diseases</i> , 2012 , 105, 338-46	2.7	5
36	Prognostic usefulness of clinical and subclinical peripheral arterial disease in men with stable coronary heart disease. <i>American Journal of Cardiology</i> , 2012 , 110, 197-202	3	25
35	Arterial ultrasound screening as a tool for coronary risk assessment in asymptomatic men and women. <i>Angiology</i> , 2012 , 63, 282-8	2.1	9
34	Peripheral chemoreflex activation contributes to sympathetic baroreflex impairment in chronic heart failure. <i>Journal of Hypertension</i> , 2012 , 30, 753-60	1.9	60
33	Thrombolysis by recombinant tissue plasminogen activator during pregnancy: a case of massive pulmonary embolism. <i>American Journal of Emergency Medicine</i> , 2011 , 29, 694.e1-2	2.9	14
32	ST-segment changes after direct current external cardioversion for atrial fibrillation. Incidence, characteristics and predictive factors. <i>International Journal of Cardiology</i> , 2011 , 148, 341-6	3.2	7
31	Life-threatening drug-associated hyperkalemia: a retrospective study from laboratory signals. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 747-53	2.6	20
30	Intracoronary autologous mononucleated bone marrow cell infusion for acute myocardial infarction: results of the randomized multicenter BONAMI trial. <i>European Heart Journal</i> , 2011 , 32, 1748-57	2.5	132
29	Blood signature of pre-heart failure: a microarrays study. <i>PLoS ONE</i> , 2011 , 6, e20414	3.7	18
28	Levosimendan improves hemodynamics functions without sympathetic activation in severe heart failure patients: direct evidence from sympathetic neural recording. <i>Acute Cardiac Care</i> , 2010 , 12, 25-30		8
27	Tonic chemoreflex activation contributes to increased sympathetic nerve activity in heart failure-related anemia. <i>Hypertension</i> , 2010 , 55, 1012-7	8.5	24
26	Voluminous pseudoaneurysm of a saphenous vein graft. <i>Archives of Cardiovascular Diseases</i> , 2010 , 103, 133-4	2.7	3
25	Prevalence of cardiovascular risk factors in men with stable coronary heart disease in France and Spain. <i>Archives of Cardiovascular Diseases</i> , 2010 , 103, 80-9	2.7	12
24	Gender disparity in 48-hour mortality is limited to emergency percutaneous coronary intervention for ST-elevation myocardial infarction. <i>Archives of Cardiovascular Diseases</i> , 2010 , 103, 293-301	2.7	7
23	Variations in duration and composition of the excitable gap around the tricuspid annulus during typical atrial flutter. <i>Archives of Cardiovascular Diseases</i> , 2010 , 103, 585-94	2.7	
22	Limited prognostic value of cardiac metaiodobenzylguanidine in advanced heart failure. <i>Journal of Heart and Lung Transplantation</i> , 2010 , 29, 591-2	5.8	2
21	High maintenance dosage of clopidogrel is associated with a reduced risk of stent thrombosis in clopidogrel-resistant patients. <i>American Journal of Cardiovascular Drugs</i> , 2010 , 10, 29-35	4	17

20	First experience of percutaneous radio-frequency ablation for atrial flutter and atrial fibrillation in a patient with HeartMate II left ventricular assist device. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2010 , 29, 63-7	2.4	22
19	Improvement in the management of chronic heart failure since the publication of the updated guidelines of the European Society of Cardiology. The Impact-Reco Programme. <i>European Journal of Heart Failure</i> , 2009 , 11, 85-91	12.3	38
18	B-CONVINCED: Beta-blocker CONTinuation Vs. INTerruption in patients with Congestive heart failure hospitalized for a decompensation episode. <i>European Heart Journal</i> , 2009 , 30, 2186-92	9.5	98
17	Genetic deletion of MAO-A promotes serotonin-dependent ventricular hypertrophy by pressure overload. <i>Journal of Molecular and Cellular Cardiology</i> , 2009 , 46, 587-95	5.8	37
16	Calcific aortic stenosis and statin therapy: a new insight. <i>International Journal of Cardiology</i> , 2009 , 131, 275-6; author reply 276-7	3.2	3
15	Additional prognostic value of physical examination, exercise testing, and arterial ultrasonography for coronary risk assessment in primary prevention. <i>American Heart Journal</i> , 2009 , 158, 845-51	4.9	21
14	Relationship between time of day, day of the week and in-hospital mortality in patients undergoing emergency percutaneous coronary intervention. <i>Archives of Cardiovascular Diseases</i> , 2009 , 102, 811-20	2.7	26
13	Risk of neurological decompression sickness in the diver with a right-to-left shunt: literature review and meta-analysis. <i>Clinical Journal of Sport Medicine</i> , 2009 , 19, 231-5	3.2	25
12	Excessive sympathetic activation in heart failure with chronic renal failure: role of chemoreflex activation. <i>Journal of Hypertension</i> , 2009 , 27, 1849-54	1.9	33
11	Takotsubo cardiomyopathy in a squash player. <i>Cardiology Research and Practice</i> , 2009 , 2009, 351621	1.9	3
10	Are there specific prognostic factors for acute coronary syndrome in patients over 80 years of age?. <i>Archives of Cardiovascular Diseases</i> , 2008 , 101, 449-58	2.7	3
9	Factors predictive for in-hospital mortality following percutaneous coronary intervention. <i>Archives of Cardiovascular Diseases</i> , 2008 , 101, 443-8	2.7	5
8	Unusual presentation of primary toxoplasmosis infection in a kidney-transplant patient complicated by an acute left-ventricular failure. <i>CKJ: Clinical Kidney Journal</i> , 2008 , 1, 429-432	4.5	4
7	Accuracy of the screening physical examination to identify subclinical atherosclerosis and peripheral arterial disease in asymptomatic subjects. <i>Journal of Vascular Surgery</i> , 2007 , 46, 1215-21	3.5	40
6	Plasma brain natriuretic peptide-guided therapy to improve outcome in heart failure: the STARS-BNP Multicenter Study. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 1733-9	15.1	501
5	Reversal of dilated cardiomyopathy by the elimination of frequent left or right premature ventricular contractions. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2007 , 20, 9-13	2.4	54
4	Incidence of early adverse events surrounding direct current cardioversion of persistent atrial fibrillation. A cohort study of practices. <i>Therapie</i> , 2007 , 62, 45-8	3.8	3
3	Effects of short-term exercise and exercise training on cognitive function among patients with cardiac disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2007 , 27, 395-9	3.6	14

- 2 ApoO, a novel apolipoprotein, is an original glycoprotein up-regulated by diabetes in human heart.
Journal of Biological Chemistry, **2006**, 281, 36289-302 5-4 52
- 1 Is exercise testing useful to improve the prediction of coronary events in asymptomatic subjects?
European Journal of Cardiovascular Prevention and Rehabilitation, **2006**, 13, 37-44 10