Richard G Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8013016/publications.pdf Version: 2024-02-01



RICHARD CIEF

#	Article	IF	CITATIONS
1	Feedback modulation of cholesterol metabolism by the lipid-responsive non-coding RNA LeXis. Nature, 2016, 534, 124-128.	27.8	175
2	Targeted delivery of antisense oligonucleotides to pancreatic β-cells. Science Advances, 2018, 4, eaat3386.	10.3	132
3	Fatty acid conjugation enhances potency of antisense oligonucleotides in muscle. Nucleic Acids Research, 2019, 47, 6029-6044.	14.5	93
4	MAFG Is a Transcriptional Repressor of Bile Acid Synthesis and Metabolism. Cell Metabolism, 2015, 21, 298-311.	16.2	74
5	Conjugation of hydrophobic moieties enhances potency of antisense oligonucleotides in the muscle of rodents and non-human primates. Nucleic Acids Research, 2019, 47, 6045-6058.	14.5	48
6	Hepatocyte-specific suppression of ANGPTL4 improves obesity-associated diabetes and mitigates atherosclerosis in mice. Journal of Clinical Investigation, 2021, 131, .	8.2	46
7	Glucagon Like Peptide 1 Receptor Agonists for Targeted Delivery of Antisense Oligonucleotides to Pancreatic Beta Cell. Journal of the American Chemical Society, 2021, 143, 3416-3429.	13.7	39
8	RIPK1 gene variants associate with obesity in humans and can be therapeutically silenced to reduce obesity in mice. Nature Metabolism, 2020, 2, 1113-1125.	11.9	34
9	A MAFG-IncRNA axis links systemic nutrient abundance to hepatic glucose metabolism. Nature Communications, 2020, 11, 644.	12.8	29
10	E2F1 and E2F2-Mediated Repression of CPT2 Establishes a Lipid-Rich Tumor-Promoting Environment. Cancer Research, 2021, 81, 2874-2887.	0.9	27
11	Methionine adenosyltransferase 1a antisense oligonucleotides activate the liver-brown adipose tissue axis preventing obesity and associated hepatosteatosis. Nature Communications, 2022, 13, 1096.	12.8	22
12	MMAB promotes negative feedback control of cholesterol homeostasis. Nature Communications, 2021, 12, 6448.	12.8	10
13	Hepatic patatinâ€like phospholipase domainâ€containing 3 levels are increased in 1148M risk allele carriers and correlate with NAFLD in humans. Hepatology Communications, 2022, 6, 2689-2701.	4.3	5