

Limeng Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8015102/publications.pdf>

Version: 2024-02-01

30
papers

479
citations

759233

12
h-index

677142

22
g-index

30
all docs

30
docs citations

30
times ranked

444
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of 20Åmol% Fe, Co, Ni additions on phase formation, microstructure and mechanical properties of TaC _x (x=0.5, 0.55, 0.6, 0.7) ceramics. International Journal of Refractory Metals and Hard Materials, 2021, 95, 105436.	3.8	2
2	Effect of 20Åmol% Al addition on phase formation and mechanical properties of TaC _x (x=0.5, 0.55, 0.6) Tj ETQq0 0.0 rgBT /Oyerlock 10	4.0	1
3	Effects of oxygen vacancy on the electrochemical properties of Î³-V ₂ O ₅ as cathode material for lithium-ion batteries: a first-principle study. Journal of Solid State Electrochemistry, 2021, 25, 1999-2007.	2.5	6
4	Strengthened interfacial bonding and its effects on fracture mode of TaC ceramics with addition of B. Journal of the European Ceramic Society, 2020, 40, 1067-1077.	5.7	4
5	Î³-Ta ₄ C ₃ lamellae growth behavior and its effects on microstructure and fracture toughness of TaC _{0.6} -Cu composites. Journal of Alloys and Compounds, 2020, 820, 153175.	5.5	4
6	Stacking behavior of the close-packed Ta-atom planes and its effects on formation of "hybrid grains" in TaC _{0.66-0.7} ceramics. Ceramics International, 2020, 46, 19092-19102.	4.8	3
7	Pore Architectures and Mechanical Properties of Porous Î±-SiAlON Ceramics Fabricated via Unidirectional Freeze Casting Based on Camphene-Templating. Materials, 2019, 12, 687.	2.9	4
8	Effect of boron addition on microstructure, mechanical properties and oxidation resistance of TaC ceramics. Ceramics International, 2019, 45, 6712-6717.	4.8	10
9	Controlling Î³-Ta ₄ C ₃ - laminate growth in TaC _{0.6} ceramic by addition of Cu and its effect on mechanical properties. Materials Chemistry and Physics, 2019, 225, 256-260.	4.0	10
10	Effects of Al ₂ O ₃ content on densification, microstructure, mechanical properties and oxidation resistance of TaC-Al ₂ O ₃ composites. International Journal of Refractory Metals and Hard Materials, 2019, 78, 320-325.	3.8	4
11	Nano-(Ta, Zr)C Precipitates at Multigrain Conjunctions in TaC Ceramic with 10Å%mol% ZrC and 5Å%mol% Cu as Sintering Aid. Journal of Nanomaterials, 2018, 2018, 1-5.	2.7	0
12	Effects of Al addition on densification, microstructure and mechanical properties of TaC-Al ceramics. Journal of Alloys and Compounds, 2018, 766, 45-53.	5.5	8
13	Fabrication of ZrB ₂ ceramics by reactive hot pressing of ZrB and B. Journal of the American Ceramic Society, 2018, 101, 5294-5298.	3.8	9
14	Effects of LaB ₆ content on microstructure and mechanical properties of TaC-LaB ₆ composites. Materials Chemistry and Physics, 2018, 213, 374-382.	4.0	3
15	Microstructure and mechanical properties of tantalum carbide ceramics: Effects of Si ₃ N ₄ as sintering aid. Ceramics International, 2017, 43, 5136-5144.	4.8	13
16	Microstructure and mechanical properties of TaC ceramics with 1Å"7.5 mol% Si as sintering aid. Journal of the American Ceramic Society, 2017, 100, 2461-2470.	3.8	21
17	Effects of adding 5Å"20 mol% ZrC plus 5 mol% Cu as a sintering aid on microstructure and mechanical properties of the TaC ceramics. Ceramics International, 2016, 42, 16248-16254.	4.8	5
18	Effects of pore shape and porosity on the dielectric constant of porous Î²-SiAlON ceramics. Journal of the European Ceramic Society, 2015, 35, 4115-4120.	5.7	40

#	ARTICLE	IF	CITATIONS
19	Preparation of Aluminum Nitride Ceramics by Aqueous Tape Casting. <i>Materials and Manufacturing Processes</i> , 2015, 30, 605-610.	4.7	18
20	Effects of passing a direct current on densification of SiC ceramics with 10Åwt.% Al ₂ O ₃ + Y ₂ O ₃ as an additive. <i>Materials Chemistry and Physics</i> , 2015, 165, 8-13.	4.0	3
21	Transient liquid phase sintering of tantalum carbide ceramics by using silicon as the sintering aid and its effects on microstructure and mechanical properties. <i>Materials Chemistry and Physics</i> , 2015, 149-150, 505-511.	4.0	24
22	Densification of tantalum carbide ceramics with 5mol.% Al, Cu, Ag and Au. <i>Scripta Materialia</i> , 2013, 69, 574-577.	5.2	12
23	Fabrication of gradient porous $\hat{2}$ -SiAlON ceramics via a camphene-based freeze casting process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 558, 742-746.	5.6	29
24	Microstructure and mechanical properties of the spark plasma sintered Ta ₂ C ceramics. <i>Ceramics International</i> , 2012, 38, 4707-4713.	4.8	25
25	Microstructure and mechanical properties of the spark plasma sintered TaC/SiC composites: Effects of sintering temperatures. <i>Journal of the European Ceramic Society</i> , 2012, 32, 3617-3625.	5.7	64
26	Elongation of $\hat{1}$ + $\hat{6}$ SiC Particles in Spark Plasma Sintered $\hat{1}$ + $\hat{6}$ SiAlON/ $\hat{1}$ + $\hat{6}$ SiC Composites. <i>Journal of the American Ceramic Society</i> , 2011, 94, 336-339.	3.8	6
27	Electric Current Pulse Activated $6\langle\text{H}\rangle\hat{3}\langle\text{C}\rangle$ Transformation in Silicon Carbide Compacts. <i>Journal of the American Ceramic Society</i> , 2011, 94, 2767-2771.	3.8	2
28	Microstructure and mechanical properties of the spark plasma sintered TaC/SiC composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 529, 479-484.	5.6	34
29	Microstructure and Mechanical Properties of Spark Plasma Sintered TaC _{0.7} Ceramics. <i>Journal of the American Ceramic Society</i> , 2010, 93, 2945-2947.	3.8	49
30	Densification and Mechanical Properties of Spark Plasma Sintered B ₄ C with Si as a Sintering Aid. <i>Journal of the American Ceramic Society</i> , 2010, 93, 2956-2959.	3.8	66