Jean-michel Jault

List of Publications by Citations

Source: https://exaly.com/author-pdf/8015531/jean-michel-jault-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93 3,040 31 52 g-index

96 3,301 4.4 4.52 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
93	Flavonoids: a class of modulators with bifunctional interactions at vicinal ATP- and steroid-binding sites on mouse P-glycoprotein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 9831-6	11.5	348
92	Cytomegalovirus infection induces high levels of cyclins, phosphorylated Rb, and p53, leading to cell cycle arrest. <i>Journal of Virology</i> , 1995 , 69, 6697-704	6.6	232
91	The conserved glutamate residue adjacent to the Walker-B motif is the catalytic base for ATP hydrolysis in the ATP-binding cassette transporter BmrA. <i>Journal of Biological Chemistry</i> , 2003 , 278, 470	052 ¹ 8	141
90	Characterization of YvcC (BmrA), a multidrug ABC transporter constitutively expressed in Bacillus subtilis. <i>Biochemistry</i> , 2004 , 43, 7491-502	3.2	103
89	Slow binding of ATP to noncatalytic nucleotide binding sites which accelerates catalysis is responsible for apparent negative cooperativity exhibited by the bovine mitochondrial F1-ATPase. <i>Journal of Biological Chemistry</i> , 1993 , 268, 1558-66	5.4	95
88	Dynamics of a bacterial multidrug ABC transporter in the inward- and outward-facing conformations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 10832-6	11.5	84
87	The HPr kinase from Bacillus subtilis is a homo-oligomeric enzyme which exhibits strong positive cooperativity for nucleotide and fructose 1,6-bisphosphate binding. <i>Journal of Biological Chemistry</i> , 2000 , 275, 1773-80	5.4	82
86	A common mechanism for ATP hydrolysis in ABC transporter and helicase superfamilies. <i>Trends in Biochemical Sciences</i> , 2001 , 26, 539-44	10.3	80
85	Two FHA domains on an ABC transporter, Rv1747, mediate its phosphorylation by PknF, a Ser/Thr protein kinase fromMycobacterium tuberculosis. <i>FEMS Microbiology Letters</i> , 2004 , 234, 215-223	2.9	76
84	Structuring detergents for extracting and stabilizing functional membrane proteins. <i>PLoS ONE</i> , 2011 , 6, e18036	3.7	71
83	The alpha 3 beta 3 gamma complex of the F1-ATPase from thermophilic Bacillus PS3 containing the alpha D261N substitution fails to dissociate inhibitory MgADP from a catalytic site when ATP binds to noncatalytic sites. <i>Biochemistry</i> , 1995 , 34, 16412-8	3.2	68
82	Three-dimensional structure by cryo-electron microscopy of YvcC, an homodimeric ATP-binding cassette transporter from Bacillus subtilis. <i>Journal of Molecular Biology</i> , 2002 , 315, 1075-85	6.5	66
81	Binding of steroid modulators to recombinant cytosolic domain from mouse P-glycoprotein in close proximity to the ATP site. <i>Biochemistry</i> , 1997 , 36, 15208-15	3.2	64
80	Multiple GTPases participate in the assembly of the large ribosomal subunit in Bacillus subtilis. Journal of Bacteriology, 2006 , 188, 8252-8	3.5	61
79	Recombinant N-terminal nucleotide-binding domain from mouse P-glycoprotein. Overexpression, purification, and role of cysteine 430. <i>Journal of Biological Chemistry</i> , 1996 , 271, 11652-8	5.4	60
78	Small angle neutron scattering for the study of solubilised membrane proteins. <i>European Physical Journal E</i> , 2013 , 36, 71	1.5	58
77	The alpha3beta3gamma subcomplex of the F1-ATPase from the thermophilic bacillus PS3 with the betaT165S substitution does not entrap inhibitory MgADP in a catalytic site during turnover. <i>Journal of Biological Chemistry</i> , 1996 , 271, 28818-24	5.4	58

(2008-2000)

76	Prenyl-flavonoids as potent inhibitors of the Pdr5p multidrug ABC transporter from Saccharomyces cerevisiae. <i>Biochemistry</i> , 2000 , 39, 6910-7	3.2	57
75	Protein kinase C effectors bind to multidrug ABC transporters and inhibit their activity. <i>Biochemistry</i> , 2001 , 40, 2564-71	3.2	53
74	The ABC transporter BmrA from Bacillus subtilis is a functional dimer when in a detergent-solubilized state. <i>Biochemical Journal</i> , 2006 , 395, 345-53	3.8	49
73	Conformational change induced by ATP binding in the multidrug ATP-binding cassette transporter BmrA. <i>Biochemistry</i> , 2008 , 47, 2404-12	3.2	48
72	Staphylococcus aureus operates protein-tyrosine phosphorylation through a specific mechanism. <i>Journal of Biological Chemistry</i> , 2006 , 281, 14048-56	5.4	48
71	PatA and PatB form a functional heterodimeric ABC multidrug efflux transporter responsible for the resistance of Streptococcus pneumoniae to fluoroquinolones. <i>Biochemistry</i> , 2012 , 51, 7755-65	3.2	45
70	Quantification of Detergents Complexed with Membrane Proteins. Scientific Reports, 2017, 7, 41751	4.9	43
69	The Q-loop disengages from the first intracellular loop during the catalytic cycle of the multidrug ABC transporter BmrA. <i>Journal of Biological Chemistry</i> , 2005 , 280, 36857-64	5.4	42
68	Sequence requirements of the ATP-binding site within the C-terminal nucleotide-binding domain of mouse P-glycoprotein: structure-activity relationships for flavonoid binding. <i>Biochemistry</i> , 2001 , 40, 103	38 2- 91	41
67	Functional sites in F1-ATPases: location and interactions. <i>Journal of Bioenergetics and Biomembranes</i> , 1992 , 24, 469-77	3.7	40
66	Highly efficient over-production in E. coli of YvcC, a multidrug-like ATP-binding cassette transporter from Bacillus subtilis. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2002 , 1565, 1-5	3.8	38
65	Two FHA domains on an ABC transporter, Rv1747, mediate its phosphorylation by PknF, a Ser/Thr protein kinase from Mycobacterium tuberculosis. <i>FEMS Microbiology Letters</i> , 2004 , 234, 215-23	2.9	36
64	Crenarchaeal CdvA forms double-helical filaments containing DNA and interacts with ESCRT-III-like CdvB. <i>PLoS ONE</i> , 2011 , 6, e21921	3.7	35
63	Multidrug ABC transporters in bacteria. <i>Research in Microbiology</i> , 2019 , 170, 381-391	4	34
62	Optimized purification of a heterodimeric ABC transporter in a highly stable form amenable to 2-D crystallization. <i>PLoS ONE</i> , 2011 , 6, e19677	3.7	29
61	The YheI/YheH heterodimer from Bacillus subtilis is a multidrug ABC transporter. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009 , 1788, 615-22	3.8	26
60	3D cryo-electron reconstruction of BmrA, a bacterial multidrug ABC transporter in an inward-facing conformation and in a lipidic environment. <i>Journal of Molecular Biology</i> , 2014 , 426, 2059-69	6.5	25
59	Interactions of an essential Bacillus subtilis GTPase, YsxC, with ribosomes. <i>Journal of Bacteriology</i> , 2008 , 190, 681-90	3.5	24

58	A new family of phosphotransferases with a P-loop motif. <i>Journal of Biological Chemistry</i> , 2002 , 277, 11362-7	5.4	24
57	Tyrosine-kinase Wzc from Escherichia coli possesses an ATPase activity regulated by autophosphorylation. <i>FEMS Microbiology Letters</i> , 2007 , 274, 252-9	2.9	23
56	Time-resolved fluorescence resonance energy transfer shows that the bacterial multidrug ABC half-transporter BmrA functions as a homodimer. <i>Biochemistry</i> , 2005 , 44, 4312-21	3.2	23
55	Flexible-to-rigid transition is central for substrate transport in the ABC transporter BmrA from. <i>Communications Biology</i> , 2019 , 2, 149	6.7	21
54	Efficient and stable reconstitution of the ABC transporter BmrA for solid-state NMR studies. <i>Frontiers in Molecular Biosciences</i> , 2014 , 1, 5	5.6	21
53	Characterization of hydrophobic peptides in the presence of detergent by photoionization mass spectrometry. <i>PLoS ONE</i> , 2013 , 8, e79033	3.7	19
52	A multidrug ABC transporter with a taste for GTP. Scientific Reports, 2018, 8, 2309	4.9	18
51	Stubborn contaminants: influence of detergents on the purity of the multidrug ABC transporter BmrA. <i>PLoS ONE</i> , 2014 , 9, e114864	3.7	18
50	Lowered temperature or binding of pyrophosphate to sites for noncatalytic nucleotides modulates the ATPase activity of the beef heart mitochondrial F1-ATPase by decreasing the affinity of a catalytic site for inhibitory MgADP. <i>Biochemistry</i> , 1994 , 33, 14979-85	3.2	18
49	Potassium acts as a GTPase-activating element on each nucleotide-binding domain of the essential Bacillus subtilis EngA. <i>PLoS ONE</i> , 2012 , 7, e46795	3.7	18
48	The ATPase activity of an Ressential PBacillus subtilis enzyme, YdiB, is required for its cellular function and is modulated by oligomerization. <i>Microbiology (United Kingdom)</i> , 2009 , 155, 944-956	2.9	18
47	Functionality of membrane proteins overexpressed and purified from E. coli is highly dependent upon the strain. <i>Scientific Reports</i> , 2019 , 9, 2654	4.9	17
46	Expanding the Kinome World: A New Protein Kinase Family Widely Conserved in Bacteria. <i>Journal of Molecular Biology</i> , 2017 , 429, 3056-3074	6.5	17
45	Alteration of apparent negative cooperativity of ATPase activity by alpha-subunit glutamine 173 mutation in yeast mitochondrial F1. Correlation with impaired nucleotide interaction at a regulatory site. <i>Journal of Biological Chemistry</i> , 1991 , 266, 8073-8	5.4	17
44	Probing the specificity of nucleotide binding to the F1-ATPase from thermophilic Bacillus PS3 and its isolated alpha and beta subunits with 2-N3-[beta, gamma-32P]ATP. <i>Archives of Biochemistry and Biophysics</i> , 1994 , 310, 282-8	4.1	16
43	Phosphorylation of CpgA protein enhances both its GTPase activity and its affinity for ribosome and is crucial for Bacillus subtilis growth and morphology. <i>Journal of Biological Chemistry</i> , 2012 , 287, 20830-8	5.4	14
42	A yeast strain with mutated beta-subunits of mitochondrial ATPase-ATPsynthase: high azide and bicarbonate sensitivity of the ATPase activity. <i>Biochemical and Biophysical Research Communications</i> , 1989 , 158, 392-9	3.4	13
41	Revertant of the yeast Schizosaccharomyces pombe with modified alpha subunits of mitochondrial ATPase-ATPsynthase: impaired nucleotide interactions with soluble and membrane-bound enzyme. <i>Biochemical and Biophysical Research Communications</i> , 1987 , 148, 1182-8	3.4	13

(2016-2009)

40	Probing the conformation of the resting state of a bacterial multidrug ABC transporter, BmrA, by a site-directed spin labeling approach. <i>Protein Science</i> , 2009 , 18, 1507-20	6.3	12
39	Structural insight into the cooperativity between catalytic and noncatalytic sites of F1-ATPase. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2004 , 1658, 133-40	4.6	12
38	A model for ATP hydrolysis catalysed by F1-ATPases based on kinetic and structural considerations. <i>Biochemical Society Transactions</i> , 1995 , 23, 752-6	5.1	12
37	Purification from a yeast mutant of mitochondrial F1 with modified beta-subunit. High affinity for nucleotides and high negative cooperativity of ATPase activity. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1989 , 975, 119-26	4.6	11
36	The Tyrosine-Autokinase UbK Is Required for Proper Cell Growth and Cell Morphology of. <i>Frontiers in Microbiology</i> , 2019 , 10, 1942	5.7	10
35	Inactivation of isocitrate dehydrogenase kinase/phosphatase by 5P[p-(fluorosulfonyl)benzoyl]adenosine is not due to the labeling of the invariant lysine residue found in the protein kinase family. <i>FEBS Journal</i> , 1998 , 258, 579-85		10
34	Regulation and mutational analysis of the HPr kinase/phosphorylase from Bacillus subtilis. <i>Biochemistry</i> , 2003 , 42, 6762-71	3.2	10
33	Insights into the functioning of Bacillus subtilis HPr kinase/phosphatase: affinity for its protein substrates and role of cations and phosphate. <i>Biochemistry</i> , 2002 , 41, 6218-25	3.2	10
32	The "catalytic" triad of isocitrate dehydrogenase kinase/phosphatase from E. coli and its relationship with that found in eukaryotic protein kinases. <i>Biochemistry</i> , 2001 , 40, 3047-55	3.2	10
31	Assemblies of lauryl maltose neopentyl glycol (LMNG) and LMNG-solubilized membrane proteins. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2019 , 1861, 939-957	3.8	10
30	The isocitrate dehydrogenase kinase/phosphatase from Escherichia coli is highly sensitive to in-vitro oxidative conditions role of cysteine67 and cysteine108 in the formation of a disulfide-bonded homodimer. <i>FEBS Journal</i> , 1999 , 262, 224-9		9
29	Preparation of highly phosphorylating mitochondria from the yeast Schizosaccharomyces pombe. <i>Journal of Bioenergetics and Biomembranes</i> , 1994 , 26, 447-56	3.7	9
28	Structure-function relationships of mitochondrial ATPase-ATPsynthase using Schizosaccharomyces pombe yeast mutants with altered F1 subunits. <i>Biochimie</i> , 1989 , 71, 931-40	4.6	9
27	Sedimentation velocity analytical ultracentrifugation in hydrogenated and deuterated solvents for the characterization of membrane proteins. <i>Methods in Molecular Biology</i> , 2013 , 1033, 219-51	1.4	9
26	Evidence for a second nucleotide binding site in rat elongation factor eEF-2 specific for adenylic nucleotides. <i>Biochemistry</i> , 2000 , 39, 13558-64	3.2	8
25	Glutamine 170 to tyrosine substitution in yeast mitochondrial F1 beta-subunit increases catalytic site interaction with GDP and IDP and produces negative cooperativity of GTP and ITP hydrolysis. <i>Journal of Biological Chemistry</i> , 1993 , 268, 20762-7	5.4	8
24	Gradient reconstitution of membrane proteins for solid-state NMR studies. <i>Journal of Biomolecular NMR</i> , 2017 , 69, 81-91	3	8
23	Single Nanoparticle Plasmonic Spectroscopy for Study of the Efflux Function of Multidrug ABC Membrane Transporters of Single Live Cells. <i>RSC Advances</i> , 2016 , 6, 36794-36802	3.7	8

22	Two different centered monoclinic crystals of the E. coli outer-membrane protein OmpF originate from the same building block. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 326-32	3.8	7	
21	Does the gamma subunit move to an abortive position of ATP hydrolysis when the F1.ADP.Mg complex isomerizes to the inactive F1*.ADP.Mg complex?. <i>Journal of Bioenergetics and Biomembranes</i> , 1996 , 28, 433-8	3.7	7	
20	Antibiotic Drug Nanocarriers for Probing of Multidrug ABC Membrane Transporter of. <i>ACS Omega</i> , 2020 , 5, 1625-1633	3.9	6	
19	Binding, reconstitution and 2D crystallization of membrane or soluble proteins onto functionalized lipid layer observed in situ by reflected light microscopy. <i>Journal of Structural Biology</i> , 2011 , 174, 307-1	43.4	6	
18	Catalytic cooperativity of beef heart mitochondrial F1-ATPase revealed by using 2P,3PO-(2,4,6-trinitrophenyl)-ATP as a substrate; an indication of mutually activating catalytic sites. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1994 , 1188, 108-16	4.6	6	
17	Repurposing bioactive aporphine alkaloids as efflux pump inhibitors. Floterap [2019, 139, 104371	3.2	5	
16	Hijacking of the pleiotropic cytokine interferon-lby the type III secretion system of Yersinia pestis. <i>PLoS ONE</i> , 2010 , 5, e15242	3.7	5	
15	An attempt to convert noncatalytic nucleotide binding site of F1-ATPase to the catalytic site: hydrolysis of tethered ATP by mutated alpha subunits in the enzyme. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 220, 94-7	3.4	5	
14	ADP tethered to tyrosine-beta 345 at the catalytic site of the bovine heart F1-ATPase is converted to tethered AMP by Mg(2+)-dependent hydrolysis when the enzyme is photoinactivated with 2-N3-ADP. <i>FEBS Letters</i> , 1994 , 347, 13-6	3.8	5	
13	Substrate-bound and substrate-free outward-facing structures of a multidrug ABC exporter <i>Science Advances</i> , 2022 , 8, eabg9215	14.3	4	
12	The C-terminal Ehelix of YsxC is essential for its binding to 50S ribosome and rRNAs. <i>FEBS Letters</i> , 2015 , 589, 2080-6	3.8	3	
11	Interaction between Bacillus subtilis YsxC and ribosomes (or rRNAs). FEBS Letters, 2015 , 589, 1026-32	3.8	3	
10	Structures and Transport Mechanisms of the ABC Efflux Pumps 2016 , 73-98		3	
9	UbK is Involved in the Resistance of Bacillus Subtilis to Oxidative Stress. <i>Current Microbiology</i> , 2020 , 77, 4063-4071	2.4	3	
8	Drug-bound and -free outward-facing structures of a multidrug ABC exporter point to a swing mechani	ism	2	
7	High concentrations of GTP induce conformational changes in the essential bacterial GTPase EngA and enhance its binding to the ribosome. <i>FEBS Journal</i> , 2018 , 285, 160-177	5.7	2	
6	Structural insights into the catalytic cycle of a bacterial multidrug ABC efflux pump <i>Journal of Molecular Biology</i> , 2022 , 167541	6.5	2	
5	Diffraction anisotropy falloff in the direction of the detergent belt for two centered monoclinic crystals of OmpF. <i>Data in Brief</i> , 2016 , 7, 726-9	1.2	1	

LIST OF PUBLICATIONS

4	Identification of a two-component regulatory system involved in antimicrobial peptide resistance in Streptococcus pneumoniae <i>PLoS Pathogens</i> , 2022 , 18, e1010458	7.6	1
3	Identification of novel inhibitors of the ABC transporter BmrA. <i>Bioorganic Chemistry</i> , 2020 , 105, 104452	5.1	O
2	Overexpression, Membrane Preparation, and Purification of a Typical Multidrug ABC Transporter BmrA. <i>Methods in Molecular Biology</i> , 2016 , 1432, 133-42	1.4	
1	Functional Overexpression of Membrane Proteins in E. coli: The Good, the Bad, and the Ugly. <i>Methods in Molecular Biology</i> , 2022 , 41-58	1.4	