

Yuan Yuan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/801613/publications.pdf>

Version: 2024-02-01

135
papers

6,168
citations

109137

35
h-index

82410

72
g-index

139
all docs

139
docs citations

139
times ranked

5369
citing authors

#	ARTICLE	IF	CITATIONS
1	Two new species of Ceriporia (Irpicaceae, Basidiomycota) from the Asia Pacific area. Mycological Progress, 2022, 21, 39-48.	0.5	2
2	Global diversity and systematics of Hymenochaetaceae with poroid hymenophore. Fungal Diversity, 2022, 113, 1-192.	4.7	57
3	Outline, Divergence Times, and Phylogenetic Analyses of Trechisporales (Agaricomycetes). Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	1.5	12
4	Species Diversity and Ecological Habitat of Absidia (Cunninghamellaceae, Mucorales) with Emphasis on Five New Species from Forest and Grassland Soil in China. Journal of Fungi (Basel, Switzerland), 2022, 8, 471.	1.5	4
5	Taxonomy and an Updated Phylogeny of Anomoloma (Amylocorticiales, Basidiomycota). Forests, 2022, 13, 713.	0.9	0
6	Taxonomy and Phylogeny of Meruliaceae with Descriptions of Two New Species from China. Journal of Fungi (Basel, Switzerland), 2022, 8, 501.	1.5	2
7	What is the correct scientific name for "Fuling" medicinal mushroom?. Mycology, 2022, 13, 207-211.	2.0	2
8	Two new species of Panellus (Agaricales, Basidiomycota) from China. Mycological Progress, 2021, 20, 51-60.	0.5	2
9	<i>Dentipellicula guyanensis</i> sp. nov. (Hericiaceae, Basidiomycota) from French Guiana. Phytotaxa, 2021, 478, 261-267.	0.1	1
10	Two new species of Physisporinus (Polyporales, Basidiomycota) from Yunnan, Southwest China. Mycological Progress, 2021, 20, 1-10.	0.5	6
11	Global Diversity and Taxonomy of Sidera (Hymenochaetales, Basidiomycota): Four New Species and Keys to Species of the Genus. Journal of Fungi (Basel, Switzerland), 2021, 7, 251.	1.5	8
12	Phylogeny and diversity of Bjerkandera (Polyporales, Basidiomycota), including four new species from South America and Asia. MycoKeys, 2021, 79, 149-172.	0.8	8
13	Evaluation of Laccase Activities by Three Newly Isolated Fungal Species in Submerged Fermentation With Single or Mixed Lignocellulosic Wastes. Frontiers in Microbiology, 2021, 12, 682679.	1.5	8
14	A Comprehensive Phylogenetic and Bioinformatics Survey of Lectins in the Fungal Kingdom. Journal of Fungi (Basel, Switzerland), 2021, 7, 453.	1.5	19
15	Four new species in the Tremella fibulifera complex (Tremellales, Basidiomycota). MycoKeys, 2021, 82, 33-56.	0.8	5
16	Evolution of the Mode of Nutrition in Symbiotic and Saprotrophic Fungi in Forest Ecosystems. Annual Review of Ecology, Evolution, and Systematics, 2021, 52, 385-404.	3.8	26
17	Competing sexual-aseexual generic names in Agaricomycotina (Basidiomycota) with recommendations for use. IMA Fungus, 2021, 12, 22.	1.7	11
18	Two new brown rot polypores from tropical China. MycoKeys, 2021, 82, 173-197.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Molecular Phylogeny and Global Diversity of the Genus <i>Haploporus</i> (Polyporales, Basidiomycota). <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 96.	1.5	16
20	Taxonomy and Phylogeny of the <i>Favolaschia calocera</i> Complex (Mycenaceae) with Descriptions of Four New Species. <i>Forests</i> , 2021, 12, 1397.	0.9	3
21	Global Diversity and Updated Phylogeny of <i>Auricularia</i> (Auriculariales, Basidiomycota). <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 933.	1.5	29
22	Fungal diversity notes 1387–1511: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2021, 111, 1-335.	4.7	88
23	Taxonomic evaluation of <i>Xylodon</i> (Hymenochaetales, Basidiomycota) in Korea and sequence verification of the corresponding species in GenBank. <i>PeerJ</i> , 2021, 9, e12625.	0.9	3
24	Rheology improvement in an osmotic membrane bioreactor for waste sludge anaerobic digestion and the implication on agitation energy consumption. <i>Bioresource Technology</i> , 2020, 295, 122313.	4.8	11
25	Fungal diversity notes 1277–1386: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2020, 104, 1-266.	4.7	60
26	Molecular phylogeny and morphology reveal two new species of <i>Coltricia</i> (Hymenochaetaceae) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	0.5	4
27	A Universal Design of Betacoronavirus Vaccines against COVID-19, MERS, and SARS. <i>Cell</i> , 2020, 182, 722-733.e11.	13.5	412
28	Molecular Basis of Binding between Middle East Respiratory Syndrome Coronavirus and CD26 from Seven Bat Species. <i>Journal of Virology</i> , 2020, 94, .	1.5	16
29	An Updated Global Species Diversity and Phylogeny in the Forest Pathogenic Genus <i>Heterobasidion</i> (Basidiomycota, Russulales). <i>Frontiers in Microbiology</i> , 2020, 11, 596393.	1.5	19
30	The Genus <i>Pachyma</i> (Syn. <i>Wolfiporia</i>) Reinstated and Species Clarification of the Cultivated Medicinal Mushroom <i>Fuling</i> in China. <i>Frontiers in Microbiology</i> , 2020, 11, 590788.	1.5	19
31	Taxonomy and phylogeny of <i>Sidera</i> (Hymenochaetales, Basidiomycota): four new species and keys to species of the genus. <i>MycKeys</i> , 2020, 68, 115-135.	0.8	5
32	<i>Luteoporia citriniporia</i> sp. nov. (Polyporales,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46 <i>Phytotaxa</i> , 2020, 461, 31-39.	0.1	6
33	Resource diversity of Chinese macrofungi: edible, medicinal and poisonous species. <i>Fungal Diversity</i> , 2019, 98, 1-76.	4.7	183
34	Morphological plasticity in brown-rot fungi: <i>Antrodia</i> is redefined to encompass both poroid and corticioid species. <i>Mycologia</i> , 2019, 111, 871-883.	0.8	12
35	Fungal diversity notes 1036–1150: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2019, 96, 1-242.	4.7	148
36	Species diversity, taxonomy and phylogeny of Polyporaceae (Basidiomycota) in China. <i>Fungal Diversity</i> , 2019, 97, 137-392.	4.7	111

#	ARTICLE	IF	CITATIONS
37	Lasiodiplodia spp. associated with Aquilaria crassna in Laos. Mycological Progress, 2019, 18, 683-701.	0.5	20
38	Comparative genomics of 40 edible and medicinal mushrooms provide an insight into the evolution of lignocellulose decomposition mechanisms. 3 Biotech, 2019, 9, 157.	1.1	14
39	An updated phylogeny and diversity of Phylloporia (Hymenochaetales): eight new species and keys to species of the genus. Mycological Progress, 2019, 18, 615-639.	0.5	13
40	Phylogeny of the genus <i>Fuscoporia</i> and taxonomic assessment of the <i>F. contigua</i> group. Mycologia, 2019, 111, 423-444.	0.8	8
41	Phylogeny and global diversity of Porodaedalea, a genus of gymnosperm pathogens in the Hymenochaetales. Mycologia, 2019, 111, 40-53.	0.8	9
42	Medium composition optimization, structural characterization, and antioxidant activity of exopolysaccharides from the medicinal mushroom Ganoderma lingzhi. International Journal of Biological Macromolecules, 2019, 124, 1186-1196.	3.6	35
43	Whole genome sequence of Auricularia heimuer (Basidiomycota, Fungi), the third most important cultivated mushroom worldwide. Genomics, 2019, 111, 50-58.	1.3	61
44	Four new corticioid species in Trechisporales (Basidiomycota) from East Asia and notes on phylogeny of the order. MycoKeys, 2019, 48, 97-113.	0.8	11
45	Phylogeny and diversity of Haploporus (Polyporaceae, Basidiomycota). MycoKeys, 2019, 54, 77-98.	0.8	5
46	Two new species of Fuscoporia (Hymenochaetales, Basidiomycota) from southern China based on morphological characters and molecular evidence. MycoKeys, 2019, 61, 75-89.	0.8	3
47	Two new species of Phanerochaete (Basidiomycota) and redescription of P. robusta. Mycological Progress, 2018, 17, 425-435.	0.5	14
48	Odontia aculeata and O. sparsa, two new species of tomentelloid fungi (Thelephorales). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,302 Td (B	0.1	5
49	Taxonomy and phylogeny of <i>Pyrrhoderma</i> : a redefinition, the segregation of <i>Fulvoderma</i> , gen. nov., and identifying four new species. Mycologia, 2018, 110, 872-889.	0.8	13
50	Dentipellis rhizomorpha sp. nov. supported by morphological and phylogenetic analyses. Nova Hedwigia, 2018, 107, 131-140.	0.2	1
51	Three new species of Fomitiporella (Hymenochaetales, Basidiomycota) based on the evidence from morphology and DNA sequence data. MycoKeys, 2018, 30, 73-89.	0.8	7
52	Taxonomy and phylogeny of Lopharia s.s., Dendrodontia, Dentocorticium and Fuscocerrena (Basidiomycota, Polyporales). MycoKeys, 2018, 32, 25-48.	0.8	7
53	Morphological and molecular identification of two new Ganoderma species on Casuarina equisetifolia from China. MycoKeys, 2018, 34, 93-108.	0.8	43
54	Three new species of Aleurodiscus s.l. (Russulales, Basidiomycota) from southern China. MycoKeys, 2018, 37, 93-107.	0.8	5

#	ARTICLE	IF	CITATIONS
55	Phylogeny and taxonomy of <i>Laetiporus</i> (Basidiomycota, Polyporales) with descriptions of two new species from western China. <i>MycKeys</i> , 2018, 37, 57-71.	0.8	23
56	<i>Geliporus exilisporus</i> gen. et comb. nov., a xanthochroic polypore in Phanerochaetaceae from China. <i>Mycoscience</i> , 2017, 58, 197-203.	0.3	10
57	Morphological and molecular evidence for three new species of <i>Coltricia</i> (Hymenochaetaceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.8	5
58	<i>Ceriporia albomellea</i> (Phanerochaetaceae, Basidiomycota), a new species from tropical China based on morphological and molecular evidences. <i>Phytotaxa</i> , 2017, 298, 20.	0.1	13
59	Global diversity and phylogeny of <i>Onnia</i> (Hymenochaetaceae) species on gymnosperms. <i>Mycologia</i> , 2017, 109, 27-34.	0.8	13
60	A novel laccase from white rot fungus <i>Trametes orientalis</i> : Purification, characterization, and application. <i>International Journal of Biological Macromolecules</i> , 2017, 102, 758-770.	3.6	63
61	A six-gene phylogenetic overview of Basidiomycota and allied phyla with estimated divergence times of higher taxa and a phyloproteomics perspective. <i>Fungal Diversity</i> , 2017, 84, 43-74.	4.7	124
62	A new species of <i>Antrodia</i> (Basidiomycota, Polyporales) from juniper forest of Uzbekistan. <i>Phytotaxa</i> , 2017, 303, 47.	0.1	5
63	Phylogeny and diversity of <i>Fomitiporella</i> (Hymenochaetales, Basidiomycota). <i>Mycologia</i> , 2017, 109, 308-322.	0.8	13
64	<i>Ganoderma lingzhi</i> (Polyporales, Basidiomycota): the scientific binomial for the widely cultivated medicinal fungus Lingzhi. <i>Mycological Progress</i> , 2017, 16, 1051-1055.	0.5	33
65	Phylogeny and taxonomy of <i>Echinodontium</i> and related genera. <i>Mycologia</i> , 2017, 109, 1-10.	0.8	8
66	Phylogeny and diversity of the morphologically similar polypore genera <i>Rigidoporus</i> , <i>Physisporinus</i> , <i>Oxyporus</i> , and <i>Leucophellinus</i> . <i>Mycologia</i> , 2017, 109, 1-17.	0.8	43
67	Morphological characters and molecular data reveal a new species of <i>Rhodonia</i> (Polyporales,) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.1	2
68	<i>Aporpium miniporum</i> , a new polyporoid species with vertically septate basidia from southern China. <i>Phytotaxa</i> , 2017, 317, 137.	0.1	9
69	Laccase Production Among Medicinal Mushrooms from the Genus <i>Flammulina</i> (Agaricomycetes) Under Different Treatments in Submerged Fermentation. <i>International Journal of Medicinal Mushrooms</i> , 2016, 18, 1049-1059.	0.9	5
70	<i>Luteoporia albomarginata</i> gen. et sp. nov. (Meruliaceae, Basidiomycota) from tropical China. <i>Phytotaxa</i> , 2016, 263, 31.	0.1	9
71	Taxonomy and phylogeny of the brown-rot fungi: <i>Fomitopsis</i> and its related genera. <i>Fungal Diversity</i> , 2016, 80, 343-373.	4.7	101
72	Structures of the Zika Virus Envelope Protein and Its Complex with a Flavivirus Broadly Protective Antibody. <i>Cell Host and Microbe</i> , 2016, 19, 696-704.	5.1	426

#	ARTICLE	IF	CITATIONS
73	Taxonomy and phylogeny of <i>Phellinidium</i> (Hymenochaetales, Basidiomycota): A redefinition and the segregation of <i>Coniferiporia</i> gen. nov. for forest pathogens. <i>Fungal Biology</i> , 2016, 120, 988-1001.	1.1	28
74	Fungal diversity notes 367-490: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2016, 80, 1-270.	4.7	314
75	<i>Neomensularia duplicata</i> gen. et sp. nov. (Hymenochaetales, Basidiomycota) and two new combinations. <i>Mycologia</i> , 2016, 108, 891-898.	0.8	12
76	<i>Cerarioporia cystidiata</i> gen. et sp. nov. (Polyporales, Basidiomycota) evidenced by morphological characters and molecular phylogeny. <i>Phytotaxa</i> , 2016, 280, 55.	0.1	2
77	Two new <i>Gloeoporus</i> (Polyporales, Basidiomycota) from tropical China. <i>Nova Hedwigia</i> , 2016, 103, 169-183.	0.2	9
78	<i>Leifiporia rhizomorpha</i> gen. et sp. nov. and <i>L. eucalypti</i> comb. nov. in Polyporaceae (Basidiomycota). <i>Mycological Progress</i> , 2016, 15, 799-809.	0.5	4
79	Polypore diversity in North America with an annotated checklist. <i>Mycological Progress</i> , 2016, 15, 771-790.	0.5	22
80	Two new species of Hymenochaetaceae (Basidiomycota) from China. <i>Nova Hedwigia</i> , 2016, 102, 211-222.	0.2	4
81	Two new species of <i>Coltricia</i> (Hymenochaetaceae, Basidiomycota) from southern China based on evidence from morphology and DNA sequence data. <i>Mycological Progress</i> , 2016, 15, 1.	0.5	7
82	Global diversity and phylogeny of the <i>Phellinus igniarius</i> complex (Hymenochaetales,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 T</i>	0.8	28
83	Global diversity and taxonomy of the <i>Inonotus linteus</i> complex (Hymenochaetales, Basidiomycota): <i>Sanghuangporus</i> gen. nov., <i>Tropicoporus excentrodendri</i> and <i>T. guanacastensis</i> gen. et spp. nov., and 17 new combinations. <i>Fungal Diversity</i> , 2016, 77, 335-347.	4.7	100
84	Biosorption performances of raw and chemically modified biomasses from <i>Perenniporia subacida</i> for heterocycle dye Neutral Red. <i>Desalination and Water Treatment</i> , 2016, 57, 8454-8469.	1.0	5
85	Genetic Diversity and Relationships of 24 Strains of Genus <i>Auricularia</i> (Agaricomycetes) Assessed Using SRAP Markers. <i>International Journal of Medicinal Mushrooms</i> , 2016, 18, 945-954.	0.9	1
86	Optimization of Liquid Fermentation Medium for Production of <i>Inonotus sanghuang</i> (Higher) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227</i> <i>International Journal of Medicinal Mushrooms</i> , 2015, 17, 681-691.	0.9	11
87	<i>Elmerina fragilis</i> sp. nov. from Central China. <i>Mycotaxon</i> , 2015, 130, 683-688.	0.1	2
88	Polypore richness along an elevational gradient: a case study in Changbaishan Nature Reserve, Northeastern China. <i>Fungal Ecology</i> , 2015, 13, 226-228.	0.7	6
89	Phylogeny, divergence time estimation, and biogeography of the genus <i>Heterobasidion</i> (Basidiomycota,) <i>Tj ETQq1 1 0.784314 rgBT /Ov</i>	4.7	73
90	A Novel <i>Phellinidium</i> sp. Causes Laminated Root Rot on Qilian Juniper (<i>Sabina przewalskii</i>) in Northwest China. <i>Plant Disease</i> , 2015, 99, 39-43.	0.7	12

#	ARTICLE	IF	CITATIONS
91	Dynamics of the worldwide number of fungi with emphasis on fungal diversity in China. <i>Mycological Progress</i> , 2015, 14, 1.	0.5	47
92	Phylogeny and diversity of the <i>Auricularia mesenterica</i> (Auriculariales, Basidiomycota) complex. <i>Mycological Progress</i> , 2015, 14, 1.	0.5	17
93	Global diversity and taxonomy of the <i>Auricularia auricula-judae</i> complex (Auriculariales, Basidiomycota). <i>Mycological Progress</i> , 2015, 14, 1.	0.5	34
94	The Faces of Fungi database: fungal names linked with morphology, phylogeny and human impacts. <i>Fungal Diversity</i> , 2015, 74, 3-18.	4.7	471
95	<i>Dentipellicula austroafricana</i> sp. nov. supported by morphological and phylogenetic analyses. <i>Mycotaxon</i> , 2015, 130, 17-25.	0.1	8
96	Molecular and morphological evidence reveal a new non-cystidiate species belonging to the core <i>Phanerochaete</i> (Polyporales). <i>Mycological Progress</i> , 2015, 14, 1.	0.5	9
97	<i>Fragiliporiaceae</i> , a new family of Polyporales (Basidiomycota). <i>Fungal Diversity</i> , 2015, 70, 115-126.	4.7	53
98	Global diversity of the <i>Ganoderma lucidum</i> complex (Ganodermataceae, Polyporales) inferred from morphology and multilocus phylogeny. <i>Phytochemistry</i> , 2015, 114, 7-15.	1.4	137
99	Edible Mushroom Cultivation for Food Security and Rural Development in China: Bio-Innovation, Technological Dissemination and Marketing. <i>Sustainability</i> , 2014, 6, 2961-2973.	1.6	99
100	Phylogenetic analysis of ligninolytic peroxidases: preliminary insights into the alternation of white-rot and brown-rot fungi in their lineage. <i>Mycology</i> , 2014, 5, 29-42.	2.0	6
101	Species clarification of the most important and cultivated <i>Auricularia</i> mushroom <i>Heimuer</i> evidence from morphological and molecular data. <i>Phytotaxa</i> , 2014, 186, 241.	0.1	48
102	Taxonomy and phylogeny of <i>Ceriporia</i> (Polyporales, Basidiomycota) with an emphasis of Chinese collections. <i>Mycological Progress</i> , 2014, 13, 81-93.	0.5	39
103	<i>Flammeopellis bambusicola</i> gen. et. sp. nov. (Polyporales, Basidiomycota) evidenced by morphological characters and phylogenetic analysis. <i>Mycological Progress</i> , 2014, 13, 771-780.	0.5	17
104	Bat Origins of MERS-CoV Supported by Bat Coronavirus HKU4 Usage of Human Receptor CD26. <i>Cell Host and Microbe</i> , 2014, 16, 328-337.	5.1	252
105	<i>Hispidaedalea</i> gen. nov. and <i>Griseoporia taiwanense</i> sp. nov. (Gloeophyllales, Basidiomycota) based on morphological and molecular characters. <i>Mycological Progress</i> , 2014, 13, 833-839.	0.5	7
106	Phylogeny and global diversity of <i>Polyporus</i> group <i>Melanopus</i> (Polyporales, Basidiomycota). <i>Fungal Diversity</i> , 2014, 64, 133-144.	4.7	29
107	Phylogeny and taxonomy of poroid and lamellate genera in the Auriculariales (Basidiomycota). <i>Mycologia</i> , 2013, 105, 1219-1230.	0.8	21
108	A new sesquiterpene from the medicinal fungus <i>Inonotus vaninii</i> . <i>Chemistry of Natural Compounds</i> , 2013, 49, 261-263.	0.2	10

#	ARTICLE	IF	CITATIONS
109	Phylogeny and taxonomy of the <i>Inonotus linteus</i> complex. <i>Fungal Diversity</i> , 2013, 58, 159-169.	4.7	63
110	Taxonomy and phylogeny of wood-inhabiting hydroid species in Russulales: two new genera, three new species and two new combinations. <i>Mycologia</i> , 2013, 105, 636-649.	0.8	39
111	New species and phylogeny of <i>Perenniporia</i> based on morphological and molecular characters. <i>Fungal Diversity</i> , 2013, 58, 47-60.	4.7	76
112	New species and distinctive geographical divergences of the genus <i>Sparassis</i> (Basidiomycota): evidence from morphological and molecular data. <i>Mycological Progress</i> , 2013, 12, 445-454.	0.5	26
113	Species clarification of the prize medicinal <i>Ganoderma</i> mushroom “Lingzhi”, <i>Fungal Diversity</i> , 2012, 56, 49-62.	4.7	198
114	Recognizing ecological patterns of wood-decaying polypores on gymnosperm and angiosperm trees in northeast China. <i>Fungal Ecology</i> , 2012, 5, 230-235.	0.7	24
115	Taxonomy and phylogeny of <i>Hymenochaete</i> and allied genera of Hymenochaetaceae (Basidiomycota) in China. <i>Fungal Diversity</i> , 2012, 56, 77-93.	4.7	54
116	Resolution of the nomenclature for niu-chang-chih (<i>Taiwanofungus camphoratus</i>), an important medicinal polypore. <i>Taxon</i> , 2012, 61, 1305-1310.	0.4	6
117	(2101) Proposal to conserve the name <i>Ganoderma camphoratum</i> (<i>Taiwanofungus camphoratus</i>) (Polyporales) with a conserved type. <i>Taxon</i> , 2012, 61, 1321-1322.	0.4	3
118	Polypore diversity in China with an annotated checklist of Chinese polypores. <i>Mycoscience</i> , 2012, 53, 49-80.	0.3	262
119	<i>Fomitiporia ellipsoidea</i> has the largest fruiting body among the fungi. <i>Fungal Biology</i> , 2011, 115, 813-814.	1.1	42
120	Three new species of <i>Inonotus</i> (Basidiomycota, Hymenochaetaceae) from China. <i>Mycological Progress</i> , 2011, 10, 107-114.	0.5	38
121	Morphological and molecular evidences for a new species of <i>Lignosus</i> (Polyporales, Basidiomycota) from tropical China. <i>Mycological Progress</i> , 2011, 10, 267-271.	0.5	29
122	Current advances in <i>Phellinus sensu lato</i> : medicinal species, functions, metabolites and mechanisms. <i>Applied Microbiology and Biotechnology</i> , 2010, 87, 1587-1593.	1.7	86
123	Hymenochaetaceae (Basidiomycota) in China. <i>Fungal Diversity</i> , 2010, 45, 131-343.	4.7	303
124	<i>Bondarzewia podocarpi</i> , a new and remarkable polypore from tropical China. <i>Mycologia</i> , 2010, 102, 881-886.	0.8	37
125	<i>Haploporus subtrameteus</i> (Polyporaceae, Basidiomycota) found in Japan. <i>Mycoscience</i> , 2009, 50, 452-454.	0.3	3
126	Three new species of <i>Hyphodontia</i> from Taiwan. <i>Mycological Progress</i> , 2009, 8, 165-169.	0.5	19

#	ARTICLE	IF	CITATIONS
127	Trichaptum (Basidiomycota, Hymenochaetales) from China with a description of three new species. Mycological Progress, 2009, 8, 281-287.	0.5	36
128	Species Diversity and Utilization of Medicinal Mushrooms and Fungi in China (Review). International Journal of Medicinal Mushrooms, 2009, 11, 287-302.	0.9	221
129	A new species of Megasporoporia (Polyporales, Basidiomycota) from China. Mycological Progress, 2008, 7, 253-255.	0.5	17
130	A new species of Fomitiporia (Hymenochaetaceae, Basidiomycota) from China based on morphological and molecular characters. Mycological Research, 2008, 112, 375-380.	2.5	29
131	Phylogeny and a new species of Sparassis (Polyporales, Basidiomycota): evidence from mitochondrial atp6, nuclear rDNA and rpb2 genes. Mycologia, 2006, 98, 584-592.	0.8	24
132	Phylogeny and a new species of Sparassis (Polyporales, Basidiomycota): evidence from mitochondrial atp6, nuclear rDNA and rpb2 genes. Mycologia, 2006, 98, 584-592.	0.8	25
133	Phylogenetic relationships of <i>Sparassis</i> inferred from nuclear and mitochondrial ribosomal DNA and RNA polymerase sequences. Mycologia, 2004, 96, 1015-1029.	0.8	48
134	Three new species of Megasporia (Polyporales, Basidiomycota) from China. MycoKeys, 0, 20, 37-50.	0.8	8
135	Phylogeny, Divergence Time Estimation and Biogeography of the Genus Onnia (Basidiomycota.) Tj ETQq1 1 0.784314 rgBT /Qverlock 10	1.5	8