

Irene B Jensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8016822/publications.pdf>

Version: 2024-02-01

121
papers

4,459
citations

76196

40
h-index

123241

61
g-index

123
all docs

123
docs citations

123
times ranked

3745
citing authors

#	ARTICLE	IF	CITATIONS
1	Do Attitudes towards Work or Work Motivation Affect Productivity Loss among Academic Employees?. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 934.	1.2	7
2	The Cost-Effectiveness Analysis of the Productivity Measurement and Enhancement System Intervention to Reduce Employee Work-Related Stress and Enhance Work Performance. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2431.	1.2	5
3	Effectiveness of a multifaceted implementation strategy for improving adherence to the guideline for prevention of mental ill-health among school personnel in Sweden: a cluster randomized trial. <i>Implementation Science</i> , 2022, 17, 23.	2.5	5
4	Sustainable UNiversity Life (SUN) study: protocol for a prospective cohort study of modifiable risk and prognostic factors for mental health problems and musculoskeletal pain among university students. <i>BMJ Open</i> , 2022, 12, e056489.	0.8	5
5	Early work-environmental indicators of bullying in an academic setting: a longitudinal study of staff in a medical university. <i>Studies in Higher Education</i> , 2021, 46, 2556-2567.	2.9	13
6	Investigating the association between publication performance and the work environment of university research academics: a systematic review. <i>Scientometrics</i> , 2021, 126, 3283-3301.	1.6	15
7	Experiences of interventions and rehabilitation activities in connection with return-to-work from a gender perspective. A focus group study among employees on sick leave for common mental disorders. <i>PLoS ONE</i> , 2021, 16, e0253049.	1.1	5
8	Nationwide implementation of a national policy for evidence-based rehabilitation with focus on facilitating return to work: a survey of perceived use, facilitators, and barriers. <i>Disability and Rehabilitation</i> , 2020, 42, 219-227.	0.9	7
9	Effectiveness of deep tissue massage therapy, and supervised strengthening and stretching exercises for subacute or persistent disabling neck pain. The Stockholm Neck (STONE) randomized controlled trial. <i>Musculoskeletal Science and Practice</i> , 2020, 45, 102070.	0.6	8
10	Health and Work Environment among Female and Male Swedish Elementary School Teachers—A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 227.	1.2	22
11	What is Number of Days in Number of Times? Associations Between, and Responsiveness of, Two Sickness Presenteeism Measures. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e180-e185.	0.9	2
12	Process Evaluation of a Participative Organizational Intervention as a Stress Preventive Intervention for Employees in Swedish Primary Health Care. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7285.	1.2	11
13	Cost-Effectiveness of a Problem-Solving Intervention Aimed to Prevent Sickness Absence among Employees with Common Mental Disorders or Occupational Stress. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5234.	1.2	7
14	Promoting Evidence-Based Practice for Improved Occupational Safety and Health at Workplaces in Sweden. Report on a Practice-Based Research Network Approach. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5283.	1.2	7
15	Frequently repeated measurements -our experience of collecting data with SMS. <i>BMC Medical Research Methodology</i> , 2020, 20, 124.	1.4	3
16	Experience of Stress Assessed by Text Messages and Its Association with Objective Workload—A Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 680.	1.2	3
17	Deep tissue massage, strengthening and stretching exercises, and a combination of both compared with advice to stay active for subacute or persistent non-specific neck pain: A cost-effectiveness analysis of the Stockholm Neck trial (STONE). <i>Musculoskeletal Science and Practice</i> , 2020, 46, 102109.	0.6	9
18	An overlooked key to excellence in research: a longitudinal cohort study on the association between the psycho-social work environment and research performance. <i>Studies in Higher Education</i> , 2020, , 1-19.	2.9	7

#	ARTICLE	IF	CITATIONS
19	Preventing sickness absence among employees with common mental disorders or stress-related symptoms at work: a cluster randomised controlled trial of a problem-solving-based intervention conducted by the Occupational Health Services. <i>Occupational and Environmental Medicine</i> , 2020, 77, 454-461.	1.3	23
20	The Nordic maintenance care program: maintenance care reduces the number of days with pain in acute episodes and increases the length of pain free periods for dysfunctional patients with recurrent and persistent low back pain - a secondary analysis of a pragmatic randomized controlled trial. <i>Chiropractic & Manual Therapies</i> , 2020, 28, 19.	0.6	12
21	Evaluation and Dissemination of a Checklist to Improve Implementation of Work Environment Initiatives in the Eldercare Sector: Protocol for a Prospective Observational Study. <i>JMIR Research Protocols</i> , 2020, 9, e16039.	0.5	1
22	Current practices and perceived implementation barriers for working with alcohol prevention in occupational health services: the WIRUS OHS study. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019, 14, 30.	1.0	12
23	The Nordic Maintenance Care Program: Does psychological profile modify the treatment effect of a preventive manual therapy intervention? A secondary analysis of a pragmatic randomized controlled trial. <i>PLoS ONE</i> , 2019, 14, e0223349.	1.1	11
24	Workplace Bullying as Experienced by Managers and How They Cope: A Qualitative Study of Swedish Managers. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4693.	1.2	18
25	Implementation of the Swedish Guideline for Prevention of Mental ill-health at the Workplace: study protocol of a cluster randomized controlled trial, using multifaceted implementation strategies in schools. <i>BMC Public Health</i> , 2019, 19, 1668.	1.2	8
26	Trajectories of Pain Intensity Over 1 Year in Adults With Disabling Subacute or Chronic Neck Pain. <i>Clinical Journal of Pain</i> , 2019, 35, 678-685.	0.8	20
27	Participatory work place intervention for stress prevention in primary health care. A randomized controlled trial. <i>European Journal of Work and Organizational Psychology</i> , 2018, 27, 219-234.	2.2	23
28	The effects of multimodal rehabilitation on pain-related sickness absence – an observational study. <i>Disability and Rehabilitation</i> , 2018, 40, 1646-1653.	0.9	15
29	Economic Evaluation of Occupational Safety and Health Interventions From the Employer Perspective. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 147-166.	0.9	28
30	The Nordic Maintenance Care program: Effectiveness of chiropractic maintenance care versus symptom-guided treatment for recurrent and persistent low back pain – A pragmatic randomized controlled trial. <i>PLoS ONE</i> , 2018, 13, e0203029.	1.1	40
31	Perceived health and work-environment related problems and associated subjective production loss in an academic population. <i>BMC Public Health</i> , 2018, 18, 257.	1.2	15
32	Development of evidence-based practice in occupational health services in Sweden: a 3-year follow-up of attitudes, barriers and facilitators. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 335-348.	1.1	8
33	Preventing sickness absenteeism among employees with common mental disorders or stress-related symptoms at work: Design of a cluster randomized controlled trial of a problem-solving based intervention versus care-as-usual conducted at the Occupational Health Services. <i>BMC Public Health</i> , 2017, 17, 436.	1.2	17
34	Effects of yoga, strength training and advice on back pain: a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 132.	0.8	27
35	Work-related stress assessed by a text message single-item stress question. <i>Occupational Medicine</i> , 2017, 67, 601-608.	0.8	37
36	Developing a practice guideline for the occupational health services by using a community of practice approach: a process evaluation of the development process. <i>BMC Public Health</i> , 2017, 17, 89.	1.2	12

#	ARTICLE	IF	CITATIONS
37	Individual preferences for physical exercise as secondary prevention for non-specific low back pain: A discrete choice experiment. PLoS ONE, 2017, 12, e0187709.	1.1	26
38	Does physical activity buffer insomnia due to back and neck pain?. PLoS ONE, 2017, 12, e0184288.	1.1	6
39	Preliminary testing of the Swedish version of the Assessment of Interprofessional Team Collaboration Scale (AITCS-S). Journal of Interprofessional Care, 2016, 30, 499-504.	0.8	20
40	Essential features influencing collaboration in team-based non-specific back pain rehabilitation: Findings from a mixed methods study. Journal of Interprofessional Care, 2016, 30, 309-315.	0.8	11
41	Validity and test-retest reliability of an at-work production loss instrument. Occupational Medicine, 2016, 66, 377-382.	0.8	15
42	Absence of low back pain to demarcate an episode: a prospective multicentre study in primary care. Chiropractic & Manual Therapies, 2016, 24, 3.	0.6	10
43	Validation of a measure of health-related production loss: construct validity and responsiveness - a cohort study. BMC Public Health, 2015, 15, 1148.	1.2	17
44	Cost-effectiveness of early interventions for non-specific low back pain: A randomized controlled study investigating medical yoga, exercise therapy and self-care advice. Journal of Rehabilitation Medicine, 2015, 47, 167-173.	0.8	60
45	Returning to work - a long-term process reaching beyond the time frames of multimodal non-specific back pain rehabilitation. Disability and Rehabilitation, 2015, 37, 499-505.	0.9	29
46	Implementation of evidence-based rehabilitation for non-specific back pain and common mental health problems: a process evaluation of a nationwide initiative. BMC Health Services Research, 2015, 15, 79.	0.9	16
47	Does a healthy lifestyle behaviour influence the prognosis of low back pain among men and women in a general population? A population-based cohort study. BMJ Open, 2014, 4, e005713.	0.8	46
48	Promoting Physical Activity and Healthy Dietary Behavior. Journal of Occupational and Environmental Medicine, 2014, 56, 35-46.	0.9	9
49	Prediction of Sickness Absenteeism, Disability Pension and Sickness Presenteeism Among Employees with Back Pain. Journal of Occupational Rehabilitation, 2014, 24, 278-286.	1.2	41
50	Prevention of low back pain: effect, cost-effectiveness, and cost-utility of maintenance care - study protocol for a randomized clinical trial. Trials, 2014, 15, 102.	0.7	13
51	The impact of bystanding to workplace bullying on symptoms of depression among women and men in industry in Sweden: an empirical and theoretical longitudinal study. International Archives of Occupational and Environmental Health, 2013, 86, 709-716.	1.1	55
52	Comment on "Can observations of workplace bullying really make you depressed? A response to Emdad et al. 2013" by Nielsen and Einarsen. International Archives of Occupational and Environmental Health, 2013, 86, 723-724.	1.1	1
53	The transitional pattern of pain and disability, from perceived pain to sick leave. Experience from a longitudinal study. Journal of Back and Musculoskeletal Rehabilitation, 2013, 26, 411-419.	0.4	1
54	Is a change in work motivation related to a change in mental well-being?. Journal of Vocational Behavior, 2013, 83, 571-580.	1.9	34

#	ARTICLE	IF	CITATIONS
55	Measuring Production Loss due to Health and Work Environment Problems. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 1475-1483.	0.9	24
56	Current and Maintained Health—Enhancing Physical Activity in Rheumatoid Arthritis: A Cross-Sectional Study. <i>Arthritis Care and Research</i> , 2013, 65, 1166-1176.	1.5	46
57	Hierarchies of Health. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 752-760.	0.9	22
58	All-Cause and Cause-Specific Mortality after Long-Term Sickness Absence for Psychiatric Disorders: A Prospective Cohort Study. <i>PLoS ONE</i> , 2013, 8, e67887.	1.1	23
59	Self-reported treatment, workplace-oriented rehabilitation, change of occupation and subsequent sickness absence and disability pension among employees long-term sick-listed for psychiatric disorders: a prospective cohort study. <i>BMJ Open</i> , 2012, 2, e001704.	0.8	9
60	The use of weekly text messaging over 6 months was a feasible method for monitoring the clinical course of low back pain in patients seeking chiropractic care. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 454-461.	2.4	85
61	Effectiveness of different interventions using a psychosocial subgroup assignment in chronic neck and back pain patients: a 10-year follow-up. <i>Disability and Rehabilitation</i> , 2012, 34, 110-118.	0.9	43
62	Analyzing repeated data collected by mobile phones and frequent text messages. An example of Low back pain measured weekly for 18 weeks. <i>BMC Medical Research Methodology</i> , 2012, 12, 105.	1.4	19
63	Patterns of sickness absence a decade after pain-related multidisciplinary rehabilitation. <i>Pain</i> , 2011, 152, 1727-1733.	2.0	56
64	Using a psychosocial subgroup assignment to predict sickness absence in a working population with neck and back pain. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 81.	0.8	21
65	Clustering patients on the basis of their individual course of low back pain over a six month period. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 99.	0.8	75
66	Physical Activity Coaching of Patients with Rheumatoid Arthritis in Everyday Practice: A Long-term Follow-up. <i>Musculoskeletal Care</i> , 2011, 9, 75-85.	0.6	40
67	The Effects of Psychosocial Work Factors on Production Loss, and the Mediating Effect of Employee Health. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 310-317.	0.9	36
68	A 7-year follow-up of multidisciplinary rehabilitation among chronic neck and back pain patients. Is sick leave outcome dependent on psychologically derived patient groups?. <i>European Journal of Pain</i> , 2010, 14, 426-433.	1.4	30
69	The Nordic Maintenance Care Program: when do chiropractors recommend secondary and tertiary preventive care for low back pain?. <i>Chiropractic & Manual Therapies</i> , 2009, 17, 1.	1.6	27
70	Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up. <i>Pain</i> , 2009, 142, 202-208.	2.0	80
71	Does a Change in Psychosocial Work Factors Lead to a Change in Employee Health?. <i>Journal of Occupational and Environmental Medicine</i> , 2009, 51, 195-203.	0.9	40
72	Four-Year Incidence of Sick Leave Because of Neck and Shoulder Pain and Its Association With Work and Lifestyle. <i>Spine</i> , 2009, 34, 413-418.	1.0	10

#	ARTICLE	IF	CITATIONS
73	Neither the WAD-classification nor the Quebec Task Force follow-up regimen seems to be important for the outcome after a whiplash injury. A prospective study on 186 consecutive patients. <i>European Spine Journal</i> , 2008, 17, 930-935.	1.0	40
74	Coaching patients with early rheumatoid arthritis to healthy physical activity: A multicenter, randomized, controlled study. <i>Arthritis and Rheumatism</i> , 2008, 59, 325-331.	6.7	97
75	Occupational neck and shoulder pain among automobile manufacturing workers in Iran. <i>American Journal of Industrial Medicine</i> , 2008, 51, 372-379.	1.0	48
76	Effect of psychosocial factors on low back pain in industrial workers. <i>Occupational Medicine</i> , 2008, 58, 341-347.	0.8	52
77	A comprehensive workplace intervention and its outcome with regard to lifestyle, health and sick leave: the AHA study. <i>Work</i> , 2008, 31, 167-80.	0.6	34
78	Does survey feedback enhance the psychosocial work environment and decrease sick leave?. <i>European Journal of Work and Organizational Psychology</i> , 2007, 16, 76-93.	2.2	31
79	Reliability and validity study of Persian modified version of MUSIC (musculoskeletal intervention) Tj ETQq1 1 0.784314 rgBT /Overlock 14	0.8	14
80	Neck pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2007, 21, 93-108.	1.4	61
81	Quality-of-life outcome after hallux valgus surgery. <i>Quality of Life Research</i> , 2007, 16, 731-738.	1.5	89
82	The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury. <i>Pain</i> , 2006, 125, 244-256.	2.0	88
83	Return to work expectation predicts work in chronic musculoskeletal and behavioral health disorders: Prospective study with clinical implications. <i>Journal of Occupational Rehabilitation</i> , 2006, 16, 169-180.	1.2	70
84	Mono-disciplinary or multidisciplinary back pain guidelines? How can we achieve a common message in primary care?. <i>European Spine Journal</i> , 2006, 15, 641-647.	1.0	32
85	Risk factors for new episodes of sick leave due to neck or back pain in a working population. A prospective study with an 18-month and a three-year follow-up. <i>Occupational and Environmental Medicine</i> , 2006, 64, 279-287.	1.3	84
86	Low back pain among Iranian industrial workers. <i>Occupational Medicine</i> , 2006, 56, 455-460.	0.8	89
87	Early coping strategies do not influence the prognosis after whiplash injuries. <i>Injury</i> , 2005, 36, 935-940.	0.7	46
88	Employer, Insurance, and Health System Response to Long-Term Sick Leave in the Public Sector: Policy Implications. <i>Journal of Occupational Rehabilitation</i> , 2005, 15, 167-176.	1.2	52
89	A 3-year follow-up of a multidisciplinary rehabilitation programme for back and neck pain. <i>Pain</i> , 2005, 115, 273-283.	2.0	149
90	Chapter 6. Sickness absence due to back and neck disorders. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 109-151.	1.2	102

#	ARTICLE	IF	CITATIONS
91	Sick leave among home-care personnel: a longitudinal study of risk factors. BMC Musculoskeletal Disorders, 2004, 5, 38.	0.8	38
92	Occupant- and Crash-Related Factors Associated with the Risk of Whiplash Injury. Annals of Epidemiology, 2003, 13, 66-72.	0.9	59
93	Physical performance tests for people with spinal pain–sensitivity to change. Disability and Rehabilitation, 2003, 25, 856-866.	0.9	21
94	PHYSICAL PERFORMANCE TESTS FOR PEOPLE WITH LONG-TERM SPINAL PAIN: ASPECTS OF CONSTRUCT VALIDITY. Journal of Rehabilitation Medicine, 2003, 35, 69-75.	0.8	28
95	High prevalence of obesity in asthmatic patients on sick leave. Respiratory Medicine, 2002, 96, 642-650.	1.3	19
96	Determinants of undiagnosed asthma. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 687-693.	2.7	25
97	A randomized controlled component analysis of a behavioral medicine rehabilitation program for chronic spinal pain: are the effects dependent on gender?. Pain, 2001, 91, 65-78.	2.0	140
98	The impact of psychologically different patient groups on outcome after a vocational rehabilitation program for long-term spinal pain patients. Pain, 2001, 93, 229-237.	2.0	43
99	The association between exposure to a rear-end collision and future health complaints. Journal of Clinical Epidemiology, 2001, 54, 851-856.	2.4	100
100	Long-term, non-specific spinal pain: reliable and valid subgroups of patients. Behaviour Research and Therapy, 2001, 39, 75-87.	1.6	61
101	NO SIGNIFICANT DIFFERENCES BETWEEN INTERVENTION PROGRAMMES ON NECK, SHOULDER AND LOW BACK PAIN: A PROSPECTIVE RANDOMIZED STUDY AMONG HOME-CARE PERSONNEL. Journal of Rehabilitation Medicine, 2001, 33, 170-176.	0.8	28
102	NO SIGNIFICANT DIFFERENCES BETWEEN INTERVENTION PROGRAMMES ON NECK, SHOULDER AND LOW BACK PAIN: A PROSPECTIVE RANDOMIZED STUDY AMONG HOME-CARE PERSONNEL. Journal of Rehabilitation Medicine, 2001, 33, 170-176.	0.8	75
103	No significant differences between intervention programmes on neck, shoulder and low back pain: a prospective randomized study among home-care personnel. Journal of Rehabilitation Medicine, 2001, 33, 170-6.	0.8	34
104	Assessing the Needs of Patients in Pain: A Matter of Opinion?. Spine, 2000, 25, 2816-2823.	1.0	41
105	The association between exposure to a rear-end collision and future neck or shoulder pain:. Journal of Clinical Epidemiology, 2000, 53, 1089-1094.	2.4	88
106	Intra- and inter-rater reliability of an 11-test package for assessing dysfunction due to back or neck pain. Physiotherapy Research International, 1999, 4, 214-232.	0.7	52
107	A psychometric evaluation of the Swedish version of the Multidimensional Pain Inventory (MPI-S): a gender differentiated evaluation. European Journal of Pain, 1999, 3, 261-273.	1.4	52
108	Reliability and factor structure of the Multidimensional Pain Inventory – Swedish Language Version (MPI-S). Pain, 1998, 75, 101-110.	2.0	155

#	ARTICLE	IF	CITATIONS
109	Multimodal cognitive-behavioural treatment for workers with chronic spinal pain: a matched cohort study with an 18-month follow-up. <i>Pain</i> , 1998, 76, 35-44.	2.0	33
110	Psychosocial and Behavioural Assessment of Chronic Pain: Recommendations for Clinicians and Researchers. <i>Cognitive Behaviour Therapy</i> , 1998, 27, 114-123.	0.4	1
111	A gender-differentiated evaluation of the Swedish version of the rheumatology attitudes index (RAI). <i>Cognitive Behaviour Therapy</i> , 1997, 26, 36-45.	0.4	5
112	Treatment for "Helpless" Women Suffering from Chronic Spinal Pain: A Randomized Controlled 18-Month Follow-Up Study. <i>Journal of Occupational Rehabilitation</i> , 1997, 7, 225-238.	1.2	21
113	Training work supervisors for reintegration of employees treated for musculoskeletal pain. <i>Journal of Occupational Rehabilitation</i> , 1997, 7, 33-43.	1.2	10
114	The role of the psychologist in multidisciplinary treatments for chronic neck and shoulder pain: a controlled cost-effectiveness study. <i>Journal of Rehabilitation Medicine</i> , 1995, 27, 19-26.	1.1	28
115	Cognitive-behavioural treatment for workers with chronic spinal pain: a matched and controlled cohort study in Sweden.. <i>Occupational and Environmental Medicine</i> , 1994, 51, 145-151.	1.3	25
116	Coping with long-term musculoskeletal pain and its consequences: is gender a factor?. <i>Pain</i> , 1994, 57, 167-172.	2.0	131
117	Pediatric condylar fractures: A long-term follow-up study of 55 patients. <i>Journal of Oral and Maxillofacial Surgery</i> , 1993, 51, 1302-1310.	0.5	102
118	Coping strategies questionnaire (CSQ): Reliability of the swedish version of the CSQ. <i>Cognitive Behaviour Therapy</i> , 1993, 22, 139-145.	0.4	110
119	The secondary prevention of low back pain: a controlled study with follow-up. <i>Pain</i> , 1989, 36, 197-207.	2.0	171
120	Validation of an observation method of pain assessment in non-chronic back pain. <i>Pain</i> , 1989, 39, 267-274.	2.0	20
121	Adherence, Cue Enhancement and the Effects of Relaxation Gymnastics on Neck and Shoulder Pain Complaints. <i>Cognitive Behaviour Therapy</i> , 1987, 16, 167-174.	0.4	0