

Rosa Artells Prats

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8016867/publications.pdf>

Version: 2024-02-01

33
papers

1,068
citations

623734

14
h-index

454955

30
g-index

36
all docs

36
docs citations

36
times ranked

1805
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>ACTN3</i>™s R577X Single Nucleotide Polymorphism Allele Distribution Differs Significantly in Professional Football Players according to Their Field Position. <i>Medical Principles and Practice</i> , 2021, 30, 92-97.	2.4	13
2	ACTN3 single nucleotide polymorphism is associated with non-contact musculoskeletal soft-tissue injury incidence in elite professional football players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 4055-4061.	4.2	23
3	Genetic biomarkers in non-contact muscle injuries in elite soccer players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3311-3318.	4.2	29
4	Expression of myosin heavy chain isoforms mRNA transcripts in the temporalis muscle of common chimpanzees (<i>Pan troglodytes</i>). <i>Annals of Anatomy</i> , 2017, 214, 80-85.	1.9	2
5	Expression of MyHC isoforms mRNA transcripts in different regions of the masseter and medial pterygoid muscles in chimpanzees. <i>Archives of Oral Biology</i> , 2017, 83, 63-67.	1.8	2
6	Quantification of Myosin Heavy Chain Isoform mRNA Transcripts in the Supraspinatus Muscle of Vertical Clinger Primates. <i>Folia Primatologica</i> , 2017, 88, 497-506.	0.7	1
7	Influence of Genetics on Sports Injuries. <i>Journal of Novel Physiotherapies</i> , 2017, 07, .	0.1	3
8	Pseudocyclops: An entity to take into consideration after anterior cruciate ligament reconstruction in football players. Biological predisposition?. <i>Medicina Clínica (English Edition)</i> , 2016, 147, 422.	0.2	0
9	Elastin: a possible genetic biomarker for more severe ligament injuries in elite soccer. A pilot study. <i>Muscles, Ligaments and Tendons Journal</i> , 2016, 6, 188-192.	0.3	7
10	The impact of single nucleotide polymorphisms on patterns of non-contact musculoskeletal soft tissue injuries in a football player population according to ethnicity. <i>Medicina Clínica (English)</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 37	0.6	15
11	The impact of single nucleotide polymorphisms on patterns of non-contact musculoskeletal soft tissue injuries in a football player population according to ethnicity. <i>Medicina Clínica</i> , 2015, 144, 105-110.	0.6	15
12	Role of miRâ€200 family members in survival of colorectal cancer patients treated with fluoropyrimidines. <i>Journal of Surgical Oncology</i> , 2014, 109, 676-683.	1.7	62
13	Could single nucleotide polymorphisms influence on the efficacy of platelet-rich plasma in the treatment of sport injuries?. <i>Muscles, Ligaments and Tendons Journal</i> , 2014, 4, 63-5.	0.3	3
14	Single nucleotide polymorphisms associated with non-contact soft tissue injuries in elite professional soccer players: influence on degree of injury and recovery time. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 221.	1.9	60
15	Compression garments to prevent delayed onset muscle soreness in soccer players. <i>Muscles, Ligaments and Tendons Journal</i> , 2013, 3, 295-302.	0.3	14
16	Lestaurtinib Inhibition of the JAK/STAT Signaling Pathway in Hodgkin Lymphoma Inhibits Proliferation and Induces Apoptosis. <i>PLoS ONE</i> , 2011, 6, e18856.	2.5	64
17	Expression of Myosin Heavy Chain Isoforms in the Supraspinatus Muscle of Different Primate Species: Implications for the Study of the Adaptation of Primate Shoulder Muscles to Different Locomotor Modes. <i>International Journal of Primatology</i> , 2011, 32, 931-944.	1.9	10
18	Ultrastructural and Immunohistochemical Analysis of Intestinal Myofibroblasts During the Early Organogenesis of the Human Small Intestine. <i>Anatomical Record</i> , 2011, 294, 462-471.	1.4	14

#	ARTICLE	IF	CITATIONS
19	Regulation of α 2-adrenoceptor gene expression by chronic lithium treatment in rat brain. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 2010, 32, 721.	0.8	9
20	Pharmacogenomics: a tool for improving cancer chemotherapy. <i>Clinical and Translational Oncology</i> , 2008, 10, 628-637.	2.4	10
21	Overlapping expression of microRNAs in human embryonic colon and colorectal cancer. <i>Cell Research</i> , 2008, 18, 823-833.	12.0	174
22	Common variants in NLRP2 and NLRP3 genes are strong prognostic factors for the outcome of HLA-identical sibling allogeneic stem cell transplantation. <i>Blood</i> , 2008, 112, 4337-4342.	1.4	34
23	A Single-Nucleotide Polymorphism in the Aromatase Gene Is Associated with the Efficacy of the Aromatase Inhibitor Letrozole in Advanced Breast Carcinoma. <i>Clinical Cancer Research</i> , 2008, 14, 811-816.	7.0	113
24	MicroRNA expression profiling in classic Hodgkin lymphoma. <i>Blood</i> , 2008, 111, 2825-2832.	1.4	161
25	Expression of cyclooxygenase-2 mRNA in peripheral blood of head and neck cancer patients and in healthy controls. A pilot study. <i>Acta Oto-Laryngologica</i> , 2007, 127, 71-75.	0.9	4
26	Single Nucleotide Polymorphisms in Nucleotide Excision Repair Genes XPA, XPD, XPG and ERCC1 in Advanced Colorectal Cancer Patients Treated with First-Line Oxaliplatin/Fluoropyrimidine. <i>Oncology</i> , 2007, 72, 364-370.	1.9	56
27	Genetic Polymorphisms in the Inflammasomes Are Associated with Relapse and Survival in HLA-Identical Sibling Donor Allogeneic Stem Cell Transplantation.. <i>Blood</i> , 2007, 110, 1075-1075.	1.4	5
28	Mir-135a Expression Is Associated with Relapse in Hodgkin Lymphoma.. <i>Blood</i> , 2007, 110, 2270-2270.	1.4	0
29	Sonic hedgehog mRNA expression by real-time quantitative PCR in normal and tumor tissues from colorectal cancer patients. <i>Cancer Letters</i> , 2006, 233, 117-123.	7.2	35
30	Single-nucleotide polymorphisms in base excision repair, nucleotide excision repair, and double strand break genes as markers for response to radiotherapy in patients with Stage I to II head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, 1022-1030.	0.8	75
31	Genomic polymorphisms provide prognostic information in intermediate-risk acute myeloblastic leukemia. <i>Blood</i> , 2006, 107, 4871-4879.	1.4	62
32	Adra2A gene expression levels during the recovery of α 2-adrenoceptors after chronic lithium treatment in rat cerebral cortex. <i>FASEB Journal</i> , 2006, 20, LB113.	0.5	0
33	Analysis of microRNA Patterns in Hodgkin's Lymphoma (HL).. <i>Blood</i> , 2006, 108, 474-474.	1.4	0