

# S Ellen Macdonald

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8018952/publications.pdf>

Version: 2024-02-01

63  
papers

4,037  
citations

159585

30  
h-index

123424

61  
g-index

63  
all docs

63  
docs citations

63  
times ranked

4309  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neighboring edges: Interacting edge effects from linear disturbances in treed fens. <i>Applied Vegetation Science</i> , 2022, 25, .	1.9	6
2	Above- and belowground drivers of intraspecific trait variability across subcontinental gradients for five ubiquitous forest plants in North America. <i>Journal of Ecology</i> , 2022, 110, 1590-1605.	4.0	8
3	“These Trees Have Stories to Tell”: Linking Dene Oral History of Caribou Use with Trample Scar Frequency on Black Spruce Roots at Edacho Ku. <i>Arctic</i> , 2021, 74, 290-305.	0.4	1
4	A topographic moisture index explains understory vegetation response to retention harvesting. <i>Forest Ecology and Management</i> , 2020, 474, 118358.	3.2	9
5	Estimating retention benchmarks for salvage logging to protect biodiversity. <i>Nature Communications</i> , 2020, 11, 4762.	12.8	54
6	Application of the Conservation Planning Tool Zonation to Inform Retention Planning in the Boreal Forest of Western Canada. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	1
7	Long-term effects of harvest on boreal forest soils in relation to a remote sensing-based soil moisture index. <i>Forest Ecology and Management</i> , 2020, 462, 117986.	3.2	13
8	The impact of atmospheric acid deposition on tree growth and forest understory vegetation in the Athabasca Oil Sands Region. <i>Science of the Total Environment</i> , 2019, 696, 133877.	8.0	14
9	Forest closure and encroachment at the grassland interface: a century-scale analysis using oblique repeat photography. <i>Ecosphere</i> , 2019, 10, e02774.	2.2	18
10	Geographic scale and disturbance influence intraspecific trait variability in leaves and roots of North American understorey plants. <i>Functional Ecology</i> , 2019, 33, 1771-1784.	3.6	34
11	Understory vascular plant responses to retention harvesting with and without prescribed fire. <i>Canadian Journal of Forest Research</i> , 2019, 49, 1087-1100.	1.7	9
12	Utilizing a topographic moisture index to characterize understory vegetation patterns in the boreal forest. <i>Forest Ecology and Management</i> , 2019, 447, 35-52.	3.2	14
13	Depth-to-water mediates bryophyte response to harvesting in boreal forests. <i>Journal of Applied Ecology</i> , 2019, 56, 1256-1266.	4.0	8
14	Could restoration of a landscape to a pre-European historical vegetation condition reduce burn probability?. <i>Ecosphere</i> , 2019, 10, e02584.	2.2	15
15	Experimental test of assisted migration for conservation of locally range-restricted plants in Alberta, Canada. <i>Global Ecology and Conservation</i> , 2019, 17, e00572.	2.1	17
16	Survival and growth of residual trees in a variable retention harvest experiment in a boreal mixedwood forest. <i>Forest Ecology and Management</i> , 2018, 411, 187-194.	3.2	15
17	Bryophyte abundance, diversity and composition after retention harvest in boreal mixedwood forest. <i>Journal of Applied Ecology</i> , 2018, 55, 947-957.	4.0	29
18	Salvage logging effects on regulating and supporting ecosystem services – a systematic map. <i>Canadian Journal of Forest Research</i> , 2018, 48, 983-1000.	1.7	74

#	ARTICLE	IF	CITATIONS
19	Relating Bryophyte Assemblages to a Remotely Sensed Depth-to-Water Index in Boreal Forests. <i>Frontiers in Plant Science</i> , 2018, 9, 858.	3.6	22
20	Combining aggregated and dispersed tree retention harvesting for conservation of vascular plant communities. <i>Ecological Applications</i> , 2018, 28, 1830-1840.	3.8	21
21	Boreal forest plant species responses to pH: ecological interpretation and application to reclamation. <i>Plant and Soil</i> , 2017, 420, 195-208.	3.7	15
22	Understory Plant Community Composition Is Associated with Fine-Scale Above- and Below-Ground Resource Heterogeneity in Mature Lodgepole Pine ( <i>Pinus contorta</i> ) Forests. <i>PLoS ONE</i> , 2016, 11, e0151436.	2.5	19
23	Is the END (emulation of natural disturbance) a new beginning? A critical analysis of the use of fire regimes as the basis of forest ecosystem management with examples from the Canadian western Cordillera. <i>Environmental Reviews</i> , 2016, 24, 233-243.	4.5	19
24	Forest restoration following surface mining disturbance: challenges and solutions. <i>New Forests</i> , 2015, 46, 703-732.	1.7	265
25	Early trajectories of forest understory development on reclamation sites: influence of forest floor placement and a cover crop. <i>Restoration Ecology</i> , 2015, 23, 698-706.	2.9	30
26	Comparing patterns in forest stand structure following variable harvests using airborne laser scanning data. <i>Forest Ecology and Management</i> , 2015, 354, 272-280.	3.2	21
27	Edge influence on vegetation at natural and anthropogenic edges of boreal forests in Canada and Fennoscandia. <i>Journal of Ecology</i> , 2015, 103, 550-562.	4.0	91
28	Remote sensing proxies of productivity and moisture predict forest stand type and recovery rate following experimental harvest. <i>Forest Ecology and Management</i> , 2015, 357, 239-247.	3.2	25
29	Extracting ecological information from oblique angle terrestrial landscape photographs: Performance evaluation of the WSL Monoplotting Tool. <i>Applied Geography</i> , 2015, 63, 315-325.	3.7	29
30	Boreal mixedwood stand dynamics: ecological processes underlying multiple pathways. <i>Forestry Chronicle</i> , 2014, 90, 202-213.	0.6	90
31	REVIEW: Can retention forestry help conserve biodiversity? A meta-analysis. <i>Journal of Applied Ecology</i> , 2014, 51, 1669-1679.	4.0	314
32	Bryophyte assemblage structure after partial harvesting in boreal mixedwood forest depends on residual canopy abundance and composition. <i>Forest Ecology and Management</i> , 2013, 289, 489-500.	3.2	46
33	Linking the biological traits of boreal bryophytes to forest habitat change after partial harvesting. <i>Forest Ecology and Management</i> , 2013, 303, 184-194.	3.2	34
34	Linkages between the forest floor microbial community and resource heterogeneity within mature lodgepole pine forests. <i>Soil Biology and Biochemistry</i> , 2013, 63, 61-72.	8.8	18
35	A continental comparison indicates long-term effects of forest management on understory diversity in coniferous forests <sup>1</sup> This article is one of a selection of papers from the 7th International Conference on Disturbance Dynamics in Boreal Forests.. <i>Canadian Journal of Forest Research</i> , 2012, 42, 1239-1252.	1.7	10
36	Rebuilding boreal forest ecosystems after industrial disturbance. , 2012, , .		35

#	ARTICLE	IF	CITATIONS
37	Responses of boreal epiphytic bryophytes to different levels of partial canopy harvestThis paper is one of a selection of papers published as part of the special Schofield Gedenkschrift.. Botany, 2010, 88, 315-328.	1.0	39
38	Directional change in upland tundra plant communities 20â€30 years after seismic exploration in the Canadian lowâ€Arctic. Journal of Vegetation Science, 2009, 20, 557-567.	2.2	44
39	Current uptake of 15N-labeled ammonium and nitrate in flooded and non-flooded black spruce and tamarack seedlings. Annals of Forest Science, 2009, 66, 102-102.	2.0	13
40	Threshold effects of variable retention harvesting on understory plant communities in the boreal mixedwood forest. Forest Ecology and Management, 2009, 258, 2619-2627.	3.2	51
41	Effects of partial post-fire salvage harvesting on vegetation communities in the boreal mixedwood forest region of northeastern Alberta, Canada. Forest Ecology and Management, 2007, 239, 21-31.	3.2	40
42	Understory plant communities of boreal mixedwood forests in western Canada: Natural patterns and response to variable-retention harvesting. Forest Ecology and Management, 2007, 242, 34-48.	3.2	136
43	Impacts of postfire salvage logging on understory plant communities of the boreal mixedwood forest 2 and 34 years after disturbance. Canadian Journal of Forest Research, 2007, 37, 2637-2651.	1.7	54
44	Interaction of edge influence from multiple edges: examples from narrow corridors. Plant Ecology, 2007, 192, 71-84.	1.6	28
45	THE INTERACTION BETWEEN MASTING AND FIRE IS KEY TO WHITE SPRUCE REGENERATION. Ecology, 2005, 86, 1744-1750.	3.2	90
46	Naturally Saline Boreal Communities as Models for Reclamation of Saline Oil Sand Tailings. Restoration Ecology, 2005, 13, 667-677.	2.9	82
47	Edge Influence on Forest Structure and Composition in Fragmented Landscapes. Conservation Biology, 2005, 19, 768-782.	4.7	985
48	Effects of partial cutting on the ectomycorrhizae of Picea glauca forests in northwestern Alberta. Canadian Journal of Forest Research, 2005, 35, 1442-1454.	1.7	41
49	Seedbed variation from the interior through the edge of a large wildfire in Alberta. Canadian Journal of Forest Research, 2005, 35, 1640-1647.	1.7	40
50	Factors Influencing Bryophyte Assemblage at Different Scales in the Western Canadian Boreal Forest. Bryologist, 2005, 108, 86-100.	0.6	64
51	Predictors of moss and liverwort species diversity of microsites in coniferâ€dominated boreal forest. Journal of Vegetation Science, 2004, 15, 189-198.	2.2	83
52	Ecophysiological adaptations of black spruce ( Picea mariana ) and tamarack ( Larix laricina ) seedlings to flooding. Trees - Structure and Function, 2004, 18, 35-42.	1.9	116
53	Responses of black spruce (Picea mariana) and tamarack (Larix laricina) to flooding and ethylene. Tree Physiology, 2003, 23, 545-552.	3.1	52
54	Eighty years of change: vegetation in the montane ecoregion of Jasper National Park, Alberta, Canada. Canadian Journal of Forest Research, 2002, 32, 2010-2021.	1.7	68

#	ARTICLE	IF	CITATIONS
55	Abundance and species composition of amphibians, small mammals, and songbirds in riparian forest buffer strips of varying widths in the boreal mixedwood of Alberta. Canadian Journal of Forest Research, 2002, 32, 1784-1800.	1.7	88
56	Structure and composition of edges next to regenerating clear-cuts in mixed-wood boreal forest. Journal of Vegetation Science, 2002, 13, 535-546.	2.2	102
57	Structure and composition of edges next to regenerating clear-cuts in mixed-wood boreal forest. Journal of Vegetation Science, 2002, 13, 535.	2.2	25
58	Managing genetic resources of lodgepole pine in west-central Alberta: patterns of isozyme variation in natural populations and effects of forest management. Forest Ecology and Management, 2001, 152, 45-58.	3.2	23
59	Factors influencing size inequality in peatland black spruce and tamarack: evidence from post-drainage release growth. Journal of Ecology, 1999, 87, 404-412.	4.0	83
60	Ecology of and control strategies for <i>Calamagrostis canadensis</i> in boreal forest sites. Canadian Journal of Forest Research, 1993, 23, 2070-2077.	1.7	132
61	Growth and foliar nutrient status of black spruce and tamarack in relation to depth of water table in some Alberta peatlands. Canadian Journal of Forest Research, 1990, 20, 805-809.	1.7	63
62	Photosynthesis, water relations, and foliar nitrogen of <i>Picea mariana</i> and <i>Larix laricina</i> from drained and undrained peatlands. Canadian Journal of Forest Research, 1990, 20, 995-1000.	1.7	50
63	Seasonal and annual dynamics of western Canadian boreal forest plant communities: A legacy dataset spanning four decades. Ecology, 0, , .	3.2	2