

John W Devlin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8019767/john-w-devlin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157
papers

9,121
citations

39
h-index

94
g-index

172
ext. papers

11,311
ext. citations

4.4
avg, IF

5.97
L-index

#	Paper	IF	Citations
157	Sleep Assessment in Critically Ill Adults: Established Methods and Emerging Strategies. 2022 , 4, e0628		4
156	Analgesia-first sedation and nonopioid multimodal analgesia in the intensive care unit 2022 , 57-68		
155	Association Between Perioperative Medication Use and Postoperative Delirium and Cognition in Older Adults Undergoing Elective Noncardiac Surgery.. <i>Anesthesia and Analgesia</i> , 2022 ,	3.9	2
154	The authors reply.. <i>Critical Care Medicine</i> , 2022 , 50, e323-e324	1.4	
153	Vasopressin: The Impact of Predatory Patents on a Captive ICU Marketplace.. <i>Critical Care Medicine</i> , 2022 , 50, 711-714	1.4	
152	Naloxegol to Prevent Constipation in ICU Adults Receiving Opioids: A Randomized Double-Blind Placebo-Controlled Pilot Trial.. <i>Critical Care Research and Practice</i> , 2022 , 2022, 7541378	1.5	
151	Diarrhea during critical illness: a multicenter cohort study.. <i>Intensive Care Medicine</i> , 2022 , 48, 570	14.5	0
150	Sleep-Promotion Bundle Development, Implementation, and Evaluation in Critically Ill Adults: Roles for Pharmacists. <i>Annals of Pharmacotherapy</i> , 2021 , 10600280211048494	2.9	5
149	Impact of the 2018 Society of Critical Care Medicine Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Guidelines on Nonopioid Analgesic Use and Related Outcomes in Critically Ill Adults After Major Surgery 2021 , 3, e0564		0
148	Characterization of Nocturnal Neuroactive Medication Use and Related Sleep Documentation in Critically Ill Adults 2021 , 3, e0367		4
147	Dexmedetomidine or Propofol for Sedation in Mechanically Ventilated Adults with Sepsis. <i>New England Journal of Medicine</i> , 2021 , 384, 1424-1436	59.2	42
146	Design of Clinical Trials Evaluating Sedation in Critically Ill Adults Undergoing Mechanical Ventilation: Recommendations From Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research (SCEPTER) Recommendation III. <i>Critical Care Medicine</i> , 2021 , 49, 1684-1693	1.4	2
145	A Core Outcome Set for Research Evaluating Interventions to Prevent and/or Treat Delirium in Critically Ill Adults: An International Consensus Study (Del-CORs). <i>Critical Care Medicine</i> , 2021 , 49, 1535-1546	14.6	7
144	Association Between Incident Delirium Treatment With Haloperidol and Mortality in Critically Ill Adults. <i>Critical Care Medicine</i> , 2021 , 49, 1303-1311	1.4	1
143	Fentanyl- and midazolam-induced coma each influence days of mechanical ventilation and 28-day mortality. <i>Intensive Care Medicine</i> , 2021 , 47, 805-806	14.5	2
142	A core outcome set for studies evaluating interventions to prevent and/or treat delirium for adults requiring an acute care hospital admission: an international key stakeholder informed consensus study. <i>BMC Medicine</i> , 2021 , 19, 143	11.4	4
141	Optimization of critical care pharmacy clinical services: A gap analysis approach. <i>American Journal of Health-System Pharmacy</i> , 2021 , 78, 2077-2085	2.2	1

140	Safety and Efficacy of Dexmedetomidine in Acutely Ill Adults Requiring Noninvasive Ventilation: A Systematic Review and Meta-analysis of Randomized Trials. <i>Chest</i> , 2021 , 159, 2274-2288	5.3	11
139	Maintaining light sedation is important: next steps for research. <i>Thorax</i> , 2021 , 76, 1069-1070	7.3	1
138	Impact of a Pharmacist-Led Intensive Care Unit Sleep Improvement Protocol on Sleep Duration and Quality. <i>Annals of Pharmacotherapy</i> , 2021 , 55, 863-869	2.9	5
137	Sleep documentation by intensive care unit clinicians: Prevalence, predictors and agreement with sleep quality and duration. <i>Intensive and Critical Care Nursing</i> , 2021 , 67, 103115	3.1	1
136	Opioid Use Increases the Risk of Delirium in Critically Ill Adults Independently of Pain. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 204, 566-572	10.2	18
135	Social Determinants of Health and Delirium Occurrence and Duration in Critically Ill Adults 2021 , 3, e0532		0
134	Reply to Murray and Newsome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 204, 612	10.2	
133	Exploring Ketamine Analgosedation Use and Its Effect on Incident Delirium in Critically Ill Adults 2021 , 3, e0544		1
132	Analgesia and sedation in patients with ARDS. <i>Intensive Care Medicine</i> , 2020 , 46, 2342-2356	14.5	52
131	Pharmacogenomic response of low dose haloperidol in critically ill adults with delirium. <i>Journal of Critical Care</i> , 2020 , 57, 203-207	4	0
130	A Systematic Review of Risk Factors for Sleep Disruption in Critically Ill Adults. <i>Critical Care Medicine</i> , 2020 , 48, 1066-1074	1.4	12
129	Adjuvant Analgesic Use in the Critically Ill: A Systematic Review and Meta-Analysis 2020 , 2, e0157		9
128	Strategies to Optimize ICU Liberation (A to F) Bundle Performance in Critically Ill Adults With Coronavirus Disease 2019 2020 , 2, e0139		32
127	Updated nomenclature of delirium and acute encephalopathy: statement of ten Societies. <i>Intensive Care Medicine</i> , 2020 , 46, 1020-1022	14.5	101
126	Influence of sedation on delirium recognition in critically ill patients: A multinational cohort study. <i>Australian Critical Care</i> , 2020 , 33, 420-425	2.9	6
125	International drive to illuminate delirium: A developing public health blueprint for action. <i>Alzheimer's and Dementia</i> , 2020 , 16, 711-725	1.2	14
124	Association between delirium prediction scores and days spent with delirium. <i>Journal of Critical Care</i> , 2020 , 58, 6-9	4	2
123	Characterisation of ICU sleep by a commercially available activity tracker and its agreement with patient-perceived sleep quality. <i>BMJ Open Respiratory Research</i> , 2020 , 7,	5.6	7

122	Best Practices for Conducting Interprofessional Team Rounds to Facilitate Performance of the ICU Liberation (ABCDEF) Bundle. <i>Critical Care Medicine</i> , 2020 , 48, 562-570	1.4	17
121	Efficacy of haloperidol to decrease the burden of Delirium In adult Critically ill patiEnts (EuRIDICE): study protocol for a prospective randomised multi-centre double-blind placebo-controlled clinical trial in the Netherlands. <i>BMJ Open</i> , 2020 , 10, e036735	3	1
120	Approaches to Optimize Medication Data Analysis in Clinical Cohort Studies. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2921-2926	5.6	1
119	Coronavirus Disease 2019: Harnessing Healthy Fear via Knowledge, Attitudes, and Behavior 2020 , 2, e0149		2
118	Is there an association between subjective sleep quality and daily delirium occurrence in critically ill adults? A post hoc analysis of a randomised controlled trial. <i>BMJ Open Respiratory Research</i> , 2020 , 7,	5.6	4
117	Association of Positive Delirium Screening with Incident Dementia in Skilled Nursing Facilities. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2931-2936	5.6	2
116	Role for Anti-Cytokine Therapies in Severe Coronavirus Disease 2019 2020 , 2, e0178		25
115	Nursing homes underreport antipsychotic prescribing. <i>Aging and Mental Health</i> , 2020 , 24, 668-672	3.5	4
114	Association between incident delirium and 28- and 90-day mortality in critically ill adults: a secondary analysis. <i>Critical Care</i> , 2020 , 24, 161	10.8	10
113	Common Challenges to Effective ABCDEF Bundle Implementation: The ICU Liberation Campaign Experience. <i>Critical Care Nurse</i> , 2019 , 39, 46-60	1.6	30
112	Implementing the ABCDEF Bundle: Top 8 Questions Asked During the ICU Liberation ABCDEF Bundle Improvement Collaborative. <i>Critical Care Nurse</i> , 2019 , 39, 36-45	1.6	18
111	Perceptions regarding vasopressin use and practices in septic shock, and cost containment strategies. <i>JACCP Journal of the American College of Clinical Pharmacy</i> , 2019 , 2, 257-267	1.4	6
110	Analgesia-first sedation in critically ill adults: A U.S. pilot, randomized controlled trial. <i>Journal of Critical Care</i> , 2019 , 53, 107-113	4	7
109	The study protocol for a randomized, controlled trial of acupuncture versus a sham procedure versus standard care alone for the treatment of delirium in acutely hospitalized older adults with a medical illness. <i>Maturitas</i> , 2019 , 124, 72-80	5	3
108	Serious Cardiovascular Adverse Events Reported with Intravenous Sedatives: A Retrospective Analysis of the MedWatch Adverse Event Reporting System. <i>Drugs - Real World Outcomes</i> , 2019 , 6, 141-149	2.2	2
107	Diarrhoea: interventions, consequences and epidemiology in the intensive care unit (DICE-ICU): a protocol for a prospective multicentre cohort study. <i>BMJ Open</i> , 2019 , 9, e028237	3	7
106	Frequency of Screening and SBT Technique Trial - North American Weaning Collaboration (FAST-NAWC): a protocol for a multicenter, factorial randomized trial. <i>Trials</i> , 2019 , 20, 587	2.8	0
105	Predictors for 30-Day and 90-Day Hospital Readmission Among Patients With Opioid Use Disorder. <i>Journal of Addiction Medicine</i> , 2019 , 13, 306-313	3.8	19

104	Agreement between self-reported psychoactive substance use and urine toxicology results for adults with opioid use disorder admitted to hospital. <i>Toxicology Communications</i> , 2019 , 3, 94-101	1.4	3
103	Pain and Delirium in Critical Illness: An Exploration of Key 2018 SCCM PADIS Guideline Evidence Gaps. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2019 , 40, 604-613	3.9	4
102	External Validation of Two Models to Predict Delirium in Critically Ill Adults Using Either the Confusion Assessment Method-ICU or the Intensive Care Delirium Screening Checklist for Delirium Assessment. <i>Critical Care Medicine</i> , 2019 , 47, e827-e835	1.4	14
101	Caring for Critically Ill Patients with the ABCDEF Bundle: Results of the ICU Liberation Collaborative in Over 15,000 Adults. <i>Critical Care Medicine</i> , 2019 , 47, 3-14	1.4	332
100	Low-Dose Nocturnal Dexmedetomidine Prevents ICU Delirium. A Randomized, Placebo-controlled Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 1147-1156	10.2	142
99	Perceptions vs. evidence: therapeutic substitutes for antipsychotics in patients with dementia in long-term care. <i>Aging and Mental Health</i> , 2018 , 22, 544-549	3.5	8
98	Delirium prediction in the intensive care unit: comparison of two delirium prediction models. <i>Critical Care</i> , 2018 , 22, 114	10.8	29
97	Improving Health Care for Critically Ill Patients Using an Evidence-Based Collaborative Approach to ABCDEF Bundle Dissemination and Implementation. <i>Worldviews on Evidence-Based Nursing</i> , 2018 , 15, 206-216	2.9	36
96	Interpreting and Implementing the 2018 Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Clinical Practice Guideline. <i>Critical Care Medicine</i> , 2018 , 46, 1464-1470	1.4	24
95	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018 , 46, 1532-1548	1.4	109
94	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018 , 46, e825-e873	1.4	1140
93	Association between postgraduate year 2 residency program characteristics and primary project publication. <i>American Journal of Health-System Pharmacy</i> , 2018 , 75, 384-391	2.2	12
92	Methodologic Innovation in Creating Clinical Practice Guidelines: Insights From the 2018 Society of Critical Care Medicine Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Guideline Effort. <i>Critical Care Medicine</i> , 2018 , 46, 1457-1463	1.4	21
91	Light Sedation Is the Goal: Making the Evidence Heavier. <i>Critical Care Medicine</i> , 2018 , 46, 1003-1004	1.4	6
90	Rebranding of generic parenteral vasopressin: Effect on clinician practices and perceptions. <i>American Journal of Health-System Pharmacy</i> , 2017 , 74, 105-106	2.2	11
89	Polypharmacy and Delirium in Critically Ill Older Adults: Recognition and Prevention. <i>Clinics in Geriatric Medicine</i> , 2017 , 33, 189-203	3.8	19
88	The intensive care delirium research agenda: a multinational, interprofessional perspective. <i>Intensive Care Medicine</i> , 2017 , 43, 1329-1339	14.5	93
87	A survey of critical care nurses' practices and perceptions surrounding early intravenous antibiotic initiation during septic shock. <i>Intensive and Critical Care Nursing</i> , 2017 , 41, 90-97	3.1	8

86	Patient and Family Engagement in Designing and Implementing a Weaning Trial: A Novel Research Paradigm in Critical Care. <i>Chest</i> , 2017 , 152, 707-711	5.3	15
85	Variation in diurnal sedation in mechanically ventilated patients who are managed with a sedation protocol alone or a sedation protocol and daily interruption. <i>Critical Care</i> , 2016 , 20, 233	10.8	11
84	The use of low-dose IV haloperidol is not associated with QTc prolongation: post hoc analysis of a randomized, placebo-controlled trial. <i>Intensive Care Medicine</i> , 2016 , 42, 1818-1819	14.5	14
83	The Evidence to Use Antipsychotics to Prevent or Treat Delirium Remains Sparse. <i>Critical Care Medicine</i> , 2016 , 44, e1151	1.4	2
82	Intended and Unintended Consequences of Constraining Clinician Prescribing: The Case of Antipsychotics. <i>Critical Care Medicine</i> , 2016 , 44, 1805-7	1.4	9
81	Quetiapine for Intensive Care Unit Delirium: The Evidence Remains Weak. <i>Pharmacotherapy</i> , 2016 , 36, e12-3; discussion e13-4	5.8	9
80	Effect of Extracorporeal Membrane Oxygenation Use on Sedative Requirements in Patients with Severe Acute Respiratory Distress Syndrome. <i>Pharmacotherapy</i> , 2016 , 36, 607-16	5.8	28
79	Adapting the ABCDEF Bundle to Meet the Needs of Patients Requiring Prolonged Mechanical Ventilation in the Long-Term Acute Care Hospital Setting: Historical Perspectives and Practical Implications. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2016 , 37, 119-35	3.9	26
78	Preventing ICU Subsyndromal Delirium Conversion to Delirium With Low-Dose IV Haloperidol: A Double-Blind, Placebo-Controlled Pilot Study. <i>Critical Care Medicine</i> , 2016 , 44, 583-91	1.4	68
77	Prevalence, risk factors, and outcomes associated with physical restraint use in mechanically ventilated adults. <i>Journal of Critical Care</i> , 2016 , 31, 31-5	4	56
76	Benzodiazepine-associated delirium: further considerations. <i>Intensive Care Medicine</i> , 2016 , 42, 1517-8	14.5	2
75	A systematic review of risk factors for delirium in the ICU. <i>Critical Care Medicine</i> , 2015 , 43, 40-7	1.4	309
74	Benzodiazepine-associated delirium in critically ill adults. <i>Intensive Care Medicine</i> , 2015 , 41, 2130-7	14.5	126
73	Anticholinergic Medication Use and Transition to Delirium in Critically Ill Patients: A Prospective Cohort Study. <i>Critical Care Medicine</i> , 2015 , 43, 1846-52	1.4	30
72	Systemic Corticosteroids and Transition to Delirium in Critically Ill Patients. <i>Critical Care Medicine</i> , 2015 , 43, e585-8	1.4	19
71	Prevalence, risk factors, and outcomes of delirium in mechanically ventilated adults. <i>Critical Care Medicine</i> , 2015 , 43, 557-66	1.4	209
70	Clinician perspectives on protocols designed to minimize sedation. <i>Journal of Critical Care</i> , 2015 , 30, 348-52	14.5	18
69	Cost effectiveness of a benzodiazepine vs a nonbenzodiazepine-based sedation regimen for mechanically ventilated, critically ill adults. <i>Journal of Critical Care</i> , 2014 , 29, 753-7	4	15

68	Efficacy and safety of early dexmedetomidine during noninvasive ventilation for patients with acute respiratory failure: a randomized, double-blind, placebo-controlled pilot study. <i>Chest</i> , 2014 , 145, 1204-1212	5.3	42
67	The author replies. <i>Critical Care Medicine</i> , 2014 , 42, e810	1.4	
66	Agitation during prolonged mechanical ventilation at a long-term acute care hospital: risk factors, treatments, and outcomes. <i>Journal of Intensive Care Medicine</i> , 2014 , 29, 218-24	3.3	6
65	Intraoperative dexamethasone and delirium after cardiac surgery: a randomized clinical trial. <i>Anesthesia and Analgesia</i> , 2014 , 119, 1046-52	3.9	63
64	Randomized ICU trials do not demonstrate an association between interventions that reduce delirium duration and short-term mortality: a systematic review and meta-analysis. <i>Critical Care Medicine</i> , 2014 , 42, 1442-54	1.4	70
63	The accurate recognition of delirium in the ICU: the emperor's new clothes?. <i>Intensive Care Medicine</i> , 2013 , 39, 2196-9	14.5	26
62	Impact of a protocol advocating dexmedetomidine over propofol sedation after robotic-assisted direct coronary artery bypass surgery on duration of mechanical ventilation and patient safety. <i>Annals of Pharmacotherapy</i> , 2013 , 47, 441-6	2.9	12
61	Agreement between ICU clinicians and electrophysiology cardiologists on the decision to initiate a QTc-interval prolonging medication in critically ill patients with potential risk factors for torsade de pointes: a comparative, case-based evaluation. <i>Pharmacotherapy</i> , 2013 , 33, 589-97	5.8	8
60	Antipsychotic prescribing patterns, and the factors and outcomes associated with their use, among patients requiring prolonged mechanical ventilation in the long-term acute care hospital setting. <i>Annals of Pharmacotherapy</i> , 2013 , 47, 181-8	2.9	6
59	Benzodiazepine versus nonbenzodiazepine-based sedation for mechanically ventilated, critically ill adults: a systematic review and meta-analysis of randomized trials. <i>Critical Care Medicine</i> , 2013 , 41, S30-8	1.4	190
58	Development, implementation, and evaluation of an institutional daily awakening and spontaneous breathing trial protocol: a quality improvement project. <i>Journal of Intensive Care Medicine</i> , 2013 , 28, 189-97	3.3	11
57	Pharmacological management of sedation and delirium in mechanically ventilated ICU patients: remaining evidence gaps and controversies. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2013 , 34, 201-15	3.9	24
56	Perceptions of nurses and physicians of their communication at night about intensive care patients' pain, agitation, and delirium. <i>American Journal of Critical Care</i> , 2013 , 22, e49-61	1.7	16
55	Delirium monitoring in the ICU: strategies for initiating and sustaining screening efforts. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2013 , 34, 179-88	3.9	28
54	Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit. <i>Critical Care Medicine</i> , 2013 , 41, 263-306	1.4	2424
53	Pharmacologic prevention and treatment of delirium in critically ill and non-critically ill hospitalised patients: a review of data from prospective, randomised studies. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2012 , 26, 289-309	4	39
52	Optimising the recognition of delirium in the intensive care unit. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2012 , 26, 385-93	4	16
51	Impact of a delirium screening tool and multifaceted education on nurses' knowledge of delirium and ability to evaluate it correctly. <i>American Journal of Critical Care</i> , 2012 , 21, e1-11	1.7	74

50	Impact of enteral methadone on the ability to wean off continuously infused opioids in critically ill, mechanically ventilated adults: a case-control study. <i>Annals of Pharmacotherapy</i> , 2012 , 46, 1160-6	2.9	19
49	Impact of a national propofol shortage on duration of mechanical ventilation at an academic medical center. <i>Critical Care Medicine</i> , 2012 , 40, 406-11	1.4	15
48	Posted versus actual drug shortages. <i>American Journal of Health-System Pharmacy</i> , 2012 , 69, 1363-1364	2.2	3
47	Pharmacology of commonly used analgesics and sedatives in the ICU: benzodiazepines, propofol, and opioids. <i>Anesthesiology Clinics</i> , 2011 , 29, 567-85	2.3	46
46	Antipsychotics for the prevention and treatment of delirium in the intensive care unit: what is their role?. <i>Harvard Review of Psychiatry</i> , 2011 , 19, 59-67	4.1	27
45	Impact of quetiapine on resolution of individual delirium symptoms in critically ill patients with delirium: a post-hoc analysis of a double-blind, randomized, placebo-controlled study. <i>Critical Care</i> , 2011 , 15, R215	10.8	48
44	Current perceptions and practices surrounding the recognition and treatment of delirium in the intensive care unit: a survey of 250 critical care pharmacists from eight states. <i>Annals of Pharmacotherapy</i> , 2011 , 45, 1217-29	2.9	65
43	Sedatives 2011 , 97-114		
42	The intensive care delirium screening checklist has many potential benefits over the nursing delirium screening scale. <i>Critical Care Medicine</i> , 2010 , 38, 1610-1; author reply 1611-2	1.4	5
41	Adverse drug events associated with the use of analgesics, sedatives, and antipsychotics in the intensive care unit. <i>Critical Care Medicine</i> , 2010 , 38, S231-43	1.4	72
40	Efficacy and safety of quetiapine in critically ill patients with delirium: a prospective, multicenter, randomized, double-blind, placebo-controlled pilot study. <i>Critical Care Medicine</i> , 2010 , 38, 419-27	1.4	420
39	Predictors for daily interruption of sedation therapy by nurses: a prospective, multicenter study. <i>Journal of Critical Care</i> , 2010 , 25, 660.e1-7	4	17
38	Patterns of antihypertensive treatment in patients with acute severe hypertension from a nonneurologic cause: Studying the Treatment of Acute Hypertension (STAT) registry. <i>Pharmacotherapy</i> , 2010 , 30, 1087-96	5.8	11
37	Perceived barriers to the use of sedation protocols and daily sedation interruption: a multidisciplinary survey. <i>Journal of Critical Care</i> , 2009 , 24, 66-73	4	114
36	Incidence of propofol-related infusion syndrome in critically ill adults: a prospective, multicenter study. <i>Critical Care</i> , 2009 , 13, R169	10.8	126
35	Pharmacology of commonly used analgesics and sedatives in the ICU: benzodiazepines, propofol, and opioids. <i>Critical Care Clinics</i> , 2009 , 25, 431-49, vii	4.5	93
34	Impact of an institution-specific hospital-acquired pneumonia protocol on the appropriateness of antibiotic therapy and patient outcomes. <i>Pharmacotherapy</i> , 2008 , 28, 852-62	5.8	25
33	Combined didactic and scenario-based education improves the ability of intensive care unit staff to recognize delirium at the bedside. <i>Critical Care</i> , 2008 , 12, R19	10.8	99

32	Predictors of mortality in patients with suspected propofol infusion syndrome. <i>Critical Care Medicine</i> , 2008 , 36, 2281-7	1.4	106
31	The pharmacology of oversedation in mechanically ventilated adults. <i>Current Opinion in Critical Care</i> , 2008 , 14, 403-7	3.5	54
30	Reversing oversedation in the intensive care unit: the role of pharmacists in energizing guideline efforts and overcoming protocol fatigue. <i>Critical Care Medicine</i> , 2008 , 36, 626-8	1.4	20
29	Should sedation be standardized in the intensive care unit?. <i>Critical Care Medicine</i> , 2008 , 36, 1649-51	1.4	8
28	Assessment of Delirium in the Intensive Care Unit: Nursing Practices And Perceptions. <i>American Journal of Critical Care</i> , 2008 , 17, 555-565	1.7	100
27	Assessment of delirium in the intensive care unit: nursing practices and perceptions. <i>American Journal of Critical Care</i> , 2008 , 17, 555-65; quiz 566	1.7	33
26	Atypical antipsychotics versus haloperidol for treatment of delirium in acutely ill patients. <i>Pharmacotherapy</i> , 2007 , 27, 588-94	5.8	60
25	Delirium assessment in the critically ill. <i>Intensive Care Medicine</i> , 2007 , 33, 929-40	14.5	171
24	Propofol associated with a shorter duration of mechanical ventilation than scheduled intermittent lorazepam: a database analysis using Project IMPACT. <i>Annals of Pharmacotherapy</i> , 2007 , 41, 1986-91	2.9	21
23	Survey of sedation practices during noninvasive positive-pressure ventilation to treat acute respiratory failure. <i>Critical Care Medicine</i> , 2007 , 35, 2298-302	1.4	86
22	Use of a validated delirium assessment tool improves the ability of physicians to identify delirium in medical intensive care unit patients. <i>Critical Care Medicine</i> , 2007 , 35, 2721-4; quiz 2725	1.4	82
21	Use of a validated delirium assessment tool improves the ability of physicians to identify delirium in medical intensive care unit patients. <i>Critical Care Medicine</i> , 2007 , 35, 2721-2724	1.4	88
20	Comment: Proton Pump Inhibitor Formulary Considerations in the Acutely Ill. Part 1: Pharmacology, Pharmacodynamics, and Available Formulations. <i>Annals of Pharmacotherapy</i> , 2006 , 40, 997-998	2.9	
19	Critical care pharmacy services in United States hospitals. <i>Annals of Pharmacotherapy</i> , 2006 , 40, 612-8	2.9	58
18	Adverse drug event reporting in intensive care units: a survey of current practices. <i>Annals of Pharmacotherapy</i> , 2006 , 40, 1267-73	2.9	38
17	Intensive care unit sedation: waking up clinicians to the gap between research and practice. <i>Critical Care Medicine</i> , 2006 , 34, 556-7	1.4	39
16	Identifying factors that could account for differences in duration of mechanical ventilation between intermittent lorazepam- and propofol-treated patients. <i>Critical Care Medicine</i> , 2006 , 34, 3063-4; author reply 3064	1.4	2
15	CHALLENGES IN RECOGNIZING DELIRIUM: IMPACT OF SCENARIO-BASED EDUCATION ON NURSING BEDSIDE ASSESSMENT.. <i>Critical Care Medicine</i> , 2006 , 34, A121	1.4	2

14	Propofol-associated hypertriglyceridemia and pancreatitis in the intensive care unit: an analysis of frequency and risk factors. <i>Pharmacotherapy</i> , 2005 , 25, 1348-52	5.8	104
13	Treatment options and formulary considerations in the management of acid suppression in critically ill patients. Introduction. <i>American Journal of Health-System Pharmacy</i> , 2005 , 62, S2-3	2.2	2
12	Proton pump inhibitors for acid suppression in the intensive care unit: formulary considerations. <i>American Journal of Health-System Pharmacy</i> , 2005 , 62, S24-30	2.2	5
11	Albumin for fluid resuscitation: implications of the Saline versus Albumin Fluid Evaluation. <i>American Journal of Health-System Pharmacy</i> , 2005 , 62, 637-42	2.2	6
10	Proton pump inhibitor formulary considerations in the acutely ill. Part 2: Clinical efficacy, safety, and economics. <i>Annals of Pharmacotherapy</i> , 2005 , 39, 1844-51	2.9	28
9	Proton pump inhibitor formulary considerations in the acutely ill. Part 1: Pharmacology, pharmacodynamics, and available formulations. <i>Annals of Pharmacotherapy</i> , 2005 , 39, 1667-77	2.9	23
8	Fenoldopam versus nitroprusside for the treatment of hypertensive emergency. <i>Annals of Pharmacotherapy</i> , 2004 , 38, 755-9	2.9	15
7	The cost-effectiveness of proton pump inhibitors for bleeding peptic ulcers: The unanswered questions. <i>Critical Care Medicine</i> , 2004 , 32, 1415-6	1.4	8
6	An evaluation of the cost effectiveness of drotrecogin alfa (activated) relative to the number of organ system failures. <i>Pharmacoeconomics</i> , 2003 , 21, 1331-40	4.4	16
5	Tachyphylaxis associated with continuous cisatracurium versus pancuronium therapy. <i>Pharmacotherapy</i> , 2002 , 22, 823-30	5.8	5
4	Impact of trauma stress ulcer prophylaxis guidelines on drug cost and frequency of major gastrointestinal bleeding. <i>Pharmacotherapy</i> , 1999 , 19, 452-60	5.8	22
3	The effect of ICU sedation guidelines and pharmacist interventions on clinical outcomes and drug cost. <i>Annals of Pharmacotherapy</i> , 1997 , 31, 689-95	2.9	148
2	Principles of Geriatric Pharmacotherapy 28-50		2
1	Dexmedetomidine vs other sedatives in critically ill mechanically ventilated adults: a systematic review and meta-analysis of randomized trials. <i>Intensive Care Medicine</i> ,	14.5	2