## **Christine Longvert**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8020427/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Efficacy of combined hypo-fractionated radiotherapy and anti-PD-1 monotherapy in difficult-to-treat advanced melanoma patients. Oncolmmunology, 2018, 7, e1442166.	4.6	57
2	Incidence and Clinical Impact of Anti-TNFα Treatment of Severe Immune Checkpoint Inhibitor-induced Colitis in Advanced Melanoma: The Mecolit Survey. Journal of Immunotherapy, 2019, 42, 175-179.	2.4	57
3	Plasma vemurafenib concentrations in advanced BRAFV600mut melanoma patients: impact on tumour response and tolerance. Annals of Oncology, 2015, 26, 1470-1475.	1.2	46
4	Impact of the French COVIDâ€19 pandemic lockdown on newly diagnosed melanoma delay and severity. Journal of the European Academy of Dermatology and Venereology, 2022, 36, .	2.4	22
5	Treatment strategies and safety of rechallenge in the setting of immune checkpoint inhibitors-related myositis: a national multicentre study. Rheumatology, 2021, 60, 5753-5764.	1.9	17
6	Efficacy of late concurrent hypofractionated radiotherapy in advanced melanoma patients failing antiâ€PDâ€I monotherapy. International Journal of Cancer, 2020, 147, 1707-1714.	5.1	14
7	Pembrolizumab and concurrent hypo-fractionated radiotherapy for advanced non-resectable cutaneous squamous cell carcinoma. European Journal of Dermatology, 2019, 29, 636-640.	0.6	12
8	Impact of prior treatment with immune checkpoint inhibitors on dacarbazine efficacy in metastatic melanoma. British Journal of Cancer, 2021, 125, 948-954.	6.4	11
9	Increase inNRASmutant allele percentage during metastatic melanoma progression. Experimental Dermatology, 2016, 25, 472-474.	2.9	8
10	Efficacy of hypofractionated radiotherapy (Rx) in melanoma patients who failed anti-PD-1 monotherapy: Assessing the abscopal effect Journal of Clinical Oncology, 2019, 37, 9537-9537.	1.6	8
11	Relapsing pneumonitis due to two distinct inhibitors of the MAPK/ERK pathway: report of a case. BMC Cancer, 2015, 15, 732.	2.6	7
12	Reply to the letter to the editor â€~Plasma vemurafenib concentrations in advanced BRAFV600mut melanoma patients: impact on tumor response and tolerance' by Funck-Brentano et al Annals of Oncology, 2016, 27, 364-365.	1.2	6
13	Hyponatremia and MAPâ€kinase inhibitors in malignant melanoma: Frequency, pathophysiological aspects and clinical consequences. Pigment Cell and Melanoma Research, 2019, 32, 326-331.	3.3	5
14	Carpal Tunnel Syndrome: A New Adverse Effect of Immune Checkpoint Inhibitors, 11 Cases. Journal of Immunotherapy, 2021, 44, 122-126.	2.4	5
15	On/off dropped head syndrome: A severe adverse event after prolonged treatment with MEK inhibitor. European Journal of Cancer, 2018, 91, 174-176.	2.8	2
16	Efficacy of combined hypofractionated radiotherapy and anti-PD-1 monotherapy in patients with melanoma Journal of Clinical Oncology, 2017, 35, e21008-e21008.	1.6	2
17	Second primary cutaneous melanoma in patients with advanced melanoma treated with antiâ€programmedâ€deathâ€receptorâ€1 monoclonal antibodies. British Journal of Dermatology, 2021, 184, 746-748.	1.5	1
18	Prognostic value of BRAFV600 mutations in melanoma patients after resection of metastatic lymph nodes Journal of Clinical Oncology, 2012, 30, 8540-8540.	1.6	1

#	Article	IF	CITATIONS
19	Treatment of dermatofibrosarcoma protuberans (DFSP) with fixed Mohs micrographic surgery (f-MMS) Journal of Clinical Oncology, 2015, 33, e20066-e20066.	1.6	1
20	Discontinuation of anti-PD-1 mAb after complete response in advanced melanoma pts Journal of Clinical Oncology, 2018, 36, e21549-e21549.	1.6	1
21	Plasma vemurafenib concentrations in advanced BRAFV600mut melanoma patients: Impact on tumor response and tolerance Journal of Clinical Oncology, 2014, 32, 9016-9016.	1.6	Ο