

Marcin Tkaczyk

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8020693/marcin-tkaczyk-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

1,059

citations

18

h-index

31

g-index

91

ext. papers

1,330

ext. citations

3.5

avg, IF

3.25

L-index

#	Paper	IF	Citations
62	Hyperuricemia Is an Early and Relatively Common Feature in Children with Nephropathy but Its Utility as a Predictor of the Disease Is Limited. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
61	A new procedure for the determination of 21 macro- and trace elements in human fetal urine using an inductively coupled plasma mass spectrometry with dynamic reaction cell (ICP-DRC-MS) equipped with a micro-flow nebulizer. <i>Talanta</i> , 2021 , 222, 121672	6.2	4
60	Chemokine receptors on peripheral blood T lymphocytes in children on peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2021 , 41, 194-201	2.8	0
59	Copy Number Variant Analysis and Genome-wide Association Study Identify Loci with Large Effect for Vesicoureteral Reflux. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 ,	12.7	5
58	Fibroblast growth factor 23 and Klotho serum concentration did not differ between children with autosomal dominant polycystic kidney disease and healthy controls. <i>Pediatrics Polska</i> , 2020 , 95, 80-85	0.1	
57	A single-center study to evaluate the efficacy of a fetal urine peptide signature predicting postnatal renal outcome in fetuses with posterior urethral valves. <i>Pediatric Nephrology</i> , 2020 , 35, 469-475 ²	3.2	7
56	Intestinal microbiota in nephrotic children treated with immunosuppressive agents. <i>Pediatrics Polska</i> , 2020 , 95, 6-13	0.1	0
55	Severe neurological outcomes after very early bilateral nephrectomies in patients with autosomal recessive polycystic kidney disease (ARPKD). <i>Scientific Reports</i> , 2020 , 10, 16025	4.9	8
54	"Apple does not fall far from the tree" - subclinical atherosclerosis in children with familial hypercholesterolemia. <i>Lipids in Health and Disease</i> , 2020 , 19, 169	4.4	4
53	Two-Dimensional Speckle Tracking Versus Applanation Tonometry in Evaluation of Subclinical Atherosclerosis in Children with Type 1 Diabetes Mellitus. <i>Medical Science Monitor</i> , 2019 , 25, 7289-7294	3.2	4
52	Neonatal survival and kidney function after prenatal interventions for obstructive uropathies. <i>Ginekologia Polska</i> , 2019 , 90, 416-422	1	0
51	Left heart ventricle function in children snoring due to adeno-tonsillar hypertrophy. <i>Pediatrics Polska</i> , 2019 , 94, 13-17	0.1	1
50	The copy number variation landscape of congenital anomalies of the kidney and urinary tract. <i>Nature Genetics</i> , 2019 , 51, 117-127	36.3	68
49	Twenty years of growth hormone treatment in dialyzed children in Poland-Results of national multicenter study. <i>Advances in Medical Sciences</i> , 2019 , 64, 90-99	2.8	
48	Multicenter analysis of the efficacy and safety of a non-standard immunosuppressive therapy with rituximab in children with steroid-resistant nephrotic syndrome. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2019 , 46, 313-321	3	7
47	Risk Factors for Early Dialysis Dependency in Autosomal Recessive Polycystic Kidney Disease. <i>Journal of Pediatrics</i> , 2018 , 199, 22-28.e6	3.6	28
46	Glomerular filtration decrease after diagnostic cardiac catheterisation in children with congenital cardiac malformation - the role of serum creatinine, cystatin C, neutrophil gelatinase and urine output monitoring. <i>Postępy W Kardiologii Interwencyjnej</i> , 2018 , 14, 67-74	0.4	3

45	CoQ10-related sustained remission of proteinuria in a child with COQ6 glomerulopathy-a case report. <i>Pediatric Nephrology</i> , 2018 , 33, 2383-2387	3.2	12
44	A de novo KCNA1 Mutation in a Patient with Tetany and Hypomagnesemia. <i>Nephron</i> , 2018 , 139, 359-366	3.3	13
43	Genetic Drivers of Kidney Defects in the DiGeorge Syndrome. <i>New England Journal of Medicine</i> , 2017 , 376, 742-754	59.2	83
42	Long-Term Outcome of Steroid-Resistant Nephrotic Syndrome in Children. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3055-3065	12.7	86
41	What has changed in the prevalence of hypertension in dialyzed children during the last decade?. <i>Renal Failure</i> , 2017 , 39, 283-289	2.9	3
40	Antihypertensive treatment prescription in pediatric dialysis patients in Poland: A comparison between two nationwide studies 2003/2004-2013. <i>Advances in Clinical and Experimental Medicine</i> , 2017 , 26, 1263-1268	1.8	1
39	Evaluation of the effect of 3-month bladder basic advice in children with monosymptomatic nocturnal enuresis. <i>Journal of Pediatric Urology</i> , 2017 , 13, 615.e1-615.e6	1.5	8
38	IgA Nephropathy in Children: A Multicenter Study in Poland. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 952, 75-84	3.6	6
37	Familial juvenile hyperuricemic nephropathy as rare cause of dialysis-dependent chronic kidney disease-a series of cases in two families. <i>Renal Failure</i> , 2016 , 38, 1759-1762	2.9	6
36	Blood concentration of aminothiols in children with relapse of nephrotic syndrome. <i>World Journal of Pediatrics</i> , 2016 , 12, 353-359	4.6	
35	Growth and nutritional status in children with chronic kidney disease on maintenance dialysis in Poland. <i>Advances in Medical Sciences</i> , 2016 , 61, 46-51	2.8	2
34	Retrospective cohort study of familial hypomagnesaemia with hypercalciuria and nephrocalcinosis due to CLDN16 mutations. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 636-44	4.3	21
33	Influence of low birth weight on blood pressure and kidney volume in healthy 28 years old children. <i>Pediatrics Polska</i> , 2015 , 90, 372-377	0.1	
32	Effect of hypertension and antihypertensive medications on residual renal function in children treated with chronic peritoneal dialysis. <i>Advances in Medical Sciences</i> , 2015 , 60, 18-24	2.8	3
31	Clinical validity of urinary interleukin 18 and interleukin 6 determinations in preterm newborns. <i>Przegląd Lekarski</i> , 2015 , 72, 589-96		3
30	Long-term outcomes in idiopathic nephrotic syndrome: from childhood to adulthood. <i>Clinical Nephrology</i> , 2014 , 81, 166-73	2.1	37
29	Acute kidney injury in a single pediatric intensive care unit in Poland: a retrospective study. <i>Kidney and Blood Pressure Research</i> , 2014 , 39, 28-39	3.1	10
28	Disease-related social situation in family of children with chronic kidney disease--parents' assessment. A multicentre study. <i>Annals of Agricultural and Environmental Medicine</i> , 2014 , 21, 876-81	1.4	4

27	Social and professional determinants for withdrawing and withholding chronic dialysis among Polish pediatric nephrologists, neonatologists and anesthesiologists. <i>Advances in Clinical and Experimental Medicine</i> , 2014 , 23, 791-6	1.8	
26	Serum fibroblast growth factor 23 and calcium-phosphorus metabolism parameters in children with chronic kidney disease - preliminary report. <i>Medycyna Wieku Rozwojowego</i> , 2014 , 18, 194-202	0.4	1
25	Clinical manifestation of pediatric granulomatosis with polyangiitis - the experience of two regions in Poland. <i>Folia Medica Cracoviensia</i> , 2014 , 54, 5-12	0.5	3
24	Mutational analysis in podocin-associated hereditary nephrotic syndrome in Polish patients: founder effect in the Kashubian population. <i>Journal of Applied Genetics</i> , 2013 , 54, 327-33	2.5	12
23	Perception of health-related quality of life in children with chronic kidney disease by the patients and their caregivers: multicentre national study results. <i>Quality of Life Research</i> , 2013 , 22, 2889-97	3.7	37
22	Psychosocial aspects of children and families of children treated with automated peritoneal dialysis. <i>Pediatric Nephrology</i> , 2013 , 28, 2157-67	3.2	21
21	Anxiety in children and adolescents with chronic kidney disease--multicenter national study results. <i>Kidney and Blood Pressure Research</i> , 2013 , 37, 579-87	3.1	19
20	Genetic screening in adolescents with steroid-resistant nephrotic syndrome. <i>Kidney International</i> , 2013 , 84, 206-13	9.9	65
19	Unusual bilateral obstructive uropathy with kidney failure in an adolescent with ulcerative colitis. <i>Journal of Crohn's and Colitis</i> , 2012 , 6, 244-7	1.5	
18	Anaemia treatment in chronically dialysed children: a multicentre nationwide observational study. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012 , 46, 375-80		7
17	The effect of peritoneal dialysis method on residual renal function in children. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2012 , 28, 112-9		6
16	Polish 2010 growth references for school-aged children and adolescents. <i>European Journal of Pediatrics</i> , 2011 , 170, 599-609	4.1	166
15	Successes and pitfalls of chronic peritoneal dialysis in infants - a Polish nationwide outcome study. <i>Archives of Medical Science</i> , 2010 , 6, 414-9	2.9	2
14	Cyclosporine A - treated nephrotic children show impaired vasodilatation but no autonomic neuropathy. <i>Archives of Medical Science</i> , 2010 , 6, 573-7	2.9	
13	Podejrzenie wady wrodzonej układu moczowego [postępowanie u noworodka i niemowlęcia] czII: Wady mięzsu nerek. <i>Pediatrica Polska</i> , 2010 , 85, 490-494	0.1	
12	Podejrzenie wady wrodzonej układu moczowego [postępowanie u noworodka i niemowlęcia] czII: poszerzenie dróg moczowych. <i>Pediatrica Polska</i> , 2010 , 85, 485-489	0.1	
11	The height-, weight-, and BMI-for-age of Polish school-aged children and adolescents relative to international and local growth references. <i>BMC Public Health</i> , 2010 , 10, 109	4.1	61
10	Markers of endothelial dysfunction in children with idiopathic nephrotic syndrome. <i>American Journal of Nephrology</i> , 2008 , 28, 197-202	4.6	33

9	Grubość kompleksu błony wewnętrznej i błonkowej tkanki szyjnej wspólnej u dzieci leczonych z powodu steroidozależnego idiopatycznego zespołu nerczycowego. <i>Pediatrica Polska</i> , 2008 , 83, 20-25	0.1	
8	Rzeczony zespół Barttera jako pierwszy objaw mukowiscydozy u chłopca z homozygotyczną mutacją F508del – trudności diagnostyczne. <i>Pediatrica Polska</i> , 2007 , 82, 739-742	0.1	2
7	Ectopic mediastinal parathyroid carcinoma as a cause of dialysis-dependent renal failure. <i>Hemodialysis International</i> , 2007 , 11, 398-402	1.7	6
6	Continuous veno-venous hemodiafiltration in children after cardiac surgery. <i>European Journal of Cardio-thoracic Surgery</i> , 2007 , 31, 1022-8	3	34
5	Does a late referral to a nephrologist constitute a problem in children starting renal replacement therapy in Poland? – a nationwide study. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 957-61	4.3	25
4	Hypertension in dialysed children: the prevalence and therapeutic approach in Poland – a nationwide survey. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 736-42	4.3	49
3	Cyclosporin A does not affect platelets in children with idiopathic nephrotic syndrome. <i>Pediatric Nephrology</i> , 2005 , 20, 30-5	3.2	1
2	Increased cystatin C concentration in urine of nephrotic children. <i>Pediatric Nephrology</i> , 2004 , 19, 1278-80	3.2	26
1	Surface markers of platelet function in idiopathic nephrotic syndrome in children. <i>Pediatric Nephrology</i> , 2002 , 17, 673-7	3.2	30