Marta Nierychlo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8021958/publications.pdf

Version: 2024-02-01

257101 433756 2,598 31 24 31 citations g-index h-index papers 40 40 40 2073 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Microbial communities across activated sludge plants show recurring species-level seasonal patterns. ISME Communications, 2022, 2, .	1.7	18
2	Quantification of Biologically and Chemically Bound Phosphorus in Activated Sludge from Full-Scale Plants with Biological P-Removal. Environmental Science & Environmental Sci	4.6	15
3	MiDAS 4: A global catalogue of full-length 16S rRNA gene sequences and taxonomy for studies of bacterial communities in wastewater treatment plants. Nature Communications, 2022, 13, 1908.	5.8	114
4	Seasonal microbial community dynamics complicates the evaluation of filamentous bulking mitigation strategies in full-scale WRRFs. Water Research, 2022, 216, 118340.	5 . 3	14
5	Fouling of membranes in membrane bioreactors for wastewater treatment: Planktonic bacteria can have a significant contribution. Water Environment Research, 2021, 93, 207-216.	1.3	10
6	Characterizing the growing microorganisms at species level in 46 anaerobic digesters at Danish wastewater treatment plants: A six-year survey on microbial community structure and key drivers. Water Research, 2021, 193, 116871.	5. 3	51
7	Low Global Diversity of Candidatus Microthrix, a Troublesome Filamentous Organism in Full-Scale WWTPs. Frontiers in Microbiology, 2021, 12, 690251.	1.5	18
8	Mass-immigration determines the assembly of activated sludge microbial communities. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	48
9	" <i>Candidatus</i> Dechloromonas phosphoritropha―and " <i>Ca</i> . D. phosphorivorans― novel polyphosphate accumulating organisms abundant in wastewater treatment systems. ISME Journal, 2021, 15, 3605-3614.	4.4	80
10	MiDAS 3: An ecosystem-specific reference database, taxonomy and knowledge platform for activated sludge and anaerobic digesters reveals species-level microbiome composition of activated sludge. Water Research, 2020, 182, 115955.	5. 3	175
11	Candidatus Amarolinea and Candidatus Microthrix Are Mainly Responsible for Filamentous Bulking in Danish Municipal Wastewater Treatment Plants. Frontiers in Microbiology, 2020, 11, 1214.	1.5	37
12	Bacteria from the Genus <i>Arcobacter</i> Are Abundant in Effluent from Wastewater Treatment Plants. Applied and Environmental Microbiology, 2020, 86, .	1.4	65
13	On the evolution and physiology of cable bacteria. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 19116-19125.	3.3	127
14	Re-evaluating the microbiology of the enhanced biological phosphorus removal process. Current Opinion in Biotechnology, 2019, 57, 111-118.	3.3	180
15	Resolving the individual contribution of key microbial populations to enhanced biological phosphorus removal with Raman–FISH. ISME Journal, 2019, 13, 1933-1946.	4.4	130
16	Genomic insights into Candidatus Amarolinea aalborgensis gen. nov., sp. nov., associated with settleability problems in wastewater treatment plants. Systematic and Applied Microbiology, 2019, 42, 77-84.	1.2	58
17	The morphology and metabolic potential of the Chloroflexi in full-scale activated sludge wastewater treatment plants. FEMS Microbiology Ecology, 2019, 95, .	1.3	100
18	In situ visualisation of the abundant Chloroflexi populations in full-scale anaerobic digesters and the fate of immigrating species. PLoS ONE, 2018, 13, e0206255.	1.1	37

#	Article	IF	CITATION
19	Genomic and in Situ Analyses Reveal the Micropruina spp. as Abundant Fermentative Glycogen Accumulating Organisms in Enhanced Biological Phosphorus Removal Systems. Frontiers in Microbiology, 2018, 9, 1004.	1.5	45
20	Unified understanding of physico-chemical properties of activated sludge and fouling propensity. Water Research, 2017, 120, 117-132.	5. 3	48
21	The impact of immigration on microbial community composition in full-scale anaerobic digesters. Scientific Reports, 2017, 7, 9343.	1.6	127
22	MiDAS 2.0: an ecosystem-specific taxonomy and online database for the organisms of wastewater treatment systems expanded for anaerobic digester groups. Database: the Journal of Biological Databases and Curation, 2017, 2017, .	1.4	124
23	A Critical Assessment of the Microorganisms Proposed to be Important to Enhanced Biological Phosphorus Removal in Full-Scale Wastewater Treatment Systems. Frontiers in Microbiology, 2017, 8, 718.	1.5	212
24	Genomic insights into members of the candidate phylum Hyd24-12 common in mesophilic anaerobic digesters. ISME Journal, 2016, 10, 2352-2364.	4.4	62
25	Effects of relaxation time on fouling propensity in membrane bioreactors. Journal of Membrane Science, 2016, 504, 176-184.	4.1	28
26	Identification of active denitrifiers in fullâ€scale nutrient removal wastewater treatment systems. Environmental Microbiology, 2016, 18, 50-64.	1.8	226
27	Genomic and <i>in situ</i> investigations of the novel uncultured Chloroflexi associated with 0092 morphotype filamentous bulking in activated sludge. ISME Journal, 2016, 10, 2223-2234.	4.4	88
28	MiDAS: the field guide to the microbes of activated sludge. Database: the Journal of Biological Databases and Curation, 2015, 2015, bav062.	1.4	213
29	Characterization of the In Situ Ecophysiology of Novel Phylotypes in Nutrient Removal Activated Sludge Treatment Plants. PLoS ONE, 2015, 10, e0136424.	1.1	8
30	High and stable substrate specificities of microorganisms in enhanced biological phosphorus removal plants. Environmental Microbiology, 2013, 15, 1821-1831.	1.8	36
31	Diversity and Ecophysiology of the Genus OLB8 and Other Abundant Uncultured Saprospiraceae	1.5	32