

Yanbo Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8022114/publications.pdf>

Version: 2024-02-01

86
papers

5,270
citations

94433

37
h-index

85541

71
g-index

86
all docs

86
docs citations

86
times ranked

4398
citing authors

#	ARTICLE	IF	CITATIONS
1	Adsorptive removal of PPCPs from aqueous solution using carbon-based composites: A review. Chinese Chemical Letters, 2022, 33, 3585-3593.	9.0	53
2	Efficient removal of roxarsone and emerging organic contaminants by a solar light-driven in-situ Fenton system. Chemical Engineering Journal, 2022, 435, 132434.	12.7	15
3	In-situ production and activation of H ₂ O ₂ for enhanced degradation of roxarsone by FeS ₂ decorated resorcinol-formaldehyde resins. Journal of Hazardous Materials, 2022, 424, 127650.	12.4	38
4	Efficient removal of Salbutamol and Atenolol by an electronegative silanized β -cyclodextrin adsorbent. Separation and Purification Technology, 2022, 282, 120013.	7.9	20
5	A novel cationic graphene modified cyclodextrin adsorbent with enhanced removal performance of organic micropollutants and high antibacterial activity. Journal of Hazardous Materials, 2022, 426, 128074.	12.4	33
6	Efficient Oxidation of Paracetamol Triggered by Molecular Oxygen Activation at β -cyclodextrin Modified Titanate Nanotube. Chemistry - an Asian Journal, 2022, , .	3.3	3
7	Enhanced activation of PMS by a novel Fenton-like composite Fe ₃ O ₄ /S-WO ₃ for rapid chloroxylenol degradation. Chemical Engineering Journal, 2022, 446, 137067.	12.7	44
8	Isotherm models for adsorption of heavy metals from water - A review. Chemosphere, 2022, 307, 135545.	8.2	144
9	The effects and mechanisms of zero-valent iron on anaerobic digestion of solid waste: A mini-review. Journal of Cleaner Production, 2021, 278, 123567.	9.3	52
10	Performance of UV/acetylacetone process for saline dye wastewater treatment: Kinetics and mechanism. Journal of Hazardous Materials, 2021, 406, 124774.	12.4	17
11	High-efficiency adsorption of tetracycline by cooperation of carbon and iron in a magnetic Fe/porous carbon hybrid with effective Fenton regeneration. Applied Surface Science, 2021, 538, 147813.	6.1	67
12	Metal-organic frameworks derived C/TiO ₂ for visible light photocatalysis: Simple synthesis and contribution of carbon species. Journal of Hazardous Materials, 2021, 403, 124048.	12.4	105
13	Trichloroethylene degradation by PVA-coated calcium peroxide nanoparticles in Fe(II)-based catalytic systems: enhanced performance by citric acid and nanoscale iron sulfide. Environmental Science and Pollution Research, 2021, 28, 3121-3135.	5.3	7
14	Multifunctional Antibacterial Materials for the Control of Hazardous Microbes and Chemicals: A Review. ACS ES&T Water, 2021, 1, 479-497.	4.6	30
15	Lead immobilization in soil using new hydroxyapatite-like compounds derived from oyster shell and its uptake by plant. Chemosphere, 2021, 279, 130570.	8.2	27
16	Efficiently activate peroxymonosulfate by Fe ₃ O ₄ @MoS ₂ for rapid degradation of sulfonamides. Chemical Engineering Journal, 2021, 422, 130126.	12.7	177
17	Risk assessment of antibiotic resistance genes in the drinking water system. Science of the Total Environment, 2021, 800, 149650.	8.0	67
18	Removal of organic pollutants from aqueous solution using metal organic frameworks (MOFs)-based adsorbents: A review. Chemosphere, 2021, 284, 131393.	8.2	131

#	ARTICLE	IF	CITATIONS
19	Silver-Modified β -Cyclodextrin Polymer for Water Treatment: A Balanced Adsorption and Antibacterial Performance. <i>Water (Switzerland)</i> , 2021, 13, 3004.	2.7	9
20	Dramatic enhancement effects of l-cysteine on the degradation of sulfadiazine in Fe ³⁺ /CaO ₂ system. <i>Journal of Hazardous Materials</i> , 2020, 383, 121133.	12.4	76
21	Novel cyclodextrin-based adsorbents for removing pollutants from wastewater: A critical review. <i>Chemosphere</i> , 2020, 241, 125043.	8.2	190
22	0D/2D plasmonic Cu ₂ -xS/g-C ₃ N ₄ nanosheets harnessing UV-vis-NIR broad spectrum for photocatalytic degradation of antibiotic pollutant. <i>Applied Catalysis B: Environmental</i> , 2020, 263, 118326.	20.2	100
23	A novel hollow-sphere cyclodextrin nanoreactor for the enhanced removal of bisphenol A under visible irradiation. <i>Journal of Hazardous Materials</i> , 2020, 384, 121267.	12.4	37
24	Superior adsorption capacity of functionalised straw adsorbent for dyes and heavy-metal ions. <i>Journal of Hazardous Materials</i> , 2020, 382, 121040.	12.4	254
25	Ultrathin g-C ₃ N ₄ nanosheet with hierarchical pores and desirable energy band for highly efficient H ₂ O ₂ production. <i>Applied Catalysis B: Environmental</i> , 2020, 267, 118396.	20.2	183
26	Polydopamine modified cyclodextrin polymer as efficient adsorbent for removing cationic dyes and Cu ²⁺ . <i>Journal of Hazardous Materials</i> , 2020, 389, 121897.	12.4	144
27	Z-scheme photo-Fenton system for efficiency synchronous oxidation of organic contaminants and reduction of metal ions. <i>Applied Catalysis B: Environmental</i> , 2020, 279, 119365.	20.2	97
28	Removal of heavy metals from aqueous solution using carbon-based adsorbents: A review. <i>Journal of Water Process Engineering</i> , 2020, 37, 101339.	5.6	258
29	PDA-cross-linked beta-cyclodextrin: a novel adsorbent for the removal of BPA and cationic dyes. <i>Water Science and Technology</i> , 2020, 81, 2337-2350.	2.5	11
30	Fe ₃ O ₄ /graphene aerogels: A stable and efficient persulfate activator for the rapid degradation of malachite green. <i>Chemosphere</i> , 2020, 251, 126402.	8.2	74
31	Accelerated photoelectron transmission by carboxymethyl β -cyclodextrin for organic contaminants removal: An alternative to noble metal catalyst. <i>Journal of Hazardous Materials</i> , 2020, 393, 122414.	12.4	30
32	Enhanced removal of bisphenol A by cyclodextrin in photocatalytic systems: Degradation intermediates and toxicity evaluation. <i>Chinese Chemical Letters</i> , 2020, 31, 2623-2626.	9.0	84
33	Recent advancements in graphene adsorbents for wastewater treatment: Current status and challenges. <i>Chinese Chemical Letters</i> , 2020, 31, 2525-2538.	9.0	98
34	Peroxydisulfate activation by positively polarized carbocatalyst for enhanced removal of aqueous organic pollutants. <i>Water Research</i> , 2019, 166, 115043.	11.3	137
35	Degradation of sulfanilamide by Fenton-like reaction and optimization using response surface methodology. <i>Ecotoxicology and Environmental Safety</i> , 2019, 172, 334-340.	6.0	65
36	Recent advances for dyes removal using novel adsorbents: A review. <i>Environmental Pollution</i> , 2019, 252, 352-365.	7.5	791

#	ARTICLE	IF	CITATIONS
37	Application of a novel diol-based porous organic polymer to the determination of trace-level tetracyclines in water. <i>Analytical Methods</i> , 2019, 11, 2473-2481.	2.7	5
38	Enhanced Anaerobic Digestion of Swine Manure by the Addition of Zero-Valent Iron. <i>Energy & Fuels</i> , 2019, 33, 12441-12449.	5.1	25
39	Adsorptive removal of bisphenol A, chloroxylenol, and carbamazepine from water using a novel β -cyclodextrin polymer. <i>Ecotoxicology and Environmental Safety</i> , 2019, 170, 278-285.	6.0	120
40	Removal of antibiotic resistance genes and control of horizontal transfer risk by UV, chlorination and UV/chlorination treatments of drinking water. <i>Chemical Engineering Journal</i> , 2019, 358, 589-597.	12.7	150
41	A novel amphoteric β -cyclodextrin-based adsorbent for simultaneous removal of cationic/anionic dyes and bisphenol A. <i>Chemical Engineering Journal</i> , 2018, 341, 47-57.	12.7	167
42	Citric acid-crosslinked β -cyclodextrin for simultaneous removal of bisphenol A, methylene blue and copper: The roles of cavity and surface functional groups. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2018, 82, 189-197.	5.3	169
43	Cyclodextrin modified filter paper for removal of cationic dyes/Cu ions from aqueous solutions. <i>Water Science and Technology</i> , 2018, 78, 2553-2563.	2.5	51
44	An oxygen slow-releasing material and its application in water remediation as oxygen supplier. <i>Environmental Technology (United Kingdom)</i> , 2017, 38, 2793-2799.	2.2	19
45	Microbial degradation of diesel oil and heavy oil in the presence of modified clay. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2017, 39, 326-331.	2.3	5
46	Effect of additives on limestone reactivity in flue gas desulfurization. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2017, 39, 166-171.	2.3	2
47	Experimental study of regeneration performance for CO ₂ desorption from a hybrid solvent MEA-methanol in a stripper column packed with three different packing: Sulzer BX500, Mellapak Y500 and pall rings 16 A—16. <i>Environmental Progress and Sustainable Energy</i> , 2017, 36, 838-844.	2.3	5
48	Postcombustion CO ₂ capture using diethylenetriamine (DETA) solvent in a pilot-plant test bed compared to monoethanolamine (MEA) solvent. <i>Environmental Progress and Sustainable Energy</i> , 2017, 36, 1131-1138.	2.3	12
49	CO ₂ removal in a packed tower with two different fillers. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2017, 39, 219-224.	2.3	4
50	Improving cyanide removal from coke plant wastewaters by optimizing the operation conditions of an ammonia still tower. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2017, 39, 491-496.	2.3	3
51	Enhanced adsorption and photo-degradation of bisphenol A by β -cyclodextrin modified pine sawdust in an aquatic environment. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2017, 78, 510-516.	5.3	42
52	Chelating agents enhanced CaO ₂ oxidation of bisphenol A catalyzed by Fe ³⁺ and reuse of ferric sludge as a source of catalyst. <i>Chemical Engineering Journal</i> , 2017, 313, 638-645.	12.7	63
53	Investigation of organic desulfurization additives affecting the calcium sulfate crystals formation. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2017, 23, 161-167.	0.7	3
54	Optimizing the characteristics of calcium sulfate dihydrate in the flue gas desulfurization process: Investigation of the impurities in slurry-Cl ⁻ , Fe ³⁺ , Mn ²⁺ . <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2017, 23, 293-299.	0.7	1

#	ARTICLE	IF	CITATIONS
55	Absorption and regeneration characteristics of alkanolamines after CO ₂ removal from flue gas. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2016, 38, 3202-3206.	2.3	4
56	Salt-tolerant microorganisms treating hypersaline organic wastewater and the microbial population dynamics. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2016, 38, 2854-2859.	2.3	2
57	Comparison of absorption and regeneration performance for post-combustion CO ₂ capture by mixed MEA solvents. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2016, 38, 2530-2535.	2.3	2
58	Experimental study of a hybrid solvent MEA-Methanol for post-combustion CO ₂ absorption in an absorber packed with three different packing: Sulzer BX500, Mellapale Y500, Pall rings 16 Å— 16. <i>Separation and Purification Technology</i> , 2016, 163, 23-29.	7.9	12
59	Orthogonal test design to optimize the operating parameters of a hybrid solvent MEA-Methanol in an absorber column packed with three different packing: Sulzer BX500, Mellapale Y500 and Pall rings 16 Å— 16 for post-combustion CO ₂ capture. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016, 68, 218-223.	5.3	10
60	Selecting organic desulphurization additives in flue gas desulphurization process. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2016, 38, 2649-2655.	2.3	2
61	Integration study of a hybrid solvent MEA-Methanol for post combustion carbon dioxide capture in packed bed absorption and regeneration columns. <i>Separation and Purification Technology</i> , 2016, 167, 17-23.	7.9	30
62	Orthogonal test design to optimize the operating parameters of CO ₂ desorption from a hybrid solvent MEA-Methanol in a packing stripper. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016, 64, 196-202.	5.3	18
63	Effect of hexadecyltrimethyl ammonium bromide on the modified rice straw characteristics and its sorption behavior of phenanthrene. <i>Desalination and Water Treatment</i> , 2016, 57, 15220-15229.	1.0	6
64	Sorption characteristics of phenanthrene and pyrene to surfactant-modified peat from aqueous solution: the contribution of partition and adsorption. <i>Water Science and Technology</i> , 2015, 71, 296-302.	2.5	10
65	Influences of Various Cyclodextrins on the Photodegradation of Phenol and Bisphenol A under UV Light. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 426-433.	3.7	40
66	Adsorption of Divalent Heavy Metal Ions from Aqueous Solution by Citric Acid Modified Pine Sawdust. <i>Separation Science and Technology</i> , 2015, 50, 245-252.	2.5	54
67	Simultaneous removal of SO ₂ and NO _x with ammonia combined with gas-phase oxidation of NO using ozone. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2015, 21, 305-310.	0.7	24
68	Hydrolysis of Urea for Ammonia-Based Wet Flue Gas Desulfurization. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 9072-9080.	3.7	10
69	Competitive Adsorption of Methylene Blue and Cu ²⁺ onto Citric Acid Modified Pine Sawdust. <i>Clean - Soil, Air, Water</i> , 2015, 43, 96-103.	1.1	36
70	Combined Air Oxidation and Activated Sludge Process for the Treatment of Refinery Spent Caustics. <i>Asian Journal of Chemistry</i> , 2014, 26, 8375-8379.	0.3	0
71	Enhancing Nitrogen Removal in Coking Wastewater Treatment by Activated Sludge Process: Comparison of Sodium Acetate, Methanol and Phenol as External Carbon Source for Denitrification. <i>Asian Journal of Chemistry</i> , 2014, 26, 205-208.	0.3	5
72	Study on the extraction kinetics of phenolic compounds from petroleum refinery waste lye. <i>Journal of Saudi Chemical Society</i> , 2014, 18, 589-592.	5.2	17

#	ARTICLE	IF	CITATIONS
73	Simultaneous Removal of NO and SO ₂ from Flue Gas by Ozone Oxidation and NaOH Absorption. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 6450-6456.	3.7	91
74	Effects of sustained-release composite on the oxygen levels and sediment phosphorus fractions of an urban river in Shanghai. <i>Environmental Technology (United Kingdom)</i> , 2014, 35, 2176-2182.	2.2	16
75	Removal of Aniline from Aqueous Solution using Pine Sawdust Modified with Citric Acid and β -Cyclodextrin. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 887-894.	3.7	80
76	Enhanced oil-water mineral aggregation with modified bentonite. <i>Water Science and Technology</i> , 2013, 67, 1581-1589.	2.5	7
77	Kinetics of Oxidation Inhibition of Sodium Sulphite in Wet Flue Gas Desulphurization Process. <i>Asian Journal of Chemistry</i> , 2013, 25, 5381-5384.	0.3	1
78	Removal of Ammonium Nitrogen from Petrochemical Wastewater by Anaerobic-Aerobic Process. <i>Asian Journal of Chemistry</i> , 2013, 25, 9591-9594.	0.3	0
79	Adsorption of phenanthrene by quaternary ammonium surfactant modified peat and the mechanism involved. <i>Water Science and Technology</i> , 2012, 66, 810-815.	2.5	8
80	Application of natural biosorbent and modified peat for bisphenol a removal from aqueous solutions. <i>Carbohydrate Polymers</i> , 2012, 88, 502-508.	10.2	68
81	Removal of bisphenol A from aqueous solution using modified fibric peat as a novel biosorbent. <i>Separation and Purification Technology</i> , 2011, 81, 184-190.	7.9	64
82	Sorption of polycyclic aromatic hydrocarbons from aqueous solution by hexadecyltrimethylammonium bromide modified fibric peat. <i>Journal of Chemical Technology and Biotechnology</i> , 2010, 85, 1084-1091.	3.2	29
83	Effect of quaternary ammonium surfactant modification on oil removal capability of polystyrene resin. <i>Separation and Purification Technology</i> , 2010, 75, 266-272.	7.9	23
84	Effect of surface properties of activated carbon on CO oxidation over supported Wacker-type catalysts. <i>Catalysis Today</i> , 2010, 153, 184-188.	4.4	33
85	Separation of oil from oily wastewater by modified resin. <i>Water Science and Technology</i> , 2009, 59, 957-963.	2.5	10
86	Modified Resin Coalescer for Oil-in-Water Emulsion Treatment: Effect of Operating Conditions on Oil Removal Performance. <i>Industrial & Engineering Chemistry Research</i> , 2009, 48, 1660-1664.	3.7	44