

Sara Rodgers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8022529/publications.pdf>

Version: 2024-02-01

25
papers

378
citations

933447

10
h-index

839539

18
g-index

25
all docs

25
docs citations

25
times ranked

553
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Evaluating "Enhancing Pragmatic Language skills for Young children with Social communication impairments" (E-PLAYS): a feasibility cluster-randomised controlled trial. Pilot and Feasibility Studies, 2021, 7, 5. | 1.2 | 3 |
| 2 | Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. Health Technology Assessment, 2021, 25, 1-118. | 2.8 | 8 |
| 3 | Negative pressure wound therapy versus usual care for surgical wounds healing by secondary intention (SWHSI-2 trial): study protocol for a pragmatic, multicentre, cross surgical specialty, randomised controlled trial. Trials, 2021, 22, 739. | 1.6 | 2 |
| 4 | Management of adults with primary frozen shoulder in secondary care (UK FROST): a multicentre, pragmatic, three-arm, superiority randomised clinical trial. Lancet, The, 2020, 396, 977-989. | 13.7 | 97 |
| 5 | Qualitative research to inform hypothesis testing for fidelity-based sub-group analysis in clinical trials: lessons learnt from the process evaluation of a multifaceted podiatry intervention for falls prevention. Trials, 2020, 21, 348. | 1.6 | 2 |
| 6 | Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 2020, 9, 623. | 1.6 | 5 |
| 7 | Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. Health Technology Assessment, 2020, 24, 1-162. | 2.8 | 11 |
| 8 | Evaluating "enhancing pragmatic language skills for young children with social communication impairments" (E-PLAYS): protocol for a feasibility randomised controlled trial study. Pilot and Feasibility Studies, 2019, 5, 75. | 1.2 | 4 |
| 9 | Using pens as an incentive for trial recruitment of older adults: An embedded randomised controlled trial. F1000Research, 2019, 8, 315. | 1.6 | 11 |
| 10 | Does handwriting the name of a potential trial participant on an invitation letter improve recruitment rates? A randomised controlled study within a trial. F1000Research, 2019, 8, 659. | 1.6 | 6 |
| 11 | Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. BMJ Open, 2018, 8, e022488. | 1.9 | 18 |
| 12 | Cost-Effectiveness of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People: The REducing Falls with Orthoses and a Multifaceted Podiatry Intervention Trial Findings. Gerontology, 2018, 64, 503-512. | 2.8 | 10 |
| 13 | A study update newsletter or Post-it® note did not increase postal questionnaire response rates in a falls prevention trial: an embedded randomised factorial trial. F1000Research, 2018, 7, 1083. | 1.6 | 3 |
| 14 | A nested randomised controlled trial of a newsletter and Post-it® note did not increase postal questionnaire response rates in a falls prevention trial. F1000Research, 2018, 7, 1083. | 1.6 | 3 |
| 15 | A randomized, embedded trial of pre-notification of trial participation did not increase recruitment rates to a falls prevention trial. Journal of Evaluation in Clinical Practice, 2017, 23, 73-78. | 1.8 | 5 |
| 16 | An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. Trials, 2017, 18, 144. | 1.6 | 30 |
| 17 | Cohort Randomised Controlled Trial of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People (The REFORM Trial). PLoS ONE, 2017, 12, e0168712. | 2.5 | 37 |
| 18 | United Kingdom Frozen Shoulder Trial (UK FROST), multi-centre, randomised, 12 month, parallel group, superiority study to compare the clinical and cost-effectiveness of Early Structured Physiotherapy versus manipulation under anaesthesia versus arthroscopic capsular release for patients referred to secondary care with a primary frozen shoulder: study protocol for a randomised controlled trial. Trials, 2017, 18, 614. | 1.6 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: a multicentre cohort randomised controlled trial (the REducing Falls) Tj ETQq1 1 0.784314 rgBT /Qyerlock 10 21, 1-198. | 2.8 | 23 |
| 20 | Does home oxygen therapy (HOT) in addition to standard care reduce disease severity and improve symptoms in people with chronic heart failure? A randomised trial of home oxygen therapy for patients with chronic heart failure. Health Technology Assessment, 2015, 19, 1-120. | 2.8 | 23 |
| 21 | The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. BMJ Open, 2014, 4, e006977. | 1.9 | 21 |
| 22 | Exploring the outcomes in studies of primary frozen shoulder: is there a need for a core outcome set?. Quality of Life Research, 2014, 23, 2495-2504. | 3.1 | 13 |
| 23 | A methodological review of recent meta-analyses has found significant heterogeneity in age between randomized groups. Journal of Clinical Epidemiology, 2014, 67, 1016-1024. | 5.0 | 18 |
| 24 | Home hazard assessment and environmental modification to prevent falls in older people: the OTIS trial. F1000Research, 0, 10, 500. | 1.6 | 2 |
| 25 | Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 0, 9, 623. | 1.6 | 4 |