## Mourad Boughrara

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8022754/publications.pdf

Version: 2024-02-01

567281 580821 36 673 15 25 citations h-index g-index papers 36 36 36 265 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Effects of the random field on the magnetic behavior of nanowires with core/shell morphology. Journal of Magnetism and Magnetic Materials, 2013, 331, 37-44.	2.3	73
2	The phase diagrams and the magnetic properties of a ferrimagnetic mixed spin $1/2$ and spin $1$ Ising nanowire. Journal of Magnetism and Magnetic Materials, 2014, 360, 222-228.	2.3	57
3	Phase diagrams and magnetic properties of a cylindrical Ising nanowire: Monte Carlo and effective field treatments. Journal of Magnetism and Magnetic Materials, 2014, 368, 169-179.	2.3	46
4	Monte Carlo study of the magnetic behavior of a mixed spin (1, 3/2) ferrimagnetic nanoparticle. Solid State Communications, 2013, 158, 76-81.	1.9	41
5	Impact of preheating environment on microstructural and optoelectronic properties of Cu2ZnSnS4 (CZTS) thin films deposited by spin-coating. Superlattices and Microstructures, 2020, 140, 106452.  Phase diagrams and magnetic properties of ferrimagnetic mixed spin- <mml:math< td=""><td>3.1</td><td>41</td></mml:math<>	3.1	41
6	xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si2.gif" display="inline" overflow="scroll"> <mml:mfrac><mml:mrow><mml:mn>1</mml:mn></mml:mrow><mml:mrow><mml:mn>2<!--<br-->and spin-<mml:math <br="" altimg="si1.gif" xmlns:mml="http://www.w3.org/1998/Math/MathML">display="inline"</mml:math></mml:mn></mml:mrow></mml:mfrac>	mml:mn> </td <td>/mmgl:mrow&gt; &lt;</td>	/mmgl:mrow> <
7	overflow="scroll"> <mml:mfrac><mml:mrow><mml:mn>3</mml:mn></mml:mrow><mml:mrow><mml:mn>2</mml:mn></mml:mrow><mml:mrow><mml:mn>2</mml:mn></mml:mrow><mml:mrow><mml:mn>2</mml:mn></mml:mrow><mml:mrow><mml:mn>2</mml:mn></mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mro< td=""><td>mml:mn&gt;<!--</td--><td>/mml:mrow&gt;&lt; 29</td></td></mml:mro<></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mfrac>	mml:mn> </td <td>/mml:mrow&gt;&lt; 29</td>	/mml:mrow>< 29
8	Experimental and ab-initio investigation of the microstructure and optoelectronic properties of FCM–CVD-prepared Al-doped ZnO thin films. Applied Physics A: Materials Science and Processing, 2019, 125, 1.	2.3	27
9	Phase diagrams and magnetic properties of a ferrimagnetic cylindrical core/shell spin-1 Ising nanowire. Journal of Magnetism and Magnetic Materials, 2014, 354, 173-177.	2.3	26
10	Theoretical insight into magnetic and thermoelectric properties of Au doped ZnO compounds using density functional theory. Physica B: Condensed Matter, 2019, 562, 67-74.	2.7	25
11	Phase diagrams of ferrimagnetic mixed spin $1/2$ and spin $1$ Ising nanowire with diluted surface. Physica A: Statistical Mechanics and Its Applications, 2015, 433, 59-65.	2.6	21
12	Impact of position and concentration of sodium on the photovoltaic properties of zinc oxide solar cells. Physica B: Condensed Matter, 2019, 560, 28-36.	2.7	21
13	Understanding the effect of the carbon on the photovoltaic properties of the Cu2ZnSnS4. Materials Chemistry and Physics, 2020, 251, 123065.	4.0	21
14	The hysteresis behavior of an Ising nanowire with core/shell morphology: Monte Carlo treatment. Journal of Magnetism and Magnetic Materials, 2014, 363, 26-33.	2.3	20
15	Effect of position and concentration of Li on ZnO physical properties: Density functional investigation. Chemical Physics Letters, 2019, 719, 45-53.	2.6	19
16	A Monte Carlo study of the Blumeâ€"Capel thin film in the presence of a random crystal field. Journal of Magnetism and Magnetic Materials, 2016, 410, 218-222.	2.3	16
17	altimg="si1.gif" overflow="scroll"> <mml:mrow><mml:mi>A</mml:mi><mml:mi></mml:mi></mml:mrow> doped ( <mml:math )="" 0.7843<="" 1="" altimg="si2.gif" etqq1="" td="" tj="" xmlns:mml="http://www.w3.org/1998/Math/MathML"><td>14 rg<sup>3</sup>8</td><td>erlock 10 Tf 5</td></mml:math>	14 rg <sup>3</sup> 8	erlock 10 Tf 5
18	with intrinsic vacancy. Superlattices and Microstructures, 2019, 127, 186-190. Sol-gel prepared Cu2ZnSnS4 (CZTS) semiconductor thin films: Role of solvent removal processing temperature. Materials Science in Semiconductor Processing, 2021, 132, 105874.	4.0	14

#	Article	IF	Citations
19	The effect of the transverse crystal field on the magnetic properties of a superlattice with disordered interface. Physica A: Statistical Mechanics and Its Applications, 2007, 374, 669-679.	2.6	13
20	Effects of the biaxial transverse crystal-field on the phase diagrams of a spin-1 nanowire. Superlattices and Microstructures, 2016, 97, 221-230.	3.1	13
21	Electronic and thermoelectric properties of chalcopyrite compounds Cu2(XY)S4 (X = Zn, Cd and Y :	= Sn,) 1.8	Tj <sub>1</sub> ETQq1 l
22	Phase diagrams and magnetic properties of the mixed spin-1 and spin-3/2 Ising ferromagnetic thin film: Monte Carlo treatment. Chinese Physics B, 2019, 28, 027501.	1.4	11
23	Ab-initio, Monte Carlo and experimental investigation on structural, electronic and magnetic properties of Zn1-Ni O nanoparticles prepared via sol-gel method. Journal of Alloys and Compounds, 2021, 854, 157142.	5 <b>.</b> 5	10
24	The phase diagrams of a finite superlattice with disordered interface: A Monte Carlo study. Physica A: Statistical Mechanics and Its Applications, 2009, 388, 2131-2139.	2.6	9
25	Electronic and Magnetic Properties of Mn-doped and (Mn,C)-codoped w-AlN with the Presence of N Vacancy. Journal of Superconductivity and Novel Magnetism, 2019, 32, 3691-3697.	1.8	9
26	The magnetic properties of a finite superlattice with two disordered interfaces. Surface Science, 2006, 600, 2841-2846.	1.9	8
27	Effect of a random longitudinal field and crystal field on a decorated ferrimagnetic Ising model. Journal of Magnetism and Magnetic Materials, 2007, 316, e287-e290.	2.3	8
28	The impact of precursor thickness and surface roughness on the power factor of Cu2ZnSnS4 (CZTS) at near room temperature: Spin-coating deposition. Superlattices and Microstructures, 2021, 160, 107091.	3.1	8
29	Phase transition and magnetic properties of a decorated Ising film: Monte Carlo and effective field treatments. Physica A: Statistical Mechanics and Its Applications, 2008, 387, 6105-6114.	2.6	7
30	The magnetic properties of a small particle on an hexagonal substrate: Monte Carlo and effective field treatments. Physica A: Statistical Mechanics and Its Applications, 2014, 401, 308-318.	2.6	5
31	The phase diagrams and the magnetic properties of a ternary mixed ferrimagnetic nanowire. Journal of Magnetism and Magnetic Materials, 2017, 434, 37-46.	2.3	5
32	Oxygen vacancy suppress room temperature ferromagnetism of p-type Cu doped ZnO: Synthesis and density functional theory., 2022, 167, 207291.		5
33	P-type Cu2ZnSnS4 as Multifunctional Material for Photovoltaic and Thermoelectric Application: Theoretical Investigation. Jurnal Kejuruteraan, 2018, SI1, 15-22.	0.3	3
34	Suppressing the secondary phases via N2 preheating of Cu2ZnSnS4 thin films with the addition of oleylamine and/or 1-Dodecanethiol solvents. Inorganic Chemistry Communication, 2021, 134, 109031.	3.9	2
35	Effects of Biaxial Crystal Field on the Magnetic Properties onÂaÂSpin-1ÂlsingÂSystem. Journal of Superconductivity and Novel Magnetism, 2011, 24, 577-584.	1.8	1
36	Phase Transition and Magnetic Properties of a Decorated Ising Film. Ferroelectrics, 2008, 372, 47-53.	0.6	0