

# Xing Fu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8022816/publications.pdf>

Version: 2024-02-01

118  
papers

3,220  
citations

201385

27  
h-index

168136

53  
g-index

119  
all docs

119  
docs citations

119  
times ranked

1986  
citing authors

#	ARTICLE	IF	CITATIONS
1	Deep-learning-based recognition of multi-singularity structured light. <i>Nanophotonics</i> , 2022, 11, 779-786.	2.9	29
2	Multipartite classically entangled scalar beams. <i>Optics Letters</i> , 2022, 47, 2052.	1.7	9
3	Fast non-line-of-sight imaging based on first photon event stamping. <i>Optics Letters</i> , 2022, 47, 1928.	1.7	8
4	Transverse Traveling-Wave and Standing-Wave Ray-Wave Geometric Beams. <i>Frontiers in Photonics</i> , 2022, 3, .	1.1	2
5	Divergence-degenerate spatial multiplexing towards future ultrahigh capacity, low error-rate optical communications. <i>Light: Science and Applications</i> , 2022, 11, 144.	7.7	45
6	Classically Entangled Vectorial Structured Light towards Multiple Degrees of Freedom and Higher Dimensions. , 2021, , .		2
7	Large-scale, high-contrast glare suppression with low-transmittance eigenchannels of aperture-target transmission matrices. <i>Optics Letters</i> , 2021, 46, 1498.	1.7	7
8	Creation and control of high-dimensional multi-partite classically entangled light. <i>Light: Science and Applications</i> , 2021, 10, 50.	7.7	61
9	Nanosecond Self-Q-Switching Nd:Luag Laser With High Repetition Rate. <i>IEEE Photonics Journal</i> , 2021, 13, 1-8.	1.0	2
10	To unify azimuthally traveling-wave and standing-wave structured light by ray-wave duality. <i>Journal of Optics (United Kingdom)</i> , 2021, 23, 115604.	1.0	7
11	Subnanosecond, single longitudinal mode laser based on a VBG-coupled EOQ Nd:YVO <sub>4</sub> oscillator for remote sensing. <i>Microwave and Optical Technology Letters</i> , 2021, 63, 2541-2547.	0.9	15
12	To unify travelling- and standing-wave ray-wave structured light by coherent wave packets. , 2021, , .		0
13	Digitally controlled ray-wave geometric beams as higher-dimensional information carriers. , 2021, , .		2
14	Non-line-of-sight reconstruction with signal-object collaborative regularization. <i>Light: Science and Applications</i> , 2021, 10, 198.	7.7	17
15	Intracavity-Mode-Conversion Structured-Light Laser. , 2021, , .		0
16	Astigmatic hybrid SU(2) vector vortex beams: towards versatile structures in longitudinally variant polarized optics. <i>Optics Express</i> , 2021, 29, 315.	1.7	22
17	Index-Tunable Structured-Light Beams from a Laser with an Intracavity Astigmatic Mode Converter. <i>Physical Review Applied</i> , 2020, 14, .	1.5	29
18	High energy LiDAR source for long distance, high resolution range imaging. <i>Microwave and Optical Technology Letters</i> , 2020, 62, 3655-3661.	0.9	27

#	ARTICLE	IF	CITATIONS
19	SU(2) Poincaré sphere: A generalized representation for multidimensional structured light. Physical Review A, 2020, 102, .	1.0	51
20	Spatiotemporal characterization of laser pulse amplification in double-pass active mirror geometry. High Power Laser Science and Engineering, 2020, 8, .	2.0	1
21	Pushing the limit of pulse duration in Q-switched solid-state lasers with high gain. Optics and Laser Technology, 2020, 129, 106276.	2.2	7
22	Deterministic Optical Rogue Waves in Nd:YVO4 Lasers Induced by Near-Degenerate Transverse Modes. IEEE Journal of Quantum Electronics, 2020, 56, 1-5.	1.0	2
23	Lensless compressive sensing with annulus-sector-shaped pixel geometry in the photon-starved environment. Optics and Lasers in Engineering, 2020, 134, 106232.	2.0	1
24	Single-Photon Detection Approach for Autonomous Vehicles Sensing. IEEE Transactions on Vehicular Technology, 2020, 69, 6067-6078.	3.9	11
25	Digitally tailoring arbitrary structured light of generalized ray-wave duality. Optics Express, 2020, 28, 31043.	1.7	27
26	Structured ray-wave vector vortex beams in multiple degrees of freedom from a laser. Optica, 2020, 7, 820.	4.8	82
27	Versatile on-chip light coupling and (de)multiplexing from arbitrary polarizations to controlled waveguide modes using an integrated dielectric metasurface. Photonics Research, 2020, 8, 564.	3.4	74
28	Chip-scale mode-configurable light couplers and vortex beam generators using waveguide-integrated metasurface. , 2020, , .		0
29	Optical vortices 30 years on: OAM manipulation from topological charge to multiple singularities. Light: Science and Applications, 2019, 8, 90.	7.7	1,151
30	2D group-VA fluorinated antimonene: synthesis and saturable absorption. Nanoscale, 2019, 11, 1762-1769.	2.8	49
31	Compact Ho:YAG Laser at 2.1- $\mu\text{m}$ Mode Locked by Re-Absorption. IEEE Photonics Technology Letters, 2019, 31, 222-225.	1.3	4
32	Hybrid topological evolution of multi-singularity vortex beams: generalized nature for helical-Ince-Gaussian and Hermite-Laguerre-Gaussian modes. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2019, 36, 578.	0.8	38
33	50 mm-aperture Nd:LuAG ceramic nanosecond laser amplifier producing 10 J at 10 Hz. Optics Express, 2019, 27, 15595.	1.7	15
34	Chip-integrated metasurface for versatile and multi-wavelength control of light couplings with independent phase and arbitrary polarization. Optics Express, 2019, 27, 16425.	1.7	33
35	1.57 times diffraction-limit high-energy laser based on a Nd:YAG slab amplifier and an adaptive optics system. Chinese Optics Letters, 2019, 17, 051403.	1.3	14
36	Gain-Phase Modulation in Chirped-Pulse Amplification. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
37	Waveguide Engineering of Graphene Optoelectronicsâ€™ Modulators and Polarizers. IEEE Photonics Journal, 2018, 10, 1-17.	1.0	40
38	Dual-wavelength vortex beam with high stability in a diode-pumped Yb:CaGdAlO <sub>4</sub> laser. Laser Physics Letters, 2018, 15, 055803.	0.6	11
39	High Power Self-Q-Switching in Nd:LuAG Laser. IEEE Photonics Journal, 2018, 10, 1-9.	1.0	91
40	Ultracompact Graphene-Assisted Tunable Waveguide Couplers with High Directivity and Mode Selectivity. Scientific Reports, 2018, 8, 13362.	1.6	30
41	Polygonal Vortex Beams. IEEE Photonics Journal, 2018, 10, 1-16.	1.0	29
42	Wavelength-tunable Hermiteâ€™ Gaussian modes and an orbital-angular-momentum-tunable vortex beam in a dual-off-axis pumped Yb:CALGO laser. Optics Letters, 2018, 43, 291.	1.7	70
43	Beam quality improvement by population-dynamic-coupled combined guiding effect in end-pumped Nd:YVO <sub>4</sub> laser oscillator. Applied Physics B: Lasers and Optics, 2018, 124, 1.	1.1	9
44	Periodic-trajectory-controlled, coherent-state-phase-switched, and wavelength-tunable SU(2) geometric modes in a frequency-degenerate resonator. Applied Optics, 2018, 57, 9543.	0.9	23
45	Vortex lattices with transverse-mode-locking states switching in a large-aperture off-axis-pumped solid-state laser. Journal of the Optical Society of America B: Optical Physics, 2018, 35, 2940.	0.9	42
46	Truncated triangular diffraction lattices and orbital-angular-momentum detection of vortex SU(2) geometric modes. Optics Express, 2018, 26, 25545.	1.7	31
47	Quadrant-separable multi-singularity vortices manipulation by coherent superposed mode with spatial-energy mismatch. Optics Express, 2018, 26, 34940.	1.7	12
48	Vortex Lattices with Transverse-Mode-Locking States Switching in Large-Aperture-Pumped Yb:CALGO Laser. , 2018, , .		0
49	Generation of polygonal vortex beams in quasi-frequency- degenerate states of Yb:CALGO laser. , 2018, , .		0
50	High-Brightness Semiconductor Laser-Pumped $1.56\text{-}\mu\text{m}$ Polarization-Entangled Photon Pairs. IEEE Journal of Quantum Electronics, 2017, 53, 1-6.	1.0	2
51	Spectra- and temperature-dependent dynamics of directly end-pumped holmium lasers. Applied Physics B: Lasers and Optics, 2017, 123, 1.	1.1	9
52	Gain-phase modulation in chirped-pulse amplification. Physical Review A, 2017, 96, .	1.0	18
53	Spatial dynamic thermal iteration model for 888 nm end-pumped Nd:YVO <sub>4</sub> solid-state laser oscillators and amplifiers. Optics Communications, 2017, 383, 430-440.	1.0	18
54	Adaptive strategy for CPPM single-photon collision avoidance LIDAR against dynamic crosstalk. Optics Express, 2017, 25, 12237.	1.7	22

#	ARTICLE	IF	CITATIONS
55	100 $\mu$ J pulse energy in burst-mode-operated hybrid fiber-bulk amplifier system with envelope shaping. Optics Express, 2017, 25, 13557.	1.7	21
56	Cr <sup>2+</sup> : CdSe passively Q-switched Ho: YAG laser. Optics Letters, 2017, 42, 2555.	1.7	3
57	12 J, 10 Hz diode-pumped Nd:YAG distributed active mirror amplifier chain with ASE suppression. Optics Express, 2017, 25, 21981.	1.7	25
58	Four-Dimensional Thermal Analysis of 888 nm Pumped Nd:YVO <sub>4</sub> Dual-Rod Acousto-Optic Q-Switched Laser. Applied Sciences (Switzerland), 2017, 7, 470.	1.3	9
59	Generation of Watt-Level 2.06- $\mu$ m Polarized Light From Diode Wing-Pumped Ho:YLF Laser. IEEE Photonics Technology Letters, 2017, 29, 1695-1698.	1.3	4
60	Temporally Programmable Hybrid MOPA Laser with Arbitrary Pulse Shape and Frequency Doubling. Applied Sciences (Switzerland), 2017, 7, 892.	1.3	3
61	Anti-dynamic-crosstalk method for single photon LIDAR detection. , 2017, , .		2
62	Active pulse shaping for end-pumped Nd:YVO <sub>4</sub> amplifier with high gain. Optics Letters, 2017, 42, 1051.	1.7	16
63	Design of High-Gain Single-Stage and Single-Pass Nd:YVO <sub>4</sub> Amplifier Pumped by Fiber-Coupled Laser Diodes: Simulation and Experiment. IEEE Journal of Quantum Electronics, 2016, 52, 1-10.	1.0	14
64	Ultra-low power anti-crosstalk collision avoidance light detection and ranging using chaotic pulse position modulation approach. Chinese Physics B, 2016, 25, 074207.	0.7	11
65	A novel CPPM anti-crosstalk collision avoidance lidar with ultra-low laser power. , 2016, , .		0
66	Theoretical and experimental analysis of high-power frequency-stabilized semiconductor master oscillator power-amplifier system. Applied Optics, 2016, 55, 2909.	2.1	5
67	Gain change by adjusting the pumping wavelength in an end-pumped Nd:YVO <sub>4</sub> amplifier. Applied Optics, 2016, 55, 4946.	2.1	6
68	Resonantly Fiber-Coupled Diode-Pumped Ho <sup>3+</sup> : YLiF <sub>4</sub> Laser in Continuous-Wave and Q-Switched Operation. IEEE Journal of Quantum Electronics, 2016, 52, 1-8.	1.0	13
69	High-slope-efficiency 2.06 $\mu$ m Ho: YLF laser in-band pumped by a fiber-coupled broadband diode. Optics Letters, 2016, 41, 1237.	1.7	33
70	Efficient sub-joule energy extraction from a diode-pumped Nd:LuAG amplifier seeded by a Nd:YAG laser. Optics Letters, 2016, 41, 5322.	1.7	10
71	Combination of differential discrimination and direct discrimination in pulsed laser time-of-flight systems. Chinese Optics Letters, 2016, 14, 062801-62805.	1.3	1
72	Ultrahigh-efficiency 4-J, 10-Hz, Nd:YAG quasi-continuous-wave active mirror oscillator. Applied Physics B: Lasers and Optics, 2015, 121, 453-457.	1.1	2

#	ARTICLE	IF	CITATIONS
73	Effects of turbulent flow field on wavefront aberration in liquid-convection-cooled disk laser oscillator. Applied Physics B: Lasers and Optics, 2015, 119, 371-380.	1.1	5
74	Numerical simulation of 30-kW class liquid-cooled Nd:YAG multi-slab resonator. Optics Express, 2015, 23, 18458.	1.7	22
75	High-efficiency 2 J, 20 Hz diode-pumped Nd:YAG active-mirror master oscillator power amplifier system. Applied Physics Express, 2015, 8, 092702.	1.1	10
76	3kW liquid-cooled elastically-supported Nd:YAG multi-slab CW laser resonator. Optics Express, 2014, 22, 18421.	1.7	41
77	Direct-liquid-cooled Nd:YAG thin disk laser oscillator. Applied Physics B: Lasers and Optics, 2013, 111, 517-521.	1.1	20
78	Analysis of wavefront aberration induced by turbulent flow field in liquid-convection-cooled disk laser. Journal of the Optical Society of America B: Optical Physics, 2013, 30, 2161.	0.9	22
79	Performance scaling of high-power picosecond cryogenically cooled rod-type Yb:YAG multipass amplification. Journal of the Optical Society of America B: Optical Physics, 2013, 30, 2798.	0.9	9
80	Wavefront aberration induced by beam passage through a water-convection-cooled Nd:YAG thin disk. Journal of Optics (United Kingdom), 2013, 15, 055704.	1.0	6
81	Optimal design of ultrahigh-energy laser amplifier chain with high storage energy extraction. Applied Optics, 2013, 52, 7942.	0.9	1
82	Design of ultrahigh energy laser amplifier system with high storage energy extraction. Applied Optics, 2013, 52, 394.	0.9	2
83	Large-aperture end-pumped Nd:YAG thin-disk laser directly cooled by liquid. Chinese Optics Letters, 2013, 11, 041408-41411.	1.3	11
84	Variation of thermal lens curvature type between the convex and the concave lens for zigzag slab laser. , 2012, , .		0
85	Design and modeling of 10-kW level single-side-pumped slab laser amplifier chain. Proceedings of SPIE, 2012, , .	0.8	0
86	Q-switched quasi-concentric laser resonator with line-shaped end-pumping profile: power-insensitive operating point and symmetrized TEM00 output. , 2012, , .		0
87	Modeling of distributed-side-pumped slab lasers: power scaling by adding slab units. , 2012, , .		0
88	CEP-Stable, Few-Cycle, kHz OPCPAs for Attosecond Science: Energy Scaling and Coherent Sub-Cycle Pulse Synthesis. Springer Proceedings in Physics, 2012, , 33-40.	0.1	0
89	Dependence of curvature type of thermal lensing on number of bounces in a zigzag slab laser: numerical modeling. Chinese Physics B, 2011, 20, 114210.	0.7	0
90	High-energy, phase-stable, ultrabroadband kHz OPCPA at 21 $\mu$ m pumped by a picosecond cryogenic Yb:YAG laser. Optics Express, 2011, 19, 15538.	1.7	76

#	ARTICLE	IF	CITATIONS
91	Distributed-Side-Pumped Slab Lasers: Theoretical Design and Modeling. IEEE Journal of Quantum Electronics, 2011, 47, 479-485.	1.0	0
92	High power composite Nd:YAG/YAG zigzag dual-slab laser oscillator. Laser Physics, 2011, 21, 48-51.	0.6	1
93	Nd:GdVO4 slab laser with line-shaped end-pumping profile operating at 912 nm. Laser Physics, 2011, 21, 855-860.	0.6	1
94	High-energy, Few-cycle, kHz OPCPA at 2.1 $\mu$ m Pumped by a Picosecond Cryogenic Yb:YAG Laser. , 2011, , .		0
95	TEM <sub>00</sub> Quasi-concentric Laser Resonator with Line-shaped End-pumping Profile: Power-insensitive Operating Point. , 2011, , .		0
96	1 mJ, 500 kHz Nd:YAG/Nd:YVO4 MOPA laser with a Nd:YAG cavity-dumping seed laser. Laser Physics, 2010, 20, 1707-1711.	0.6	17
97	Single-Side-Pumped Slab Laser Amplifier Chain: Design and Numerical Modeling. IEEE Journal of Quantum Electronics, 2010, 46, 1197-1205.	1.0	1
98	Determination of Thermal Lensing and Dynamic Operating Point of Quasi-Concentric Laser Resonator With Line-Shaped End-Pumping Profile: The Influence of $\{m\}$ TEM <sub>00</sub> Beam Size. IEEE Journal of Quantum Electronics, 2010, 46, 1568-1576.	1.0	4
99	High peak power picosecond hybrid fiber and solid-state amplifier system. Laser Physics Letters, 2010, 7, 644-649.	0.6	30
100	Comparative investigation on performance of acousto-optically Q-switched dual-rod Nd:YAG~Nd:YVO <sub>4</sub> laser and dual-rod Nd:YVO <sub>4</sub> ~Nd:YVO <sub>4</sub> laser. Applied Optics, 2010, 49, 4131.	2.1	20
101	Symmetric TEM <sub>00</sub> output from Q-switched quasi-concentric laser resonator with line-shaped end-pumping profile. Optics Express, 2010, 18, 21047.	1.7	3
102	Gain guiding effect in end-pumped Nd:YVO <sub>4</sub> MOPA lasers. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 1286.	0.9	25
103	Over 8 W high peak power UV laser with a high power Q-switched Nd:YVO <sub>4</sub> oscillator and the compact extra-cavity sum-frequency mixing. Laser Physics Letters, 2009, 6, 93-97.	0.6	87
104	High-repetition-rate high-beam-quality 43~W ultraviolet laser with~extra-cavity third harmonic generation. Applied Physics B: Lasers and Optics, 2009, 95, 323-328.	1.1	23
105	120~W high repetition rate Nd:YVO <sub>4</sub> MOPA laser with a Nd:YAG cavity-dumped seed laser. Applied Physics B: Lasers and Optics, 2009, 95, 63-67.	1.1	18
106	Numerical modeling of the thermal lensing effect in a grazing-incidence laser. Optics Communications, 2009, 282, 1851-1857.	1.0	14
107	500 W Nd:YAG zigzag slab MOPA laser. Laser Physics, 2009, 19, 1974-1976.	0.6	10
108	183 W TEM <sub>00</sub> mode acoustic-optic Q-switched MOPA laser at 850 kHz. Optics Express, 2009, 17, 5636.	1.7	36

#	ARTICLE	IF	CITATIONS
109	High repetition rate dual-rod acousto-optics Q-switched composite Nd:YVO <sub>4</sub> laser. Optics Express, 2009, 17, 21956.	1.7	18
110	End-pumped Nd:YAG zigzag slab laser with weak pump absorption. Chinese Optics Letters, 2009, 7, 492-494.	1.3	5
111	A 108 W, 500 kHz Q-switching Nd:YVO <sub>4</sub> laser with the MOPA configuration. Optics Express, 2008, 16, 3356.	1.7	30
112	103 W high beam quality green laser with an extra-cavity second harmonic generation. Optics Express, 2008, 16, 14335.	1.7	29
113	2 MHz AO Q-switched TEM <sub>00</sub> Grazing Incidence Laser With 3 at.% Neodymium Doped Nd:YVO <sub>4</sub> . IEEE Journal of Quantum Electronics, 2008, 44, 1164-1170.	1.0	13
114	Effects of the temperature dependence of absorption coefficients in edge-pumped Yb:YAG slab lasers. Journal of the Optical Society of America B: Optical Physics, 2007, 24, 2081.	0.9	37
115	Edge-pumped asymmetric Yb:YAG/YAG thin disk laser. Laser Physics Letters, 2007, 4, 719-721.	0.6	31
116	High-energy single longitudinal mode 1 ns all-solid-state 266 nm lasers. Applied Physics B: Lasers and Optics, 2007, 89, 155-158.	1.1	7
117	35.1 W all-solid-state 355 nm ultraviolet laser. Laser Physics Letters, 0, 7, 563-568.	0.6	54
118	Hybrid Nd:YAG/Nd:LuAG Nanosecond Laser Oscillator and Amplifier. Frontiers in Physics, 0, 10, .	1.0	0