

Claire L Nollett

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/802303/publications.pdf>

Version: 2024-02-01

19
papers

362
citations

1039406

9
h-index

996533

15
g-index

19
all docs

19
docs citations

19
times ranked

510
citing authors

#	ARTICLE	IF	CITATIONS
1	The effectiveness of bariatric surgery on long term psychosocial quality of life – A systematic review. <i>Obesity Research and Clinical Practice</i> , 2016, 10, 225-242.	0.8	61
2	Emollient bath additives for the treatment of childhood eczema (BATHE): multicentre pragmatic parallel group randomised controlled trial of clinical and cost effectiveness. <i>BMJ: British Medical Journal</i> , 2018, 361, k1332.	2.4	50
3	High Prevalence of Untreated Depression in Patients Accessing Low-Vision Services. <i>Ophthalmology</i> , 2016, 123, 440-441.	2.5	45
4	Depression in Visual Impairment Trial (DEPVIT): A Randomized Clinical Trial of Depression Treatments in People With Low Vision. , 2016, 57, 4247.		36
5	The Depression in Visual Impairment Trial (DEPVIT): trial design and protocol. <i>BMC Psychiatry</i> , 2012, 12, 57.	1.1	35
6	Depressive symptoms in people with vision impairment: a cross-sectional study to identify who is most at risk. <i>BMJ Open</i> , 2019, 9, e026163.	0.8	27
7	Don't forget EDNOS (eating disorder not otherwise specified): patterns of service use in an eating disorders service. <i>Psychiatric Bulletin</i> , 2005, 29, 134-136.	0.3	25
8	Adding emollient bath additives to standard eczema management for children with eczema: the BATHE RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-116.	1.3	14
9	Questionnaire measures of psychopathology in eating disorders: comparisons between clinical groups. <i>European Eating Disorders Review</i> , 2005, 13, 211-215.	2.3	13
10	How do community-based eye care practitioners approach depression in patients with low vision? A mixed methods study. <i>BMC Psychiatry</i> , 2019, 19, 426.	1.1	12
11	Pragmatic RAndomised controlled trial of a trauma-focused guided self-help Programme versus InDividual trauma-focused cognitive Behavioural therapy for post-traumatic stress disorder (RAPID): trial protocol. <i>BMC Psychiatry</i> , 2018, 18, 77.	1.1	10
12	Guided, internet based, cognitive behavioural therapy for post-traumatic stress disorder: pragmatic, multicentre, randomised controlled non-inferiority trial (RAPID). <i>BMJ</i> , The, 0, , e069405.	3.0	10
13	Barriers to integrating routine depression screening into community low vision rehabilitation services: a mixed methods study. <i>BMC Psychiatry</i> , 2020, 20, 419.	1.1	9
14	Training results in increased practitioner confidence and identification of depression in people with low vision: a mixed methods study. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 316-330.	1.0	6
15	Feasibility of weekly participant-reported data collection in a pragmatic randomised controlled trial in primary care: experiences from the BATHE trial (Bath Additives for the Treatment of cHildhood) <i>Tj ETQq1 1 0.784614 rgBT 4Overloc</i>	1.1	4
16	<p><p>Chronic Conditions and Behavioural Change Approaches to Medication Adherence: Rethinking Clinical Guidance and Recommendations</p></p>. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 581-586.	0.8	4
17	Acceptability, adherence and economic analyses of a new clinical pathway for the identification of non-responders to glaucoma eye drops: a prospective observational study. <i>British Journal of Ophthalmology</i> , 2020, 104, 1704-1709.	2.1	1
18	Site visits to initiate recruitment in a clinical trial: does it matter who conducts the visit? Protocol for implementation in trials. <i>Journal of Evidence-Based Medicine</i> , 2016, 9, 225-227.	0.7	0

#	ARTICLE	IF	CITATIONS
19	Normalisation process theory and the implementation of a new glaucoma clinical pathway in hospital eye services: Perspectives of doctors, nurses and optometrists. PLoS ONE, 2021, 16, e0255564.	1.1	0