

Antoine C G Egberts

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8023113/antoine-c-g-egberts-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

460 papers	15,749 citations	67 h-index	103 g-index
490 ext. papers	18,064 ext. citations	3.8 avg, IF	6.37 L-index

#	Paper	IF	Citations
460	The association between patient satisfaction with information and adherence to oral anticancer agents.. <i>Journal of Oncology Pharmacy Practice</i> , 2022 , 10781552221077258	1.7	
459	Hospital physicians' and older patients' agreement with individualised STOPP/START-based medication optimisation recommendations in a clinical trial setting.. <i>European Geriatric Medicine</i> , 2022 , 1	3	1
458	Clarity and applicability of adverse drug reaction-related monitoring instructions in clinical practice guidelines for children and adolescents treated with antipsychotic drugs: a review of six clinical practice guidelines.. <i>BMJ Open</i> , 2022 , 12, e058940	3	0
457	Impulse control disorders associated with dopaminergic drugs: A disproportionality analysis using vigibase.. <i>European Neuropsychopharmacology</i> , 2022 , 58, 30-38	1.2	0
456	Systemic glucocorticoid use during ICU admission and symptoms of posttraumatic stress disorder in intensive care unit survivors.. <i>Intensive Care Medicine</i> , 2022 , 1	14.5	
455	Nature and timing of post-approval manufacturing changes of tumour necrosis factor α inhibitor products: A 20-year follow-up study of originators and biosimilars. <i>European Journal of Pharmaceutical Sciences</i> , 2022 , 175, 106227	5.1	
454	The effect of the anticholinergic burden on duration and severity of delirium in older hip-surgery patients with and without haloperidol prophylaxis: A post hoc analysis. <i>Brain and Behavior</i> , 2021 , e2404	3.4	1
453	Association between Genetic Variants and Cisplatin-Induced Nephrotoxicity: A Genome-Wide Approach and Validation Study. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	1
452	Incidence of and Reasons and Determinants Associated with Retransitioning from Biosimilar Etanercept to Originator Etanercept. <i>BioDrugs</i> , 2021 , 35, 765-772	7.9	
451	Regulatory Safety Learning Driven by the Mechanism of Action: The Case of TNF- α Inhibitors. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 110, 123-131	6.1	2
450	Waste-minimising measures to achieve sustainable supply and use of medication. <i>Sustainable Chemistry and Pharmacy</i> , 2021 , 20, 100400	3.9	6
449	Clinical Decision Support System-Assisted Pharmacy Intervention Reduces Feeding Tube-Related Medication Errors in Hospitalized Patients: A Focus on Medication Suitable for Feeding-Tube Administration. <i>Journal of Parenteral and Enteral Nutrition</i> , 2021 , 45, 625-632	4.2	3
448	Exploring a Safety Signal of Antipsychotic-Associated Pneumonia: A Pharmacovigilance-Pharmacodynamic Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 672-681	1.3	2
447	Nature and frequency of prescription modifications in community pharmacies: A nationwide study in the Netherlands. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 1455-1465	3.8	1
446	Influence of allopurinol on thiopurine associated toxicity: A retrospective population-based cohort study. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 2333-2340	3.8	2
445	Comparison of consistency and complementarity of reporting biosimilar quality attributes between regulatory and scientific communities: An adalimumab case study. <i>Biologics</i> , 2021 , 69, 30-37	1.8	2
444	Type and Extent of Information on (Potentially Critical) Quality Attributes Described in European Public Assessment Reports for Adalimumab Biosimilars. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2

443	Monitoring of Adverse Drug Reaction-Related Parameters in Children and Adolescents Treated With Antipsychotic Drugs in Psychiatric Outpatient Clinics. <i>Frontiers in Psychiatry</i> , 2021 , 12, 640377	5	1
442	Switching TNF α Inhibitors: Patterns and determinants. <i>Pharmacology Research and Perspectives</i> , 2021 , 9, e00843	3.1	0
441	Pharmacokinetics and Associated Efficacy of Emicizumab in Humans: A Systematic Review. <i>Clinical Pharmacokinetics</i> , 2021 , 60, 1395-1406	6.2	2
440	Frequency and Acceptance of Clinical Decision Support System-Generated STOPP/START Signals for Hospitalised Older Patients with Polypharmacy and Multimorbidity. <i>Drugs and Aging</i> , 2021 , 39, 59	4.7	5
439	Patients Retransitioning from Biosimilar TNF α Inhibitor to the Corresponding Originator After Initial Transitioning to the Biosimilar: A Systematic Review. <i>BioDrugs</i> , 2021 , 36, 27	7.9	1
438	Acute renal and neurotoxicity due to weight-based dosing of intravenous acyclovir: How to dose in obese patients?. <i>Clinical Infection in Practice</i> , 2020 , 7-8, 100046	1	2
437	Reporting Patterns of Sialorrhea Comparing Users of Clozapine to Users of Other Antipsychotics: A Disproportionality Analysis Using VigiBase. <i>Journal of Clinical Psychopharmacology</i> , 2020 , 40, 283-286	1.7	2
436	Association between serum biomarkers CEA and LDH and response in advanced non-small cell lung cancer patients treated with platinum-based chemotherapy. <i>Thoracic Cancer</i> , 2020 , 11, 1790-1800	3.2	9
435	Prediction of Drug Exposure in Critically Ill Encephalopathic Neonates Treated With Therapeutic Hypothermia Based on a Pooled Population Pharmacokinetic Analysis of Seven Drugs and Five Metabolites. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 108, 1098-1106	6.1	3
434	Evaluation of clarity of the STOPP/START criteria for clinical applicability in prescribing for older people: a quality appraisal study. <i>BMJ Open</i> , 2020 , 10, e033721	3	6
433	Experiences with medical cannabis in the treatment of veterans with PTSD: Results from a focus group discussion. <i>European Neuropsychopharmacology</i> , 2020 , 36, 244-254	1.2	10
432	Psychotropic medication use in former ICU patients with mental health problems: A prospective observational follow-up study. <i>Journal of Critical Care</i> , 2020 , 59, 112-117	4	0
431	Comparison between coagulation factor VIII quantified with one-stage activity assay and with mass spectrometry in haemophilia A patients: Proof of principle. <i>International Journal of Laboratory Hematology</i> , 2020 , 42, 819-826	2.5	1
430	Anticholinergic drug exposure at intensive care unit admission affects the occurrence of delirium. A prospective cohort study. <i>European Journal of Internal Medicine</i> , 2020 , 78, 121-126	3.9	2
429	Translation from animal to clinical studies, choosing the optimal moment. <i>Pediatric Research</i> , 2020 , 88, 836-837	3.2	1
428	A semi-mechanistic model based on glutathione depletion to describe intra-individual reduction in busulfan clearance. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 1499-1509	3.8	7
427	The association between receptor binding affinity and metabolic side effect profile of antipsychotics and major cardio- and cerebrovascular events: A case/non-case study using VigiBase. <i>European Neuropsychopharmacology</i> , 2020 , 35, 30-38	1.2	3
426	Lidocaine as treatment for neonatal seizures: Evaluation of previously developed population pharmacokinetic models and dosing regimen. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 75-84	3.8	5

425	Clinical rule-guided pharmacists' intervention in hospitalized patients with hypokalaemia: A time series analysis. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020 , 45, 520-529	2.2	3
424	Reporting of quality attributes in scientific publications presenting biosimilarity assessments of (intended) biosimilars: a systematic literature review. <i>European Journal of Pharmaceutical Sciences</i> , 2020 , 154, 105501	5.1	3
423	Pharmacokinetics and short-term safety of the selective NOS inhibitor 2-iminobiotin in asphyxiated neonates treated with therapeutic hypothermia. <i>Pediatric Research</i> , 2020 , 87, 689-696	3.2	9
422	Associations between personality traits and adequate home storage of drugs in older patients. <i>Psychology, Health and Medicine</i> , 2019 , 24, 1255-1266	2.1	0
421	Reported Adverse Drug Reactions in Children and Adolescents Treated with Antipsychotics. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2019 , 29, 124-132	2.9	17
420	What does it cost to redispense unused medications in the pharmacy? A micro-costing study. <i>BMC Health Services Research</i> , 2019 , 19, 243	2.9	8
419	Discontinuation Rates of Antidepressant Use by Dutch Soldiers. <i>Military Medicine</i> , 2019 , 184, 868-874	1.3	2
418	Pharmacokinetics of morphine in encephalopathic neonates treated with therapeutic hypothermia. <i>PLoS ONE</i> , 2019 , 14, e0211910	3.7	16
417	Phenobarbital, Midazolam Pharmacokinetics, Effectiveness, and Drug-Drug Interaction in Asphyxiated Neonates Undergoing Therapeutic Hypothermia. <i>Neonatology</i> , 2019 , 116, 154-162	4	11
416	The effect of a pharmaceutical transitional care program on rehospitalisations in internal medicine patients: an interrupted-time-series study. <i>BMC Health Services Research</i> , 2019 , 19, 717	2.9	6
415	Redispensing of unused HIV post-exposure prophylaxis for medical students. <i>Travel Medicine and Infectious Disease</i> , 2019 , 29, 82-83	8.4	2
414	Willingness of patients to use unused medication returned to the pharmacy by another patient: a cross-sectional survey. <i>BMJ Open</i> , 2019 , 9, e024767	3	9
413	Effect of reimbursement restriction policy on the use of benzodiazepines in the Netherlands: an interrupted time series analysis. <i>BMJ Open</i> , 2019 , 9, e029148	3	3
412	Pharmacist-Psychiatrist Interventions Triggered by Clinical Decision Support System Improve Monitoring of Patients Using Lithium in a General Hospital. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 532-533	1.7	0
411	Post-marketing dosing changes in the label of biologicals. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 715-721	3.8	3
410	Compliance with the guidelines for laboratory monitoring of patients treated with lithium: A retrospective follow-up study among ambulatory patients in the Netherlands. <i>Bipolar Disorders</i> , 2019 , 21, 419-427	3.8	5
409	Exploring the Association between Monoclonal Antibodies and Depression and Suicidal Ideation and Behavior: A VigiBase Study. <i>Drug Safety</i> , 2019 , 42, 887-895	5.1	12
408	Quantity and economic value of unused oral anti-cancer and biological disease-modifying anti-rheumatic drugs among outpatient pharmacy patients who discontinue therapy. <i>Research in Social and Administrative Pharmacy</i> , 2019 , 15, 100-105	2.9	11

407	Severe Cognitive Impairment Associated With a High Free But Therapeutic Total Concentration of Valproic Acid Due to Hypoalbuminemia in an Older Patient With Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2018 , 38, 265-268	1.7	4
406	Older Patients' Compliance with Drug Storage Recommendations. <i>Drugs and Aging</i> , 2018 , 35, 233-241	4.7	6
405	The Impact of Inadequate Temperature Storage Conditions on Aggregate and Particle Formation in Drugs Containing Tumor Necrosis Factor-Alpha Inhibitors. <i>Pharmaceutical Research</i> , 2018 , 35, 42	4.5	17
404	Comparison of antibiotic dosing recommendations for neonatal sepsis from established reference sources. <i>International Journal of Clinical Pharmacy</i> , 2018 , 40, 436-443	2.3	9
403	Development of a nomogram for the estimation of long-term adherence to clozapine therapy using neutrophil fluorescence. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1228-1237	3.8	3
402	Monitoring of patients treated with lithium for bipolar disorder: an international survey. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 12	5.4	8
401	Patient and medication factors associated with preventable medication waste and possibilities for redispensing. <i>International Journal of Clinical Pharmacy</i> , 2018 , 40, 704-711	2.3	14
400	Effects of training physicians in electronic prescribing in the outpatient setting on clinical, learning and behavioural outcomes: a cluster randomized trial. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1187-1197	3.8	4
399	Nitric Oxide Synthase Inhibition as a Neuroprotective Strategy Following Hypoxic-Ischemic Encephalopathy: Evidence From Animal Studies. <i>Frontiers in Neurology</i> , 2018 , 9, 258	4.1	18
398	Megakaryocyte lineage development is controlled by modulation of protein acetylation. <i>PLoS ONE</i> , 2018 , 13, e0196400	3.7	2
397	Long-Term Melatonin Therapy for Adolescents and Young Adults with Chronic Sleep Onset Insomnia and Late Melatonin Onset: Evaluation of Sleep Quality, Chronotype, and Lifestyle Factors Compared to Age-Related Randomly Selected Population Cohorts. <i>Healthcare (Switzerland)</i> , 2018 , 6,	3.4	20
396	Diabetes and Glucose Dysregulation and Transition to Delirium in ICU Patients. <i>Critical Care Medicine</i> , 2018 , 46, 1444-1449	1.4	10
395	Monitoring of Metabolic, Cardiac, and Endocrine Indicators in Youth Treated With Antipsychotics as Reported by Health Care Professionals. <i>Journal of Clinical Psychopharmacology</i> , 2018 , 38, 489-493	1.7	5
394	Predicting rehospitalization in patients treated with antipsychotics: a prospective observational study. <i>Therapeutic Advances in Psychopharmacology</i> , 2018 , 8, 213-229	4.9	2
393	Glucose variability during delirium in diabetic and non-diabetic intensive care unit patients: A prospective cohort study. <i>PLoS ONE</i> , 2018 , 13, e0205637	3.7	8
392	Evaluation of clarity of presentation and applicability of monitoring instructions for patients using lithium in clinical practice guidelines for treatment of bipolar disorder. <i>Bipolar Disorders</i> , 2018 , 20, 708-720	3.8	9
391	Pharmacists' Activities to Reduce Medication Waste: An International Survey. <i>Pharmacy (Basel, Switzerland)</i> , 2018 , 6,	2	15
390	Prevalence of use of erectile dysfunction medication by Dutch military personnel between 2003 and 2012. <i>International Journal of Impotence Research</i> , 2017 , 29, 54-56	2.3	2

389	Redispatching of medicines unused by patients: a qualitative study among stakeholders. <i>International Journal of Clinical Pharmacy</i> , 2017 , 39, 196-204	2.3	17
388	The Effect of Glycopyrrrolate on Nocturnal Sialorrhea in Patients Using Clozapine: A Randomized, Crossover, Double-Blind, Placebo-Controlled Trial. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 155-161	1.7	13
387	Hypertensive Crisis During Norepinephrine Syringe Exchange: A Case Report. <i>A & A Case Reports</i> , 2017 , 8, 178-181		1
386	Cost-effectiveness of a transitional pharmaceutical care program for patients discharged from the hospital. <i>PLoS ONE</i> , 2017 , 12, e0174513	3.7	11
385	Guidance by physicians and pharmacists during antidepressant therapy: patients' needs and suggestions for improvement. <i>BMC Psychiatry</i> , 2017 , 17, 388	4.2	4
384	Prevalence of Psychotropic Medication Use Among Dutch Military Personnel Between 2003 and 2012 and Its Comparison to the Dutch General Population. <i>Military Medicine</i> , 2017 , 182, e1584-e1588	1.3	3
383	Kindvriendelijke geneesmiddelen. <i>Huisarts En Wetenschap</i> , 2017 , 60, 15-19	0.1	
382	Paediatric Drug Development and Formulation Design-a European Perspective. <i>AAPS PharmSciTech</i> , 2017 , 18, 241-249	3.9	37
381	Patient monitoring: the hidden costs of treatment with antipsychotics. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 570-2	3.8	1
380	Movement Disorders in Adults With Intellectual Disability and Behavioral Problems Associated With Use of Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2016 , 36, 308-13	1.7	10
379	Associations Between Personality Traits and Adherence to Antidepressants Assessed Through Self-Report, Electronic Monitoring, and Pharmacy Dispensing Data: A Pilot Study. <i>Journal of Clinical Psychopharmacology</i> , 2016 , 36, 465-71	1.7	5
378	Structured Medication Review to Improve Pharmacotherapy in People with Intellectual Disability and Behavioural Problems. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2016 , 29, 346-55	2.2	26
377	Adverse events and the relation with quality of life in adults with intellectual disability and challenging behaviour using psychotropic drugs. <i>Research in Developmental Disabilities</i> , 2016 , 49-50, 13-21	2.7	36
376	The Association Between Potentially Inappropriate Prescribing and Medication-Related Hospital Admissions in Older Patients: A Nested Case Control Study. <i>Drug Safety</i> , 2016 , 39, 79-87	5.1	44
375	The Relation between Psychiatric Diagnoses and Constipation in Hospitalized Patients: A Cross-Sectional Study. <i>Psychiatry Journal</i> , 2016 , 2016, 2459693	2.4	8
374	The effect of exposure misclassification in spontaneous ADR reports on the time to detection of product-specific risks for biologicals: a simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 297-306	2.6	7
373	Anti-epileptic drug changes and quality of life in the community. <i>Acta Neurologica Scandinavica</i> , 2016 , 133, 421-6	3.8	3
372	Association of busulfan exposure with survival and toxicity after haemopoietic cell transplantation in children and young adults: a multicentre, retrospective cohort analysis. <i>Lancet Haematology</i> , 2016 , 3, e526-e536	14.6	130

371	Safe and effective pharmacotherapy in infants and preschool children: importance of formulation aspects. <i>Archives of Disease in Childhood</i> , 2016 , 101, 662-9	2.2	35
370	The majority of patients do not store their biologic disease-modifying antirheumatic drugs within the recommended temperature range. <i>Rheumatology</i> , 2016 , 55, 704-9	3.9	30
369	Dosing errors in preterm neonates due to flow rate variability in multi-infusion syringe pump setups: An in vitro spectrophotometry study. <i>European Journal of Pharmaceutical Sciences</i> , 2016 , 93, 56-63	5.1	4
368	Understanding inconsistency in the results from observational pharmacoepidemiological studies: the case of antidepressant use and risk of hip/femur fractures. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 88-102	2.6	21
367	Validity of diagnostic codes and laboratory measurements to identify patients with idiopathic acute liver injury in a hospital database. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 21-8	2.6	11
366	The IMI PROTECT project: purpose, organizational structure, and procedures. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 5-10	2.6	17
365	Multi-centre, multi-database studies with common protocols: lessons learnt from the IMI PROTECT project. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 156-65	2.6	33
364	Medication Discontinuation in Patients After Discharge From a Psychiatric Hospital. <i>Annals of Pharmacotherapy</i> , 2015 , 49, 1085-95	2.9	2
363	Methods of administering oral formulations and child acceptability. <i>International Journal of Pharmaceutics</i> , 2015 , 491, 261-7	6.5	39
362	Differences in ADHD medication usage patterns in children and adolescents from different cultural backgrounds in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1153-62	4.5	9
361	Association between anti-thymocyte globulin exposure and CD4+ immune reconstitution in paediatric haemopoietic cell transplantation: a multicentre, retrospective pharmacodynamic cohort analysis. <i>Lancet Haematology</i> , 2015 , 2, e194-203	14.6	158
360	Risk of Hospitalization for Hypoglycemia in Older Patients with Diabetes Using Antipsychotic Drugs. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 1144-53	6.5	4
359	Adverse Drug Reactions Reported With Cholinesterase Inhibitors: An Analysis of 16 Years of Individual Case Safety Reports From VigiBase. <i>Annals of Pharmacotherapy</i> , 2015 , 49, 1197-206	2.9	28
358	Flow variability and its physical causes in infusion technology: a systematic review of in vitro measurement and modeling studies. <i>Biomedizinische Technik</i> , 2015 , 60, 277-300	1.3	15
357	The relation between risk-taking behavior and alcohol use in young adults is different for men and women. <i>Drug and Alcohol Dependence</i> , 2015 , 155, 222-7	4.9	21
356	Traceability of biologicals: present challenges in pharmacovigilance. <i>Expert Opinion on Drug Safety</i> , 2015 , 14, 63-72	4.1	35
355	MEDUCATE trial: effectiveness of an intensive EDUCATIONAL intervention for IT-mediated MEDication management in the outpatient clinic - study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2015 , 16, 223	2.8	3
354	Drug-induced progressive multifocal leukoencephalopathy: Lessons learned from contrasting natalizumab and rituximab. <i>Clinical Pharmacology and Therapeutics</i> , 2015 , 98, 542-50	6.1	17

353	Instructions for clinical and biomarker monitoring in the Summary of Product Characteristics (SmPC) for psychotropic drugs: Overview and applicability in clinical practice. <i>Journal of Psychopharmacology</i> , 2015 , 29, 1248-54	4.6	16
352	Influence of a strict glucose protocol on serum potassium and glucose concentrations and their association with mortality in intensive care patients. <i>Critical Care</i> , 2015 , 19, 270	10.8	7
351	Antidepressant use in pregnancy: knowledge transfer and translation of research findings. <i>Journal of Evaluation in Clinical Practice</i> , 2015 , 21, 579-83	2.5	2
350	Adherence with Dosing Guideline in Patients with Impaired Renal Function at Hospital Discharge. <i>PLoS ONE</i> , 2015 , 10, e0128237	3.7	23
349	Task analysis of information technology-mediated medication management in outpatient care. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 415-24	3.8	8
348	How to use current practice, risk analysis and standards to define hospital-wide policies on the safe use of infusion technology. <i>Biomedizinische Technik</i> , 2015 , 60, 381-7	1.3	1
347	Treatment with rivastigmine or galantamine and risk of urinary incontinence: results from a Dutch database study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 276-85	2.6	15
346	Anticonvulsant effectiveness and hemodynamic safety of midazolam in full-term infants treated with hypothermia. <i>Neonatology</i> , 2015 , 107, 150-6	4	27
345	Impact of computerized physician order entry (CPOE) on PICU prescribing errors. <i>Intensive Care Medicine</i> , 2014 , 40, 458-9	14.5	5
344	Analysis of potential drug-drug interactions in medical intensive care unit patients. <i>Pharmacotherapy</i> , 2014 , 34, 213-9	5.8	48
343	Discontinuation of somatic medication during psychiatric hospitalization. <i>Annals of Pharmacotherapy</i> , 2014 , 48, 1415-24	2.9	4
342	Antidepressant prescribing in five European countries: application of common definitions to assess the prevalence, clinical observations, and methodological implications. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 849-57	2.8	110
341	Completeness of patient records in community pharmacies post-discharge after in-patient medication reconciliation: a before-after study. <i>International Journal of Clinical Pharmacy</i> , 2014 , 36, 807-14	2.3	10
340	Risk of lactic acidosis or elevated lactate concentrations in metformin users with renal impairment: a population-based cohort study. <i>Diabetes Care</i> , 2014 , 37, 2218-24	14.6	102
339	Risk management plans as a tool for proactive pharmacovigilance: a cohort study of newly approved drugs in Europe. <i>Clinical Pharmacology and Therapeutics</i> , 2014 , 96, 723-31	6.1	25
338	Bridging differences in outcomes of pharmacoepidemiological studies: design and first results of the PROTECT project. <i>Current Clinical Pharmacology</i> , 2014 , 9, 130-8	2.5	43
337	Effect of a transitional pharmaceutical care intervention at hospital discharge on registration of changes in medication regimens in primary care. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 565-7	5.6	2
336	The influence of lithium on calcium homeostasis in older patients in daily clinical practice. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 594-601	3.9	8

335	Combined HTR2C-LEP and HTR2C-LEPR genotypes as a determinant for obesity in patients without antipsychotic drugs. <i>Journal of Clinical Psychopharmacology</i> , 2014 , 34, 266-8	1.7	
334	Oral medicines for children in the European paediatric investigation plans. <i>PLoS ONE</i> , 2014 , 9, e98348	3.7	17
333	Participation of older people in preauthorization trials of recently approved medicines. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1883-90	5.6	26
332	Practical problems with medication use that older people experience: a qualitative study. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 2339-44	5.6	60
331	Variability between nursing homes in prevalence of antipsychotic use in patients with dementia. <i>International Psychogeriatrics</i> , 2014 , 26, 363-71	3.4	30
330	Medication management capacity in relation to cognition and self-management skills in older people on polypharmacy. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 44-9	5.2	36
329	Association between ADHD drug use and injuries among children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 95-102	5.5	30
328	Multiple physicians are not independently associated with inappropriate prescribing: a cross-sectional study of geriatric patients. <i>British Journal of Clinical Pharmacology</i> , 2014 , 77, 213-5	3.8	2
327	Increase in prophylaxis of glucocorticoid-induced osteoporosis by pharmacist feedback: a randomised controlled trial. <i>Osteoporosis International</i> , 2014 , 25, 385-92	5.3	15
326	QT interval prolongation in users of selective serotonin reuptake inhibitors in an elderly surgical population: a cross-sectional study. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 15-21	4.6	16
325	The association between CYP2D6 genotype and switching antipsychotic medication to clozapine. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 1927-32	2.8	3
324	The association between prescription change frequency, chronic disease score and hospital admissions: a case control study. <i>BMC Pharmacology & Toxicology</i> , 2013 , 14, 39	2.6	5
323	Information for adequate prescribing to older patients : an evaluation of the product information of 53 recently approved medicines. <i>Drugs and Aging</i> , 2013 , 30, 255-62	4.7	17
322	Traceability of biopharmaceuticals in spontaneous reporting systems: a cross-sectional study in the FDA Adverse Event Reporting System (FAERS) and EudraVigilance databases. <i>Drug Safety</i> , 2013 , 36, 617-25	5.1	58
321	Signs and symptoms indicative of potential adverse drug reactions in homecare patients. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 920-5	5.9	13
320	Renal function assessment in older adults. <i>British Journal of Clinical Pharmacology</i> , 2013 , 76, 616-23	3.8	32
319	Fluorescence of neutrophil granulocytes as a biomarker for clozapine use. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1408-13	1.2	4
318	Optimizing trial design in pharmacogenetics research: comparing a fixed parallel group, group sequential, and adaptive selection design on sample size requirements. <i>Pharmaceutical Statistics</i> , 2013 , 12, 366-74	1	9

317	Prevalence of hyponatremia on geriatric wards compared to other settings over four decades: a systematic review. <i>Ageing Research Reviews</i> , 2013 , 12, 165-73	12	52
316	Treatment of epilepsy in daily clinical practice: have outcomes improved over the past 10 years?. <i>Journal of Neurology</i> , 2013 , 260, 2736-43	5.5	6
315	Prognostic factors for medically intractable epilepsy: a systematic review. <i>Epilepsy Research</i> , 2013 , 106, 301-10	3	46
314	Prevalence and characteristics of psychotropic drug use in institutionalized children and adolescents with mild intellectual disability. <i>Research in Developmental Disabilities</i> , 2013 , 34, 3159-67	2.7	23
313	Characteristics, prevalence, risk factors, and underlying mechanism of hyponatremia in elderly patients treated with antidepressants: a cross-sectional study. <i>Maturitas</i> , 2013 , 76, 357-63	5	33
312	Ineffectiveness and adverse events of nitrofurantoin in women with urinary tract infection and renal impairment in primary care. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 1701-7	2.8	32
311	Immune reconstitution kinetics as an early predictor for mortality using various hematopoietic stem cell sources in children. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 305-13	4.7	70
310	Prevalence of medication use for somatic disease in institutionalized psychiatric patients. <i>Pharmacopsychiatry</i> , 2013 , 46, 274-80	2	3
309	Anticonvulsant treatment of asphyxiated newborns under hypothermia with lidocaine: efficacy, safety and dosing. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013 , 98, F341-5	4.7	33
308	The effect of a computerized prescribing and calculating system on hypo- and hyperglycemias and on prescribing time efficiency in neonatal intensive care patients. <i>Journal of Parenteral and Enteral Nutrition</i> , 2013 , 37, 85-91	4.2	20
307	Acceptability of different oral formulations in infants and preschool children. <i>Archives of Disease in Childhood</i> , 2013 , 98, 725-31	2.2	88
306	Age as a determinant of instability of serum lithium concentrations. <i>Therapeutic Drug Monitoring</i> , 2013 , 35, 643-8	3.2	6
305	Genetic variation and the risk of haloperidol-related parkinsonism in elderly patients: a candidate gene approach. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 405-10	1.7	10
304	Systems that prevent unwanted represcription of drugs withdrawn because of adverse drug events: a systematic review. <i>Therapeutic Advances in Drug Safety</i> , 2013 , 4, 73-90	3.5	13
303	Effect of a discharge medication intervention on the incidence and nature of medication discrepancies in older adults. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 456-8	5.6	5
302	Preventing hospital admissions by reviewing medication (PHARM) in primary care: an open controlled study in an elderly population. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2013 , 38, 379-87	2.2	30
301	Feasibility of point-of-care creatinine testing in community pharmacy to monitor drug therapy in ambulatory elderly patients. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2013 , 38, 416-22	2.2	19
300	The effect of a preoperative erythropoietin protocol as part of a multifaceted blood management program in daily clinical practice (CME). <i>Transfusion</i> , 2013 , 53, 1930-9	2.9	11

299	Occurrence and determinants of poor response to short-term pre-operative erythropoietin treatment. <i>Acta Anaesthesiologica Scandinavica</i> , 2013 , 57, 350-7	1.9	3
298	Taxol(®)-induced phosphatidylserine exposure and microvesicle formation in red blood cells is mediated by its vehicle Cremophor(®) EL. <i>Nanomedicine</i> , 2013 , 8, 1127-35	5.6	21
297	Highly variable plasma concentrations of voriconazole in pediatric hematopoietic stem cell transplantation patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 235-40	5.9	55
296	Clinical pharmacy interventions in paediatric electronic prescriptions. <i>Archives of Disease in Childhood</i> , 2013 , 98, 222-7	2.2	16
295	Added value of pharmacogenetic testing in predicting statin response: results from the REGRESS trial. <i>Pharmacogenomics Journal</i> , 2013 , 13, 318-24	3.5	3
294	The effect of psychotropic medications on the occurrence of constipation in hospitalized psychiatric patients. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 587-90	1.7	3
293	The views of healthcare professionals, drug developers and regulators on information about older people needed for rational drug prescription. <i>PLoS ONE</i> , 2013 , 8, e72060	3.7	7
292	Rituximab-induced thrombocytopenia: a cohort study. <i>European Journal of Haematology</i> , 2012 , 89, 256-668	5.6	23
291	Dopamine agonists and ischemic complications in Parkinson's disease: a nested case-control study. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 83-8	2.8	12
290	Reasons for and time to discontinuation of rimonabant therapy: a modified prescription-event monitoring study. <i>Drug Safety</i> , 2012 , 35, 1147-58	5.1	8
289	Pharmacokinetics and clinical efficacy of phenobarbital in asphyxiated newborns treated with hypothermia: a thermopharmacological approach. <i>Clinical Pharmacokinetics</i> , 2012 , 51, 671-9	6.2	62
288	Serum potassium influencing interacting drugs: risk-modifying strategies also needed at discontinuation. <i>Annals of Pharmacotherapy</i> , 2012 , 46, 176-82	2.9	6
287	Quality of life of elderly patients with antipsychotic-induced parkinsonism: a cross-sectional study. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 82.e1-5	5.9	7
286	Effect of medication reconciliation on medication costs after hospital discharge in relation to hospital pharmacy labor costs. <i>Annals of Pharmacotherapy</i> , 2012 , 46, 329-38	2.9	15
285	Differences in lithium use patterns in the Netherlands: comparing middle-aged and older patients in a database study. <i>American Journal of Geriatric Pharmacotherapy</i> , 2012 , 10, 193-200		5
284	Body weight-dependent pharmacokinetics of busulfan in paediatric haematopoietic stem cell transplantation patients: towards individualized dosing. <i>Clinical Pharmacokinetics</i> , 2012 , 51, 331-45	6.2	100
283	Use of rivastigmine or galantamine and risk of adverse cardiac events: a database study from the Netherlands. <i>American Journal of Geriatric Pharmacotherapy</i> , 2012 , 10, 373-80		12
282	An electronic system to document reasons for medication discontinuation and to flag unwanted represcriptions in geriatric patients. <i>Drugs and Aging</i> , 2012 , 29, 957-62	4.7	5

281	Selective serotonin reuptake inhibitors and intraoperative blood pressure. <i>American Journal of Hypertension</i> , 2012 , 25, 223-8	2.3	6
280	Risk of acute coronary syndrome in elderly users of antipsychotic drugs: a nested case-control study. <i>Heart</i> , 2012 , 98, 1166-71	5.1	7
279	Predictive performance of a busulfan pharmacokinetic model in children and young adults. <i>Therapeutic Drug Monitoring</i> , 2012 , 34, 574-83	3.2	38
278	Parkinsonism in elderly users of haloperidol: associated with dose, plasma concentration, and duration of use. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 688-93	1.7	11
277	Contribution of renal impairment to potentially preventable medication-related hospital admissions. <i>Annals of Pharmacotherapy</i> , 2012 , 46, 625-33	2.9	28
276	Potential of adaptive clinical trial designs in pharmacogenetic research. <i>Pharmacogenomics</i> , 2012 , 13, 571-8	2.6	13
275	Instructions on laboratory monitoring in 200 drug labels. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1351-8	5.9	12
274	Information comparison of the effects of drugs on laboratory tests in drug labels and Young's book. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1765-8	5.9	2
273	Association between HTR2C polymorphisms and obesity in patients without antipsychotic drugs. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 715-40	1.7	2
272	Valproic acid treatment is associated with altered leukocyte subset development. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 832-4	1.7	10
271	Antidepressive treatment with monoamine oxidase inhibitors and the occurrence of intraoperative hemodynamic events: a retrospective observational cohort study. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1103-9	4.6	25
270	Preventable hospital admissions related to medication (HARM): cost analysis of the HARM study. <i>Value in Health</i> , 2011 , 14, 34-40	3.3	66
269	Lidocaine (lignocaine) dosing regimen based upon a population pharmacokinetic model for preterm and term neonates with seizures. <i>Clinical Pharmacokinetics</i> , 2011 , 50, 461-9	6.2	28
268	Thrombocytopenia in adult cancer patients receiving cytotoxic chemotherapy: results from a retrospective hospital-based cohort study. <i>Drug Safety</i> , 2011 , 34, 1151-60	5.1	40
267	The availability and age-appropriateness of medicines authorized for children in The Netherlands. <i>British Journal of Clinical Pharmacology</i> , 2011 , 72, 465-73	3.8	35
266	Structured history taking of medication use reveals iatrogenic harm due to discrepancies in medication histories in hospital and pharmacy records. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 1976-7	5.6	35
265	Use of serotonergic drugs and the risk of bleeding. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 89, 89-96	6.1	41
264	Representation of people with intellectual disabilities in randomised controlled trials on antipsychotic treatment for behavioural problems. <i>Journal of Intellectual Disability Research</i> , 2011 , 55, 650-64	3.2	19

263	The decision to continue or discontinue treatment: experiences and beliefs of users of selective serotonin-reuptake inhibitors in the initial months--a qualitative study. <i>Research in Social and Administrative Pharmacy</i> , 2011 , 7, 134-50	2.9	34
262	Pharmacogenetic testing to predict antipsychotic-induced weight gain: a systematic review. <i>Pharmacogenomics</i> , 2011 , 12, 1213-27	2.6	15
261	Dopaminergic drugs and the risk of hip or femur fracture: a population-based case-control study. <i>Osteoporosis International</i> , 2011 , 22, 2197-204	5.3	24
260	Evaluation of sleep, puberty and mental health in children with long-term melatonin treatment for chronic idiopathic childhood sleep onset insomnia. <i>Psychopharmacology</i> , 2011 , 216, 111-20	4.7	46
259	Frequency of laboratory measurement and hyperkalaemia in hospitalised patients using serum potassium concentration increasing drugs. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 933-40	2.8	11
258	Preventing hospital admissions by reviewing medication (PHARM) in primary care: design of the cluster randomised, controlled, multi-centre PHARM-study. <i>BMC Health Services Research</i> , 2011 , 11, 4	2.9	23
257	High prevalence of methotrexate intolerance in juvenile idiopathic arthritis: development and validation of a methotrexate intolerance severity score. <i>Arthritis and Rheumatism</i> , 2011 , 63, 2007-13		89
256	Polymorphisms of the LEP, LEPR and HTR2C gene: obesity and BMI change in patients using antipsychotic medication in a naturalistic setting. <i>Pharmacogenomics</i> , 2011 , 12, 919-23	2.6	30
255	Discriminative value of platelet size indices for the identification of the mechanism of chemotherapy-induced thrombocytopenia. <i>Biomarkers</i> , 2011 , 16, 51-7	2.6	6
254	Pharmacogenetics in randomized controlled trials: considerations for trial design. <i>Pharmacogenomics</i> , 2011 , 12, 1485-92	2.6	8
253	Use of dipeptidyl peptidase-4 inhibitors and the reporting of infections: a disproportionality analysis in the World Health Organization VigiBase. <i>Diabetes Care</i> , 2011 , 34, 369-74	14.6	91
252	Frequency and nature of drug-drug interactions in a Dutch university hospital. <i>British Journal of Clinical Pharmacology</i> , 2010 , 70, 618	3.8	0
251	Medication discontinuity errors in the perioperative period. <i>Acta Anaesthesiologica Scandinavica</i> , 2010 , 54, 1185-91	1.9	11
250	The association between patient-reported drug taking and gaps and overlaps in antidepressant drug dispensing. <i>Annals of Pharmacotherapy</i> , 2010 , 44, 1755-61	2.9	8
249	Reply to R. Ferraldeschi et al. <i>Journal of Clinical Oncology</i> , 2010 , 28, e586-e586	2.2	
248	Glycopyrrolate for sialorrhea in Parkinson disease: a randomized, double-blind, crossover trial. <i>Neurology</i> , 2010 , 74, 1203-7	6.5	101
247	Trends in incidence and characteristics of children, adolescents, and adults initiating immediate- or extended-release methylphenidate or atomoxetine in the Netherlands during 2001-2006. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2010 , 20, 55-61	2.9	35
246	Variation in antibiotic use in neonatal intensive care units in the Netherlands. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 1270-5	5.1	50

245	Transitions from General Practitioner to Psychiatrist Care (or vice versa) during a first antidepressant treatment episode. <i>Pharmacopsychiatry</i> , 2010 , 43, 179-83	2	5
244	Trials assessing pharmacotherapeutic management of aggression in psychiatric patients: comparability with clinical practice. <i>Pharmacopsychiatry</i> , 2010 , 43, 205-9	2	5
243	Effect of concomitant CYP2D6 inhibitor use and tamoxifen adherence on breast cancer recurrence in early-stage breast cancer. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2423-9	2.2	126
242	The relationship between study characteristics and the prevalence of medication-related hospitalizations: a literature review and novel analysis. <i>Drug Safety</i> , 2010 , 33, 233-44	5.1	66
241	Antipsychotic-induced hyponatraemia: a systematic review of the published evidence. <i>Drug Safety</i> , 2010 , 33, 101-14	5.1	72
240	Effects of hypothermia on pharmacokinetics and pharmacodynamics: a systematic review of preclinical and clinical studies. <i>Clinical Pharmacokinetics</i> , 2010 , 49, 277-94	6.2	134
239	Recurrence of adverse drug reactions following inappropriate re-prescription: better documentation, availability of information and monitoring are needed. <i>Drug Safety</i> , 2010 , 33, 535-8	5.1	19
238	Hyponatraemia as an adverse drug reaction of antipsychotic drugs: a case-control study in VigiBase. <i>Drug Safety</i> , 2010 , 33, 569-78	5.1	44
237	Mapping the safety profile of biologicals: a disproportionality analysis using the WHO adverse drug reaction database, VigiBase. <i>Drug Safety</i> , 2010 , 33, 865-78	5.1	31
236	Construction of drug treatment episodes from drug-dispensing histories is influenced by the gap length. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 422-7	5.7	69
235	Unpredictable bias when using the missing indicator method or complete case analysis for missing confounder values: an empirical example. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 728-36	5.7	100
234	Use of antidepressant drugs and risk of osteoporotic and non-osteoporotic fractures. <i>Bone</i> , 2010 , 47, 604-9	4.7	76
233	Patients' perceptions and illness severity at start of antidepressant treatment in general practice. <i>International Journal of Pharmacy Practice</i> , 2010 , 18, 217-25	1.7	12
232	Prevalence and determinants of thyroid disorders in elderly patients with affective disorders: lithium and nonlithium patients. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 395-403	6.5	24
231	The relationship between benzodiazepine use and traffic accidents: A systematic literature review. <i>CNS Drugs</i> , 2010 , 24, 639-53	6.7	113
230	Discontinuation of cholinesterase inhibitor treatment and determinants thereof in the Netherlands: A retrospective cohort study. <i>Drugs and Aging</i> , 2010 , 27, 663-75	4.7	21
229	Antipsychotic drug use and the risk of venous thromboembolism in elderly patients. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 526-30	1.7	29
228	Association between LEP and LEPR gene polymorphisms and dyslipidemia in patients using atypical antipsychotic medication. <i>Psychiatric Genetics</i> , 2010 , 20, 311-6	2.9	19

227	Combined HTR2C-LEP genotype as a determinant of obesity in patients using antipsychotic medication. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 702-5	1.7	16
226	The association between serotonin 2C receptor polymorphisms and weight gain and eating behavior in patients using mirtazapine: a prospective follow-up study. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 207-9	1.7	4
225	Reasons for discontinuation of medication during hospitalization and documentation thereof: a descriptive study of 400 geriatric and internal medicine patients. <i>Archives of Internal Medicine</i> , 2010 , 170, 1085-7		9
224	298 Cd3+Cd4+-Lymphocytes as Biomarker Predicting the Outcome of Pediatric Haematopoietic Stem Cell Transplantation Recipients. <i>Pediatric Research</i> , 2010 , 68, 153-153	3.2	
223	Use of serotonergic antidepressants and bleeding risk in orthopedic patients. <i>Anesthesiology</i> , 2010 , 112, 631-6	4.3	53
222	Patients' concerns about and problems experienced with discontinuation of antidepressants. <i>International Journal of Pharmacy Practice</i> , 2010 , 15, 291-293	1.7	7
221	Dose finding of melatonin for chronic idiopathic childhood sleep onset insomnia: an RCT. <i>Psychopharmacology</i> , 2010 , 212, 379-91	4.7	68
220	Quantifying antibiotic use in paediatrics: a proposal for neonatal DDDs. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2010 , 29, 1301-3	5.3	26
219	Less discontinuation of ADHD drug use since the availability of long-acting ADHD medication in children, adolescents and adults under the age of 45 years in the Netherlands. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2010 , 2, 213-20	3.1	31
218	The effect of the COACH program (Continuity Of Appropriate pharmacotherapy, patient Counselling and information transfer in Healthcare) on readmission rates in a multicultural population of internal medicine patients. <i>BMC Health Services Research</i> , 2010 , 10, 39	2.9	26
217	Effects of the pharmaceutical technologic aspects of oral pediatric drugs on patient-related outcomes: a systematic literature review. <i>Clinical Therapeutics</i> , 2010 , 32, 924-38	3.5	27
216	Seasonal patterns of initiating antidepressant therapy in general practice in the Netherlands during 2002-2007. <i>Journal of Affective Disorders</i> , 2010 , 122, 208-12	6.6	14
215	Antibiotic weight-watching: slimming down on antibiotic use in a NICU. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010 , 99, 1900-2	3.1	9
214	Comparison of potential risk factors for medication errors with and without patient harm. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 825-33	2.6	11
213	Risk of cerebrovascular events in elderly users of antipsychotics. <i>Journal of Psychopharmacology</i> , 2009 , 23, 909-14	4.6	65
212	The effect of computerized physician order entry on medication prescription errors and clinical outcome in pediatric and intensive care: a systematic review. <i>Pediatrics</i> , 2009 , 123, 1184-90	7.4	181
211	Documentation quality in community pharmacy: completeness of electronic patient records after patients' first visits. <i>Annals of Pharmacotherapy</i> , 2009 , 43, 1787-94	2.9	19
210	Medication errors: the impact of prescribing and transcribing errors on preventable harm in hospitalised patients. <i>Quality and Safety in Health Care</i> , 2009 , 18, 22-7		64

209	Unexpected lower prevalence of depression in patients with diabetes: selection bias in a waiting room population. <i>Epidemiology</i> , 2009 , 20, 419-23	3.1	
208	Gardarsdottir et al. Respond to "Assessing Treatment Effects With Observational Analyses". <i>American Journal of Epidemiology</i> , 2009 , 170, 288-288	3.8	
207	Duration of antidepressant drug treatment and its influence on risk of relapse/recurrence: immortal and neglected time bias. <i>American Journal of Epidemiology</i> , 2009 , 170, 280-5	3.8	28
206	Patients' perceptions of information received at the start of selective serotonin-reuptake inhibitor treatment: implications for community pharmacy. <i>Annals of Pharmacotherapy</i> , 2009 , 43, 642-9	2.9	23
205	Compliance with platelet count monitoring recommendations and management of possible heparin-induced thrombocytopenia in hospitalized patients receiving low-molecular-weight heparin. <i>Annals of Pharmacotherapy</i> , 2009 , 43, 1405-12	2.9	13
204	Validity and reliability of the Simpson-Angus Scale (SAS) in drug induced parkinsonism in the elderly. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 183-9	3.9	14
203	Reliability of the medication appropriateness index in Dutch residential home. <i>International Journal of Clinical Pharmacy</i> , 2009 , 31, 380-6		16
202	Antidepressant use before and after initiation of diabetes mellitus treatment. <i>Diabetologia</i> , 2009 , 52, 425-32	10.3	24
201	Antipsychotic use and the risk of hip/femur fracture: a population-based case-control study. <i>Osteoporosis International</i> , 2009 , 20, 1499-506	5.3	65
200	Use of anti-depressants and the risk of fracture of the hip or femur. <i>Osteoporosis International</i> , 2009 , 20, 1705-13	5.3	72
199	Reply: long-term retention rate of pramipexole in the treatment of Parkinson's disease. <i>European Journal of Clinical Pharmacology</i> , 2009 , 65, 957-957	2.8	2
198	Clinical and pharmacogenetic determinants for the discontinuation of non-ergoline dopamine agonists in Parkinson's disease. <i>European Journal of Clinical Pharmacology</i> , 2009 , 65, 1245-51	2.8	23
197	An algorithm to identify antidepressant users with a diagnosis of depression from prescription data. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 7-15	2.6	28
196	Cardiovascular and psychiatric risk profile and patterns of use in patients starting anti-obesity drugs. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 631-8	2.6	6
195	Risk of drug-induced photosensitivity: focus on spectroscopic and molecular characteristics. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 602-9	2.6	9
194	Frequency and nature of drug-drug interactions in a Dutch university hospital. <i>British Journal of Clinical Pharmacology</i> , 2009 , 68, 187-93	3.8	74
193	Association between lithium serum level, mood state, and patient-reported adverse drug reactions during long-term lithium treatment: a naturalistic follow-up study. <i>Bipolar Disorders</i> , 2009 , 11, 434-40	3.8	16
192	Association between antidepressant drug use during pregnancy and child healthcare utilisation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009 , 116, 1568-77	3.7	10

191	Treatment choices and patterns in migraine patients with and without a cardiovascular risk profile. <i>Cephalalgia</i> , 2009 , 29, 322-30	6.1	7
190	Association between busulfan exposure and outcome in children receiving intravenous busulfan before hematologic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2009 , 15, 231-41	4.7	92
189	Platelet measurements versus discharge diagnoses for identification of patients with potential drug-induced thrombocytopenia: a cross-sectional study in the Netherlands. <i>Drug Safety</i> , 2009 , 32, 69-76 ^{5.1}	5.1	6
188	Laboratory tests in the clinical risk management of potential drug-drug interactions: a cross-sectional study using drug-dispensing data from 100 Dutch community pharmacies. <i>Drug Safety</i> , 2009 , 32, 1189-97	5.1	14
187	Effect of cytochrome P450 2D6 genotype on maternal paroxetine plasma concentrations during pregnancy. <i>Clinical Pharmacokinetics</i> , 2009 , 48, 677-83	6.2	66
186	Evaluation of post-authorization safety studies in the first cohort of EU Risk Management Plans at time of regulatory approval. <i>Drug Safety</i> , 2009 , 32, 1175-87	5.1	40
185	Pharmacist-based medication review reduces potential drug-related problems in the elderly: the SMOG controlled trial. <i>Drugs and Aging</i> , 2009 , 26, 123-33	4.7	93
184	The influence that electronic prescribing has on medication errors and preventable adverse drug events: an interrupted time-series study. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2009 , 16, 816-25	8.6	79
183	Effect of medication reconciliation with and without patient counseling on the number of pharmaceutical interventions among patients discharged from the hospital. <i>Annals of Pharmacotherapy</i> , 2009 , 43, 1001-10	2.9	76
182	Evaluation of available treatment guidelines for the management of lithium intoxication. <i>Therapeutic Drug Monitoring</i> , 2009 , 31, 247-60	3.2	5
181	Does the length of the first antidepressant treatment episode influence risk and time to a second episode?. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 69-72	1.7	18
180	Polymorphisms of the LEP- and LEPR gene and obesity in patients using antipsychotic medication. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 21-5	1.7	61
179	Influence of antidepressant use on glycemic control in patients with diabetes mellitus: an open-label comparative study. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 405-8	1.7	5
178	HTR2C gene polymorphisms and the metabolic syndrome in patients with schizophrenia: a replication study. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 16-20	1.7	68
177	Initiation of antidepressant therapy: do patients follow the GP's prescription?. <i>British Journal of General Practice</i> , 2009 , 59, 81-7	1.6	85
176	The course of behavioral problems in elderly nursing home patients with dementia when treated with antipsychotics. <i>International Psychogeriatrics</i> , 2009 , 21, 931-40	3.4	23
175	The relationship between drug use and traffic accident severity 2009 , 135-150		
174	Psychiatric and cardiovascular comorbidities in patients with diabetes mellitus starting antiobesity drugs. <i>Obesity</i> , 2008 , 16, 2331-5	8	2

173	Pharmacogenetics: from bench to byte. <i>Clinical Pharmacology and Therapeutics</i> , 2008 , 83, 781-7	6.1	158
172	Clinical relevance of patients with epilepsy included in clinical trials. <i>Epilepsia</i> , 2008 , 49, 1479-80	6.4	13
171	Antipsychotic drug use and risk of pneumonia in elderly people. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 661-6	5.6	145
170	Relationship between polypharmacy and underprescribing. <i>British Journal of Clinical Pharmacology</i> , 2008 , 65, 130-3	3.8	164
169	Serotonin transporter polymorphism and bleeding time during SSRI therapy. <i>British Journal of Clinical Pharmacology</i> , 2008 , 65, 761-6	3.8	18
168	The concentration of oxazepam and oxazepam glucuronide in oral fluid, blood and serum after controlled administration of 15 and 30 mg oxazepam. <i>British Journal of Clinical Pharmacology</i> , 2008 , 66, 556-60	3.8	33
167	Prevalence and determinants of pharmacy shopping behaviour. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2008 , 33, 17-23	2.2	96
166	Changes in outpatient lithium treatment in the Netherlands during 1996-2005. <i>Journal of Affective Disorders</i> , 2008 , 111, 94-9	6.6	15
165	The relation between the blood benzodiazepine concentration and performance in suspected impaired drivers. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2008 , 15, 483-8	1.7	11
164	Evaluation of risk profiles for gastrointestinal and cardiovascular adverse effects in nonselective NSAID and COX-2 inhibitor users: a cohort study using pharmacy dispensing data in The Netherlands. <i>Drug Safety</i> , 2008 , 31, 143-58	5.1	27
163	Influence of chemical structure on hypersensitivity reactions induced by antiepileptic drugs: the role of the aromatic ring. <i>Drug Safety</i> , 2008 , 31, 695-702	5.1	32
162	Drug-related nephrotoxic and ototoxic reactions : a link through a predictive mechanistic commonality. <i>Drug Safety</i> , 2008 , 31, 877-84	5.1	11
161	Appropriateness of prescribing among elderly patients in a Dutch residential home: observational study of outcomes after a pharmacist-led medication review. <i>Drugs and Aging</i> , 2008 , 25, 947-54	4.7	65
160	Drug treatment-related factors of inadequate seizure control. <i>Epilepsy and Behavior</i> , 2008 , 13, 545-8	3.2	5
159	Perifollicular xanthomatosis as the hallmark of axillary Fox-Fordyce disease: an evaluation of histopathologic features of 7 cases. <i>Archives of Dermatology</i> , 2008 , 144, 1020-4		188
158	Characteristics and reasons associated with nonacceptance of selective serotonin-reuptake inhibitor treatment. <i>Annals of Pharmacotherapy</i> , 2008 , 42, 218-25	2.9	32
157	The relation between the use of psychoactive substances and the severity of the injury in a group of crash-involved drivers admitted to a regional trauma center. <i>Traffic Injury Prevention</i> , 2008 , 9, 105-8	1.8	14
156	Association between hospitalization and discontinuity of medication therapy used in the community setting in the Netherlands. <i>Annals of Pharmacotherapy</i> , 2008 , 42, 933-9	2.9	20

155	Safety-related regulatory actions for biologicals approved in the United States and the European Union. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1887-96	27.4	176
154	The association between concomitant use of serotonergic antidepressants and lithium-induced polyuria. A multicenter medical chart review study. <i>Pharmacopsychiatry</i> , 2008 , 41, 129-33	2	4
153	The association between antidepressant use and disturbances in glucose homeostasis: evidence from spontaneous reports. <i>European Journal of Clinical Pharmacology</i> , 2008 , 64, 531-8	2.8	72
152	Discontinuation of ropinirole and pramipexole in patients with Parkinson's disease: clinical practice versus clinical trials. <i>European Journal of Clinical Pharmacology</i> , 2008 , 64, 1021-6	2.8	11
151	European commission consultation on pharmacovigilance. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 108-9	2.6	2
150	The association between antidepressant use and hypoglycaemia in diabetic patients: a nested case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 336-44	2.6	21
149	Reliability of the assessment of preventable adverse drug events in daily clinical practice. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 645-54	2.6	35
148	Influence of antidepressants on glycaemic control in patients with diabetes mellitus. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 577-86	2.6	23
147	Renal effects of long-term lithium therapy in the elderly: a cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 685-92	3.9	29
146	Visualizing Pharmacological Activities of Antidepressants: A Novel Approach. <i>The Open Pharmacology Journal</i> , 2008 , 2, 54-62	0.3	21
145	Prevalence of patients using drugs metabolized by cytochrome P450 2D6 in different populations: a cross-sectional study. <i>Annals of Pharmacotherapy</i> , 2007 , 41, 408-13	2.9	28
144	Changes in medication associated with epilepsy-related hospitalisation: a case-crossover study. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 189-96	2.6	14
143	VKORC1 and CYP2C9 genotypes and phenprocoumon anticoagulation status: interaction between both genotypes affects dose requirement. <i>Clinical Pharmacology and Therapeutics</i> , 2007 , 81, 185-93	6.1	87
142	The impact of environmental temperature on lithium serum levels. <i>Bipolar Disorders</i> , 2007 , 9, 603-8	3.8	12
141	Valproic acid-induced hair-texture changes in a white woman. <i>Epilepsia</i> , 2007 , 48, 400-1	6.4	13
140	Indications for antidepressant drug prescribing in general practice in the Netherlands. <i>Journal of Affective Disorders</i> , 2007 , 98, 109-15	6.6	126
139	Urine osmolality, cyclic AMP and aquaporin-2 in urine of patients under lithium treatment in response to water loading followed by vasopressin administration. <i>European Journal of Pharmacology</i> , 2007 , 566, 50-7	5.3	9
138	Pharmacogenetics of antiparkinsonian drug treatment: a systematic review. <i>Pharmacogenomics</i> , 2007 , 8, 159-76	2.6	18

137	Influence of initial use of serotonergic antidepressants on antiparkinsonian drug use in levodopa-using patients. <i>European Journal of Clinical Pharmacology</i> , 2007 , 63, 181-7	2.8	10
136	Evaluation of patients' experiences with antidepressants reported by means of a medicine reporting system. <i>European Journal of Clinical Pharmacology</i> , 2007 , 63, 1193-9	2.8	30
135	The association between HTR2C polymorphisms and obesity in psychiatric patients using antipsychotics: a cross-sectional study. <i>Pharmacogenomics Journal</i> , 2007 , 7, 318-24	3.5	45
134	The association between exposure to COX-2 inhibitors and schizophrenia deterioration. A nested case-control study. <i>Pharmacopsychiatry</i> , 2007 , 40, 111-5	2	13
133	Aggression of psychiatric patients associated with the use of as-needed medication. <i>Pharmacopsychiatry</i> , 2007 , 40, 25-9	2	14
132	Linking laboratory and medication data: new opportunities for pharmacoepidemiological research. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 13-9	5.9	84
131	Compliance with national guidelines for the management of drug-drug interactions in Dutch community pharmacies. <i>Annals of Pharmacotherapy</i> , 2007 , 41, 2024-31	2.9	12
130	The association between HTR2C gene polymorphisms and the metabolic syndrome in patients with schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 338-43	1.7	67
129	No increased incidence of diabetes in antidepressant users. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 382-6	2.2	42
128	Depressive symptoms in subjects with diagnosed and undiagnosed type 2 diabetes. <i>Psychosomatic Medicine</i> , 2007 , 69, 300-5	3.7	86
127	Lithium use and the risk of fractures. <i>Bone</i> , 2007 , 40, 1252-8	4.7	53
126	Signal detection: historical background. <i>Drug Safety</i> , 2007 , 30, 607-9	5.1	11
125	Prevalence and patterns of antidepressant drug use during pregnancy. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 863-70	2.8	140
124	QTc prolongation and torsades de pointes in an elderly woman taking fluoxetine. <i>American Journal of Psychiatry</i> , 2006 , 163, 325	11.9	25
123	Risk of ischemic complications related to the intensity of triptan and ergotamine use. <i>Neurology</i> , 2006 , 67, 1128-34	6.5	88
122	Use of antiepileptic drugs and risk of fractures: case-control study among patients with epilepsy. <i>Neurology</i> , 2006 , 66, 1318-24	6.5	170
121	Comparison of urine and oral fluid as matrices for screening of thirty-three benzodiazepines and benzodiazepine-like substances using immunoassay and LC-MS(-MS). <i>Journal of Analytical Toxicology</i> , 2006 , 30, 478-85	2.9	38
120	Represcription after adverse drug reaction in the elderly: a descriptive study. <i>Archives of Internal Medicine</i> , 2006 , 166, 1666-7		43

119	Early identification of long-term poor adherence in ambulatory patients. <i>Annals of Pharmacotherapy</i> , 2006 , 40, 2277-8	2.9	2
118	Quality improvement of oral medication administration in patients with enteral feeding tubes. <i>Quality and Safety in Health Care</i> , 2006 , 15, 44-7		57
117	Drug-induced thrombocytopenia: a population study. <i>Drug Safety</i> , 2006 , 29, 713-21	5.1	23
116	Clinical risk management in Dutch community pharmacies: the case of drug-drug interactions. <i>Drug Safety</i> , 2006 , 29, 723-32	5.1	32
115	Anti-Xa activity after subcutaneous administration of dalteparin in ICU patients with and without subcutaneous oedema: a pilot study. <i>Critical Care</i> , 2006 , 10, R93	10.8	44
114	Difference in risks of allergic reaction to sulfonamide drugs based on chemical structure. <i>Annals of Pharmacotherapy</i> , 2006 , 40, 1040-6	2.9	23
113	The association between cytochrome P450-2D6 genotype and prescription of antiparkinsonian drugs in hospitalized psychiatric patients using antipsychotics: a retrospective follow-up study. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 212-5	1.7	4
112	The impact of cytochrome P450-2D6 genotype on the use and interpretation of therapeutic drug monitoring in long-stay patients treated with antidepressant and antipsychotic drugs in daily psychiatric practice. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 107-14	2.6	24
111	Potential bias in pharmacoepidemiological studies due to the length of the drug free period: a study on antidepressant drug use in adults in the Netherlands. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 338-43	2.6	21
110	Right-to-left shunt and migraine: the strength of the relationship. <i>Cephalalgia</i> , 2006 , 26, 208-13	6.1	22
109	Risk of aplastic anemia in patients using antiepileptic drugs. <i>Epilepsia</i> , 2006 , 47, 1232-6	6.4	60
108	RESPONSE LETTERS TO DRS. WANG, AND SEITZ AND GILL. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 861-863	5.6	5
107	VKORC1 and CYP2C9 genotypes and acenocoumarol anticoagulation status: interaction between both genotypes affects overanticoagulation. <i>Clinical Pharmacology and Therapeutics</i> , 2006 , 80, 13-22	6.1	111
106	Identification of potential drug-related problems in the elderly: the role of the community pharmacist. <i>International Journal of Clinical Pharmacy</i> , 2006 , 28, 33-8		55
105	Haloperidol dose when used as active comparator in randomized controlled trials with atypical antipsychotics in schizophrenia: comparison with officially recommended doses. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 897-903	4.6	36
104	Pharmacotherapy for the treatment of aggressive behavior in general adult psychiatry: A systematic review. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1013-24	4.6	60
103	Risk of hip/femur fractures in patients using antipsychotics. <i>Bone</i> , 2005 , 37, 864-70	4.7	58
102	Cognitive impairment as determinant for sub-optimal control of oral anticoagulation treatment in elderly patients with atrial fibrillation. <i>Drugs and Aging</i> , 2005 , 22, 353-60	4.7	33

101	The association between cytochrome P450 2D6 genotype and prescription patterns of antipsychotic and antidepressant drugs in hospitalized psychiatric patients: a retrospective follow-up study. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 188-91	1.7	23
100	Impaired glucose homeostasis after imipramine intake in a diabetic patient. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 621-3	1.7	5
99	Effectiveness of lamotrigine in clinical practice: results of a retrospective population-based study. <i>Epilepsy Research</i> , 2005 , 65, 93-100	3	11
98	Drug use and the severity of a traffic accident. <i>Accident Analysis and Prevention</i> , 2005 , 37, 427-33	6.1	42
97	Cost-effectiveness of add-on lamotrigine therapy in clinical practice. <i>Epilepsy Research</i> , 2005 , 67, 143-51	3	8
96	Effect of low-intensity acenocoumarol on frequency and severity of migraine attacks. <i>Headache</i> , 2005 , 45, 137-43	4.2	12
95	Haloperidol prophylaxis for elderly hip-surgery patients at risk for delirium: a randomized placebo-controlled study. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1658-66	5.6	502
94	Drug-drug interactions as a determinant of elevated lithium serum levels in daily clinical practice. <i>Bipolar Disorders</i> , 2005 , 7, 274-80	3.8	24
93	Dramatic change in prescribing of hormone replacement therapy in The Netherlands after publication of the Million Women Study: a follow-up study. <i>British Journal of Clinical Pharmacology</i> , 2005 , 60, 641-7	3.8	49
92	Incidence of fractures among epilepsy patients: a population-based retrospective cohort study in the General Practice Research Database. <i>Epilepsia</i> , 2005 , 46, 304-10	6.4	167
91	The impact of hospitalisation on the initiation and long-term use of benzodiazepines. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 291-5	2.8	16
90	Discontinuation symptoms in users of selective serotonin reuptake inhibitors in clinical practice: tapering versus abrupt discontinuation. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 303-7	2.8	43
89	Methylphenidate: use in daily practice. <i>International Journal of Clinical Pharmacy</i> , 2005 , 27, 197-201		10
88	Recruitment of a cohort of lamotrigine users through community pharmacists: differences between patients who gave informed consent and those who did not. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 107-12	2.6	7
87	Reasons for switching between antipsychotics in daily clinical practice. <i>Pharmacopsychiatry</i> , 2005 , 38, 122-4	2	30
86	Disease and intolerability documentation in electronic patient records. <i>Annals of Pharmacotherapy</i> , 2005 , 39, 1640-6	2.9	10
85	Need for medicine-based evidence in pharmacotherapy. <i>British Journal of Psychiatry</i> , 2004 , 184, 452	5.4	9
84	Use of oral glucocorticoids and risk of cardiovascular and cerebrovascular disease in a population based case-control study. <i>Heart</i> , 2004 , 90, 859-65	5.1	289

83	Patterns of lamotrigine use in daily clinical practice during the first 5 years after introduction in the Netherlands. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2004 , 29, 131-8	2.2	12
82	Evaluation of the clinical value of pharmacists' modifications of prescription errors. <i>British Journal of Clinical Pharmacology</i> , 2004 , 58, 503-11	3.8	56
81	A thromboembolic predisposition and the effect of anticoagulants on migraine. <i>Headache</i> , 2004 , 44, 399-402	4.2	9
80	(Psycho)farmaco-epidemiologie. <i>Neuropraxis</i> , 2004 , 8, 152-156	0	
79	Closing the loop of the medication use process using electronic medication administration registration. <i>International Journal of Clinical Pharmacy</i> , 2004 , 26, 185-90		11
78	Discontinuities in drug use upon hospital discharge. <i>International Journal of Clinical Pharmacy</i> , 2004 , 26, 268-70		8
77	Incidence and determinants of long-term use of antidepressants. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 57-61	2.8	84
76	Increased psychotropic drug consumption by children in the Netherlands during 1995-2001 is caused by increased use of methylphenidate by boys. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 377-9	2.8	35
75	Diffusion of the new antiepileptic drug lamotrigine in Dutch clinical practice. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 751-8	2.8	14
74	Reduction in the therapeutic intensity of abortive migraine drug use during ACE inhibition therapy—a pilot study. <i>Pharmacoepidemiology and Drug Safety</i> , 2004 , 13, 41-7	2.6	19
73	Psychoactive substance use and the risk of motor vehicle accidents. <i>Accident Analysis and Prevention</i> , 2004 , 36, 631-6	6.1	230
72	Quantitative analysis of 33 benzodiazepines, metabolites and benzodiazepine-like substances in whole blood by liquid chromatography-(tandem) mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 811, 13-20	3.2	23
71	The risk of cancer in users of statins. <i>Journal of Clinical Oncology</i> , 2004 , 22, 2388-94	2.2	431
70	Less medication switching after initial start with atypical antipsychotics. <i>European Neuropsychopharmacology</i> , 2004 , 14, 1-5	1.2	6
69	Failure to continue lipid-lowering drug use following the withdrawal of cerivastatin. <i>Drug Safety</i> , 2004 , 27, 63-70	5.1	6
68	Drug-induced immune thrombocytopenia. <i>Drug Safety</i> , 2004 , 27, 1243-52	5.1	92
67	Association of risk of abnormal bleeding with degree of serotonin reuptake inhibition by antidepressants. <i>Archives of Internal Medicine</i> , 2004 , 164, 2367-70		173
66	Incidence and determinants of antidepressant drug use in migraine patients. <i>International Clinical Psychopharmacology</i> , 2003 , 18, 331-9	2.2	2

65	Relationship of serotonergic antidepressants and need for blood transfusion in orthopedic surgical patients. <i>Archives of Internal Medicine</i> , 2003 , 163, 2354-8		107
64	Risk factors for the development of lithium-induced polyuria. <i>British Journal of Psychiatry</i> , 2003 , 182, 319-23	5.4	28
63	Determinants for successful smoking cessation with bupropion in daily practice. <i>International Journal of Clinical Pharmacy</i> , 2003 , 25, 207-11		2
62	Frequency, nature and determinants of pharmacy compounded medicines in Dutch community pharmacies. <i>International Journal of Clinical Pharmacy</i> , 2003 , 25, 280-7		12
61	Diffusion of new medicines into hospital practice. <i>European Journal of Clinical Pharmacology</i> , 2003 , 59, 495-6	2.8	
60	Single use of sumatriptan: a patient interview study. <i>Headache</i> , 2003 , 43, 109-16	4.2	22
59	Migraine prophylactic medication usage patterns in The Netherlands. <i>Cephalalgia</i> , 2003 , 23, 293-301	6.1	25
58	Use of alpha-blockers and the risk of hip/femur fractures. <i>Journal of Internal Medicine</i> , 2003 , 254, 548-54	10.8	46
57	Validity of hospital discharge International Classification of Diseases (ICD) codes for identifying patients with hyponatremia. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 530-5	5.7	60
56	Channelling new antidepressants to problem patients may be factor in fatal toxicity. <i>BMJ, The</i> , 2003 , 326, 600	5.9	5
55	Serotonergic antidepressants associated with an increased risk for hyponatraemia in the elderly. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 143-8	2.8	46
54	Incidence and determinants of migraine prophylactic medication in the Netherlands. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 149-55	2.8	13
53	Laxative prescribing in relation to opioid use and the influence of pharmacy-based intervention. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2002 , 27, 107-10	2.2	28
52	In Reply.. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 399-400	5.6	
51	Association between antidepressant drug use and hyponatraemia: a case-control study. <i>British Journal of Clinical Pharmacology</i> , 2002 , 53, 363-9	3.8	72
50	Non-sedating antihistamine drugs and cardiac arrhythmias -- biased risk estimates from spontaneous reporting systems?. <i>British Journal of Clinical Pharmacology</i> , 2002 , 53, 370-4	3.8	35
49	Limited adherence to safety instructions in drug leaflets. <i>British Journal of Clinical Pharmacology</i> , 2002 , 54, 678-9	3.8	3
48	A comparison of measures of disproportionality for signal detection in spontaneous reporting systems for adverse drug reactions. <i>Pharmacoepidemiology and Drug Safety</i> , 2002 , 11, 3-10	2.6	572

47	Fate of abstracts presented at five International Conferences on Pharmacoepidemiology (ICPE): 1995-1999. <i>Pharmacoepidemiology and Drug Safety</i> , 2002 , 11, 105-11	2.6	19
46	Selective serotonin reuptake inhibitor-induced urinary incontinence. <i>Pharmacoepidemiology and Drug Safety</i> , 2002 , 11, 271-9	2.6	79
45	Incidence and determinants of sildenafil (dis)continuation: the Dutch cohort of sildenafil users. <i>International Journal of Impotence Research</i> , 2002 , 14, 259-65	2.3	69
44	Patterns of lipid lowering drug use after the withdrawal of cerivastatin. <i>British Journal of Clinical Pharmacology</i> , 2002 , 54, 559-560	3.8	78
43	Frequency and determinants of drug administration errors in the intensive care unit. <i>Critical Care Medicine</i> , 2002 , 30, 846-50	1.4	134
42	Use of measures of disproportionality in pharmacovigilance: three Dutch examples. <i>Drug Safety</i> , 2002 , 25, 453-8	5.1	112
41	Signal selection and follow-up in pharmacovigilance. <i>Drug Safety</i> , 2002 , 25, 459-65	5.1	64
40	Different risks for NSAID-induced anaphylaxis. <i>Annals of Pharmacotherapy</i> , 2002 , 36, 24-9	2.9	47
39	Is sexual dysfunctioning a reason for discontinuation in users of selective serotonin reuptake inhibitors?. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 96-8	1.7	6
38	Reduction in the intensity of abortive migraine drug use during coumarin therapy. <i>Headache</i> , 2001 , 41, 768-73	4.2	18
37	Association between oxybutynin and neuropsychiatric adverse effects not confirmed in daily practice. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 234-5	5.6	14
36	The Dutch cohort of sildenafil users: baseline characteristics. <i>BJU International</i> , 2001 , 87, 648-53	5.6	5
35	Patterns of ergotamine and sumatriptan use in the Netherlands from 1991 to 1997. <i>Cephalalgia</i> , 2001 , 21, 596-603	6.1	10
34	Nature, frequency and determinants of prescription modifications in Dutch community pharmacies. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 85-91	3.8	51
33	Determinants of signal selection in a spontaneous reporting system for adverse drug reactions. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 579-86	3.8	43
32	Association between terbinafine and arthralgia, fever and urticaria: symptoms or syndrome?. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 135-42	2.6	12
31	Assessment of indicators for hospital drug formulary non-adherence. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 677-84	2.8	8
30	Risk factors for the development of adverse drug events in hospitalized patients. <i>International Journal of Clinical Pharmacy</i> , 2000 , 22, 62-6		74

29	Stabilization of oral anticoagulant therapy in hospitalized patients and characteristics associated with lack of stabilization. <i>International Journal of Clinical Pharmacy</i> , 2000 , 22, 147-51		4
28	Cyclical etidronate use is not associated with symptoms of peptic ulcer disease. <i>European Journal of Clinical Pharmacology</i> , 2000 , 56, 319-22	2.8	4
27	Consequences of a change in reimbursement status on prescription patterns. <i>European Journal of Clinical Pharmacology</i> , 2000 , 56, 511-2	2.8	6
26	Detecting drug-drug interactions using a database for spontaneous adverse drug reactions: an example with diuretics and non-steroidal anti-inflammatory drugs. <i>European Journal of Clinical Pharmacology</i> , 2000 , 56, 733-8	2.8	84
25	Automated extraction of 11-nor-delta9-tetrahydrocannabinol carboxylic acid from urine samples using the ASPEC XL solid-phase extraction system. <i>Journal of Analytical Toxicology</i> , 2000 , 24, 433-7	2.9	11
24	Selective prescribing of spasmolytics. <i>Annals of Pharmacotherapy</i> , 2000 , 34, 716-20	2.9	10
23	Drug-related problems in hospitalised patients. <i>Drug Safety</i> , 2000 , 22, 321-33	5.1	99
22	An ABC of drug-related problems. <i>Drug Safety</i> , 2000 , 22, 415-23	5.1	59
21	Analysis of low concentration sufentanil citrate/bupivacaine hydrochloride admixtures, using solid phase extraction followed by high-performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1999 , 21, 845-50	3.5	27
20	Signalling possible drug-drug interactions in a spontaneous reporting system: delay of withdrawal bleeding during concomitant use of oral contraceptives and itraconazole. <i>British Journal of Clinical Pharmacology</i> , 1999 , 47, 689-93	3.8	79
19	Antidepressant drug choice for first users in two regions in The Netherlands. <i>International Journal of Clinical Pharmacy</i> , 1999 , 21, 132-6		10
18	Para-methylthioamphetamine, a new amphetamine designer drug of abuse. <i>International Journal of Clinical Pharmacy</i> , 1999 , 21, 47-8		14
17	Adverse drug events in hospitalized patients. A comparison of doctors, nurses and patients as sources of reports. <i>European Journal of Clinical Pharmacology</i> , 1999 , 55, 155-8	2.8	43
16	Ceftriaxone-associated nephrolithiasis and biliary pseudolithiasis. <i>European Journal of Pediatrics</i> , 1999 , 158, 975-7	4.1	46
15	Pharmacovigilance in perspective. <i>Drug Safety</i> , 1999 , 21, 429-47	5.1	71
14	Incidence of discontinuation of highly active antiretroviral combination therapy (HAART) and its determinants. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1999 , 20, 290-4		69
13	Performance of Abusign drugs-of-abuse slide tests with particular emphasis on concentrations near the cutoff: comparison with FPIA-ADx and confirmation of results with GC-MS. <i>Journal of Analytical Toxicology</i> , 1998 , 22, 40-4	2.9	11
12	Serotonin syndrome attributed to tramadol addition to paroxetine therapy. <i>International Clinical Psychopharmacology</i> , 1997 , 12, 181-2	2.2	34

11	Principles of signal detection in pharmacovigilance. <i>Drug Safety</i> , 1997 , 16, 355-65	5.1	139
10	Causal or casual? The role of causality assessment in pharmacovigilance. <i>Drug Safety</i> , 1997 , 17, 374-89	5.1	154
9	Non-puerperal lactation associated with antidepressant drug use. <i>British Journal of Clinical Pharmacology</i> , 1997 , 44, 277-81	3.8	55
8	ADR related questions received by a telephone medicines information service and ADRs received by a spontaneous ADR reporting system: a comparison regarding patients and drugs. <i>Pharmacoepidemiology and Drug Safety</i> , 1997 , 6, 269-76	2.6	5
7	Channeling of three newly introduced antidepressants to patients not responding satisfactorily to previous treatment. <i>Journal of Clinical Psychopharmacology</i> , 1997 , 17, 149-55	1.7	26
6	Characteristics of Topics in Pharmacovigilance in The Netherlands. <i>Clinical Drug Investigation</i> , 1996 , 12, 207-219	3.2	12
5	Reduction of migrainous headaches during the use of acenocoumarol. <i>Headache</i> , 1996 , 36, 48	4.2	16
4	Can adverse drug reactions be detected earlier? A comparison of reports by patients and professionals. <i>BMJ: British Medical Journal</i> , 1996 , 313, 530-1		64
3	Application of radioreceptor assays for systematic toxicological analysis--1. Procedures for radioreceptor assays for antihistaminics, anticholinergics and benzodiazepines. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1994 , 12, 53-8	3.5	13
2	Application of radioreceptor assays for systematic toxicological analysis--2. Theoretical considerations and evaluation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1994 , 12, 59-63	3.5	8
1	Prophylaxis for venous thromboembolism in hip fracture surgery: total costs and cost effectiveness in The Netherlands. <i>Pharmacoeconomics</i> , 1994 , 5, 48-55	4.4	12