Chia-Min Chung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8023347/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Betel quid chewing, cigarette smoking and alcohol consumption related to oral cancer in Taiwan. Journal of Oral Pathology and Medicine, 1995, 24, 450-453.	1.4	636
2	Denisova Admixture and the First Modern Human Dispersals into Southeast Asia and Oceania. American Journal of Human Genetics, 2011, 89, 516-528.	2.6	525
3	Prevalence of betel quid chewing habit in Taiwan and related sociodemographic factors. Journal of Oral Pathology and Medicine, 1992, 21, 261-264.	1.4	307
4	Ancient DNA indicates human population shifts and admixture in northern and southern China. Science, 2020, 369, 282-288.	6.0	214
5	Intercountry prevalences and practices of betelâ€quid use in south, southeast and eastern asia regions and associated oral preneoplastic disorders: An international collaborative study by asian betelâ€quid consortium of south and east Asia. International Journal of Cancer, 2011, 129, 1741-1751.	2.3	133
6	Genomic insights into population history and biological adaptation in Oceania. Nature, 2021, 592, 583-589.	13.7	100
7	Different impact from betel quid, alcohol and cigarette: Risk factors for pharyngeal and laryngeal cancer. International Journal of Cancer, 2005, 117, 831-836.	2.3	98
8	Predictors of betel quid chewing behavior and cessation patterns in Taiwan aborigines. BMC Public Health, 2006, 6, 271.	1.2	73
9	Characterization of Arecoline-Induced Effects on Cytotoxicity in Normal Human Gingival Fibroblasts by Global Gene Expression Profiling. Toxicological Sciences, 2007, 100, 66-74.	1.4	64
10	Betelâ€quid dependence domains and syndrome associated with betelâ€quid ingredients among chewers: an <scp>A</scp> sian multiâ€country evidence. Addiction, 2014, 109, 1194-1204.	1.7	64
11	The effect of maternal betel quid exposure during pregnancy on adverse birth outcomes among aborigines in Taiwan. Drug and Alcohol Dependence, 2008, 95, 134-139.	1.6	59
12	Effects of arecoline on adipogenesis, lipolysis, and glucose uptake of adipocytes—A possible role of betel-quid chewing in metabolic syndrome. Toxicology and Applied Pharmacology, 2010, 245, 370-377.	1.3	57
13	Betel-quid dependence and oral potentially malignant disorders in six Asian countries. British Journal of Psychiatry, 2012, 201, 383-391.	1.7	55
14	Association of <i>DSM-5</i> Betel-Quid Use Disorder With Oral Potentially Malignant Disorder in 6 Betel-Quid Endemic Asian Populations. JAMA Psychiatry, 2018, 75, 261.	6.0	45
15	The neoplastic impact of tobaccoâ€free betelâ€quid on the histological type and the anatomical site of aerodigestive tract cancers. International Journal of Cancer, 2012, 131, E733-43.	2.3	44
16	Intoxication and substance use disorder to Areca catechu nut containing betel quid: A review of epidemiological evidence, pharmacological basis and social factors influencing quitting strategies. Drug and Alcohol Dependence, 2017, 179, 187-197.	1.6	43
17	Lymphocyte α-kinase is a gout-susceptible gene involved in monosodium urate monohydrate-induced inflammatory responses. Journal of Molecular Medicine, 2011, 89, 1241-1251.	1.7	39
18	Monoamine oxidase A variants are associated with heavy betel quid use. Addiction Biology, 2012, 17, 786-797	1.4	22

CHIA-MIN CHUNG

#	Article	IF	CITATIONS
19	CYP26B1 is a novel candidate gene for betel quid-related oral squamous cell carcinoma. Oral Oncology, 2011, 47, 594-600.	0.8	21
20	The use of tobacco-free betel-quid in conjunction with alcohol/tobacco impacts early-onset age and carcinoma distribution for upper aerodigestive tract cancer. Journal of Oral Pathology and Medicine, 2011, 40, 684-692.	1.4	20
21	ALPK1 phosphorylates myosin IIA modulating TNF-α trafficking in gout flares. Scientific Reports, 2016, 6, 25740.	1.6	20
22	Betel quid–associated cancer: Prevention strategies and targeted treatment. Cancer Letters, 2020, 477, 60-69.	3.2	17
23	Betel quid dependence mechanism and potential cessation therapy. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 103, 109982.	2.5	17
24	Effect of antidepressants for cessation therapy in betel-quid use disorder: a randomised, double-blind, placebo-controlled trial. Epidemiology and Psychiatric Sciences, 2020, 29, e125.	1.8	14
25	Antidepressants in association with reducing risk of oral cancer occurrence: a nationwide population-based cohort and nested case-control studies. Oncotarget, 2016, 7, 11687-11695.	0.8	12
26	c-MYC expression in T (III/IV) stage oral squamous cell carcinoma (OSCC) patients. Cancer Management and Research, 2019, Volume 11, 5163-5169.	0.9	11
27	Long noncoding RNA HAR1A regulates oral cancer progression through the alpha-kinase 1, bromodomain 7, and myosin IIA axis. Journal of Molecular Medicine, 2021, 99, 1323-1334.	1.7	11
28	Antidepressant-induced reduction in betel-quid use in patients with depression. Medicine (United) Tj ETQq0 0 0 r	gBT /Over 0.4	lock 10 Tf 50

29	Regulatory elements in vectors containing the ctEF-1α first intron and double enhancers for an efficient recombinant protein expression system. Scientific Reports, 2018, 8, 15396.	1.6	5
30	Reduction in and Preventive Effects for Oral-Cancer Risk with Antidepressant Treatment. Journal of Personalized Medicine, 2021, 11, 591.	1.1	5
31	CIP2A overexpression in Taiwanese oral cancer patients. Cancer Management and Research, 2019, Volume 11, 2589-2594.	0.9	4
32	CYP26A1 Is a Novel Biomarker for Betel Quid-Related Oral and Pharyngeal Cancers. Diagnostics, 2020, 10, 982.	1.3	3