Duanping Sun

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8023873/publications.pdf

Version: 2024-02-01

218677 265206 1,964 42 42 26 h-index citations g-index papers 43 43 43 2335 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Direct Electrodeposition of Bimetallic Nanostructures on Co-Based MOFs for Electrochemical Sensing of Hydrogen Peroxide. Frontiers in Chemistry, 2022, 10, 856003.	3.6	4
2	An integrated microfluidics for assessing the antiâ€aging effect of caffeic acid phenethylester in <i>Caenorhabditis elegans </i> . Electrophoresis, 2021, 42, 742-748.	2.4	4
3	Sorting nexin 3 induces heart failure via promoting retromer-dependent nuclear trafficking of STAT3. Cell Death and Differentiation, 2021, 28, 2871-2887.	11.2	14
4	Metal-organic frameworks for improving wound healing. Coordination Chemistry Reviews, 2021, 439, 213929.	18.8	76
5	An electrochemical dual-aptamer biosensor based on metal-organic frameworks MIL-53 decorated with Au@Pt nanoparticles and enzymes for detection of COVID-19 nucleocapsid protein. Electrochimica Acta, 2021, 387, 138553.	5.2	99
6	Electrochemical aptasensors for the detection of hepatocellular carcinoma-related biomarkers. New Journal of Chemistry, 2021, 45, 15158-15169.	2.8	2
7	2D/3D Copper-Based Metal-Organic Frameworks for Electrochemical Detection of Hydrogen Peroxide. Frontiers in Chemistry, 2021, 9, 743637.	3.6	15
8	Enzyme-free electrochemical sensor for the determination of hydrogen peroxide secreted from MCF-7 breast cancer cells using calcined indium metal-organic frameworks as efficient catalysts. Electrochimica Acta, 2020, 359, 136962.	5.2	15
9	One-Step Electrodeposition of Silver Nanostructures on 2D/3D Metal–Organic Framework ZIF-67: Comparison and Application in Electrochemical Detection of Hydrogen Peroxide. ACS Applied Materials & Interfaces, 2020, 12, 41960-41968.	8.0	90
10	Electrochemical biosensor based on gold nanoflowers-encapsulated magnetic metal-organic framework nanozymes for drug evaluation with in-situ monitoring of H2O2 released from H9C2 cardiac cells. Sensors and Actuators B: Chemical, 2020, 311, 127909.	7.8	61
11	DNA nanotetrahedron-assisted electrochemical aptasensor for cardiac troponin I detection based on the co-catalysis of hybrid nanozyme, natural enzyme and artificial DNAzyme. Biosensors and Bioelectronics, 2019, 142, 111578.	10.1	83
12	Aptamer-based electrochemical cytosensors for tumor cell detection in cancer diagnosis: A review. Analytica Chimica Acta, 2019, 1082, 1-17.	5.4	77
13	Ultrasensitive biosensor for microRNA-155 using synergistically catalytic nanoprobe coupled with improved cascade strand displacement reaction. Biosensors and Bioelectronics, 2019, 146, 111744.	10.1	30
14	A novel cytosensor for capture, detection and release of breast cancer cells based on metal organic framework PCN-224 and DNA tetrahedron linked dual-aptamer. Sensors and Actuators B: Chemical, 2019, 285, 398-404.	7.8	70
15	DNA nanotetrahedron linked dual-aptamer based voltammetric aptasensor for cardiac troponin I using a magnetic metal-organic framework as a label. Mikrochimica Acta, 2019, 186, 374.	5.0	48
16	A Sensitive and Rapid Electrochemical Aptasensor Based on Au@PB for Selective Detection of Mycobacterium Tuberculosis Antigen MPT64. Journal of the Electrochemical Society, 2019, 166, B604-B609.	2.9	9
17	A dual-aptamer-based biosensor for specific detection of breast cancer biomarker HER2 <i>via</i> flower-like nanozymes and DNA nanostructures. Journal of Materials Chemistry B, 2019, 7, 3661-3669.	5.8	72
18	Electrochemical dual-aptamer-based biosensor for nonenzymatic detection of cardiac troponin I by nanohybrid electrocatalysts labeling combined with DNA nanotetrahedron structure. Biosensors and Bioelectronics, 2019, 134, 49-56.	10.1	132

#	Article	IF	CITATIONS
19	Chrysophanol protects against doxorubicin-induced cardiotoxicity by suppressing cellular PARylation. Acta Pharmaceutica Sinica B, 2019, 9, 782-793.	12.0	40
20	Poly(ADPâ€ribose) polymerase 1 induces cardiac fibrosis by mediating mammalian target of rapamycin activity. Journal of Cellular Biochemistry, 2019, 120, 4813-4826.	2.6	11
21	Label-free and competitive aptamer cytosensor based on layer-by-layer assembly of DNA-platinum nanoparticles for ultrasensitive determination of tumor cells. Sensors and Actuators B: Chemical, 2018, 262, 35-43.	7.8	30
22	Label-free electrochemical detection of HepG2 tumor cells with a self-assembled DNA nanostructure-based aptasensor. Sensors and Actuators B: Chemical, 2018, 268, 359-367.	7.8	63
23	Dual-aptamer-based voltammetric biosensor for the Mycobacterium tuberculosis antigen MPT64 by using a gold electrode modified with a peroxidase loaded composite consisting of gold nanoparticles and a Zr(IV)/terephthalate metal-organic framework. Mikrochimica Acta, 2018, 185, 543.	5.0	43
24	A DNA nanostructured aptasensor for the sensitive electrochemical detection of HepG2 cells based on multibranched hybridization chain reaction amplification strategy. Biosensors and Bioelectronics, 2018, 117, 416-421.	10.1	68
25	Competitive electrochemical platform for ultrasensitive cytosensing of liver cancer cells by using nanotetrahedra structure with rolling circle amplification. Biosensors and Bioelectronics, 2018, 120, 8-14.	10.1	66
26	A voltammetric aptamer-based thrombin biosensor exploiting signal amplification via synergetic catalysis by DNAzyme and enzyme decorated AuPd nanoparticles on a poly(o-phenylenediamine) support. Mikrochimica Acta, 2017, 184, 1791-1799.	5.0	33
27	Voltammetric aptamer based detection of HepG2 tumor cells by using an indium tin oxide electrode array and multifunctional nanoprobes. Mikrochimica Acta, 2017, 184, 3487-3496.	5.0	23
28	Nanomaterial-based Microfluidic Chips for the Capture and Detection of Circulating Tumor Cells. Nanotheranostics, 2017, 1, 389-402.	5.2	29
29	SIRT6 suppresses isoproterenol-induced cardiac hypertrophy through activation of autophagy. Translational Research, 2016, 172, 96-112.e6.	5.0	67
30	Nonenzymatic Electrochemical Immunosensor Using Ferroferric Oxide–Manganese Dioxide–Reduced Graphene Oxide Nanocomposite as Label for α-Fetoprotein Detection. Nano, 2016, 11, 1650116.	1.0	7
31	The poly(ADP-ribosyl)ation of FoxO3 mediated by PARP1 participates in isoproterenol-induced cardiac hypertrophy. Biochimica Et Biophysica Acta - Molecular Cell Research, 2016, 1863, 3027-3039.	4.1	22
32	Sensitive electrochemical aptamer cytosensor for highly specific detection of cancer cells based on the hybrid nanoelectrocatalysts and enzyme for signal amplification. Biosensors and Bioelectronics, 2016, 75, 301-307.	10.1	117
33	A repeatable assembling and disassembling electrochemical aptamer cytosensor for ultrasensitive and highly selective detection of human liver cancer cells. Analytica Chimica Acta, 2015, 885, 166-173.	5.4	66
34	Comparative toxicity of lead (Pb2+), copper (Cu2+), and mixtures of lead and copper to zebrafish embryos on a microfluidic chip. Biomicrofluidics, 2015, 9, 024105.	2.4	12
35	Microfluidic contactless conductivity cytometer for electrical cell sensing and counting. RSC Advances, 2015, 5, 59306-59313.	3.6	14
36	Ultrasensitive electrochemical detection of avian influenza A (H7N9) virus DNA based on isothermal exponential amplification coupled with hybridization chain reaction of DNAzyme nanowires. Biosensors and Bioelectronics, 2015, 64, 566-571.	10.1	83

#	Article	IF	CITATION
37	A twoâ€electrode systemâ€based electrochemiluminescence detection for microfluidic capillary electrophoresis and its application in pharmaceutical analysis. Luminescence, 2014, 29, 427-432.	2.9	12
38	Ultrasensitive Electrochemical Detection of MicroRNA Based on an Arched Probe Mediated Isothermal Exponential Amplification. Analytical Chemistry, 2014, 86, 8200-8205.	6.5	149
39	A novel three-dimensional microfluidic platform for on chip multicellular tumor spheroid formation and culture. Microfluidics and Nanofluidics, 2014, 17, 831-842.	2.2	23
40	Cyclovirobuxine D Induces Autophagy-Associated Cell Death via the Akt/mTOR Pathway in MCF-7 Human Breast Cancer Cells. Journal of Pharmacological Sciences, 2014, 125, 74-82.	2.5	51
41	Zebrafish on a Chip: A Novel Platform for Real-Time Monitoring of Drug-Induced Developmental Toxicity. PLoS ONE, 2014, 9, e94792.	2.5	31
42	A beveled working electrode coupled to a sandglass shape detection cell: A strategy to improve the sensitivity of electrochemiluminescence detection in microchip electrophoresis. Electrochimica Acta, 2013, 90, 101-107.	5.2	3