

Keitaro Matsuo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8024505/keitaro-matsuo-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

770
papers

31,631
citations

86
h-index

136
g-index

866
ext. papers

36,518
ext. citations

5.8
avg. IF

6.33
L-index

#	Paper	IF	Citations
770	Association of perceived stress and coping strategies with the renal function in middle-aged and older Japanese men and women.. <i>Scientific Reports</i> , 2022 , 12, 291	4.9	
769	New insights into the genetic contribution of ALDH2 rs671 in pancreatic carcinogenesis: evaluation by mediation analysis.. <i>Cancer Science</i> , 2022 ,	6.9	1
768	Trends in the incidence of head and neck cancer by subsite between 1993 and 2015 in Japan.. <i>Cancer Medicine</i> , 2022 ,	4.8	3
767	Psychological Traits of Patients With Depression Comorbid With Chronic Pain: Are Complaint and Competitive Tendency Related to Pain?. <i>Frontiers in Psychiatry</i> , 2022 , 13, 825422	5	
766	Trends in smoking prevalence and attitude toward tobacco control among members of the JCA in 2004-2017.. <i>Cancer Science</i> , 2022 ,	6.9	1
765	Association between germline pathogenic variants and breast cancer risk in Japanese women: the HERPACC study.. <i>Cancer Science</i> , 2022 ,	6.9	1
764	Expansion of Cancer Risk Profile for BRCA1 and BRCA2 Pathogenic Variants.. <i>JAMA Oncology</i> , 2022 ,	13.4	1
763	Relevance of the MHC region for breast cancer susceptibility in Asians.. <i>Breast Cancer</i> , 2022 , 1	3.4	
762	Association of Marital Status With Total and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2022 , 5, e2214181	10.4	1
761	Body mass index and type 2 diabetes and breast cancer survival: a Mendelian randomization study. <i>American Journal of Cancer Research</i> , 2021 , 11, 3921-3934	4.4	
760	Study Profile of the Japan Multi-institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2021 , 31, 660-668	3.4	7
759	Moderate-to-vigorous physical activity and sedentary behavior are independently associated with renal function: a cross-sectional study. <i>Journal of Epidemiology</i> , 2021 ,	3.4	1
758	Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. <i>Cancer Science</i> , 2021 ,	6.9	1
757	Association of skipping breakfast and short sleep duration with the prevalence of metabolic syndrome in the general Japanese population: Baseline data from the Japan Multi-Institutional Collaborative cohort study.. <i>Preventive Medicine Reports</i> , 2021 , 24, 101613	2.6	0
756	Reduced dose of posttransplant cyclophosphamide in HLA-haploidentical peripheral blood stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2021 , 56, 596-604	4.4	3
755	Analysis of disease model iPSCs derived from patients with a novel Fanconi anemia-like IBMFS ADH5/ALDH2 deficiency. <i>Blood</i> , 2021 , 137, 2021-2032	2.2	5
754	Clopidogrel response predicts thromboembolic events associated with coil embolization of unruptured intracranial aneurysms: A prospective cohort study. <i>PLoS ONE</i> , 2021 , 16, e0249766	3.7	

753	Continuous suture is a risk factor for benign hepaticojejunostomy stenosis after pancreatoduodenectomy in patients with a non-dilated bile duct. <i>Hpb</i> , 2021 , 23, 1744-1750	3.8	2
752	Randomized phase II study of daily and alternate-day administration of S-1 for adjuvant chemotherapy in completely-resected stage I non-small cell lung cancer: results of the Setouchi Lung Cancer Group Study 1301. <i>BMC Cancer</i> , 2021 , 21, 506	4.8	
751	An X chromosome-wide meta-analysis based on Japanese cohorts revealed that non-autosomal variations are associated with serum urate. <i>Rheumatology</i> , 2021 , 60, 4430-4432	3.9	1
750	Transarterial Embolization for Bleeding in Patients with Head and Neck Cancer: Who Benefits?. <i>Laryngoscope</i> , 2021 , 131, E2777-E2783	3.6	0
749	Impact of the combination of donor age and HLA disparity on the outcomes of unrelated bone marrow transplantation. <i>Bone Marrow Transplantation</i> , 2021 , 56, 2410-2422	4.4	1
748	Neck Dissections Based on Sentinel Lymph Node Navigation Versus Elective Neck Dissections in Early Oral Cancers: A Randomized, Multicenter, and Noninferiority Trial. <i>Journal of Clinical Oncology</i> , 2021 , 39, 2025-2036	2.2	16
747	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021 , 108, 1190-1203	11	1
746	A Personal Breast Cancer Risk Stratification Model Using Common Variants and Environmental Risk Factors in Japanese Females. <i>Cancers</i> , 2021 , 13,	6.6	1
745	Differential Effect of Polymorphisms on Body Mass Index Across the Life Course of Japanese: The Japan Multi-Institutional Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2021 , 31, 172-179	3.4	2
744	Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021 , 30, 328-335	5.3	0
743	Low-dose anti-thymocyte globulin for GVHD prophylaxis in HLA-matched allogeneic peripheral blood stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2021 , 56, 129-136	4.4	5
742	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. <i>Oral Diseases</i> , 2021 , 27, 73-93	3.5	9
741	Evaluating the role of alcohol consumption in breast and ovarian cancer susceptibility using population-based cohort studies and two-sample Mendelian randomization analyses. <i>International Journal of Cancer</i> , 2021 , 148, 1338-1350	7.5	4
740	Meta-analysis of 208370 East Asians identifies 113 susceptibility loci for systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 632-640	2.4	31
739	Hormonal factors in association with lung cancer among Asian women: A pooled analysis from the International Lung Cancer Consortium. <i>International Journal of Cancer</i> , 2021 , 148, 2241-2254	7.5	3
738	A genome-wide association study in Japanese identified one variant associated with a preference for a Japanese dietary pattern. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 937-945	5.2	2
737	A genome-wide association study on fish consumption in a Japanese population-the Japan Multi-Institutional Collaborative Cohort study. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 480-488	5.2	0
736	Smoking and colorectal cancer: A pooled analysis of 10 population-based cohort studies in Japan. <i>International Journal of Cancer</i> , 2021 , 148, 654-664	7.5	7

735	Impact of PSCA Polymorphisms on the Risk of Duodenal Ulcer. <i>Journal of Epidemiology</i> , 2021 , 31, 12-20	3.4	4
734	Body mass index and colorectal cancer risk: A Mendelian randomization study. <i>Cancer Science</i> , 2021 , 112, 1579-1588	6.9	5
733	Sub-multiplicative interaction between polygenic risk score and household coal use in relation to lung adenocarcinoma among never-smoking women in Asia. <i>Environment International</i> , 2021 , 147, 105975	12.9	5
732	A genome-wide association study on confection consumption in a Japanese population: the Japan Multi-Institutional Collaborative Cohort Study. <i>British Journal of Nutrition</i> , 2021 , 126, 1843-1851	3.6	1
731	Alcohol consumption and breast cancer risk in Japan: A pooled analysis of eight population-based cohort studies. <i>International Journal of Cancer</i> , 2021 , 148, 2736-2747	7.5	6
730	Impact of reproductive factors on breast cancer incidence: Pooled analysis of nine cohort studies in Japan. <i>Cancer Medicine</i> , 2021 , 10, 2153-2163	4.8	0
729	International strategy in cancer epidemiology: Japan's involvement in global projects and future role. <i>Global Health & Medicine</i> , 2021 , 3, 187-195	2.4	0
728	Reply to P. Kaul et al. <i>Journal of Clinical Oncology</i> , 2021 , 39, 3518-3519	2.2	0
727	Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	7
726	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 623-642	4	4
725	Chromosomal defects and survival in patients with adult T-cell leukemia/lymphoma after allogeneic HSCT. <i>Blood Advances</i> , 2021 , 5, 475-486	7.8	0
724	Polygenic risk scores for prediction of breast cancer risk in Asian populations.. <i>Genetics in Medicine</i> , 2021 ,	8.1	2
723	Association between Socioeconomic Status and Digestive Tract Cancers: A Case-Control Study. <i>Cancers</i> , 2020 , 12,	6.6	2
722	Fine Mapping of the Major Histocompatibility Complex Region and Association of the HLA-B*52:01 Allele With Cervical Cancer in Japanese Women. <i>JAMA Network Open</i> , 2020 , 3, e2023248	10.4	3
721	Two Aldehyde Clearance Systems Are Essential to Prevent Lethal Formaldehyde Accumulation in Mice and Humans. <i>Molecular Cell</i> , 2020 , 80, 996-1012.e9	17.6	39
720	A novel sensitive detection method for DNA methylation in circulating free DNA of pancreatic cancer. <i>PLoS ONE</i> , 2020 , 15, e0233782	3.7	6
719	Association of Dietary Acid Load with the Prevalence of Metabolic Syndrome among Participants in Baseline Survey of the Japan Multi-Institutional Collaborative Cohort Study. <i>Nutrients</i> , 2020 , 12,	6.7	8
718	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020 , 10, 9688	4.9	2

717	Changing trend in mortality rate of multiple myeloma after introduction of novel agents: A population-based study. <i>International Journal of Cancer</i> , 2020 , 147, 3102-3109	7.5	3
716	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. <i>Nature Communications</i> , 2020 , 11, 1217	17.4	16
715	Circulating Antibodies against Epstein-Barr Virus (EBV) and p53 in EBV-Positive and -Negative Gastric Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 414-419	4	5
714	Intestinal goblet cells protect against GVHD after allogeneic stem cell transplantation via Lypd8. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	15
713	Genome-wide association meta-analysis identifies GP2 gene risk variants for pancreatic cancer. <i>Nature Communications</i> , 2020 , 11, 3175	17.4	14
712	Cumulative cigarette tar exposure and lung cancer risk among Japanese smokers. <i>Japanese Journal of Clinical Oncology</i> , 2020 , 50, 1009-1017	2.8	1
711	Across-Site Differences in the Mechanism of Alcohol-Induced Digestive Tract Carcinogenesis: An Evaluation by Mediation Analysis. <i>Cancer Research</i> , 2020 , 80, 1601-1610	10.1	13
710	Digenic mutations in and impair formaldehyde clearance and cause a multisystem disorder, AMeD syndrome. <i>Science Advances</i> , 2020 , 6,	14.3	14
709	Mild Prognostic Impact of Postoperative Complications on Long-Term Survival of Perihilar Cholangiocarcinoma. <i>Annals of Surgery</i> , 2020 ,	7.8	2
708	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , 2020 , 52, 56-73	36.3	56
707	Identification of Novel Loci and New Risk Variant in Known Loci for Colorectal Cancer Risk in East Asians. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 477-486	4	4
706	Genetic Determinants of Lung Cancer Prognosis in Never Smokers: A Pooled Analysis in the International Lung Cancer Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1983-1992	4.92	5
705	European polygenic risk score for prediction of breast cancer shows similar performance in Asian women. <i>Nature Communications</i> , 2020 , 11, 3833	17.4	31
704	Breast Cancer Polygenic Risk Score and Contralateral Breast Cancer Risk. <i>American Journal of Human Genetics</i> , 2020 , 107, 837-848	11	12
703	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. <i>British Journal of Cancer</i> , 2020 , 123, 1456-1463	8.7	18
702	New Model for Predicting Malignancy in Patients With Intraductal Papillary Mucinous Neoplasm. <i>Annals of Surgery</i> , 2020 , 272, 155-162	7.8	22
701	Alcohol Drinking and Bladder Cancer Risk From a Pooled Analysis of Ten Cohort Studies in Japan. <i>Journal of Epidemiology</i> , 2020 , 30, 309-313	3.4	2
700	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , 2020 , 112, 1223-1232	4.3	8

699	Subtype-specific gout susceptibility loci and enrichment of selection pressure on and identified by subtype genome-wide meta-analyses of clinically defined gout patients. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 657-665	2.4	12
698	Sedentary Time is Associated with Cardiometabolic Diseases in A Large Japanese Population: A Cross-Sectional Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 1097-1107	4	6
697	Re-evaluating genetic variants identified in candidate gene studies of breast cancer risk using data from nearly 280,000 women of Asian and European ancestry. <i>EBioMedicine</i> , 2019 , 48, 203-211	8.8	9
696	Meat subtypes and colorectal cancer risk: A pooled analysis of 6 cohort studies in Japan. <i>Cancer Science</i> , 2019 , 110, 3603-3614	6.9	5
695	Two truncating variants in FANCC and breast cancer risk. <i>Scientific Reports</i> , 2019 , 9, 12524	4.9	2
694	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1861-1867	4	4
693	12 new susceptibility loci for prostate cancer identified by genome-wide association study in Japanese population. <i>Nature Communications</i> , 2019 , 10, 4422	17.4	27
692	PLD4 is a genetic determinant to systemic lupus erythematosus and involved in murine autoimmune phenotypes. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 509-518	2.4	21
691	Proposal for a new classification for perihilar cholangiocarcinoma based on tumour depth. <i>British Journal of Surgery</i> , 2019 , 106, 427-435	5.3	7
690	Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. <i>Oral Oncology</i> , 2019 , 94, 47-57	4.4	18
689	Helicobacter pylori (HP) infection alone, but not HP-induced atrophic gastritis, increases the risk of gastric lymphoma: a case-control study in Japan. <i>Annals of Hematology</i> , 2019 , 98, 1981-1987	3	9
688	Smoking and Pancreatic Cancer Incidence: A Pooled Analysis of 10 Population-Based Cohort Studies in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1370-1378	4	8
687	The functional ALDH2 polymorphism is associated with breast cancer risk: A pooled analysis from the Breast Cancer Association Consortium. <i>Molecular Genetics & Genomic Medicine</i> , 2019 , 7, e707	2.3	3
686	Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia: A Pooled Analysis of More Than 1 Million Participants. <i>JAMA Network Open</i> , 2019 , 2, e192696	10.4	39
685	Novel Risk Loci Identified in a Genome-Wide Association Study of Urolithiasis in a Japanese Population. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 855-864	12.7	16
684	Surgery for Pancreatic Neuroendocrine Tumor G3 and Carcinoma G3 Should be Considered Separately. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1385-1393	3.1	22
683	A functional single nucleotide polymorphism in ABCC11, rs17822931, is associated with the risk of breast cancer in Japanese. <i>Carcinogenesis</i> , 2019 , 40, 537-543	4.6	5
682	Impact of germinal center-associated nuclear protein polymorphisms on breast cancer risk and prognosis in a Japanese population. <i>Breast Cancer</i> , 2019 , 26, 562-572	3.4	1

681	Genome-wide association studies identify susceptibility loci for epithelial ovarian cancer in east Asian women. <i>Gynecologic Oncology</i> , 2019 , 153, 343-355	4.9	16
680	Tobacco Smoking and Mortality in Asia: A Pooled Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e191474	10.4	42
679	Coffee Consumption and All-Cause and Cardiovascular Mortality - Three-Prefecture Cohort in Japan. <i>Circulation Journal</i> , 2019 , 83, 757-766	2.9	6
678	The Utility of Indigo Carmine and Lipiodol Mixture for Preoperative Pulmonary Nodule Localization before Video-Assisted Thoracic Surgery. <i>Journal of Vascular and Interventional Radiology</i> , 2019 , 30, 446-452	2.4	12
677	Genome-wide meta-analysis identifies multiple novel loci associated with serum uric acid levels in Japanese individuals. <i>Communications Biology</i> , 2019 , 2, 115	6.7	42
676	Coffee consumption and mortality in Japanese men and women: A pooled analysis of eight population-based cohort studies in Japan (Japan Cohort Consortium). <i>Preventive Medicine</i> , 2019 , 123, 270-277	4.3	8
675	Pathogenic mutations identified by a multimodality approach in 117 Japanese Fanconi anemia patients. <i>Haematologica</i> , 2019 , 104, 1962-1973	6.6	9
674	The overall survival of breast cancer patients without adjuvant therapy. <i>Surgery Today</i> , 2019 , 49, 610-620		1
673	Conversion surgery only for highly selected patients with unresectable pancreatic cancer: a satisfactory outcome in exchange for a lower resection rate. <i>Surgery Today</i> , 2019 , 49, 670-677	3	8
672	Aberrant Active cis-Regulatory Elements Associated with Downregulation of RET Finger Protein Overcome Chemoresistance in Glioblastoma. <i>Cell Reports</i> , 2019 , 26, 2274-2281.e5	10.6	5
671	Novel Common Genetic Susceptibility Loci for Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 146-157	9.7	67
670	Fish intake and risk of mortality due to aortic dissection and aneurysm: A pooled analysis of the Japan cohort consortium. <i>Clinical Nutrition</i> , 2019 , 38, 1678-1683	5.9	5
669	Myeloablative and reduced-intensity conditioning in HLA-haploidentical peripheral blood stem cell transplantation using post-transplant cyclophosphamide. <i>Bone Marrow Transplantation</i> , 2019 , 54, 432-441	4.4	39
668	Green tea consumption and mortality in Japanese men and women: a pooled analysis of eight population-based cohort studies in Japan. <i>European Journal of Epidemiology</i> , 2019 , 34, 917-926	12.1	11
667	Age at start of using tobacco on the risk of head and neck cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium (INHANCE). <i>Cancer Epidemiology</i> , 2019 , 63, 101615	2.8	10
666	Coffee, green tea and liver cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 972-984	2.8	8
665	Revisit of an unanswered question by pooled analysis of eight cohort studies in Japan: Does cigarette smoking and alcohol drinking have interaction for the risk of esophageal cancer?. <i>Cancer Medicine</i> , 2019 , 8, 6414-6425	4.8	6
664	Neck dissections based on sentinel lymph node navigation versus elective neck dissections in early oral cancers: A randomized, multicenter, non-inferiority trial.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 6007-6007	2.2	9

663	Net Survival of Elderly Patients with Gynecological Cancer Aged Over 75 Years in 2006-2008. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019 , 20, 437-442	1.7	3
662	Clinical relevance of fluorodeoxyglucose positron emission tomography/computed tomography and magnifying endoscopy with narrow band imaging in decision-making regarding the treatment strategy for esophageal squamous cell carcinoma. <i>World Journal of Gastroenterology</i> , 2019 , 25, 6767-6780	5.6	0
661	Large-Scale Genome-Wide Association Study of East Asians Identifies Loci Associated With Risk for Colorectal Cancer. <i>Gastroenterology</i> , 2019 , 156, 1455-1466	13.3	55
660	GWAS analysis reveals a significant contribution of PSCA to the risk of <i>Helicobacter pylori</i> -induced gastric atrophy. <i>Carcinogenesis</i> , 2019 , 40, 661-668	4.6	9
659	Identification of two novel breast cancer loci through large-scale genome-wide association study in the Japanese population. <i>Scientific Reports</i> , 2019 , 9, 17332	4.9	5
658	Reproductive and lifestyle factors related to breast cancer among Japanese women: An observational cohort study. <i>Medicine (United States)</i> , 2019 , 98, e18315	1.8	6
657	Cigarette smoking and cervical cancer risk: an evaluation based on a systematic review and meta-analysis among Japanese women. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 77-86	2.8	25
656	Genome-wide association study of cervical cancer suggests a role for ARRDC3 gene in human papillomavirus infection. <i>Human Molecular Genetics</i> , 2019 , 28, 341-348	5.6	16
655	Alcohol consumption and lung cancer risk: A pooled analysis from the International Lung Cancer Consortium and the SYNERGY study. <i>Cancer Epidemiology</i> , 2019 , 58, 25-32	2.8	11
654	Trends in Small-Cell Lung Cancer Survival in 1993-2006 Based on Population-Based Cancer Registry Data in Japan. <i>Journal of Epidemiology</i> , 2019 , 29, 347-353	3.4	9
653	Associations of complementation group, ALDH2 genotype, and clonal abnormalities with hematological outcome in Japanese patients with Fanconi anemia. <i>Annals of Hematology</i> , 2019 , 98, 271-280	3.8	6
652	Functional Analysis and Fine Mapping of the 9p22.2 Ovarian Cancer Susceptibility Locus. <i>Cancer Research</i> , 2019 , 79, 467-481	10.1	11
651	A genome-wide association study of coping behaviors suggests FBXO45 is associated with emotional expression. <i>Genes, Brain and Behavior</i> , 2019 , 18, e12481	3.6	11
650	Genetic Data from Nearly 63,000 Women of European Descent Predicts DNA Methylation Biomarkers and Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 505-517	10.1	28
649	Evidence-based cancer prevention recommendations for Japanese. <i>Japanese Journal of Clinical Oncology</i> , 2018 , 48, 576-586	2.8	18
648	Association between ALDH2 and ADH1B polymorphisms, alcohol drinking and gastric cancer: a replication and mediation analysis. <i>Gastric Cancer</i> , 2018 , 21, 936-945	7.6	18
647	Coffee drinking and colorectal cancer and its subsites: A pooled analysis of 8 cohort studies in Japan. <i>International Journal of Cancer</i> , 2018 , 143, 307-316	7.5	19
646	A genome-wide association study in the Japanese population identifies the 12q24 locus for habitual coffee consumption: The J-MICC Study. <i>Scientific Reports</i> , 2018 , 8, 1493	4.9	22

645	Ovarian cancer risk, ALDH2 polymorphism and alcohol drinking: Asian data from the Ovarian Cancer Association Consortium. <i>Cancer Science</i> , 2018 , 109, 435-445	6.9	9
644	Regional evaluation of childhood acute lymphoblastic leukemia genetic susceptibility loci among Japanese. <i>Scientific Reports</i> , 2018 , 8, 789	4.9	14
643	Analysis Identified a Genetically Unique Subset within Rheumatoid Arthritis and Distinct Genetic Background of Rheumatoid Factor Levels from Anticyclic Citrullinated Peptide Antibodies. <i>Journal of Rheumatology</i> , 2018 , 45, 470-480	4.1	5
642	Final analysis of the JALSG Ph+ALL202 study: tyrosine kinase inhibitor-combined chemotherapy for Ph+ALL. <i>Annals of Hematology</i> , 2018 , 97, 1535-1545	3	22
641	A Multicenter Randomized Controlled Study of Paclitaxel plus Carboplatin versus Oral Uracil-Tegafur as the Adjuvant Chemotherapy in Resected Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 699-706	8.9	14
640	Tobacco smoking and gastric cancer: meta-analyses of published data versus pooled analyses of individual participant data (StoP Project). <i>European Journal of Cancer Prevention</i> , 2018 , 27, 197-204	2	19
639	Cigarette smoking and gastric cancer in the Stomach Cancer Pooling (StoP) Project. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 124-133	2	80
638	Prognostic relevance of genetic alterations in diffuse lower-grade gliomas. <i>Neuro-Oncology</i> , 2018 , 20, 66-77	1	128
637	Smoking and subsequent risk of acute myeloid leukaemia: A pooled analysis of 9 cohort studies in Japan. <i>Hematological Oncology</i> , 2018 , 36, 262-268	1.3	7
636	Coffee and green tea consumption and subsequent risk of acute myeloid leukemia and myelodysplastic syndromes in Japan. <i>International Journal of Cancer</i> , 2018 , 142, 1130-1138	7.5	10
635	Heterogeneous impact of smoking on major salivary gland cancer according to histopathological subtype: A case-control study. <i>Cancer</i> , 2018 , 124, 118-124	6.4	14
634	High-dose methotrexate therapy significantly improved survival of adult acute lymphoblastic leukemia: a phase III study by JALSG. <i>Leukemia</i> , 2018 , 32, 626-632	10.7	31
633	Do pancreatic cancer and chronic pancreatitis share the same genetic risk factors? A PANcreatic Disease ReseArch (PANDoRA) consortium investigation. <i>International Journal of Cancer</i> , 2018 , 142, 290-296	7.5	12
632	Improvement in 5-Year Relative Survival in Cancer of the Corpus Uteri From 1993-2000 to 2001-2006 in Japan. <i>Journal of Epidemiology</i> , 2018 , 28, 75-80	3.4	4
631	Variants in genes encoding small GTPases and association with epithelial ovarian cancer susceptibility. <i>PLoS ONE</i> , 2018 , 13, e0197561	3.7	9
630	Alcohol intake and gastric cancer: Meta-analyses of published data versus individual participant data pooled analyses (StoP Project). <i>Cancer Epidemiology</i> , 2018 , 54, 125-132	2.8	8
629	Randomized clinical trial of duct-to-mucosa versus invagination pancreaticojejunostomy after pancreatoduodenectomy. <i>British Journal of Surgery</i> , 2018 , 105, 48-57	5.3	46
628	Genomewide Association Study of Leisure-Time Exercise Behavior in Japanese Adults. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 2433-2441	1.2	18

627	Risk estimation model for nonalcoholic fatty liver disease in the Japanese using multiple genetic markers. <i>PLoS ONE</i> , 2018 , 13, e0185490	3.7	57
626	Dietary inflammatory index and risk of upper aerodigestive tract cancer in Japanese adults. <i>Oncotarget</i> , 2018 , 9, 24028-24040	3.3	17
625	Association between Alcohol Drinking and Head and Neck Cancer. <i>Nihon Kikan Shokudoka Gakkai Kaiho</i> , 2018 , 69, 282-289	0	
624	Cigarette smoking, alcohol drinking, and oral cavity and pharyngeal cancer in the Japanese: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 171-179	2	9
623	Decrease in expression caused by infection may promote progression to severe gastritis. <i>Oncotarget</i> , 2018 , 9, 3936-3945	3.3	18
622	Genome-Wide Association Study to Identify a New Susceptibility Locus for Central Serous Chorioretinopathy in the Japanese Population 2018 , 59, 5542-5547		14
621	GENE-36. ABERRANT ACTIVE-ENHANCERS ASSOCIATED WITH DOWNREGULATION OF HDAC1-RET FINGER PROTEIN COMPLEX OVERCOME CHEMORESISTANCE IN GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2018 , 20, vi111-vi111	1	78
620	Genetic determinants and an epistasis of and HLA-B*52 in Takayasu arteritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 13045-13050	11.5	30
619	Genome-wide association study identifies gastric cancer susceptibility loci at 12q24.11-12 and 20q11.21. <i>Cancer Science</i> , 2018 , 109, 4015-4024	6.9	22
618	Body-Mass Index and Pancreatic Cancer Incidence: A Pooled Analysis of Nine Population-Based Cohort Studies With More Than 340,000 Japanese Subjects. <i>Journal of Epidemiology</i> , 2018 , 28, 245-252	3.4	22
617	Prediction model for pancreatic cancer risk in the general Japanese population. <i>PLoS ONE</i> , 2018 , 13, e0203386	3.7	15
616	Recent Improvement in the Long-term Survival of Breast Cancer Patients by Age and Stage in Japan. <i>Journal of Epidemiology</i> , 2018 , 28, 420-427	3.4	22
615	Transformed Follicular Lymphoma (TFL) Predicts Outcome in Advanced Endometrial Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 963-969	4	3
614	Tumour stage and gender predict recurrence and second primary malignancies in head and neck cancer: a multicentre study within the INHANCE consortium. <i>European Journal of Epidemiology</i> , 2018 , 33, 1205-1218	12.1	26
613	Development of a prediction model and estimation of cumulative risk for upper aerodigestive tract cancer on the basis of the aldehyde dehydrogenase 2 genotype and alcohol consumption in a Japanese population. <i>European Journal of Cancer Prevention</i> , 2017 , 26, 38-47	2	16
612	Phase II study of imatinib-based chemotherapy for newly diagnosed BCR-ABL-positive acute lymphoblastic leukemia. <i>American Journal of Hematology</i> , 2017 , 92, 367-374	7.1	8
611	Fruit and vegetable intake and the risk of overall cancer in Japanese: A pooled analysis of population-based cohort studies. <i>Journal of Epidemiology</i> , 2017 , 27, 152-162	3.4	3
610	Cigarette smoking is associated with adverse survival among women with ovarian cancer: Results from a pooled analysis of 19 studies. <i>International Journal of Cancer</i> , 2017 , 140, 2422-2435	7.5	18

609	Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. <i>International Journal of Cancer</i> , 2017 , 140, 1976-1984	7.5	24
608	Genetic abnormalities in myelodysplasia and secondary acute myeloid leukemia: impact on outcome of stem cell transplantation. <i>Blood</i> , 2017 , 129, 2347-2358	2.2	184
607	Hypomorphic Missense Variants Confer Moderate Risks of Breast Cancer. <i>Cancer Research</i> , 2017 , 77, 2789-2799	10.1	49
606	Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 2017 , 60, 1022-1032	10.3	86
605	Smoking and subsequent risk of leukemia in Japan: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2017 , 27, 305-310	3.4	10
604	Coffee consumption and the risk of colorectal cancer by anatomical subsite in Japan: Results from the HERPACC studies. <i>International Journal of Cancer</i> , 2017 , 141, 298-308	7.5	17
603	Evaluating genetic variants associated with breast cancer risk in high and moderate-penetrance genes in Asians. <i>Carcinogenesis</i> , 2017 , 38, 511-518	4.6	20
602	Rb Loss and Mutation Are Predictors of the Response to Platinum-Based Chemotherapy in Pancreatic Neuroendocrine Neoplasm with Grade 3: A Japanese Multicenter Pancreatic NEN-G3 Study. <i>Clinical Cancer Research</i> , 2017 , 23, 4625-4632	12.9	107
601	Plasma microRNA-103, microRNA-107, and microRNA-194 levels are not biomarkers for human diffuse gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 551-554	4.9	10
600	Role of Genetic Polymorphism of ALDH2 in Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1374-1380	4.7	1
599	Combination of ALDH2 and ADH1B polymorphisms is associated with smoking initiation: A large-scale cross-sectional study in a Japanese population. <i>Drug and Alcohol Dependence</i> , 2017 , 173, 85-91	4.9	7
598	History of hypertension, heart disease, and diabetes and ovarian cancer patient survival: evidence from the ovarian cancer association consortium. <i>Cancer Causes and Control</i> , 2017 , 28, 469-486	2.8	19
597	Feasibility of adjuvant chemotherapy with S-1 plus carboplatin followed by single-agent maintenance therapy with S-1 for completely resected non-small-cell lung cancer: results of the Setouchi Lung Cancer Group Study 1001. <i>International Journal of Clinical Oncology</i> , 2017 , 22, 274-282	4.2	8
596	Predictors of pretreatment CA125 at ovarian cancer diagnosis: a pooled analysis in the Ovarian Cancer Association Consortium. <i>Cancer Causes and Control</i> , 2017 , 28, 459-468	2.8	13
595	Genetic landscape of interactive effects of alleles on susceptibility to ACPA(+) rheumatoid arthritis and ACPA levels in Japanese population. <i>Journal of Medical Genetics</i> , 2017 , 54, 853-858	5.8	3
594	Dose-adjusted EPOCH chemotherapy for untreated peripheral T-cell lymphomas: a multicenter phase II trial of West-JHOG PTCL0707. <i>Haematologica</i> , 2017 , 102, 2097-2103	6.6	21
593	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017 , 551, 92-94	50.4	643
592	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017 , 49, 1767-1778	36.3	186

591	Reproductive profiles and risk of breast cancer subtypes: a multi-center case-only study. <i>Breast Cancer Research</i> , 2017 , 19, 119	8.3	26
590	Alcohol and head and neck cancer. <i>Cancer and Metastasis Reviews</i> , 2017 , 36, 425-434	9.6	60
589	History of thyroid disease and survival of ovarian cancer patients: results from the Ovarian Cancer Association Consortium, a brief report. <i>British Journal of Cancer</i> , 2017 , 117, 1063-1069	8.7	11
588	The more from East-Asian, the better: risk prediction of colorectal cancer risk by GWAS-identified SNPs among Japanese. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 2481-2492	4.9	11
587	Alcohol and cigarette consumption predict mortality in patients with head and neck cancer: a pooled analysis within the International Head and Neck Cancer Epidemiology (INHANCE) Consortium. <i>Annals of Oncology</i> , 2017 , 28, 2843-2851	10.3	54
586	History of Comorbidities and Survival of Ovarian Cancer Patients, Results from the Ovarian Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1470-1473	4	8
585	Alcohol consumption and bladder cancer risk with or without the flushing response: The Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2017 , 141, 2480-2488	7.5	10
584	Smoking and alcohol and subsequent risk of myelodysplastic syndromes in Japan: the Japan Public Health Centre-based Prospective Study. <i>British Journal of Haematology</i> , 2017 , 178, 747-755	4.5	11
583	Alcohol consumption and gastric cancer risk-A pooled analysis within the StoP project consortium. <i>International Journal of Cancer</i> , 2017 , 141, 1950-1962	7.5	57
582	Potential overtreatment among men aged 80 years and older with localized prostate cancer in Japan. <i>Cancer Science</i> , 2017 , 108, 1673-1680	6.9	3
581	Dietary fiber intake and head and neck cancer risk: A pooled analysis in the International Head and Neck Cancer Epidemiology consortium. <i>International Journal of Cancer</i> , 2017 , 141, 1811-1821	7.5	20
580	Heterogeneous impact of alcohol consumption according to treatment method on survival in head and neck cancer: A prospective study. <i>Cancer Science</i> , 2017 , 108, 91-100	6.9	29
579	Coffee and Green Tea Consumption and Subsequent Risk of Malignant Lymphoma and Multiple Myeloma in Japan: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1352-1356	4	3
578	Long-term Results of the Risk-adapted Treatment for Childhood B-Cell Acute Lymphoblastic Leukemia: Report From the Japan Association of Childhood Leukemia Study ALL-97 Trial. <i>Journal of Pediatric Hematology/Oncology</i> , 2017 , 39, 81-89	1.2	10
577	Smoking cessation and subsequent risk of cancer: A pooled analysis of eight population-based cohort studies in Japan. <i>Cancer Epidemiology</i> , 2017 , 51, 98-108	2.8	12
576	Clinical features and outcomes of patients with primary myelofibrosis in Japan: report of a 17-year nationwide survey by the Idiopathic Disorders of Hematopoietic Organs Research Committee of Japan. <i>International Journal of Hematology</i> , 2017 , 105, 59-69	2.3	9
575	Sentinel node biopsy for oral cancer: A prospective multicenter Phase II trial. <i>Auris Nasus Larynx</i> , 2017 , 44, 319-326	2.2	30
574	Acute and late toxicities of pirarubicin in the treatment of childhood acute lymphoblastic leukemia: results from a clinical trial by the Japan Association of Childhood Leukemia Study. <i>International Journal of Clinical Oncology</i> , 2017 , 22, 387-396	4.2	5

573	A systematic review and meta-analysis of individual patient data on the impact of the BIM deletion polymorphism on treatment outcomes in epidermal growth factor receptor mutant lung cancer. <i>Oncotarget</i> , 2017 , 8, 41474-41486	3.3	12
572	Phase II Study of Concurrent Chemoradiotherapy Using Nedaplatin for Locally Advanced Uterine Cervical Carcinoma (KGROG0501): Final Results. <i>Anticancer Research</i> , 2017 , 37, 6983-6988	2.3	4
571	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2017 , 26, 454-465	5.6	40
570	Aldehyde Dehydrogenase 2 Polymorphism Is a Predictor of Smoking Cessation. <i>Nicotine and Tobacco Research</i> , 2017 , 19, 1087-1094	4.9	4
569	Molecular epidemiology, and possible real-world applications in breast cancer. <i>Breast Cancer</i> , 2016 , 23, 33-38	3.4	19
568	An intergenic risk locus containing an enhancer deletion in 2q35 modulates breast cancer risk by deregulating IGFBP5 expression. <i>Human Molecular Genetics</i> , 2016 , 25, 3863-3876	5.6	24
567	Prognostic Value of Drinking Status and Aldehyde Dehydrogenase 2 Polymorphism in Patients With Head and Neck Squamous Cell Carcinoma. <i>Journal of Epidemiology</i> , 2016 , 26, 292-9	3.4	11
566	rs2735383, located at a microRNA binding site in the 3'UTR of NBS1, is not associated with breast cancer risk. <i>Scientific Reports</i> , 2016 , 6, 36874	4.9	2
565	Toll-like receptor 1 variation increases the risk of transplant-related mortality in hematologic malignancies. <i>Transplant Immunology</i> , 2016 , 38, 60-6	1.7	3
564	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016 , 6, 1052-67	24.4	104
563	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016 , 7, 11843	17.4	59
562	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016 , 7, 12675	17.4	53
561	Incidence and risk factors for anastomotic stenosis of continuous hepaticojejunostomy after pancreaticoduodenectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016 , 23, 628-635	2.8	18
560	Fine scale mapping of the 17q22 breast cancer locus using dense SNPs, genotyped within the Collaborative Oncological Gene-Environment Study (COGs). <i>Scientific Reports</i> , 2016 , 6, 32512	4.9	16
559	Association of variations in HLA class II and other loci with susceptibility to EGFR-mutated lung adenocarcinoma. <i>Nature Communications</i> , 2016 , 7, 12451	17.4	35
558	The role of oral hygiene in head and neck cancer: results from International Head and Neck Cancer Epidemiology (INHANCE) consortium. <i>Annals of Oncology</i> , 2016 , 27, 1619-25	10.3	62
557	Recreational physical inactivity and mortality in women with invasive epithelial ovarian cancer: evidence from the Ovarian Cancer Association Consortium. <i>British Journal of Cancer</i> , 2016 , 115, 95-101	8.7	28
556	Genome-wide association study in East Asians identifies two novel breast cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2016 , 25, 3361-3371	5.6	22

555	A risk prediction model for colorectal cancer using genome-wide association study-identified polymorphisms and established risk factors among Japanese: results from two independent case-control studies. <i>European Journal of Cancer Prevention</i> , 2016 , 25, 500-7	2	13
554	Carotenoid intake and head and neck cancer: a pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>European Journal of Epidemiology</i> , 2016 , 31, 369-83	12.1	29
553	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <i>Human Molecular Genetics</i> , 2016 , 25, 620-9	5.6	32
552	Aldehyde dehydrogenase 2 (ALDH2) and alcohol dehydrogenase 1B (ADH1B) polymorphisms exacerbate bladder cancer risk associated with alcohol drinking: gene-environment interaction. <i>Carcinogenesis</i> , 2016 , 37, 583-588	4.6	25
551	GANP protein encoded on human chromosome 21/mouse chromosome 10 is associated with resistance to mammary tumor development. <i>Cancer Science</i> , 2016 , 107, 469-77	6.9	10
550	No evidence that protein truncating variants in BRIP1 are associated with breast cancer risk: implications for gene panel testing. <i>Journal of Medical Genetics</i> , 2016 , 53, 298-309	5.8	83
549	Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. <i>Nature Genetics</i> , 2016 , 48, 374-86	36.3	93
548	Identification of Susceptibility Loci and Genes for Colorectal Cancer Risk. <i>Gastroenterology</i> , 2016 , 150, 1633-1645	13.3	64
547	Cigarette smoking and bladder cancer risk: an evaluation based on a systematic review of epidemiologic evidence in the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 273-283	2.8	24
546	BRCA2 Polymorphic Stop Codon K3326X and the Risk of Breast, Prostate, and Ovarian Cancers. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	65
545	The Association Between L-Asparaginase Hypersensitivity and Genetic Variants in Japanese Childhood ALL Patients. <i>Blood</i> , 2016 , 128, 5141-5141	2.2	1
544	Winner's Curse Correction and Variable Thresholding Improve Performance of Polygenic Risk Modeling Based on Genome-Wide Association Study Summary-Level Data. <i>PLoS Genetics</i> , 2016 , 12, e1006493	6	67
543	Lack of Correlation between Stem-Cell Proliferation and Radiation- or Smoking-Associated Cancer Risk. <i>PLoS ONE</i> , 2016 , 11, e0150335	3.7	11
542	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. <i>Oncotarget</i> , 2016 , 7, 69097-69110	3.3	4
541	Functional single nucleotide polymorphisms within the cyclin-dependent kinase inhibitor 2A/2B region affect pancreatic cancer risk. <i>Oncotarget</i> , 2016 , 7, 57011-57020	3.3	27
540	Germline polymorphisms in an enhancer of PSIP1 are associated with progression-free survival in epithelial ovarian cancer. <i>Oncotarget</i> , 2016 , 7, 6353-68	3.3	19
539	Clinicopathological features and response to platinum-based chemotherapy in pancreatic neuroendocrine carcinoma: A retrospective multicenter study of 70 patients.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 298-298	2.2	
538	Clinicopathological features and response to platinum-based chemotherapy (PBC) in pancreatic neuroendocrine carcinoma (pNEC): Updated results of Japan pNEC study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e15652-e15652	2.2	

537	A multi-center phase III study of carboplatin/paclitaxel versus oral uracil-tegafur as the adjuvant chemotherapy in resected non-small cell lung cancer. <i>Journal of Clinical Oncology</i> , 2016 , 34, 8521-8521	2.2	
536	Clinical Significance of Mutations and Copy Number Lesions on Prognosis of Patients with MDS after Unrelated Bone Marrow Transplantation. <i>Blood</i> , 2016 , 128, 1971-1971	2.2	
535	ALDH2 Polymorphism Has a Significant Impact on Transplant Related Mortality after HLA-Matched Bone Marrow Transplantation. <i>Blood</i> , 2016 , 128, 3391-3391	2.2	
534	Dose-Adjusted EPOCH Chemotherapy for Untreated Peripheral T-Cell Lymphomas: Multicenter Phase II Trial of West-Jhog PTCL0707. <i>Blood</i> , 2016 , 128, 5349-5349	2.2	
533	Clinical Outcomes of Patients with Primary Myelofibrosis in Japan: A Nationwide Survey over a 17-Year Study Period. <i>Blood</i> , 2016 , 128, 3126-3126	2.2	
532	Associations between polymorphisms in folate-metabolizing genes and pancreatic cancer risk in Japanese subjects. <i>BMC Gastroenterology</i> , 2016 , 16, 83	3	8
531	Disparity and Trends in Secondhand Smoke Exposure among Japanese Employees, Particularly Smokers vs. Non-Smokers. <i>PLoS ONE</i> , 2016 , 11, e0152096	3.7	10
530	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016 , 11, e0160316	3.7	11
529	Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , 2016 , 139, 1303-1317	7.5	26
528	CYP1A1, GSTM1 and GSTT1 genetic polymorphisms and gastric cancer risk among Japanese: A nested case-control study within a large-scale population-based prospective study. <i>International Journal of Cancer</i> , 2016 , 139, 759-68	7.5	15
527	Exome genotyping arrays to identify rare and low frequency variants associated with epithelial ovarian cancer risk. <i>Human Molecular Genetics</i> , 2016 , 25, 3600-3612	5.6	9
526	Cigarette smoking and the risk of head and neck cancer in the Japanese population: a systematic review and meta-analysis. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 580-95	2.8	19
525	Synergistic activity of Card11 mutant and Bcl6 in the development of diffuse large B-cell lymphoma in a mouse model. <i>Cancer Science</i> , 2016 , 107, 1572-1580	6.9	5
524	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. <i>Breast Cancer Research</i> , 2016 , 18, 64	8.3	25
523	Prediction of breast cancer risk based on common genetic variants in women of East Asian ancestry. <i>Breast Cancer Research</i> , 2016 , 18, 124	8.3	34
522	Anti-Helicobacter pylori Antibody Profiles in Epstein-Barr virus (EBV)-Positive and EBV-Negative Gastric Cancer. <i>Helicobacter</i> , 2016 , 21, 153-7	4.9	22
521	High-risk HLA alleles for severe acute graft-versus-host disease and mortality in unrelated donor bone marrow transplantation. <i>Haematologica</i> , 2016 , 101, 491-8	6.6	18
520	Coffee drinking and colorectal cancer risk: an evaluation based on a systematic review and meta-analysis among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 781-7	2.8	21

519	Chronic Recreational Physical Inactivity and Epithelial Ovarian Cancer Risk: Evidence from the Ovarian Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1114-1124	4.4	27
518	Randomized feasibility study of S-1 for adjuvant chemotherapy in completely resected Stage IA non-small-cell lung cancer: results of the Setouchi Lung Cancer Group Study 0701. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 741-7	2.8	7
517	Modeling mesothelioma utilizing human mesothelial cells reveals involvement of phospholipase-C beta 4 in YAP-active mesothelioma cell proliferation. <i>Carcinogenesis</i> , 2016 , 37, 1098-1109	4.6	15
516	The phenotype and clinical course of Japanese Fanconi Anaemia infants is influenced by patient, but not maternal ALDH2 genotype. <i>British Journal of Haematology</i> , 2016 , 175, 457-461	4.5	8
515	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , 2016 , 99, 903-911	11	43
514	Gastric Cancer Patients with High PLK1 Expression and DNA Aneuploidy Correlate with Poor Prognosis. <i>Oncology</i> , 2016 , 91, 31-40	3.6	21
513	New mouse model of acute adult T-cell leukemia generated by transplantation of AKT, BCLxL, and HBZ-transduced T cells. <i>Cancer Science</i> , 2016 , 107, 1072-8	6.9	6
512	Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015 , 47, 164-71	36.3	177
511	Folate intake and the risk of oral cavity and pharyngeal cancer: a pooled analysis within the International Head and Neck Cancer Epidemiology Consortium. <i>International Journal of Cancer</i> , 2015 , 136, 904-14	7.5	42
510	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015 , 47, 373-80	36.3	406
509	Interactions between household air pollution and GWAS-identified lung cancer susceptibility markers in the Female Lung Cancer Consortium in Asia (FLCCA). <i>Human Genetics</i> , 2015 , 134, 333-41	6.3	24
508	Genome-wide significant risk associations for mucinous ovarian carcinoma. <i>Nature Genetics</i> , 2015 , 47, 888-97	36.3	60
507	Network-Based Integration of GWAS and Gene Expression Identifies a HOX-Centric Network Associated with Serous Ovarian Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1574-84	4	24
506	Obesity and survival among women with ovarian cancer: results from the Ovarian Cancer Association Consortium. <i>British Journal of Cancer</i> , 2015 , 113, 817-26	8.7	80
505	Genome-wide association study of colorectal cancer identifies six new susceptibility loci. <i>Nature Communications</i> , 2015 , 6, 7138	17.4	106
504	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. <i>American Journal of Human Genetics</i> , 2015 , 97, 22-34	11	26
503	HLA-Haploidentical Peripheral Blood Stem Cell Transplantation with Post-Transplant Cyclophosphamide after Busulfan-Containing Reduced-Intensity Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1646-52	4.7	66
502	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. <i>International Journal of Epidemiology</i> , 2015 , 44, 169-85	7.8	98

501	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with prognosis of estrogen receptor-negative breast cancer after chemotherapy. <i>Breast Cancer Research</i> , 2015 , 17, 18	8.3	17
500	Lack of association between the BIM deletion polymorphism and the risk of lung cancer with and without EGFR mutations. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 59-66	8.9	9
499	Cigarette smoke inhalation and risk of lung cancer: a case-control study in a large Japanese population. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 195-200	2	9
498	The stomach cancer pooling (StoP) project: study design and presentation. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 16-23	2	31
497	Cis-eQTL analysis and functional validation of candidate susceptibility genes for high-grade serous ovarian cancer. <i>Nature Communications</i> , 2015 , 6, 8234	17.4	40
496	Identification of lung cancer histology-specific variants applying Bayesian framework variant prioritization approaches within the TRICL and ILCCO consortia. <i>Carcinogenesis</i> , 2015 , 36, 1314-26	4.6	8
495	Associated Links Among Smoking, Chronic Obstructive Pulmonary Disease, and Small Cell Lung Cancer: A Pooled Analysis in the International Lung Cancer Consortium. <i>EBioMedicine</i> , 2015 , 2, 1677-85	8.8	29
494	Common variants at the CHEK2 gene locus and risk of epithelial ovarian cancer. <i>Carcinogenesis</i> , 2015 , 36, 1341-53	4.6	20
493	Vegetable consumption and colorectal cancer risk: an evaluation based on a systematic review and meta-analysis among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 973-9	2.8	22
492	Vitamin E intake from natural sources and head and neck cancer risk: a pooled analysis in the International Head and Neck Cancer Epidemiology consortium. <i>British Journal of Cancer</i> , 2015 , 113, 182-92	8.7	21
491	Fine-scale mapping of the 4q24 locus identifies two independent loci associated with breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1680-91	4	17
490	Smoking dependence in 18 European countries: Hard to maintain the hardening hypothesis. <i>Preventive Medicine</i> , 2015 , 81, 314-9	4.3	18
489	Genetic polymorphisms of ADH1B, ADH1C and ALDH2, alcohol consumption, and the risk of gastric cancer: the Japan Public Health Center-based prospective study. <i>Carcinogenesis</i> , 2015 , 36, 223-31	4.6	46
488	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , 2015 , 24, 285-98	5.6	35
487	Declining trends in prevalence of Helicobacter pylori infection by birth-year in a Japanese population. <i>Cancer Science</i> , 2015 , 106, 1738-43	6.9	33
486	Risk of lung cancer and consumption of vegetables and fruit in Japanese: A pooled analysis of cohort studies in Japan. <i>Cancer Science</i> , 2015 , 106, 1057-65	6.9	10
485	Biological significance of HLA locus matching in unrelated donor bone marrow transplantation. <i>Blood</i> , 2015 , 125, 1189-97	2.2	103
484	Genome-wide association study-identified SNPs (rs3790844, rs3790843) in the NR5A2 gene and risk of pancreatic cancer in Japanese. <i>Scientific Reports</i> , 2015 , 5, 17018	4.9	15

483	Ethnicity affects and gene alterations of lung adenocarcinoma. <i>Oncology Letters</i> , 2015 , 10, 1775-1782	2.6	17
482	Epithelial-Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. <i>Genetic Epidemiology</i> , 2015 , 39, 689-97	2.6	18
481	Impact of metallothionein gene polymorphisms on the risk of lung cancer in a Japanese population. <i>Molecular Carcinogenesis</i> , 2015 , 54 Suppl 1, E122-8	5	11
480	Genetic variants associated with longer telomere length are associated with increased lung cancer risk among never-smoking women in Asia: a report from the female lung cancer consortium in Asia. <i>International Journal of Cancer</i> , 2015 , 137, 311-9	7.5	55
479	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015 , 107, djv279	9.7	107
478	The INHANCE consortium: toward a better understanding of the causes and mechanisms of head and neck cancer. <i>Oral Diseases</i> , 2015 , 21, 685-93	3.5	66
477	Relationship between smoking and obesity: a cross-sectional study of 499,504 middle-aged adults in the UK general population. <i>PLoS ONE</i> , 2015 , 10, e0123579	3.7	142
476	The 12p13.33/RAD52 locus and genetic susceptibility to squamous cell cancers of upper aerodigestive tract. <i>PLoS ONE</i> , 2015 , 10, e0117639	3.7	10
475	Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. <i>PLoS ONE</i> , 2015 , 10, e0128106	3.7	15
474	Alcohol and Exercise Affect Declining Kidney Function in Healthy Males Regardless of Obesity: A Prospective Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0134937	3.7	9
473	Characterization of large structural genetic mosaicism in human autosomes. <i>American Journal of Human Genetics</i> , 2015 , 96, 487-97	11	77
472	A rare truncating BRCA2 variant and genetic susceptibility to upper aerodigestive tract cancer. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	27
471	Cell-type-specific enrichment of risk-associated regulatory elements at ovarian cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2015 , 24, 3595-607	5.6	32
470	A donor thrombomodulin gene variation predicts graft-versus-host disease development and mortality after bone marrow transplantation. <i>International Journal of Hematology</i> , 2015 , 102, 460-70	2.3	7
469	Natural vitamin C intake and the risk of head and neck cancer: A pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>International Journal of Cancer</i> , 2015 , 137, 448-62	7.5	38
468	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015 , 24, 2966-84	5.6	36
467	Fine-scale mapping of the 5q11.2 breast cancer locus reveals at least three independent risk variants regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015 , 96, 5-20	11	59
466	Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). <i>Journal of Genetics and Genome Research</i> , 2015 , 2,		22

465	Prognostic value of KRAS and BRAF mutations in curatively resected colorectal cancer. <i>World Journal of Gastroenterology</i> , 2015 , 21, 1275-83	5.6	60
464	Effectiveness of High-Dose MTX Therapy for Adult Ph-Negative ALL By Randomized Trial: JALSG ALL202-O. <i>Blood</i> , 2015 , 126, 79-79	2.2	
463	Genome-wide association study identifies a new SMAD7 risk variant associated with colorectal cancer risk in East Asians. <i>International Journal of Cancer</i> , 2014 , 135, 948-55	7.5	49
462	Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. <i>European Journal of Epidemiology</i> , 2014 , 29, 35-48	12.1	36
461	Correlation between overall survival and other endpoints in clinical trials of second-line chemotherapy for patients with advanced gastric cancer. <i>Gastric Cancer</i> , 2014 , 17, 362-70	7.6	20
460	Large-scale genetic study in East Asians identifies six new loci associated with colorectal cancer risk. <i>Nature Genetics</i> , 2014 , 46, 533-42	36.3	175
459	Differences in incidence and trends of haematological malignancies in Japan and the United States. <i>British Journal of Haematology</i> , 2014 , 164, 536-45	4.5	194
458	Case-case comparison of smoking and alcohol risk associations with Epstein-Barr virus-positive gastric cancer. <i>International Journal of Cancer</i> , 2014 , 134, 948-53	7.5	29
457	Incidence of lymphoplasmacytic lymphoma/Waldenström's macroglobulinaemia in Japan and Taiwan population-based cancer registries, 1996-2003. <i>International Journal of Cancer</i> , 2014 , 134, 174-80	7.5	20
456	Tamibarotene as maintenance therapy for acute promyelocytic leukemia: results from a randomized controlled trial. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3729-35	2.2	40
455	Alcohol consumption and survival after a breast cancer diagnosis: a literature-based meta-analysis and collaborative analysis of data for 29,239 cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 934-45	4	29
454	FGF receptor genes and breast cancer susceptibility: results from the Breast Cancer Association Consortium. <i>British Journal of Cancer</i> , 2014 , 110, 1088-100	8.7	20
453	Soy intake and breast cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 282-95	2.8	65
452	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at 1q32.1, 5q14.3 and 15q26.1. <i>Nature Genetics</i> , 2014 , 46, 886-90	36.3	110
451	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014 , 4, 4999	17.4	87
450	Meat consumption and colorectal cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 641-50	2.8	52
449	Bronchiolitis obliterans with allogeneic hematopoietic cell transplantation: a 10-year experience of the Okayama BMT Group. <i>International Journal of Hematology</i> , 2014 , 99, 644-51	2.3	8
448	Methylation status of blood leukocyte DNA and risk of gastric cancer in a high-risk Chinese population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2019-26	4	9

447	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014 , 16, R51	8.3	12
446	Incidence of myelodysplastic syndrome in Japan. <i>Journal of Epidemiology</i> , 2014 , 24, 469-73	3.4	25
445	Pretransplant administration of imatinib for allo-HSCT in patients with BCR-ABL-positive acute lymphoblastic leukemia. <i>Blood</i> , 2014 , 123, 2325-32	2.2	41
444	Contribution of psychosocial factors to the association between socioeconomic position and takeaway food consumption. <i>PLoS ONE</i> , 2014 , 9, e108799	3.7	6
443	Malignant lymphatic and hematopoietic neoplasms mortality in Serbia, 1991-2010: a joinpoint regression analysis. <i>PLoS ONE</i> , 2014 , 9, e109379	3.7	4
442	Diabetes mellitus and liver cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 986-99	2.8	23
441	Improved survival of gastric cancer with tumour Epstein-Barr virus positivity: an international pooled analysis. <i>Gut</i> , 2014 , 63, 236-43	19.2	238
440	Markedly improved outcomes and acceptable toxicity in adolescents and young adults with acute lymphoblastic leukemia following treatment with a pediatric protocol: a phase II study by the Japan Adult Leukemia Study Group. <i>Blood Cancer Journal</i> , 2014 , 4, e252	7	65
439	Randomised phase II study comparing dose-escalated weekly paclitaxel vs standard-dose weekly paclitaxel for patients with previously treated advanced gastric cancer. <i>British Journal of Cancer</i> , 2014 , 110, 271-7	8.7	19
438	Impact of being overweight on outcomes of hematopoietic SCT: a meta-analysis. <i>Bone Marrow Transplantation</i> , 2014 , 49, 66-72	4.4	18
437	Novel germline mutation in the transmembrane domain of HER2 in familial lung adenocarcinomas. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt338	9.7	81
436	Body mass index and breast cancer risk in Japan: a pooled analysis of eight population-based cohort studies. <i>Annals of Oncology</i> , 2014 , 25, 519-24	10.3	46
435	Burden of total and cause-specific mortality related to tobacco smoking among adults aged ≥ 15 years in Asia: a pooled analysis of 21 cohorts. <i>PLoS Medicine</i> , 2014 , 11, e1001631	11.6	76
434	2q36.3 is associated with prognosis for oestrogen receptor-negative breast cancer patients treated with chemotherapy. <i>Nature Communications</i> , 2014 , 5, 4051	17.4	13
433	Association of vegetable and fruit intake with gastric cancer risk among Japanese: a pooled analysis of four cohort studies. <i>Annals of Oncology</i> , 2014 , 25, 1228-33	10.3	40
432	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014 , 23, 6616-33	5.6	77
431	Coffee and green tea consumption is associated with upper aerodigestive tract cancer in Japan. <i>International Journal of Cancer</i> , 2014 , 135, 391-400	7.5	27
430	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2014 , 23, 6096-111	5.6	48

429	ABCA transporter gene expression and poor outcome in epithelial ovarian cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	79
428	Exposure to secondhand tobacco smoke and lung cancer by histological type: a pooled analysis of the International Lung Cancer Consortium (ILCCO). <i>International Journal of Cancer</i> , 2014 , 135, 1918-30	7.5	69
427	A genome-wide association study of serum levels of prostate-specific antigen in the Japanese population. <i>Journal of Medical Genetics</i> , 2014 , 51, 530-6	5.8	13
426	Induction of cytotoxic T cells as a novel independent survival factor in malignant melanoma with percutaneous peptide immunization. <i>Journal of Dermatological Science</i> , 2014 , 75, 43-8	4.3	13
425	Immunohistochemical distribution and morphometric analysis of aquaporin-3 in oral squamous cell carcinoma. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2014 , 43, 13-21	2.9	6
424	Risk of second malignancies in patients with gastric marginal zone lymphomas of mucosa associate lymphoid tissue (MALT). <i>Journal of Gastroenterology</i> , 2014 , 49, 843-52	6.9	9
423	Anti-cancer effects of REIC/Dkk-3-encoding adenoviral vector for the treatment of non-small cell lung cancer. <i>PLoS ONE</i> , 2014 , 9, e87900	3.7	17
422	Case-control study of diabetes-related genetic variants and pancreatic cancer risk in Japan. <i>World Journal of Gastroenterology</i> , 2014 , 20, 17456-62	5.6	13
421	Lack of associations between genetic polymorphisms in GSTM1, GSTT1 and GSTP1 and pancreatic cancer risk: a multi-institutional case-control study in Japan. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 391-5	1.7	7
420	Association between variations in the fat mass and obesity-associated gene and pancreatic cancer risk: a case-control study in Japan. <i>BMC Cancer</i> , 2013 , 13, 337	4.8	37
419	The recipient CXCL10 + 1642C>G variation predicts survival outcomes after HLA fully matched unrelated bone marrow transplantation. <i>Clinical Immunology</i> , 2013 , 146, 104-11	9	12
418	Progression-free survival and post-progression survival in patients with advanced gastric cancer treated with first-line chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013 , 139, 1383-9	4.9	12
417	A retrospective comparison of S-1 plus cisplatin and capecitabine plus cisplatin for patients with advanced or recurrent gastric cancer. <i>International Journal of Clinical Oncology</i> , 2013 , 18, 539-46	4.2	10
416	GWAS meta-analysis and replication identifies three new susceptibility loci for ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 362-70, 370e1-2	36.3	267
415	Fine-scale mapping of the FGFR2 breast cancer risk locus: putative functional variants differentially bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013 , 93, 1046-60	11	80
414	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 371-84, 384e1-2	36.3	422
413	Genome-wide association analyses in East Asians identify new susceptibility loci for colorectal cancer. <i>Nature Genetics</i> , 2013 , 45, 191-6	36.3	155
412	Identification and association study with lung cancer for novel insertion polymorphisms of human endogenous retrovirus. <i>Carcinogenesis</i> , 2013 , 34, 2531-8	4.6	22

411	Genome-wide association study of genetic factors related to confectionery intake: potential roles of the ADIPOQ gene. <i>Obesity</i> , 2013 , 21, 2413-9	8	7
410	Fluoropyrimidine plus cisplatin for patients with advanced or recurrent gastric cancer with peritoneal metastasis. <i>Gastric Cancer</i> , 2013 , 16, 48-55	7.6	13
409	Functional variants at the 11q13 risk locus for breast cancer regulate cyclin D1 expression through long-range enhancers. <i>American Journal of Human Genetics</i> , 2013 , 92, 489-503	11	167
408	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013 , 45, 392-8, 398e1-2	36.3	327
407	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013 , 45, 353-61, 361e1-2	36.3	813
406	Genetic evidence for association between NOTCH4 and schizophrenia supported by a GWAS follow-up study in a Japanese population. <i>Molecular Psychiatry</i> , 2013 , 18, 636-8	15.1	32
405	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , 2013 , 22, 2539-50	5.6	75
404	Identification of Genetic Susceptibility Loci for Colorectal Tumors in a Genome-Wide Meta-analysis. <i>Gastroenterology</i> , 2013 , 144, 799-807.e24	13.3	250
403	Time to first cigarette and lung cancer risk in Japan. <i>Annals of Oncology</i> , 2013 , 24, 2870-5	10.3	11
402	Prognosis of patients with advanced gastric cancer by HER2 status and trastuzumab treatment. <i>Gastric Cancer</i> , 2013 , 16, 261-7	7.6	53
401	Association of body mass index and risk of death from pancreas cancer in Asians: findings from the Asia Cohort Consortium. <i>European Journal of Cancer Prevention</i> , 2013 , 22, 244-50	2	20
400	Polymorphisms in base excision repair genes are associated with endometrial cancer risk among postmenopausal Japanese women. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 1561-8	3.5	15
399	Alcohol and dietary folate intake and the risk of breast cancer: a case-control study in Japan. <i>European Journal of Cancer Prevention</i> , 2013 , 22, 358-66	2	25
398	The aldehyde dehydrogenase 2 (ALDH2) Glu504Lys polymorphism interacts with alcohol drinking in the risk of stomach cancer. <i>Carcinogenesis</i> , 2013 , 34, 1510-5	4.6	64
397	Fish consumption and colorectal cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2013 , 43, 935-41	2.8	18
396	Postmenopausal hormone therapy and non-Hodgkin lymphoma: a pooled analysis of InterLymph case-control studies. <i>Annals of Oncology</i> , 2013 , 24, 433-441	10.3	29
395	Missense allele of a single nucleotide polymorphism rs2294008 attenuated antitumor effects of prostate stem cell antigen in gallbladder cancer cells. <i>Journal of Carcinogenesis</i> , 2013 , 12, 4	1.9	10
394	Association between body mass index and cardiovascular disease mortality in east Asians and south Asians: pooled analysis of prospective data from the Asia Cohort Consortium. <i>BMJ, The</i> , 2013 , 347, f5448 ^{5.9}	5.9	188

393	Diabetes mellitus and cancer risk: pooled analysis of eight cohort studies in Japan. <i>Cancer Science</i> , 2013 , 104, 1499-507	6.9	85
392	Epigenetic analysis leads to identification of HNF1B as a subtype-specific susceptibility gene for ovarian cancer. <i>Nature Communications</i> , 2013 , 4, 1628	17.4	124
391	Association between decreasing trend in the mortality of adult T-cell leukemia/lymphoma and allogeneic hematopoietic stem cell transplants in Japan: analysis of Japanese vital statistics and Japan Society for Hematopoietic Cell Transplantation (JSHCT). <i>Blood Cancer Journal</i> , 2013 , 3, e159	7	14
390	Identification and molecular characterization of a new ovarian cancer susceptibility locus at 17q21.31. <i>Nature Communications</i> , 2013 , 4, 1627	17.4	85
389	New breast cancer risk variant discovered at 10q25 in East Asian women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1297-303	4	5
388	Variant ALDH2 is associated with accelerated progression of bone marrow failure in Japanese Fanconi anemia patients. <i>Blood</i> , 2013 , 122, 3206-9	2.2	116
387	An adipokine omentin prevents pathological vascular remodeling. <i>European Heart Journal</i> , 2013 , 34, P597-P597	9.5	
386	SAT0002 ACPA-negative rheumatoid arthritis consists of two genetically distinct subsets based on RF positivity. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 471.2-471	2.4	
385	Impact of PSCA variation on gastric ulcer susceptibility. <i>PLoS ONE</i> , 2013 , 8, e63698	3.7	10
384	Randomized phase II study comparing dose-escalated weekly paclitaxel (wPTX) versus standard-dose wPTX for patients with previously treated advanced gastric cancer (AGC).. <i>Journal of Clinical Oncology</i> , 2013 , 31, 64-64	2.2	1
383	Risk factors for cholangiocarcinoma in the lower part of Northeast Thailand: a hospital-based case-control study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 5953-6	1.7	23
382	Cigarette smoking and pancreatic cancer risk: a revisit with an assessment of the nicotine dependence phenotype. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 4409-13	1.7	5
381	Distant disease-free survival (DDFS) discrimination capacity of various pathologic complete response (pCR) definitions according to breast cancer subtypes.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 162-162	2.2	
380	Impact of smoking status on clinical outcome in oral cavity cancer patients. <i>Oral Oncology</i> , 2012 , 48, 186-191	4.1	33
379	Pro-/anti-inflammatory cytokine gene polymorphisms and chronic kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2012 , 13, 2	2.7	27
378	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. <i>Cancer Causes and Control</i> , 2012 , 23, 69-88	2.8	96
377	Impact of graft-versus-host disease on outcomes after allogeneic hematopoietic cell transplantation for adult T-cell leukemia: a retrospective cohort study. <i>Blood</i> , 2012 , 119, 2141-8	2.2	93
376	Associations of apolipoprotein A5 (APOA5), glucokinase (GCK) and glucokinase regulatory protein (GCKR) polymorphisms and lifestyle factors with the risk of dyslipidemia and dysglycemia in Japanese - a cross-sectional data from the J-MICC Study. <i>Endocrine Journal</i> , 2012 , 59, 589-99	2.9	23

375	DNA methylation in peripheral blood: a potential biomarker for cancer molecular epidemiology. <i>Journal of Epidemiology</i> , 2012 , 22, 384-94	3.4	103
374	Selected polymorphisms of base excision repair genes and pancreatic cancer risk in Japanese. <i>Journal of Epidemiology</i> , 2012 , 22, 477-83	3.4	34
373	Impact of age on epidermal growth factor receptor mutation in lung cancer. <i>Lung Cancer</i> , 2012 , 78, 207-19	3.1	32
372	Increase in incidence of adult T-cell leukemia/lymphoma in non-endemic areas of Japan and the United States. <i>Cancer Science</i> , 2012 , 103, 1857-60	6.9	30
371	Clinicoradiologic characteristics of patients with lung adenocarcinoma harboring EML4-ALK fusion oncogene. <i>Lung Cancer</i> , 2012 , 77, 319-25	5.9	89
370	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. <i>Nature Genetics</i> , 2012 , 44, 1330-5	36.3	237
369	A genome-wide association study identifies a breast cancer risk variant in ERBB4 at 2q34: results from the Seoul Breast Cancer Study. <i>Breast Cancer Research</i> , 2012 , 14, R56	8.3	102
368	Induction chemoradiotherapy followed by surgical resection for clinical T3 or T4 locally advanced non-small cell lung cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2685-92	3.1	18
367	Intraoperative molecular assessment for lymph node metastasis in head and neck squamous cell carcinoma using one-step nucleic acid amplification (OSNA) assay. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3865-70	3.1	22
366	Meta-analysis identifies nine new loci associated with rheumatoid arthritis in the Japanese population. <i>Nature Genetics</i> , 2012 , 44, 511-6	36.3	232
365	A genome-wide association study identifies two susceptibility loci for duodenal ulcer in the Japanese population. <i>Nature Genetics</i> , 2012 , 44, 430-4, S1-2	36.3	96
364	Gene variants in PPARD and PPARGC1A are associated with timing of natural menopause in the general Japanese population. <i>Maturitas</i> , 2012 , 71, 369-75	5	5
363	Increased risk of lung cancer in individuals with a family history of the disease: a pooled analysis from the International Lung Cancer Consortium. <i>European Journal of Cancer</i> , 2012 , 48, 1957-68	7.5	98
362	Association between the catechol-O-methyltransferase (rs4680: Val158Met) polymorphism and serum alanine aminotransferase activity. <i>Gene</i> , 2012 , 496, 97-102	3.8	2
361	Differential impact of body mass index and its change on the risk of breast cancer by molecular subtype: A case-control study in Japanese women. <i>SpringerPlus</i> , 2012 , 1, 39		8
360	Prognostic factors influencing clinical outcome of allogeneic hematopoietic stem cell transplantation following imatinib-based therapy in BCR-ABL-positive ALL. <i>Blood Cancer Journal</i> , 2012 , 2, e72	7	21
359	ACPA-negative RA consists of two genetically distinct subsets based on RF positivity in Japanese. <i>PLoS ONE</i> , 2012 , 7, e40067	3.7	32
358	Alcohol drinking and primary liver cancer: a pooled analysis of four Japanese cohort studies. <i>International Journal of Cancer</i> , 2012 , 130, 2645-53	7.5	34

357	Insulin-like growth factor 2 hypomethylation of blood leukocyte DNA is associated with gastric cancer risk. <i>International Journal of Cancer</i> , 2012 , 131, 2596-603	7.5	24
356	Progression-free survival and time to progression as surrogate markers of overall survival in patients with advanced gastric cancer: analysis of 36 randomized trials. <i>Investigational New Drugs</i> , 2012 , 30, 1224-31	4.3	26
355	Reporting patient characteristics and stratification factors in randomized trials of systemic chemotherapy for advanced gastric cancer. <i>Gastric Cancer</i> , 2012 , 15, 137-43	7.6	19
354	A genetic risk predictor for breast cancer using a combination of low-penetrance polymorphisms in a Japanese population. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 711-21	4.4	76
353	Inverse association between soy intake and non-Hodgkin lymphoma risk among women: a case-control study in Japan. <i>Annals of Oncology</i> , 2012 , 23, 1061-6	10.3	2
352	Genome-wide association study in east Asians identifies novel susceptibility loci for breast cancer. <i>PLoS Genetics</i> , 2012 , 8, e1002532	6	118
351	Genetic variants on chromosome 1q41 influence ocular axial length and high myopia. <i>PLoS Genetics</i> , 2012 , 8, e1002753	6	77
350	The utility of [18F]-fluorodeoxyglucose positron emission tomography-computed tomography in thymic epithelial tumours. <i>European Journal of Cardio-thoracic Surgery</i> , 2012 , 42, e152-6	3	46
349	Decreasing trend in mortality of chronic myelogenous leukemia patients after introduction of imatinib in Japan and the U.S. <i>Oncologist</i> , 2012 , 17, 1547-50	5.7	13
348	Association between a genome-wide association study-identified locus and the risk of lung cancer in Japanese population. <i>Journal of Thoracic Oncology</i> , 2012 , 7, 790-8	8.9	33
347	Inverse association between yoghurt intake and upper aerodigestive tract cancer risk in a Japanese population. <i>European Journal of Cancer Prevention</i> , 2012 , 21, 453-9	2	7
346	Folate, alcohol, and aldehyde dehydrogenase 2 polymorphism and the risk of oral and pharyngeal cancer in Japanese. <i>European Journal of Cancer Prevention</i> , 2012 , 21, 193-8	2	27
345	Genetic polymorphism of IGF-I predicts recurrence in patients with gastric cancer who have undergone curative gastrectomy. <i>Annals of Oncology</i> , 2012 , 23, 659-664	10.3	14
344	Time to first cigarette and upper aerodigestive tract cancer risk in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1986-92	4	12
343	Physical activity and colorectal cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 2-13	2.8	28
342	Menstrual and reproductive factors, and hormonal contraception use: associations with non-Hodgkin lymphoma in a pooled analysis of InterLymph case-control studies. <i>Annals of Oncology</i> , 2012 , 23, 2362-2374	10.3	29
341	Pathway analyses identify TGFBR2 as potential breast cancer susceptibility gene: results from a consortium study among Asians. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1176-84	4	18
340	Reproductive and hormonal risk factors for luminal, HER2-overexpressing, and triple-negative breast cancer in Japanese women. <i>Annals of Oncology</i> , 2012 , 23, 2435-2441	10.3	29

339	Association between body mass index and the colorectal cancer risk in Japan: pooled analysis of population-based cohort studies in Japan. <i>Annals of Oncology</i> , 2012 , 23, 479-90	10.3	61
338	Obesity and liver cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 212-21	2.8	38
337	Dietary intake of folate and alcohol, MTHFR C677T polymorphism, and colorectal cancer risk in Korea. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 405-12	7	48
336	Association between dietary folate intake and clinical outcome in head and neck squamous cell carcinoma. <i>Annals of Oncology</i> , 2012 , 23, 186-192	10.3	18
335	Association of genetic variants on 8p21 and 4q12 with age-related macular degeneration in Asian populations 2012 , 53, 6576-81		21
334	Breastfeeding and breast cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 124-30	2.8	16
333	Impact of alcohol intake on total mortality and mortality from major causes in Japan: a pooled analysis of six large-scale cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 448-56 ^{5.1}		47
332	Cigarette smoking and esophageal cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 63-73	2.8	39
331	History of diabetes and risk of head and neck cancer: a pooled analysis from the international head and neck cancer epidemiology consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 294-304	4	43
330	Significance of C2/CFB variants in age-related macular degeneration and polypoidal choroidal vasculopathy in a Japanese population 2012 , 53, 794-8		34
329	Green tea consumption and gastric cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 335-46	2.8	43
328	p73 G4C14-to-A4T14 gene polymorphism and interaction with p53 exon 4 Arg72Pro on cancer susceptibility: a meta-analysis of the literature. <i>Mutagenesis</i> , 2012 , 27, 267-73	2.8	5
327	Natural and orthogonal interaction framework for modeling gene-environment interactions with application to lung cancer. <i>Human Heredity</i> , 2012 , 73, 185-94	1.1	8
326	Genetic polymorphisms of the human PNPLA3 gene are strongly associated with severity of non-alcoholic fatty liver disease in Japanese. <i>PLoS ONE</i> , 2012 , 7, e38322	3.7	194
325	Abstract IA5: Genetic and genomic difference in lung cancer based on ethnicity. <i>Clinical Cancer Research</i> , 2012 , 18, IA5-IA5	12.9	
324	The Difference in the Incidence and the Trend of Malignant Lymphomas in Japan and the United States.. <i>Blood</i> , 2012 , 120, 2695-2695	2.2	
323	Role of endoscopic ultrasound and endoscopic ultrasound-guided fine-needle aspiration in diagnosing metastasis to the pancreas: a tertiary center experience. <i>Pancreatology</i> , 2011 , 11, 390-8	3.8	26
322	A functional single nucleotide polymorphism in mucin 1, at chromosome 1q22, determines susceptibility to diffuse-type gastric cancer. <i>Gastroenterology</i> , 2011 , 140, 892-902	13.3	102

321	Endoscopic third ventriculotomy improves parkinsonism following a ventriculo-peritoneal shunt in a patient with non-communicating hydrocephalus secondary to idiopathic aqueduct stenosis. <i>Journal of the Neurological Sciences</i> , 2011 , 309, 148-50	3.2	6
320	The FOXE1 and NKX2-1 loci are associated with susceptibility to papillary thyroid carcinoma in the Japanese population. <i>Journal of Medical Genetics</i> , 2011 , 48, 645-8	5.8	68
319	Sensitivity to previous irinotecan treatment does not predict the efficacy of combination chemotherapy with cetuximab plus irinotecan for wild-type KRAS metastatic colorectal cancer. <i>European Journal of Cancer</i> , 2011 , 47, 2673-80	7.5	
318	A large-scale association study identified multiple HLA-DRB1 alleles associated with ACPA-negative rheumatoid arthritis in Japanese subjects. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 2134-9	2.4	36
317	Nonfilter and filter cigarette consumption and the incidence of lung cancer by histological type in Japan and the United States: analysis of 30-year data from population-based cancer registries. <i>International Journal of Cancer</i> , 2011 , 128, 1918-28	7.5	48
316	Sequence Variants and the Risk of Head and Neck Cancer: Pooled Analysis in the INHANCE Consortium. <i>Frontiers in Oncology</i> , 2011 , 1, 13	5.3	9
315	P2-277 Alcohol drinking and primary liver cancer in Japanese: a pooled analysis of four cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A298-A298	5.1	
314	Weight gain during adulthood and body weight at age 20 are associated with the risk of endometrial cancer in Japanese women. <i>Journal of Epidemiology</i> , 2011 , 21, 466-73	3.4	21
313	Profile of participants and genotype distributions of 108 polymorphisms in a cross-sectional study of associations of genotypes with lifestyle and clinical factors: a project in the Japan Multi-Institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2011 , 21, 223-35	3.4	77
312	Body mass index and mortality from all causes and major causes in Japanese: results of a pooled analysis of 7 large-scale cohort studies. <i>Journal of Epidemiology</i> , 2011 , 21, 417-30	3.4	76
311	Benefits and adverse events among elderly patients receiving concurrent chemoradiotherapy for locally advanced non-small cell lung cancer: analysis of the Okayama Lung Cancer Study Group trial 0007. <i>Journal of Thoracic Oncology</i> , 2011 , 6, 1087-91	8.9	16
310	ABO blood group alleles and the risk of pancreatic cancer in a Japanese population. <i>Cancer Science</i> , 2011 , 102, 1076-80	6.9	56
309	Association between insulin-like growth factor-1 polymorphisms and stomach cancer risk in a Japanese population. <i>Cancer Science</i> , 2011 , 102, 2231-5	6.9	17
308	Pre-transplant imatinib-based therapy improves the outcome of allogeneic hematopoietic stem cell transplantation for BCR-ABL-positive acute lymphoblastic leukemia. <i>Leukemia</i> , 2011 , 25, 41-7	10.7	74
307	Combined effect of miR-146a rs2910164 G/C polymorphism and Toll-like receptor 4 +3725 G/C polymorphism on the risk of severe gastric atrophy in Japanese. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 1131-7	4	58
306	Recreational physical activity and risk of head and neck cancer: a pooled analysis within the international head and neck cancer epidemiology (INHANCE) Consortium. <i>European Journal of Epidemiology</i> , 2011 , 26, 619-28	12.1	28
305	Association of fluoropyrimidines, platinum agents, taxanes, and irinotecan in any line of chemotherapy with survival in patients with advanced gastric cancer. <i>Gastric Cancer</i> , 2011 , 14, 155-60	7.6	16
304	Meta-analysis of neutropenia or leukopenia as a prognostic factor in patients with malignant disease undergoing chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 68, 301-7	3.5	58

303	Causal assessment of smoking and tooth loss: a systematic review of observational studies. <i>BMC Public Health</i> , 2011 , 11, 221	4.1	52
302	Inverse association between toothbrushing and upper aerodigestive tract cancer risk in a Japanese population. <i>Head and Neck</i> , 2011 , 33, 1628-37	4.2	35
301	ABO genotype and the risk of gastric cancer, atrophic gastritis, and Helicobacter pylori infection. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1665-72	4	62
300	The human AIRE gene at chromosome 21q22 is a genetic determinant for the predisposition to rheumatoid arthritis in Japanese population. <i>Human Molecular Genetics</i> , 2011 , 20, 2680-5	5.6	78
299	Alcohol drinking and esophageal cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 677-92	2.8	57
298	Cure- or care-oriented regimen for stage III non-small-cell lung cancer?. <i>Journal of Clinical Oncology</i> , 2011 , 29, e320	2.2	6
297	Randomized phase II study comparing dose escalated weekly paclitaxel vs. standard dose weekly paclitaxel for patients with previously treated advanced gastric cancer. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 287-90	2.8	6
296	Lung cancer risk and consumption of vegetables and fruit: an evaluation based on a systematic review of epidemiological evidence from Japan. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 693-708 ^{2.8}		22
295	Prolonged survival of patients with metastatic colorectal cancer following first-line oxaliplatin-based chemotherapy with molecular targeting agents and curative surgery. <i>Oncology</i> , 2011 , 81, 167-74	3.6	3
294	Heterogeneous distribution of EGFR mutations is extremely rare in lung adenocarcinoma. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2972-7	2.2	185
293	Replication and functional genomic analyses of the breast cancer susceptibility locus at 6q25.1 generalize its importance in women of chinese, Japanese, and European ancestry. <i>Cancer Research</i> , 2011 , 71, 1344-55	10.1	60
292	Common variants on 14q32 and 13q12 are associated with DLBCL susceptibility. <i>Journal of Human Genetics</i> , 2011 , 56, 436-9	4.3	22
291	Genome-wide association study identifies breast cancer risk variant at 10q21.2: results from the Asia Breast Cancer Consortium. <i>Human Molecular Genetics</i> , 2011 , 20, 4991-9	5.6	79
290	Association between body-mass index and risk of death in more than 1 million Asians. <i>New England Journal of Medicine</i> , 2011 , 364, 719-29	59.2	616
289	Thoracoscopic surgery using local and epidural anesthesia for intractable pneumothorax after BMT. <i>Bone Marrow Transplantation</i> , 2011 , 46, 472-3	4.4	4
288	Incidence and risk factors for central nervous system relapse in patients with diffuse large B-cell lymphoma: analyses with competing risk regression model. <i>Leukemia and Lymphoma</i> , 2011 , 52, 2270-5	1.9	26
287	Cigarette smoking and pancreas cancer risk: an evaluation based on a systematic review of epidemiologic evidence in the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 1292-302 ^{2.8}		27
286	Association between the SERPING1 gene and age-related macular degeneration and polypoidal choroidal vasculopathy in Japanese. <i>PLoS ONE</i> , 2011 , 6, e19108	3.7	23

285	Body mass index and diabetes in Asia: a cross-sectional pooled analysis of 900,000 individuals in the Asia cohort consortium. <i>PLoS ONE</i> , 2011 , 6, e19930	3.7	124
284	Interaction between IGF-1 polymorphisms and overweight for the risk of pancreatic cancer in Japanese. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011 , 2, 354-66	0.9	18
283	Prognostic factors for metastatic colorectal cancer patients undergoing irinotecan-based second-line chemotherapy. <i>Gastrointestinal Cancer Research: GCR</i> , 2011 , 4, 168-72		12
282	No association between angiotensin I converting enzyme (ACE) I/D polymorphism and gastric cancer risk among Japanese. <i>Nagoya Journal of Medical Science</i> , 2011 , 73, 169-75	0.7	6
281	Heavy smoking history interacts with chemoradiotherapy for esophageal cancer prognosis: a retrospective study. <i>Cancer Science</i> , 2010 , 101, 1001-6	6.9	42
280	Association between vitamin D and calcium intake and breast cancer risk according to menopausal status and receptor status in Japan. <i>Cancer Science</i> , 2010 , 101, 1234-40	6.9	30
279	Comparison between self-reported facial flushing after alcohol consumption and ALDH2 Glu504Lys polymorphism for risk of upper aerodigestive tract cancer in a Japanese population. <i>Cancer Science</i> , 2010 , 101, 1875-80	6.9	58
278	Response to Yokoyama et al.: Past and current tendency for facial flushing after a small dose of alcohol is a marker for increased risk of upper aerodigestive tract cancer in Japanese drinkers. <i>Cancer Science</i> , 2010 , 101, 2499-2500	6.9	
277	Association between dietary calcium and vitamin D intake and cervical carcinogenesis among Japanese women. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 400-9	5.2	18
276	Joint effect of cigarette smoking and CFH and LOC387715/HTRA1 polymorphisms on polypoidal choroidal vasculopathy 2010 , 51, 6183-7		35
275	Association of alcohol intake with the risk of malignant lymphoma and plasma cell myeloma in Japanese: a population-based cohort study (Japan Public Health Center-based Prospective Study). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 429-34	4	24
274	Replication of lung cancer susceptibility loci at chromosomes 15q25, 5p15, and 6p21: a pooled analysis from the International Lung Cancer Consortium. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 959-71	9.7	153
273	Clinical impact and predisposing factors of delayed-onset neutropenia after autologous hematopoietic stem-cell transplantation for B-cell non-Hodgkin lymphoma: association with an incremental risk of infectious events. <i>Annals of Oncology</i> , 2010 , 21, 1699-1705	10.3	16
272	Neutropenia as a prognostic factor in advanced gastric cancer patients undergoing second-line chemotherapy with weekly paclitaxel. <i>Annals of Oncology</i> , 2010 , 21, 2403-2409	10.3	43
271	Can non-performance of radical systematic mediastinal lymphadenectomy be justified in elderly lung cancer patients? An evaluation using propensity-based survival analysis. <i>European Journal of Cardio-thoracic Surgery</i> , 2010 , 38, 27-33	3	23
270	International Lung Cancer Consortium: coordinated association study of 10 potential lung cancer susceptibility variants. <i>Carcinogenesis</i> , 2010 , 31, 625-33	4.6	46
269	Association of anthropometric characteristics with the risk of malignant lymphoma and plasma cell myeloma in a Japanese population: a population-based cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1623-31	4	16
268	Anti-citrullinated peptide antibody-negative RA is a genetically distinct subset: a definitive study using only bone-erosive ACPA-negative rheumatoid arthritis. <i>Rheumatology</i> , 2010 , 49, 2298-304	3.9	56

267	Folate intake along with genetic polymorphisms in methylenetetrahydrofolate reductase and thymidylate synthase in patients with advanced gastric cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1311-9	4	27
266	Transplantation of allogeneic hematopoietic stem cells for adult T-cell leukemia: a nationwide retrospective study. <i>Blood</i> , 2010 , 116, 1369-76	2.2	211
265	CFH and ARMS2 variations in age-related macular degeneration, polypoidal choroidal vasculopathy, and retinal angiomatous proliferation 2010 , 51, 5914-9		102
264	Analysis of genetic variants in never-smokers with lung cancer facilitated by an Internet-based blood collection protocol: a preliminary report. <i>Clinical Cancer Research</i> , 2010 , 16, 755-63	12.9	69
263	Impact of smoking on lung cancer risk is stronger in those with the homozygous aldehyde dehydrogenase 2 null allele in a Japanese population. <i>Carcinogenesis</i> , 2010 , 31, 660-5	4.6	33
262	Identification of a functional genetic variant at 16q12.1 for breast cancer risk: results from the Asia Breast Cancer Consortium. <i>PLoS Genetics</i> , 2010 , 6, e1001002	6	93
261	Phase III trial comparing docetaxel and cisplatin combination chemotherapy with mitomycin, vindesine, and cisplatin combination chemotherapy with concurrent thoracic radiotherapy in locally advanced non-small-cell lung cancer: OLCSG 0007. <i>Journal of Clinical Oncology</i> , 2010 , 28, 3299-306	2.2	187
260	Statin-independent prognosis of patients with diffuse large B-cell lymphoma receiving rituximab plus CHOP therapy. <i>Annals of Oncology</i> , 2010 , 21, 1217-1221	10.3	17
259	Relationship between growth hormone 1 genetic polymorphism and susceptibility to colorectal cancer. <i>Journal of Human Genetics</i> , 2010 , 55, 163-6	4.3	8
258	Hepatic toxicity and prognosis in hepatitis C virus-infected patients with diffuse large B-cell lymphoma treated with rituximab-containing chemotherapy regimens: a Japanese multicenter analysis. <i>Blood</i> , 2010 , 116, 5119-25	2.2	107
257	Single-nucleotide polymorphisms in the promoter region of matrix metalloproteinase-1, -2, and -3 in Japanese with high myopia 2010 , 51, 4432-6		21
256	A randomized phase II study of a combination of docetaxel and S-1 versus docetaxel monotherapy in patients with non-small cell lung cancer previously treated with platinum-based chemotherapy: results of Okayama Lung Cancer Study Group (OLCSG) Trial 0503. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 1189-94	8.9	15
255	HLA-A alleles and the risk of cervical squamous cell carcinoma in Japanese women. <i>Journal of Epidemiology</i> , 2010 , 20, 295-301	3.4	12
254	Efficacy of genotype notification to Japanese smokers on smoking cessation—an intervention study at workplace. <i>Cancer Epidemiology</i> , 2010 , 34, 96-100	2.8	22
253	Clinical outcomes of advanced non-small cell lung cancer patients screened for epidermal growth factor receptor gene mutations. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 527-35	4.9	11
252	No association between AICDA 7888 C/T polymorphism, Helicobacter pylori seropositivity, and the risk of atrophic gastritis and gastric cancer in Japanese. <i>Gastric Cancer</i> , 2010 , 13, 43-9	7.6	2
251	PRKCH gene polymorphism is associated with the risk of severe gastric atrophy. <i>Gastric Cancer</i> , 2010 , 13, 90-4	7.6	12
250	No associations of Toll-like receptor 2 (TLR2) -196 to -174del polymorphism with the risk of Helicobacter pylori seropositivity, gastric atrophy, and gastric cancer in Japanese. <i>Gastric Cancer</i> , 2010 , 13, 251-7	7.6	27

249	Serum tumor antigen REG4 as a diagnostic biomarker in pancreatic ductal adenocarcinoma. <i>Journal of Gastroenterology</i> , 2010 , 45, 52-9	6.9	35
248	Peripheral blood stem cell versus bone marrow transplantation from HLA-identical sibling donors in patients with leukemia: a propensity score-based comparison from the Japan Society for Hematopoietic Stem Cell Transplantation registry. <i>International Journal of Hematology</i> , 2010 , 91, 855-64	2.3	34
247	Effect of selective lymph node dissection based on patterns of lobe-specific lymph node metastases on patient outcome in patients with resectable non-small cell lung cancer: a large-scale retrospective cohort study applying a propensity score. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010 , 139, 1001-6	1.5	68
246	Effect of gefitinib on the survival of patients with recurrence of lung adenocarcinoma after surgery: a retrospective case-matching cohort study. <i>Surgical Oncology</i> , 2010 , 19, e144-9	2.5	10
245	Association between obesity and the risk of malignant lymphoma in Japanese: a case-control study. <i>International Journal of Cancer</i> , 2010 , 126, 2416-25	7.5	15
244	Characteristic methylation profile in CpG island methylator phenotype-negative distal colorectal cancers. <i>International Journal of Cancer</i> , 2010 , 127, 2095-105	7.5	31
243	Association between CYP7A1 and the risk of proximal colon cancer in Japanese. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010 , 1, 35-46	0.9	3
242	Genetic predisposition to Helicobacter pylori-induced gastric precancerous conditions. <i>World Journal of Gastrointestinal Oncology</i> , 2010 , 2, 369-79	3.4	25
241	Effects of genetic polymorphisms in the ABCB1 gene on clinical outcomes in patients with gastric cancer treated by second-line chemotherapy. <i>Asian Pacific Journal of Cancer Prevention</i> , 2010 , 11, 447-52 ^{1.7}	1.7	14
240	Association of alcohol intake and smoking with malignant lymphoma risk in Japanese: a hospital-based case-control study at Aichi Cancer Center. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2436-41	4	16
239	Green tea consumption and gastric cancer in Japanese: a pooled analysis of six cohort studies. <i>Gut</i> , 2009 , 58, 1323-32	19.2	62
238	A novel polymorphism rs1329149 of CYP2E1 and a known polymorphism rs671 of ALDH2 of alcohol metabolizing enzymes are associated with colorectal cancer in a southwestern Chinese population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2522-7	4	42
237	A genome-wide association analysis identified a novel susceptible locus for pathological myopia at 11q24.1. <i>PLoS Genetics</i> , 2009 , 5, e1000660	6	105
236	Association between CYP19A1 polymorphisms and sex hormones in postmenopausal Japanese women. <i>Journal of Human Genetics</i> , 2009 , 54, 78-85	4.3	17
235	Relapse-related molecular signature in lung adenocarcinomas identifies patients with dismal prognosis. <i>Journal of Clinical Oncology</i> , 2009 , 27, 2793-9	2.2	153
234	Impact of multiple alcohol dehydrogenase gene polymorphisms on risk of upper aerodigestive tract cancers in a Japanese population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 3097-102	4	52
233	Meta- and pooled analyses of the methylenetetrahydrofolate reductase (MTHFR) C677T polymorphism and colorectal cancer: a HuGE-GSEC review. <i>American Journal of Epidemiology</i> , 2009 , 170, 1207-21	3.8	83
232	MTHFR polymorphisms, dietary folate intake and breast cancer risk in Chinese women. <i>Journal of Human Genetics</i> , 2009 , 54, 414-8	4.3	39

231	FGFR2 intronic polymorphisms interact with reproductive risk factors of breast cancer: results of a case control study in Japan. <i>International Journal of Cancer</i> , 2009 , 125, 1946-52	7.5	45
230	Association of prostate stem cell antigen gene polymorphisms with the risk of stomach cancer in Japanese. <i>International Journal of Cancer</i> , 2009 , 125, 1961-4	7.5	55
229	Significant association of RUNX3 T/A polymorphism at intron 3 (rs760805) with the risk of gastric atrophy in Helicobacter pylori seropositive Japanese. <i>Journal of Gastroenterology</i> , 2009 , 44, 1165-71	6.9	8
228	Phase II study of tacrolimus and methotrexate for prophylaxis of acute graft-versus-host disease after HLA-A, B, and DRB1 genotypically mismatched unrelated bone marrow transplantation among Japanese patients. <i>International Journal of Hematology</i> , 2009 , 89, 98-105	2.3	4
227	The effect of adding rituximab to CHOP-based therapy on clinical outcomes for Japanese patients with diffuse large B-cell lymphoma: a propensity score matching analysis. <i>International Journal of Hematology</i> , 2009 , 89, 326-331	2.3	7
226	Associations of a PTPN11 G/A polymorphism at intron 3 with Helicobacter pylori seropositivity, gastric atrophy and gastric cancer in Japanese. <i>BMC Gastroenterology</i> , 2009 , 9, 51	3	15
225	Impact of alcohol consumption with polymorphisms in alcohol-metabolizing enzymes on pancreatic cancer risk in Japanese. <i>Cancer Science</i> , 2009 , 100, 296-302	6.9	32
224	Usefulness of cumulative smoking dose for identifying the EGFR mutation and patients with non-small-cell lung cancer for gefitinib treatment. <i>Cancer Science</i> , 2009 , 100, 1931-4	6.9	13
223	Meta-analysis used to identify factors associated with the effectiveness of proton pump inhibitors against non-erosive reflux disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 1324-32	4	14
222	Impact of ABO mismatching on the outcomes of allogeneic related and unrelated blood and marrow stem cell transplantations for hematologic malignancies: IPD-based meta-analysis of cohort studies. <i>Transfusion</i> , 2009 , 49, 624-35	2.9	44
221	Prediction of number of apheresis procedures necessary in healthy donors to attain minimally required peripheral blood CD34+ cells. <i>Transfusion</i> , 2009 , 49, 2384-9	2.9	4
220	Toll-like receptor 4 +3725 G/C polymorphism, Helicobacter pylori seropositivity, and the risk of gastric atrophy and gastric cancer in Japanese. <i>Helicobacter</i> , 2009 , 14, 47-53	4.9	69
219	HLA mismatch combinations associated with decreased risk of relapse: implications for the molecular mechanism. <i>Blood</i> , 2009 , 113, 2851-8	2.2	110
218	Epigenetic profiles distinguish malignant pleural mesothelioma from lung adenocarcinoma. <i>Cancer Research</i> , 2009 , 69, 9073-82	10.1	105
217	Neutropaenia as a prognostic factor in metastatic colorectal cancer patients undergoing chemotherapy with first-line FOLFOX. <i>European Journal of Cancer</i> , 2009 , 45, 1757-63	7.5	66
216	Meta-analyses of the methylenetetrahydrofolate reductase C677T and A1298C polymorphisms and risk of head and neck and lung cancer. <i>Cancer Letters</i> , 2009 , 273, 55-61	9.9	51
215	Clinical significance of serum hepcidin levels on early infectious complications in allogeneic hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2009 , 15, 956-62	4.7	17
214	Review and pooled analysis of studies on MTHFR C677T polymorphism and esophageal cancer. <i>Toxicology Letters</i> , 2009 , 184, 73-80	4.4	40

213	hOGG1 Ser326Cys polymorphism and risk of lung cancer by histological type. <i>Journal of Human Genetics</i> , 2009 , 54, 739-45	4.3	42
212	Association between an 8q24 locus and the risk of colorectal cancer in Japanese. <i>BMC Cancer</i> , 2009 , 9, 379	4.8	32
211	Nodal lymphangiogenesis and metastasis: Role of tumor-induced lymphatic vessel activation in extramammary Paget's disease. <i>American Journal of Pathology</i> , 2009 , 175, 2235-48	5.8	54
210	Time to progression as a surrogate marker for overall survival in patients with advanced non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 311-7	8.9	49
209	Interaction of the effects of alcohol drinking and polymorphisms in alcohol-metabolizing enzymes on the risk of female breast cancer in Japan. <i>Journal of Epidemiology</i> , 2009 , 19, 244-50	3.4	29
208	Neutropenia as a prognostic factor in metastatic colorectal cancer patients undergoing chemotherapy with first-line FOLFOX. <i>Journal of Clinical Oncology</i> , 2009 , 27, 4115-4115	2.2	2
207	EGFR Mutation, But Not Sex and Smoking, Is Independently Associated with Favorable Prognosis of Gefitinib-treated Patients with Lung Adenocarcinoma. <i>Japanese Journal of Lung Cancer</i> , 2009 , 49, 409-415 ^{0.1}		
206	Clinical characteristics of chronic graft-versus-host disease following umbilical cord blood transplantation for adults. <i>Bone Marrow Transplantation</i> , 2008 , 41, 729-36	4.4	5
205	Epidermal growth factor receptor mutation, but not sex and smoking, is independently associated with favorable prognosis of gefitinib-treated patients with lung adenocarcinoma. <i>Cancer Science</i> , 2008 , 99, 303-8	6.9	34
204	Reduced risk of endometrial cancer from alcohol drinking in Japanese. <i>Cancer Science</i> , 2008 , 99, 1195-200	6.9	13
203	Soy consumption reduces the risk of non-small-cell lung cancers with epidermal growth factor receptor mutations among Japanese. <i>Cancer Science</i> , 2008 , 99, 1202-8	6.9	26
202	Significance of CXCR3 expression in gastric low-grade B-cell lymphoma of mucosa-associated lymphoid tissue type for predicting responsiveness to Helicobacter pylori eradication. <i>Cancer Science</i> , 2008 , 99, 1769-73	6.9	9
201	Prospective monitoring of BCR-ABL1 transcript levels in patients with Philadelphia chromosome-positive acute lymphoblastic leukaemia undergoing imatinib-combined chemotherapy. <i>British Journal of Haematology</i> , 2008 , 143, 503-10	4.5	71
200	Subcategorization of lung cancer based on tumor size and degree of visceral pleural invasion. <i>Annals of Thoracic Surgery</i> , 2008 , 86, 1084-90	2.7	18
199	Donor killer immunoglobulin-like receptor (KIR) genotype-patient cognate KIR ligand combination and antithymocyte globulin preadministration are critical factors in outcome of HLA-C-KIR ligand-mismatched T cell-replete unrelated bone marrow transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2008 , 14, 75-87	4.7	52
198	Decreased risk of colorectal cancer with the high natural killer cell activity NKG2D genotype in Japanese. <i>Carcinogenesis</i> , 2008 , 29, 316-20	4.6	41
197	Alcohol drinking and colorectal cancer in Japanese: a pooled analysis of results from five cohort studies. <i>American Journal of Epidemiology</i> , 2008 , 167, 1397-406	3.8	90
196	One-carbon metabolism-related gene polymorphisms and risk of breast cancer. <i>Carcinogenesis</i> , 2008 , 29, 356-62	4.6	94

195	Alcohol drinking and one-carbon metabolism-related gene polymorphisms on pancreatic cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2742-7	4	38
194	International Lung Cancer Consortium: pooled analysis of sequence variants in DNA repair and cell cycle pathways. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3081-9	4	86
193	Teeth loss and risk of cancer at 14 common sites in Japanese. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1222-7	4	122
192	Increased prevalence of EGFR-mutant lung cancer in women and in East Asian populations: analysis of estrogen-related polymorphisms. <i>Clinical Cancer Research</i> , 2008 , 14, 4079-84	12.9	57
191	DNA methylation in lung cancer. <i>New England Journal of Medicine</i> , 2008 , 358, 2513; author reply 2514	59.2	6
190	Prognostic value of serum soluble interleukin-2 receptor level in patients with diffuse large B cell lymphoma, treated with CHOP- or RCHOP-based therapy. <i>Leukemia and Lymphoma</i> , 2008 , 49, 1345-51	1.9	18
189	Paradoxical clinical effects of epidermal growth factor receptor-tyrosine kinase inhibitors for acute myelogenous leukemia. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5826-7; author reply 5827	2.2	3
188	Serum hepcidin level and erythropoietic activity after hematopoietic stem cell transplantation. <i>Haematologica</i> , 2008 , 93, 1550-4	6.6	51
187	The allelic distribution of a single nucleotide polymorphism in the PDCD5 gene locus of Japanese non-small cell lung cancer patients. <i>Molecular Medicine Reports</i> , 2008 , 1, 667-71	2.9	6
186	Karyotype at diagnosis is the major prognostic factor predicting relapse-free survival for patients with Philadelphia chromosome-positive acute lymphoblastic leukemia treated with imatinib-combined chemotherapy. <i>Haematologica</i> , 2008 , 93, 287-90	6.6	47
185	Polymorphisms of alcohol dehydrogenase 2 and aldehyde dehydrogenase 2 and colorectal cancer risk in Chinese males. <i>World Journal of Gastroenterology</i> , 2008 , 14, 5078-83	5.6	36
184	Non-BAC component but not epidermal growth factor receptor gene mutation is associated with poor outcomes in small adenocarcinoma of the lung. <i>Journal of Thoracic Oncology</i> , 2008 , 3, 704-10	8.9	37
183	Non-Hodgkin lymphoma and obesity: a pooled analysis from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2008 , 122, 2062-70	7.5	88
182	Anthropometric factors at age 20 years and risk of thyroid cancer. <i>Cancer Causes and Control</i> , 2008 , 19, 1233-42	2.8	47
181	Reduced-intensity unrelated donor bone marrow transplantation for hematologic malignancies. <i>International Journal of Hematology</i> , 2008 , 88, 324-330	2.3	3
180	Use of micafungin versus fluconazole for antifungal prophylaxis in neutropenic patients receiving hematopoietic stem cell transplantation. <i>International Journal of Hematology</i> , 2008 , 88, 588-595	2.3	67
179	Stepwise examination for differential diagnosis of primary lung cancer and breast cancer relapse presenting as a solitary pulmonary nodule in patients after mastectomy. <i>Journal of Surgical Oncology</i> , 2008 , 98, 510-4	2.8	12
178	Opposite impact of NKG2D genotype by lifestyle exposure to risk of aerodigestive tract cancer among Japanese. <i>International Journal of Cancer</i> , 2008 , 123, 181-6	7.5	16

177	Effect of soybean on breast cancer according to receptor status: a case-control study in Japan. <i>International Journal of Cancer</i> , 2008 , 123, 1674-80	7.5	41
176	Efficacy of Allogeneic Hematopoietic Stem Cell Transplantation during First Complete Remission Following Imatinib-Combined Chemotherapy in Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. <i>Blood</i> , 2008 , 112, 462-462	2.2	1
175	Randomized phase III trial of docetaxel and cisplatin combination chemotherapy versus mitomycin, vindesine, and cisplatin combination chemotherapy with concurrent thoracic radiation therapy for locally advanced non-small-cell lung cancer: OLCSG 0007. <i>Journal of Clinical Oncology</i> , 2008 , 26, 7515-7515	2.2	6
174	EGFR ??? Uracil-Tegafur ??????????????????????. <i>Okayama Igakkai Zasshi</i> , 2008 , 120, 265-269	0	
173	Clinical Significance of Serum Hepcidin-25 Levels on Early Treatment-Related Complications after Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2008 , 112, 1160-1160	2.2	
172	Long-standing debate on cisplatin- versus carboplatin-based chemotherapy in the treatment of advanced non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 96	8.9	32
171	M03-01: Molecular predictors of EGFR-TKIs. <i>Journal of Thoracic Oncology</i> , 2007 , 2, S156	8.9	1
170	Impact of the alcohol-dehydrogenase (ADH) 1C and ADH1B polymorphisms on drinking behavior in nonalcoholic Japanese. <i>Human Mutation</i> , 2007 , 28, 506-10	4.7	27
169	Aberrant promoter methylation in pleural fluid DNA for diagnosis of malignant pleural effusion. <i>International Journal of Cancer</i> , 2007 , 120, 2191-5	7.5	25
168	Breast cancer risk and erythrocyte compositions of n-3 highly unsaturated fatty acids in Japanese. <i>International Journal of Cancer</i> , 2007 , 121, 377-85	7.5	67
167	Recent improvement in the survival of patients with advanced nonsmall cell lung cancer enrolled in phase III trials of first-line, systemic chemotherapy. <i>Cancer</i> , 2007 , 109, 939-48	6.4	43
166	Effect of familial history and smoking on common cancer risks in Japan. <i>Cancer</i> , 2007 , 109, 2116-23	6.4	25
165	Randomized controlled trials of treatments for hematologic malignancies: study characteristics and outcomes. <i>Cancer</i> , 2007 , 110, 334-9	6.4	3
164	Author reply to recent improvement in the survival of patients with advanced nonsmall cell lung cancer enrolled in phase III trials of first-line, systemic chemotherapy. <i>Cancer</i> , 2007 , 110, 2594-2594	6.4	1
163	Short-term methotrexate could reduce early immune reactions and improve outcomes in umbilical cord blood transplantation for adults. <i>Bone Marrow Transplantation</i> , 2007 , 39, 31-9	4.4	60
162	Meta-analysis of the effects of prokinetic agents in patients with functional dyspepsia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 304-10	4	90
161	Treatment of functional dyspepsia with serotonin agonists: a meta-analysis of randomized controlled trials. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 1566-70	4	24
160	Cytotoxic molecule expression is predictive of prognosis in Hodgkin's-like anaplastic large cell lymphoma. <i>Histopathology</i> , 2007 , 50, 705-15	7.3	10

159	Risk factors differ for non-small-cell lung cancers with and without EGFR mutation: assessment of smoking and sex by a case-control study in Japanese. <i>Cancer Science</i> , 2007 , 98, 96-101	6.9	81
158	Coffee consumption and the risk of endometrial cancer: Evidence from a case-control study of female hormone-related cancers in Japan. <i>Cancer Science</i> , 2007 , 98, 411-5	6.9	47
157	Gene-gene and gene-environment interactions between alcohol drinking habit and polymorphisms in alcohol-metabolizing enzyme genes and the risk of head and neck cancer in Japan. <i>Cancer Science</i> , 2007 , 98, 1087-91	6.9	64
156	One-carbon metabolism-related gene polymorphisms and risk of head and neck squamous cell carcinoma: case-control study. <i>Cancer Science</i> , 2007 , 98, 1439-46	6.9	51
155	Dietary patterns and the risk of breast cancer in Japanese women. <i>Cancer Science</i> , 2007 , 98, 1431-8	6.9	63
154	Lymphotoxin-alpha polymorphisms and the risk of endometrial cancer in Japanese subjects. <i>Gynecologic Oncology</i> , 2007 , 104, 586-90	4.9	11
153	Impact of subclinical chorioamnionitis on maternal and neonatal outcomes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007 , 86, 191-7	3.8	19
152	High-risk HLA allele mismatch combinations responsible for severe acute graft-versus-host disease and implication for its molecular mechanism. <i>Blood</i> , 2007 , 110, 2235-41	2.2	219
151	The impact of sex and smoking status on the mutational spectrum of epidermal growth factor receptor gene in non small cell lung cancer. <i>Clinical Cancer Research</i> , 2007 , 13, 5763-8	12.9	71
150	Isoform-specific potentiation of stem and progenitor cell engraftment by AML1/RUNX1. <i>PLoS Medicine</i> , 2007 , 4, e172	11.6	63
149	Impact of one-carbon metabolism-related gene polymorphisms on risk of lung cancer in Japan: a case control study. <i>Carcinogenesis</i> , 2007 , 28, 1718-25	4.6	61
148	Influence of smoking and CYP2C19 genotypes on H. pylori eradication success. <i>Epidemiology and Infection</i> , 2007 , 135, 171-6	4.3	20
147	Gastric cancer risk and erythrocyte composition of docosahexaenoic acid with anti-inflammatory effects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2406-15	4	21
146	Novel NBS1 heterozygous germ line mutation causing MRE11-binding domain loss predisposes to common types of cancer. <i>Cancer Research</i> , 2007 , 67, 11158-65	10.1	26
145	Clinicopathological features of pyothorax-associated lymphoma; a retrospective survey involving 98 patients. <i>Annals of Oncology</i> , 2007 , 18, 122-128	10.3	46
144	Multicenter phase II trial of combination chemotherapy with weekly paclitaxel and 5-fluorouracil for the treatment of advanced or recurrent gastric carcinoma. <i>Journal of Chemotherapy</i> , 2007 , 19, 444-50 ^{2,3}		10
143	Effects of HLA allele and killer immunoglobulin-like receptor ligand matching on clinical outcome in leukemia patients undergoing transplantation with T-cell-replete marrow from an unrelated donor. <i>Biology of Blood and Marrow Transplantation</i> , 2007 , 13, 315-28	4.7	102
142	Epidermal growth factor receptor mutation status and adjuvant chemotherapy with uracil-tegafur for adenocarcinoma of the lung. <i>Journal of Clinical Oncology</i> , 2007 , 25, 3952-7	2.2	31

141	Allografting for Adult T-Cell Leukemia/Lymphoma: A Nationwide Retrospective Analysis.. <i>Blood</i> , 2007 , 110, 3060-3060	2.2	1
140	Molecular epidemiology in oral cancer. <i>Japanese Journal of Head and Neck Cancer</i> , 2007 , 33, 214-219	0.1	
139	Factors Associated with Relapse-Free Survival in Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia Treated with Imatinib-Combined Chemotherapy.. <i>Blood</i> , 2007 , 110, 2813-2813	2.2	23
138	Prospective Validation for Prediction of Gefitinib Sensitivity by Epidermal Growth Factor Receptor Gene Mutation in Patients with Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 22-28	8.9	129
137	Prospective validation for prediction of gefitinib sensitivity by epidermal growth factor receptor gene mutation in patients with non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 22-8	8.9	60
136	Allogeneic hematopoietic stem cell transplantation as part of postremission therapy improves survival for adult patients with high-risk acute lymphoblastic leukemia: a metaanalysis. <i>Cancer</i> , 2006 , 106, 2657-63	6.4	122
135	Clustered incidence of acute promyelocytic leukemia during gefitinib treatment for non-small-cell lung cancer: experience at a single institution. <i>American Journal of Hematology</i> , 2006 , 81, 349-54	7.1	8
134	A past history of gastric ulcers and Helicobacter pylori infection increase the risk of gastric malignant lymphoma. <i>Carcinogenesis</i> , 2006 , 27, 1391-7	4.6	22
133	Prognostic significance of T-cell or cytotoxic molecules phenotype in classical Hodgkin's lymphoma: a clinicopathologic study. <i>Journal of Clinical Oncology</i> , 2006 , 24, 4626-33	2.2	71
132	Alcohol dehydrogenase 2 His47Arg polymorphism influences drinking habit independently of aldehyde dehydrogenase 2 Glu487Lys polymorphism: analysis of 2,299 Japanese subjects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1009-13	4	100
131	Risk of colorectal cancer is linked to erythrocyte compositions of fatty acids as biomarkers for dietary intakes of fish, fat, and fatty acids. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1791-8	4	57
130	High complete remission rate and promising outcome by combination of imatinib and chemotherapy for newly diagnosed BCR-ABL-positive acute lymphoblastic leukemia: a phase II study by the Japan Adult Leukemia Study Group. <i>Journal of Clinical Oncology</i> , 2006 , 24, 460-6	2.2	354
129	A gene-gene interaction between ALDH2 Glu487Lys and ADH2 His47Arg polymorphisms regarding the risk of colorectal cancer in Japan. <i>Carcinogenesis</i> , 2006 , 27, 1018-23	4.6	49
128	Mutational and epigenetic evidence for independent pathways for lung adenocarcinomas arising in smokers and never smokers. <i>Cancer Research</i> , 2006 , 66, 1371-5	10.1	130
127	Low-dose cyclosporin A with short-term methotrexate for graft-versus-host disease prophylaxis in allogeneic bone marrow transplantation from human leukocyte antigen-identical siblings: a prospective phase II study in Japanese patients. <i>International Journal of Hematology</i> , 2006 , 84, 83-9	2.3	6
126	Relationship between epidermal growth factor receptor gene mutations and the severity of adverse events by gefitinib in patients with advanced non-small cell lung cancer. <i>Lung Cancer</i> , 2006 , 52, 99-103	5.9	20
125	Smoking increases the treatment failure for Helicobacter pylori eradication. <i>American Journal of Medicine</i> , 2006 , 119, 217-24	2.4	128
124	An intervention study of smoking cessation with feedback on genetic cancer susceptibility in Japan. <i>Preventive Medicine</i> , 2006 , 42, 102-8	4.3	47

123	Is the Importance of Achieving Stable Disease Different between Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors and Cytotoxic Agents in the Second-Line Setting for Advanced Non-small Cell Lung Cancer?. <i>Journal of Thoracic Oncology</i> , 2006 , 1, 684-691	8.9	4
122	Advances in our understanding of postoperative adjuvant chemotherapy in resectable non-small-cell lung cancer. <i>Current Opinion in Oncology</i> , 2006 , 18, 144-50	4.2	7
121	Serum cytokine concentrations and acute graft-versus-host disease after allogeneic peripheral blood stem cell transplantation: Concurrent measurement of ten cytokines and their respective ratios using cytometric bead array. <i>International Journal of Molecular Medicine</i> , 2006 , 17, 881	4.4	
120	Dietary risk factors for colon and rectal cancers: a comparative case-control study. <i>Journal of Epidemiology</i> , 2006 , 16, 125-35	3.4	72
119	Transient respiratory disturbance by granulocyte-colony-stimulating factor administration in healthy donors of allogeneic peripheral blood progenitor cell transplantation. <i>Transfusion</i> , 2006 , 46, 186-92	2.9	20
118	Gene-environment interaction involved in oral carcinogenesis: molecular epidemiological study for metabolic and DNA repair gene polymorphisms. <i>Journal of Oral Pathology and Medicine</i> , 2006 , 35, 11-8	3.3	101
117	Use of hydroxy-methyl-glutaryl coenzyme A reductase inhibitors is associated with risk of lymphoid malignancies. <i>Cancer Science</i> , 2006 , 97, 133-8	6.9	34
116	Effect of dietary antioxidants and risk of oral, pharyngeal and laryngeal squamous cell carcinoma according to smoking and drinking habits. <i>Cancer Science</i> , 2006 , 97, 760-7	6.9	40
115	Meat, milk, saturated fatty acids, the Pro12Ala and C161T polymorphisms of the PPARgamma gene and colorectal cancer risk in Japanese. <i>Cancer Science</i> , 2006 , 97, 1226-35	6.9	23
114	Systematic review and meta-analysis: importance of CagA status for successful eradication of Helicobacter pylori infection. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 273-80	6.1	47
113	CagA status and successful eradication of Helicobacter pylori: authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 1263-1263	6.1	
112	Second primary cancer in survivors following concurrent chemoradiation for locally advanced non-small-cell lung cancer. <i>British Journal of Cancer</i> , 2006 , 95, 1142-4	8.7	24
111	A polymorphism of C-to-T substitution at -31 IL1B is associated with the risk of advanced gastric adenocarcinoma in a Japanese population. <i>Journal of Human Genetics</i> , 2006 , 51, 927-933	4.3	21
110	Randomized phase III trial of docetaxel and cisplatin combination chemotherapy versus mitomycin, vindesine and cisplatin combination chemotherapy with concurrent thoracic radiation therapy for locally advanced non-small cell lung cancer: Preliminary report. <i>Journal of Clinical Oncology</i> , 2006 , 24, 7101-7101	2.2	2
109	Favorable Impact of Short Term Methotrexate on Early Immune Reaction and Non-Relapse Mortality in Umbilical Cord Blood Transplantation for Adult Patients.. <i>Blood</i> , 2006 , 108, 5297-5297	2.2	
108	Early Kinetics of Engraftment Following Reduced-Intensity Stem Cell Transplantation: Fludarabine and Cyclophosphamide Versus Fludarabine and Busulfan.. <i>Blood</i> , 2006 , 108, 2957-2957	2.2	
107	Clinicopathological Features of Pyothorax-Associated Lymphoma; a Retrospective Survey Involving 98 Patients.. <i>Blood</i> , 2006 , 108, 2445-2445	2.2	
106	Risk factors for multiple myeloma: evidence from the Japan Collaborative Cohort (JACC) study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2006 , 7, 575-81	1.7	20

105	Increased risk of colorectal cancer due to interactions between meat consumption and the CD36 gene A52C polymorphism among Japanese. <i>Nutrition and Cancer</i> , 2005 , 51, 170-7	2.8	16
104	Lymphotoxin-alpha polymorphism and the risk of cervical cancer in Japanese subjects. <i>Cancer Letters</i> , 2005 , 218, 63-8	9.9	12
103	Association of p73 G4C14-to-A4T14 polymorphism at exon 2 and p53 Arg72Pro polymorphism with the risk of endometrial cancer in Japanese subjects. <i>Cancer Letters</i> , 2005 , 219, 183-90	9.9	43
102	Toxicity data in addition to survival data are important in evaluating the applicability of a chemotherapy regimen of advanced non-small-cell lung cancer. <i>Lung Cancer</i> , 2005 , 49, 277	5.9	1
101	Interstitial lung disease in Japanese patients with non-small cell lung cancer receiving gefitinib: an analysis of risk factors and treatment outcomes in Okayama Lung Cancer Study Group. <i>Cancer Journal (Sudbury, Mass)</i> , 2005 , 11, 417-24	2.2	57
100	Comparison of genome profiles for identification of distinct subgroups of diffuse large B-cell lymphoma. <i>Blood</i> , 2005 , 106, 1770-7	2.2	182
99	Interleukin-2 gene polymorphisms associated with increased risk of gastric atrophy from <i>Helicobacter pylori</i> infection. <i>Helicobacter</i> , 2005 , 10, 172-8	4.9	63
98	Association of methylenetetrahydrofolate reductase and thymidylate synthase promoter polymorphisms with genetic susceptibility to esophageal and cardia cancer in a Chinese high-risk population. <i>Ecological Management and Restoration</i> , 2005 , 18, 177-84	3	46
97	Identification of specific autoantigens in Sjögren's syndrome by SEREX. <i>Immunology</i> , 2005 , 116, 53-63	7.8	51
96	Impact of human leucocyte antigen mismatch on graft-versus-host disease and graft failure after reduced intensity conditioning allogeneic haematopoietic stem cell transplantation from related donors. <i>British Journal of Haematology</i> , 2005 , 130, 575-87	4.5	37
95	Soybean products and reduction of breast cancer risk: a case-control study in Japan. <i>British Journal of Cancer</i> , 2005 , 93, 15-22	8.7	52
94	Prognostic significance of FLT3 internal tandem duplication and tyrosine kinase domain mutations for acute myeloid leukemia: a meta-analysis. <i>Leukemia</i> , 2005 , 19, 1345-9	10.7	227
93	Genome-wide array-based CGH for mantle cell lymphoma: identification of homozygous deletions of the proapoptotic gene BIM. <i>Oncogene</i> , 2005 , 24, 1348-58	9.2	262
92	Association of XRCC1 Arg399Gln and OGG1 Ser326Cys polymorphisms with the risk of cervical cancer in Japanese subjects. <i>Gynecologic Oncology</i> , 2005 , 99, 43-9	4.9	45
91	Efficacy of allogeneic hematopoietic stem cell transplantation depends on cytogenetic risk for acute myeloid leukemia in first disease remission: a metaanalysis. <i>Cancer</i> , 2005 , 103, 1652-8	6.4	141
90	Association between <i>Helicobacter pylori</i> seropositivity and NAD(P)H:quinone oxidoreductase 1 (NQO1) C609T polymorphism observed in outpatients and health checkup examinees. <i>Gastric Cancer</i> , 2005 , 8, 12-7	7.6	12
89	Significant association of interleukin 8 -251T/A polymorphism with smoking behavior in a Japanese population. <i>Journal of Human Genetics</i> , 2005 , 50, 567-573	4.3	10
88	Phase I/II enzyme gene polymorphisms and esophageal cancer risk: a meta-analysis of the literature. <i>World Journal of Gastroenterology</i> , 2005 , 11, 2531-8	5.6	66

87	Continued gefitinib treatment after disease stabilisation prolongs survival of Japanese patients with non-small-cell lung cancer: Okayama Lung Cancer Study Group experience. <i>Annals of Oncology</i> , 2005 , 16, 1817-23	10.3	25
86	They also serve who only stand and wait: do individual clinical researchers, too? Hoping for individual patient data as public domain. <i>Journal of Clinical Oncology</i> , 2005 , 23, 1334-5	2.2	3
85	One-carbon metabolism related gene polymorphisms interact with alcohol drinking to influence the risk of colorectal cancer in Japan. <i>Carcinogenesis</i> , 2005 , 26, 2164-71	4.6	70
84	APL during gefitinib treatment for non-small-cell lung cancer. <i>New England Journal of Medicine</i> , 2005 , 352, 843	59.2	12
83	Gene-environment interactions between alcohol drinking and the MTHFR C677T polymorphism impact on esophageal cancer risk: results of a case-control study in Japan. <i>Carcinogenesis</i> , 2005 , 26, 1285-90	4.6	57
82	Identification of epigenetic aberrant promoter methylation in serum DNA is useful for early detection of lung cancer. <i>Clinical Cancer Research</i> , 2005 , 11, 1219-25	12.9	116
81	Risk factors for esophageal cancer: a case-control study in South-western China. <i>Asian Pacific Journal of Cancer Prevention</i> , 2005 , 6, 48-53	1.7	57
80	Esophageal cancer risk by ALDH2 and ADH2 polymorphisms and alcohol consumption: exploration of gene-environment and gene-gene interactions. <i>Asian Pacific Journal of Cancer Prevention</i> , 2005 , 6, 256-62	1.7	55
79	Lewis and Secretor status and Helicobacter pylori eradication. <i>Epidemiology and Infection</i> , 2004 , 132, 997-8; author reply 998-9	4.3	
78	Polymorphisms of p53 Arg72Pro, p73 G4C14-to-A4T14 at exon 2 and p21 Ser31Arg and the risk of non-Hodgkin's lymphoma in Japanese. <i>Leukemia and Lymphoma</i> , 2004 , 45, 957-64	1.9	42
77	Genome-wide array-based comparative genomic hybridization of diffuse large B-cell lymphoma: comparison between CD5-positive and CD5-negative cases. <i>Cancer Research</i> , 2004 , 64, 5948-55	10.1	62
76	Addition of platinum compounds to a new agent in patients with advanced non-small-cell lung cancer: a literature based meta-analysis of randomised trials. <i>Annals of Oncology</i> , 2004 , 15, 1782-9	10.3	75
75	Meta-analysis of randomized clinical trials comparing Cisplatin to Carboplatin in patients with advanced non-small-cell lung cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3852-9	2.2	329
74	Role of adjuvant chemotherapy in patients with resected non-small-cell lung cancer: reappraisal with a meta-analysis of randomized controlled trials. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3860-7	2.2	176
73	Gene-environment interactions between the smoking habit and polymorphisms in the DNA repair genes, APE1 Asp148Glu and XRCC1 Arg399Gln, in Japanese lung cancer risk. <i>Carcinogenesis</i> , 2004 , 25, 1395-401	4.6	112
72	Effect of hepatitis C virus infection on the risk of non-Hodgkin's lymphoma: a meta-analysis of epidemiological studies. <i>Cancer Science</i> , 2004 , 95, 745-52	6.9	181
71	Peripheral blood circulating immature cell counts predict CD34+ cell yields in G-CSF-induced PBPC mobilization in healthy donors. <i>Transfusion</i> , 2004 , 44, 526-32	2.9	18
70	Clinical impact of graft-versus-host disease against leukemias not in remission at the time of allogeneic hematopoietic stem cell transplantation from related donors. The Japan Society for Hematopoietic Cell Transplantation Working Party. <i>Bone Marrow Transplantation</i> , 2004 , 34, 711-9	4.4	25

69	Lack of association between DNA base excision repair gene XRCC1 Gln399Arg polymorphism and risk of malignant lymphoma in Japan. <i>Cancer Genetics and Cytogenetics</i> , 2004 , 149, 77-80		32
68	Elevation of serum hepatocyte growth factor during granulocyte colony-stimulating factor-induced peripheral blood stem cell mobilization. <i>British Journal of Haematology</i> , 2004 , 124, 190-4	4.5	38
67	Methylenetetrahydrofolate reductase gene (MTHFR) polymorphisms and reduced risk of malignant lymphoma. <i>American Journal of Hematology</i> , 2004 , 77, 351-7	7.1	44
66	Insulin-like growth factor (IGF)-I and IGF-binding protein 3 and the risk of premenopausal breast cancer: a meta-analysis of literature. <i>International Journal of Cancer</i> , 2004 , 111, 293-7	7.5	74
65	Combination of intensive chemotherapy and imatinib can rapidly induce high-quality complete remission for a majority of patients with newly diagnosed BCR-ABL-positive acute lymphoblastic leukemia. <i>Blood</i> , 2004 , 104, 3507-12	2.2	150
64	Feasibility of HLA-haploidentical hematopoietic stem cell transplantation between noninherited maternal antigen (NIMA)-mismatched family members linked with long-term fetomaternal microchimerism. <i>Blood</i> , 2004 , 104, 3821-8	2.2	130
63	Impact of HLA Mismatch on the Incidence of Acute GVHD and Rejection after Reduced-Intensity Conditioning Hematopoietic Stem Cell Transplantation (RICT).. <i>Blood</i> , 2004 , 104, 2758-2758	2.2	
62	High incidences of malignant lymphoma in patients infected with hepatitis B or hepatitis C virus. <i>Haematologica</i> , 2004 , 89, 368-70	6.6	25
61	Polymorphisms in thymidylate synthase and methylenetetrahydrofolate reductase genes and the susceptibility to esophageal and stomach cancer with smoking. <i>Asian Pacific Journal of Cancer Prevention</i> , 2004 , 5, 133-8	1.7	23
60	Monoamine oxidase polymorphisms and smoking behaviour in Japanese. <i>Pharmacogenetics and Genomics</i> , 2003 , 13, 73-9		49
59	Smoking and polymorphisms of fucosyltransferase gene Le affect success of H. pylori eradication with lansoprazole, amoxicillin, and clarithromycin. <i>Epidemiology and Infection</i> , 2003 , 130, 227-33	4.3	21
58	Association of CYP2A6 gene deletion with cigarette smoking status in Japanese adults. <i>Journal of Epidemiology</i> , 2003 , 13, 176-81	3.4	27
57	Allogeneic hematopoietic stem cell transplantation from family members other than HLA-identical siblings over the last decade (1991-2000). <i>Blood</i> , 2003 , 102, 1541-7	2.2	122
56	High anti-Helicobacter pylori antibody seropositivity associated with the combination of IL-8-251TT and IL-10-819TT genotypes. <i>Helicobacter</i> , 2003 , 8, 105-10	4.9	31
55	Transforming growth factor B1 T29C polymorphism and breast cancer risk in Japanese women. <i>Breast Cancer</i> , 2003 , 10, 63-9	3.4	51
54	Association of p53 codon Arg72Pro and p73 G4C14-to-A4T14 at exon 2 genetic polymorphisms with the risk of Japanese breast cancer. <i>Breast Cancer</i> , 2003 , 10, 307-11	3.4	78
53	Subjects with TNF-A-857TT and -1031TT genotypes showed the highest Helicobacter pylori seropositive rate compared with those with other genotypes. <i>Gastric Cancer</i> , 2003 , 6, 230-6	7.6	28
52	ABO blood type, Lewis and Secretor genotypes, and chronic atrophic gastritis: a cross-sectional study in Japan. <i>Gastric Cancer</i> , 2003 , 6, 8-16	7.6	11

51	Polymorphism in the hMSH2 gene (gIVS 12-6T-->C) and risk of non-Hodgkin lymphoma in a Japanese population. <i>Cancer Genetics and Cytogenetics</i> , 2003 , 147, 71-4		13
50	<i>Helicobacter pylori</i> seropositivity and the myeloperoxidase G-463A polymorphism in combination with interleukin-1B C-31T in Japanese health checkup examinees. <i>Japanese Journal of Clinical Oncology</i> , 2003 , 33, 192-7	2.8	21
49	Associations between polymorphisms in the thymidylate synthase and serine hydroxymethyltransferase genes and susceptibility to malignant lymphoma. <i>Haematologica</i> , 2003 , 88, 159-66	6.6	72
48	Simultaneous measurement of T-helper 1 cytokines in tuberculous pleural effusion. <i>International Journal of Tuberculosis and Lung Disease</i> , 2003 , 7, 1172-7	2.1	20
47	Ocular manifestation of acute graft-versus-host disease after allogeneic peripheral blood stem cell transplantation. <i>International Journal of Hematology</i> , 2002 , 75, 332-4	2.3	44
46	Risk of neutropenic fever and early infectious complications after autologous peripheral blood stem cell transplantation for malignant diseases. <i>International Journal of Hematology</i> , 2002 , 76, 186-91	2.3	7
45	Lack of consistency in the associations of <i>Helicobacter pylori</i> seropositivity with Se and Le polymorphisms among Japanese. <i>Gastric Cancer</i> , 2002 , 5, 194-200	7.6	9
44	NAD(P)H: quinone oxidoreductase 1 (NQO1) C609T polymorphism and the risk of eight cancers for Japanese. <i>International Journal of Clinical Oncology</i> , 2002 , 7, 103-8	4.2	83
43	Predictive value of circulating immature cell counts in peripheral blood for timing of peripheral blood progenitor cell collection after G-CSF plus chemotherapy-induced mobilization. <i>Transfusion</i> , 2002 , 42, 1514-22	2.9	20
42	L-myc genotype is associated with different susceptibility to lung cancer in smokers. <i>Japanese Journal of Cancer Research</i> , 2002 , 93, 1-5		7
41	Significant reduction in breast cancer risk for Japanese women with interleukin 1B -31 CT/TT relative to CC genotype. <i>Japanese Journal of Clinical Oncology</i> , 2002 , 32, 398-402	2.8	26
40	Association between smoking habits and dopamine receptor D2 taqI A A2 allele in Japanese males: a confirmatory study. <i>Journal of Epidemiology</i> , 2002 , 12, 297-304	3.4	28
39	Genotype frequencies of 50 polymorphisms for 241 Japanese non-cancer patients. <i>Journal of Epidemiology</i> , 2002 , 12, 229-36	3.4	35
38	A limited association of OGG1 Ser326Cys polymorphism for adenocarcinoma of the lung. <i>Journal of Epidemiology</i> , 2002 , 12, 258-65	3.4	63
37	Aldehyde dehydrogenase 2 (ALDH2) genotype affects rectal cancer susceptibility due to alcohol consumption. <i>Journal of Epidemiology</i> , 2002 , 12, 70-6	3.4	29
36	A49T, V89L and TA repeat polymorphisms of steroid 5alpha-reductase type II and breast cancer risk in Japanese women. <i>Breast Cancer Research</i> , 2002 , 4, R8	8.3	11
35	Competitive amplification and unspecific amplification in polymerase chain reaction with confronting two-pair primers. <i>Journal of Molecular Diagnostics</i> , 2002 , 4, 103-7	5.1	47
34	No associations of p73 G4C14-to-A4T14 at exon 2 and p53 Arg72Pro polymorphisms with the risk of digestive tract cancers in Japanese. <i>Cancer Letters</i> , 2002 , 181, 81-5	9.9	82

33	Methionine Synthase Reductase Gene A66G Polymorphism is Associated with Risk of Colorectal Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2002 , 3, 353-359	1.7	51
32	Smoking habit and interleukin 1B C-31T polymorphism. <i>Journal of Epidemiology</i> , 2001 , 11, 120-5	3.4	6
31	Association between polymorphisms of folate- and methionine-metabolizing enzymes and susceptibility to malignant lymphoma. <i>Blood</i> , 2001 , 97, 3205-9	2.2	161
30	Attribution of posttransplantation toxicity to methotrexate regarding genotype of methylenetetrahydrofolate reductase gene (MTHFR) polymorphism needs further clarification. <i>Blood</i> , 2001 , 98, 2283-4	2.2	8
29	Racemization kinetics of meluadrine tartrate in aqueous solution. <i>Chemical and Pharmaceutical Bulletin</i> , 2001 , 49, 101-4	1.9	5
28	Possible risk reduction in esophageal cancer associated with MPO -463 A allele. <i>Journal of Epidemiology</i> , 2001 , 11, 109-14	3.4	24
27	Adjustment of prognostic effects in prevalent case-control studies on genotype. <i>Journal of Epidemiology</i> , 2001 , 11, 204-10	3.4	5
26	Limited association between a catechol-O-methyltransferase (COMT) polymorphism and breast cancer risk in Japan. <i>International Journal of Clinical Oncology</i> , 2001 , 6, 13-8	4.2	39
25	Association of polymorphisms in the beta-2 and beta-3 adrenoceptor genes with risk of colorectal cancer in Japanese. <i>International Journal of Clinical Oncology</i> , 2001 , 6, 117-22	4.2	22
24	Superior survival of blood and marrow stem cell recipients given maternal grafts over recipients given paternal grafts. <i>Bone Marrow Transplantation</i> , 2001 , 28, 375-80	4.4	65
23	Alcohol, smoking, and dietary status and susceptibility to malignant lymphoma in Japan: results of a hospital-based case-control study at Aichi Cancer Center. <i>Japanese Journal of Cancer Research</i> , 2001 , 92, 1011-7		44
22	Interleukin 1 polymorphisms, lifestyle factors, and Helicobacter pylori infection. <i>Japanese Journal of Cancer Research</i> , 2001 , 92, 383-9		131
21	Low expression myeloperoxidase genotype negatively associated with Helicobacter pylori infection. <i>Japanese Journal of Cancer Research</i> , 2001 , 92, 488-93		36
20	Different susceptibility of each L-myc genotype to esophageal cancer risk factors. <i>Japanese Journal of Cancer Research</i> , 2001 , 92, 735-9		15
19	Gene-environment interaction between an aldehyde dehydrogenase-2 (ALDH2) polymorphism and alcohol consumption for the risk of esophageal cancer. <i>Carcinogenesis</i> , 2001 , 22, 913-6	4.6	145
18	Hepatic graft-versus-host disease presenting as an acute hepatitis after allogeneic peripheral blood stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2001 , 27, 1007-10	4.4	37
17	Possible association of beta2- and beta3-adrenergic receptor gene polymorphisms with susceptibility to breast cancer. <i>Breast Cancer Research</i> , 2001 , 3, 264-9	8.3	42
16	Lamivudine and glycyrrhizin for treatment of chemotherapy-induced hepatitis B virus (HBV) hepatitis in a chronic HBV carrier with non-Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2001 , 41, 191-5 ^{1.9}		25

15	No substantial difference in genotype frequencies of interleukin and myeloperoxidase polymorphisms between malignant lymphoma patients and non-cancer controls. <i>Haematologica</i> , 2001 , 86, 602-8	6.6	10
14	Polymorphisms of two fucosyltransferase genes (Lewis and Secretor genes) involving type I Lewis antigens are associated with the presence of anti-Helicobacter pylori IgG antibody. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2001 , 10, 971-7	4	43
13	Gene-environment Interactions and Polymorphism Studies of Cancer Risk in the Hospital-based Epidemiologic Research Program at Aichi Cancer Center II (HERPACC-II). <i>Asian Pacific Journal of Cancer Prevention</i> , 2001 , 2, 99-107	1.7	102
12	Hospital capacity and post-transplant survival after allogeneic bone marrow transplantation: analysis of data from the Japan Society for Hematopoietic Cell Transplantation. <i>Bone Marrow Transplantation</i> , 2000 , 26, 1061-7	4.4	18
11	Polymerase chain reaction with confronting two-pair primers for polymorphism genotyping. <i>Japanese Journal of Cancer Research</i> , 2000 , 91, 865-8		188
10	No association of the 5' promoter region polymorphism of CYP17 with breast cancer risk in Japan. <i>Japanese Journal of Cancer Research</i> , 2000 , 91, 880-5		29
9	Helicobacter pylori IgG antibody test established in the United States showed a substantially lower sensitivity for Japanese population. <i>American Journal of Gastroenterology</i> , 2000 , 95, 1597-8	0.7	20
8	Dominant negative isoform of the Ikaros gene in patients with adult B-cell acute lymphoblastic leukemia. <i>Cancer Research</i> , 2000 , 60, 4062-5	10.1	79
7	Detection of gene-environment interaction by case-only studies. <i>Japanese Journal of Clinical Oncology</i> , 1999 , 29, 490-3	2.8	29
6	Trans-ancestry genome-wide association study identifies novel genetic mechanisms in rheumatoid arthritis		2
5	GWAS identifies nine nephrolithiasis susceptibility loci related with metabolic metabolic and crystallization pathways		1
4	Meta-analysis of 208,370 East Asians identifies 113 genomic loci and yields new non-immune cell relevant biological insights for systemic lupus erythematosus		1
3	Polygenic Risk Modelling for Prediction of Epithelial Ovarian Cancer Risk		1
2	Fine-mapping of 150 breast cancer risk regions identifies 178 high confidence target genes		2
1	Genotype-stratified GWAS meta-analysis reveals novel loci associated with alcohol consumption		1