## Diego A R Zorio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8024589/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dynamics of the fragile X mental retardation protein correlates with cellular and synaptic properties in primary auditory neurons following afferent deprivation. Journal of Comparative Neurology, 2021, 529, 481-500.	1.6	5
2	Temporal-specific roles of Fragile X mental retardation protein in the development of hindbrain auditory circuit. Development (Cambridge), 2020, 147, .	2.5	10
3	De novo sequencing and initial annotation of the Mongolian gerbil (Meriones unguiculatus) genome. Genomics, 2019, 111, 441-449.	2.9	29
4	Micro-RNA149 confers taxane resistance to malignant mesothelioma cells via regulation of P-glycoprotein expression. Cancer Biology and Therapy, 2018, 19, 181-187.	3.4	7
5	Selective Uptake Into Drug Resistant Mammalian Cancer by Cell Penetrating Peptide-Mediated Delivery. Bioconjugate Chemistry, 2018, 29, 3273-3284.	3.6	24
6	Postsynaptic FMRP Regulates Synaptogenesis <i>In Vivo</i> in the Developing Cochlear Nucleus. Journal of Neuroscience, 2018, 38, 6445-6460.	3.6	21
7	Diverse Intrinsic Properties Shape Functional Phenotype of Low-Frequency Neurons in the Auditory Brainstem. Frontiers in Cellular Neuroscience, 2018, 12, 175.	3.7	12
8	Heterogeneous organization and connectivity of the chicken auditory thalamus ( <i>Gallus) Tj ETQq0 0 0 rgBT /O</i>	verlock 10	Tf 50 462 T

9	Proteomic analyses of nucleus laminaris identified candidate targets of the fragile X mental retardation protein. Journal of Comparative Neurology, 2017, 525, 3341-3359.	1.6	7
10	Cellular distribution of the fragile X mental retardation protein in the mouse brain. Journal of Comparative Neurology, 2017, 525, 818-849.	1.6	52
11	A new synthetic matrix metalloproteinase inhibitor reduces human mesenchymal stem cell adipogenesis. PLoS ONE, 2017, 12, e0172925.	2.5	16
12	Biochemical and biophysical investigations of the interaction between human glucokinase and pro-apoptotic BAD. PLoS ONE, 2017, 12, e0171587.	2.5	6
13	Optimizing Protonation States for Selective Double-Strand DNA Photocleavage in Hypoxic Tumors: pH-Gated Transitions of Lysine Dipeptides. Journal of Medicinal Chemistry, 2016, 59, 8634-8647.	6.4	8
14	Human Mesenchymal Stem Cells Are Resistant to Paclitaxel by Adopting a Non-Proliferative Fibroblastic State. PLoS ONE, 2015, 10, e0128511.	2.5	40
15	In Vivo Analysis of Troponin C Knock-In (A8V) Mice. Circulation: Cardiovascular Genetics, 2015, 8, 653-664.	5.1	32
16	The Anti-inflammatory Role of Endometase/Matrilysin-2 in Human Prostate Cancer Cells. Journal of Cancer, 2013, 4, 296-303.	2.5	5
17	Engineering pH-Gated Transitions for Selective and Efficient Double-Strand DNA Photocleavage in Hypoxic Tumors. Journal of Medicinal Chemistry, 2011, 54, 8501-8516.	6.4	32
18	Fine-tuning alkyne cycloadditions: Insights into photochemistry responsible for the double-strand DNA cleavage via structural perturbations in diaryl alkyne conjugates. Beilstein Journal of Organic Chemistry, 2011, 7, 813-823.	2.2	18

DIEGO A R ZORIO

#	Article	IF	CITATIONS
19	Early growth response 1 (EGR1): A gene with as many names as biological functions. Cancer Biology and Therapy, 2009, 8, 1889-1892.	3.4	22
20	U2AF binding selects for the high conservation of the C. elegans 3' splice site. Rna, 2005, 11, 248-253.	3.5	54
21	RNA Polymerase II Carboxy-Terminal Domain Phosphorylation Is Required for Cotranscriptional Pre-mRNA Splicing and 3′-End Formation. Molecular and Cellular Biology, 2004, 24, 8963-8969.	2.3	106
22	The link between mRNA processing and transcription: communication works both ways. Experimental Cell Research, 2004, 296, 91-97.	2.6	127
23	A Function of Yeast mRNA Cap Methyltransferase, Abd1, in Transcription by RNA Polymerase II. Molecular Cell, 2004, 13, 377-387.	9.7	61
24	Transcription elongation: The â€~Foggy' is lifting…. Current Biology, 2001, 11, R144-R146.	3.9	23
25	U2AF35 is encoded by an essential gene clustered in an operon with RRM/cyclophilin in Caenorhabditis elegans. Rna, 1999, 5, 487-494.	3.5	67
26	Both subunits of U2AF recognize the 3′ splice site in Caenorhabditis elegans. Nature, 1999, 402, 835-838.	27.8	229
27	Operons as a common form of chromosomal organization in C. elegans. Nature, 1994, 372, 270-272.	27.8	251