

Scott J Rodig

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8024679/scott-j-rodig-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

219 papers	18,620 citations	59 h-index	136 g-index
241 ext. papers	23,901 ext. citations	8.3 avg, IF	6.18 L-index

#	Paper	IF	Citations
219	PD-1 blockade with nivolumab in relapsed or refractory Hodgkin's lymphoma. <i>New England Journal of Medicine</i> , 2015 , 372, 311-9	59.2	2513
218	An immunogenic personal neoantigen vaccine for patients with melanoma. <i>Nature</i> , 2017 , 547, 217-221	50.4	1375
217	Integrative analysis reveals selective 9p24.1 amplification, increased PD-1 ligand expression, and further induction via JAK2 in nodular sclerosing Hodgkin lymphoma and primary mediastinal large B-cell lymphoma. <i>Blood</i> , 2010 , 116, 3268-77	2.2	903
216	Adaptive resistance to therapeutic PD-1 blockade is associated with upregulation of alternative immune checkpoints. <i>Nature Communications</i> , 2016 , 7, 10501	17.4	846
215	Nivolumab in Patients With Relapsed or Refractory Hematologic Malignancy: Preliminary Results of a Phase Ib Study. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2698-704	2.2	677
214	Molecular subtypes of diffuse large B cell lymphoma are associated with distinct pathogenic mechanisms and outcomes. <i>Nature Medicine</i> , 2018 , 24, 679-690	50.5	659
213	Nivolumab for classical Hodgkin's lymphoma after failure of both autologous stem-cell transplantation and brentuximab vedotin: a multicentre, multicohort, single-arm phase 2 trial. <i>Lancet Oncology</i> , 2016 , 17, 1283-94	21.7	643
212	Neoantigen vaccine generates intratumoral T cell responses in phase Ib glioblastoma trial. <i>Nature</i> , 2019 , 565, 234-239	50.4	569
211	Unique clinicopathologic features characterize ALK-rearranged lung adenocarcinoma in the western population. <i>Clinical Cancer Research</i> , 2009 , 15, 5216-23	12.9	560
210	Subsets of exhausted CD8 T cells differentially mediate tumor control and respond to checkpoint blockade. <i>Nature Immunology</i> , 2019 , 20, 326-336	19.1	522
209	Discovery and characterization of super-enhancer-associated dependencies in diffuse large B cell lymphoma. <i>Cancer Cell</i> , 2013 , 24, 777-90	24.3	491
208	PD-L1 and PD-L2 Genetic Alterations Define Classical Hodgkin Lymphoma and Predict Outcome. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2690-7	2.2	472
207	Association of Polymerase e-Mutated and Microsatellite-Unstable Endometrial Cancers With Neoantigen Load, Number of Tumor-Infiltrating Lymphocytes, and Expression of PD-1 and PD-L1. <i>JAMA Oncology</i> , 2015 , 1, 1319-23	13.4	378
206	Association and prognostic significance of BRCA1/2-mutation status with neoantigen load, number of tumor-infiltrating lymphocytes and expression of PD-1/PD-L1 in high grade serous ovarian cancer. <i>Oncotarget</i> , 2016 , 7, 13587-98	3.3	361
205	Immunological mechanisms of the antitumor effects of supplemental oxygenation. <i>Science Translational Medicine</i> , 2015 , 7, 277ra30	17.5	334
204	Targetable genetic features of primary testicular and primary central nervous system lymphomas. <i>Blood</i> , 2016 , 127, 869-81	2.2	317
203	Loss of PTEN Is Associated with Resistance to Anti-PD-1 Checkpoint Blockade Therapy in Metastatic Uterine Leiomyosarcoma. <i>Immunity</i> , 2017 , 46, 197-204	32.3	288

202	Immune evasion mediated by PD-L1 on glioblastoma-derived extracellular vesicles. <i>Science Advances</i> , 2018 , 4, eaar2766	14.3	254
201	Genomic correlates of response to immune checkpoint blockade in microsatellite-stable solid tumors. <i>Nature Genetics</i> , 2018 , 50, 1271-1281	36.3	249
200	Glioblastoma Eradication Following Immune Checkpoint Blockade in an Orthotopic, Immunocompetent Model. <i>Cancer Immunology Research</i> , 2016 , 4, 124-35	12.5	236
199	The BRAF pseudogene functions as a competitive endogenous RNA and induces lymphoma in vivo. <i>Cell</i> , 2015 , 161, 319-32	56.2	233
198	MHC proteins confer differential sensitivity to CTLA-4 and PD-1 blockade in untreated metastatic melanoma. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	227
197	Cooperation between Constitutive and Inducible Chemokines Enables T Cell Engraftment and Immune Attack in Solid Tumors. <i>Cancer Cell</i> , 2019 , 35, 885-900.e10	24.3	213
196	Abundant PD-L1 expression in Epstein-Barr Virus-infected gastric cancers. <i>Oncotarget</i> , 2016 , 7, 32925-32933	3.3	191
195	Implications of the tumor immune microenvironment for staging and therapeutics. <i>Modern Pathology</i> , 2018 , 31, 214-234	9.8	182
194	Major Histocompatibility Complex Class II and Programmed Death Ligand 1 Expression Predict Outcome After Programmed Death 1 Blockade in Classic Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2018 , 36, 942-950	2.2	175
193	Topological analysis reveals a PD-L1-associated microenvironmental niche for Reed-Sternberg cells in Hodgkin lymphoma. <i>Blood</i> , 2017 , 130, 2420-2430	2.2	174
192	Integrative analysis reveals an outcome-associated and targetable pattern of p53 and cell cycle deregulation in diffuse large B cell lymphoma. <i>Cancer Cell</i> , 2012 , 22, 359-72	24.3	148
191	Tumor innate immunity primed by specific interferon-stimulated endogenous retroviruses. <i>Nature Medicine</i> , 2018 , 24, 1143-1150	50.5	131
190	Classical Hodgkin Lymphoma with Reduced ̢2M/MHC Class I Expression Is Associated with Inferior Outcome Independent of 9p24.1 Status. <i>Cancer Immunology Research</i> , 2016 , 4, 910-916	12.5	118
189	Heterogeneous CD52 expression among hematologic neoplasms: implications for the use of alemtuzumab (CAMPATH-1H). <i>Clinical Cancer Research</i> , 2006 , 12, 7174-9	12.9	118
188	Expression of programmed cell death 1 ligand 2 (PD-L2) is a distinguishing feature of primary mediastinal (thymic) large B-cell lymphoma and associated with PDCD1LG2 copy gain. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 1715-23	6.7	117
187	Immunotherapy with single agent nivolumab for advanced leiomyosarcoma of the uterus: Results of a phase 2 study. <i>Cancer</i> , 2017 , 123, 3285-3290	6.4	106
186	Epithelial PD-L2 Expression Marks Barrett's Esophagus and Esophageal Adenocarcinoma. <i>Cancer Immunology Research</i> , 2015 , 3, 1123-1129	12.5	98
185	Selective JAK2 inhibition specifically decreases Hodgkin lymphoma and mediastinal large B-cell lymphoma growth in vitro and in vivo. <i>Clinical Cancer Research</i> , 2014 , 20, 2674-83	12.9	97

184	PD-L1 Antibodies to Its Cytoplasmic Domain Most Clearly Delineate Cell Membranes in Immunohistochemical Staining of Tumor Cells. <i>Cancer Immunology Research</i> , 2015 , 3, 1308-15	12.5	96
183	Genetic Basis for PD-L1 Expression in Squamous Cell Carcinomas of the Cervix and Vulva. <i>JAMA Oncology</i> , 2016 , 2, 518-22	13.4	95
182	Aspirin Use and Colorectal Cancer Survival According to Tumor CD274 (Programmed Cell Death 1 Ligand 1) Expression Status. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1836-1844	2.2	89
181	Mass cytometry of Hodgkin lymphoma reveals a CD4 regulatory T-cell-rich and exhausted T-effector microenvironment. <i>Blood</i> , 2018 , 132, 825-836	2.2	85
180	Immunogenomic profiling determines responses to combined PARP and PD-1 inhibition in ovarian cancer. <i>Nature Communications</i> , 2020 , 11, 1459	17.4	82
179	Preliminary Results of a Phase I Study of Nivolumab (BMS-936558) in Patients with Relapsed or Refractory Lymphoid Malignancies. <i>Blood</i> , 2014 , 124, 291-291	2.2	79
178	PD-1 blockade with pembrolizumab for classical Hodgkin lymphoma after autologous stem cell transplantation. <i>Blood</i> , 2019 , 134, 22-29	2.2	78
177	Axicabtagene Ciloleucel in the Non-Trial Setting: Outcomes and Correlates of Response, Resistance, and Toxicity. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3095-3106	2.2	78
176	ATIM-32. PERSONALIZED NEOANTIGEN-TARGETING VACCINE GENERATES ROBUST SYSTEMIC AND INTRATUMORAL T CELL RESPONSES IN GLIOBLASTOMA (GBM) PATIENTS. <i>Neuro-Oncology</i> , 2018 , 20, vi8-vi8	1	78
175	Checkpoint blockade in Hodgkin and non-Hodgkin lymphoma. <i>Blood Advances</i> , 2017 , 1, 2643-2654	7.8	77
174	Neoadjuvant Nivolumab or Nivolumab Plus Ipilimumab in Untreated Oral Cavity Squamous Cell Carcinoma: A Phase 2 Open-Label Randomized Clinical Trial. <i>JAMA Oncology</i> , 2020 , 6, 1563-1570	13.4	77
173	Activity of the Type II JAK2 Inhibitor CHZ868 in B Cell Acute Lymphoblastic Leukemia. <i>Cancer Cell</i> , 2015 , 28, 29-41	24.3	75
172	Crizotinib, a small-molecule dual inhibitor of the c-Met and ALK receptor tyrosine kinases. <i>Current Opinion in Investigational Drugs</i> , 2010 , 11, 1477-90		73
171	Immunohistochemical Loss of LKB1 Is a Biomarker for More Aggressive Biology in KRAS-Mutant Lung Adenocarcinoma. <i>Clinical Cancer Research</i> , 2015 , 21, 2851-60	12.9	72
170	Neoadjuvant and Adjuvant Pembrolizumab in Resectable Locally Advanced, Human Papillomavirus-Unrelated Head and Neck Cancer: A Multicenter, Phase II Trial. <i>Clinical Cancer Research</i> , 2020 , 26, 5140-5152	12.9	71
169	Anti-CD37 chimeric antigen receptor T cells are active against B- and T-cell lymphomas. <i>Blood</i> , 2018 , 132, 1495-1506	2.2	69
168	Personal neoantigen vaccines induce persistent memory T cell responses and epitope spreading in patients with melanoma. <i>Nature Medicine</i> , 2021 , 27, 515-525	50.5	69
167	Expression of TRAF1 and nuclear c-Rel distinguishes primary mediastinal large cell lymphoma from other types of diffuse large B-cell lymphoma. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 106-12	6.7	68

166	Expansion sequencing: Spatially precise in situ transcriptomics in intact biological systems. <i>Science</i> , 2021 , 371,	33.3	64
165	BAFF-R, the major B cell-activating factor receptor, is expressed on most mature B cells and B-cell lymphoproliferative disorders. <i>Human Pathology</i> , 2005 , 36, 1113-9	3.7	62
164	AP1-dependent galectin-1 expression delineates classical hodgkin and anaplastic large cell lymphomas from other lymphoid malignancies with shared molecular features. <i>Clinical Cancer Research</i> , 2008 , 14, 3338-44	12.9	61
163	Clear cell ovarian cancers with microsatellite instability: A unique subset of ovarian cancers with increased tumor-infiltrating lymphocytes and PD-1/PD-L1 expression. <i>Oncot Immunology</i> , 2017 , 6, e1277308	7.3	60
162	Mutations in G protein β subunits promote transformation and kinase inhibitor resistance. <i>Nature Medicine</i> , 2015 , 21, 71-5	50.5	60
161	IL-12 gene-deficient C57BL/6 mice are susceptible to <i>Leishmania donovani</i> but have diminished hepatic immunopathology. <i>European Journal of Immunology</i> , 2000 , 30, 834-9	6.1	59
160	An oncogenic role for alternative NF- κ B signaling in DLBCL revealed upon deregulated BCL6 expression. <i>Cell Reports</i> , 2015 , 11, 715-26	10.6	57
159	Axicabtagene Ciloleucel in the Real World: Outcomes and Predictors of Response, Resistance and Toxicity. <i>Blood</i> , 2018 , 132, 92-92	2.2	55
158	Cytotoxic T Cells in PD-L1-Positive Malignant Pleural Mesotheliomas Are Counterbalanced by Distinct Immunosuppressive Factors. <i>Cancer Immunology Research</i> , 2016 , 4, 1038-1048	12.5	54
157	Immune Profiling of Adenoid Cystic Carcinoma: PD-L2 Expression and Associations with Tumor-Infiltrating Lymphocytes. <i>Cancer Immunology Research</i> , 2016 , 4, 679-87	12.5	54
156	Aggressive Langerhans cell histiocytosis following T-ALL: clonally related neoplasms with persistent expression of constitutively active NOTCH1. <i>American Journal of Hematology</i> , 2008 , 83, 116-21	7.1	54
155	Long-term Benefit of PD-L1 Blockade in Lung Cancer Associated with JAK3 Activation. <i>Cancer Immunology Research</i> , 2015 , 3, 855-63	12.5	53
154	VEGF Neutralization Plus CTLA-4 Blockade Alters Soluble and Cellular Factors Associated with Enhancing Lymphocyte Infiltration and Humoral Recognition in Melanoma. <i>Cancer Immunology Research</i> , 2016 , 4, 858-868	12.5	52
153	Neoadjuvant pembrolizumab in surgically resectable, locally advanced HPV negative head and neck squamous cell carcinoma (HNSCC).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 6012-6012	2.2	52
152	Diffuse large B-cell lymphoma patient-derived xenograft models capture the molecular and biological heterogeneity of the disease. <i>Blood</i> , 2016 , 127, 2203-13	2.2	51
151	Characteristic expression patterns of TCL1, CD38, and CD44 identify aggressive lymphomas harboring a MYC translocation. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 113-22	6.7	47
150	A zebrafish model of myelodysplastic syndrome produced through tet2 genomic editing. <i>Molecular and Cellular Biology</i> , 2015 , 35, 789-804	4.8	45
149	TRAF1 expression and c-Rel activation are useful adjuncts in distinguishing classical Hodgkin lymphoma from a subset of morphologically or immunophenotypically similar lymphomas. <i>American Journal of Surgical Pathology</i> , 2005 , 29, 196-203	6.7	42

148	Characterization of the Neuroendocrine Tumor Immune Microenvironment. <i>Pancreas</i> , 2018 , 47, 1123-1129	42
147	The Immune Microenvironment in Hormone Receptor-Positive Breast Cancer Before and After Preoperative Chemotherapy. <i>Clinical Cancer Research</i> , 2019 , 25, 4644-4655	12.9 41
146	A peripheral immune signature of responsiveness to PD-1 blockade in patients with classical Hodgkin lymphoma. <i>Nature Medicine</i> , 2020 , 26, 1468-1479	50.5 39
145	Intrinsic Resistance to Immune Checkpoint Blockade in a Mismatch Repair-Deficient Colorectal Cancer. <i>Cancer Immunology Research</i> , 2019 , 7, 1230-1236	12.5 38
144	Next-generation sequencing-based detection of circulating tumour DNA After allogeneic stem cell transplantation for lymphoma. <i>British Journal of Haematology</i> , 2016 , 175, 841-850	4.5 38
143	Genomic analyses of flow-sorted Hodgkin Reed-Sternberg cells reveal complementary mechanisms of immune evasion. <i>Blood Advances</i> , 2019 , 3, 4065-4080	7.8 38
142	Targeting immunosuppressive macrophages overcomes PARP inhibitor resistance in BRCA1-associated triple-negative breast cancer. <i>Nature Cancer</i> , 2021 , 2, 66-82	15.4 35
141	Differential contribution of the mitochondrial translation pathway to the survival of diffuse large B-cell lymphoma subsets. <i>Cell Death and Differentiation</i> , 2017 , 24, 251-262	12.7 34
140	Checkmate 205 Update with Minimum 12-Month Follow up: A Phase 2 Study of Nivolumab in Patients with Relapsed/Refractory Classical Hodgkin Lymphoma. <i>Blood</i> , 2016 , 128, 1110-1110	2.2 33
139	Effect of treatment with a JAK2-selective inhibitor, fedratinib, on bone marrow fibrosis in patients with myelofibrosis. <i>Journal of Translational Medicine</i> , 2015 , 13, 294	8.5 32
138	Genomic analyses of PMBL reveal new drivers and mechanisms of sensitivity to PD-1 blockade. <i>Blood</i> , 2019 , 134, 2369-2382	2.2 32
137	A phase I trial of panobinostat (LBH589) in patients with metastatic melanoma. <i>Cancer Medicine</i> , 2016 , 5, 3041-3050	4.8 30
136	CD19-Loss with Preservation of Other B Cell Lineage Features in Patients with Large B Cell Lymphoma Who Relapsed Post-Axi-Cel. <i>Blood</i> , 2019 , 134, 203-203	2.2 30
135	HSP90 inhibition overcomes ibrutinib resistance in mantle cell lymphoma. <i>Blood</i> , 2016 , 128, 2517-2526	2.2 30
134	The microenvironmental niche in classic Hodgkin lymphoma is enriched for CTLA-4-positive T cells that are PD-1-negative. <i>Blood</i> , 2019 , 134, 2059-2069	2.2 30
133	Targetable genetic alterations of <i>IGH</i> drive immunoglobulin expression in diffuse large B cell lymphoma. <i>Science Translational Medicine</i> , 2019 , 11,	17.5 28
132	Outcomes after Allogeneic Stem Cell Transplantation in Patients with Double-Hit and Double-Expressor Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 514-520	4.7 27
131	Tumor PDCD1LG2 (PD-L2) Expression and the Lymphocytic Reaction to Colorectal Cancer. <i>Cancer Immunology Research</i> , 2017 , 5, 1046-1055	12.5 25

130	PD-1 blockade for diffuse large B-cell lymphoma after autologous stem cell transplantation. <i>Blood Advances</i> , 2020 , 4, 122-126	7.8	24
129	MYC Immunohistochemistry to Identify MYC-Driven B-Cell Lymphomas in Clinical Practice. <i>American Journal of Clinical Pathology</i> , 2016 , 145, 166-79	1.9	22
128	Anti-CTLA-4 based therapy elicits humoral immunity to galectin-3 in patients with metastatic melanoma. <i>OncImmunology</i> , 2018 , 7, e1440930	7.2	22
127	The CD45 isoform B220 identifies select subsets of human B cells and B-cell lymphoproliferative disorders. <i>Human Pathology</i> , 2005 , 36, 51-7	3.7	22
126	Prevalence and predictors of androgen receptor and programmed death-ligand 1 in -associated and sporadic triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2016 , 2, 16002	7.8	22
125	High concordance in grading reticulin fibrosis and cellularity in patients with myeloproliferative neoplasms. <i>Modern Pathology</i> , 2014 , 27, 1447-54	9.8	20
124	The pre-B-cell receptor associated protein VpreB3 is a useful diagnostic marker for identifying c-MYC translocated lymphomas. <i>Haematologica</i> , 2010 , 95, 2056-62	6.6	20
123	Molecular classification of MYC-driven B-cell lymphomas by targeted gene expression profiling of fixed biopsy specimens. <i>Journal of Molecular Diagnostics</i> , 2015 , 17, 19-30	5.1	19
122	Inactivation of Impairs dsRNA Sensing and Confers Resistance to PD-1 Blockade. <i>Cancer Discovery</i> , 2020 , 10, 1296-1311	24.4	16
121	Mantle cell lymphoma arising within primary nodal marginal zone lymphoma: a unique presentation of two uncommon B-cell lymphoproliferative disorders. <i>Cancer Genetics and Cytogenetics</i> , 2006 , 171, 44-51		16
120	CXCR4 upregulation is an indicator of sensitivity to B-cell receptor/PI3K blockade and a potential resistance mechanism in B-cell receptor-dependent diffuse large B-cell lymphomas. <i>Haematologica</i> , 2020 , 105, 1361-1368	6.6	15
119	Evaluating the PD-1 Axis and Immune Effector Cell Infiltration in Oropharyngeal Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 137-145	4	15
118	CD19 target evasion as a mechanism of relapse in large B-cell lymphoma treated with axicabtagene ciloleucel. <i>Blood</i> , 2021 , 138, 1081-1085	2.2	14
117	Gene expression profiling of anti-CTLA4-treated metastatic melanoma in patients with treatment-induced autoimmunity. <i>Laboratory Investigation</i> , 2017 , 97, 207-216	5.9	13
116	RelA-Induced Interferon Response Negatively Regulates Proliferation. <i>PLoS ONE</i> , 2015 , 10, e0140243	3.7	13
115	Increased SYK activity is associated with unfavorable outcome among patients with acute myeloid leukemia. <i>Oncotarget</i> , 2015 , 6, 25575-87	3.3	13
114	Therapeutically Increasing MHC-I Expression Potentiates Immune Checkpoint Blockade. <i>Cancer Discovery</i> , 2021 , 11, 1524-1541	24.4	13
113	Intrinsic Immunogenicity of Small Cell Lung Carcinoma Revealed by Its Cellular Plasticity. <i>Cancer Discovery</i> , 2021 , 11, 1952-1969	24.4	12

112	The Role of Surgical Pathology in Guiding Cancer Immunotherapy. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2016 , 11, 313-41	34	12
111	Phase 2 study of nivolumab in metastatic leiomyosarcoma of the uterus.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 11007-11007	2.2	11
110	Overview of Tissue Imaging Methods. <i>Methods in Molecular Biology</i> , 2020 , 2055, 455-465	1.4	11
109	Spatial signatures identify immune escape via PD-1 as a defining feature of T-cell/histiocyte-rich large B-cell lymphoma. <i>Blood</i> , 2021 , 137, 1353-1364	2.2	11
108	Anti-PD-1 Immunotherapy-Induced Flare of a Known Underlying Relapsing Vasculitis Mimicking Recurrent Cancer. <i>Oncologist</i> , 2019 , 24, 1013-1021	5.7	10
107	Disruption of results in myeloproliferative neoplasms in zebrafish. <i>DMM Disease Models and Mechanisms</i> , 2019 , 12,	4.1	9
106	Surface Light Chain Expression in Primary Mediastinal Large B-Cell Lymphomas by Multiparameter Flow Cytometry. <i>American Journal of Clinical Pathology</i> , 2015 , 144, 635-41	1.9	9
105	Durvalumab plus tremelimumab alone or in combination with low-dose or hypofractionated radiotherapy in metastatic non-small-cell lung cancer refractory to previous PD(L)-1 therapy: an open-label, multicentre, randomised, phase 2 trial.. <i>Lancet Oncology, The</i> , 2022 ,	21.7	9
104	Distinct Patterns of PD-L1 and PD-L2 Expression By Tumor and Non-Tumor Cells in Patients with MM, MDS and AML. <i>Blood</i> , 2016 , 128, 1340-1340	2.2	9
103	Subtype-specific and co-occurring genetic alterations in B-cell non-Hodgkin lymphoma. <i>Haematologica</i> , 2021 ,	6.6	9
102	Immunogenicity of clear cell ovarian cancer: Association with ARID1A loss, microsatellite instability and endometriosis.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 5514-5514	2.2	8
101	Nivolumab in Patients with Relapsed or Refractory Hodgkin Lymphoma - Preliminary Safety, Efficacy and Biomarker Results of a Phase I Study. <i>Blood</i> , 2014 , 124, 289-289	2.2	7
100	Checkmate 205: Nivolumab (nivo) in classical Hodgkin lymphoma (cHL) after autologous stem cell transplant (ASCT) and brentuximab vedotin (BV) A phase 2 study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 7535-7535	2.2	7
99	Targetable subsets of non-Hodgkin lymphoma in Malawi define therapeutic opportunities. <i>Blood Advances</i> , 2016 , 1, 84-92	7.8	6
98	Bevacizumab improves tumor infiltration of mature dendritic cells and effector T-cells in triple-negative breast cancer patients. <i>Npj Precision Oncology</i> , 2021 , 5, 62	9.8	6
97	SMARCA4 and Other SWItch/Sucrose NonFermentable Family Genomic Alterations in NSCLC: Clinicopathologic Characteristics and Outcomes to Immune Checkpoint Inhibition. <i>Journal of Thoracic Oncology</i> , 2021 , 16, 1176-1187	8.9	6
96	Clinical and Biological Evaluation of the Novel CD30/CD16A Tetravalent Bispecific Antibody (AFM13) in Relapsed or Refractory CD30-Positive Lymphoma with Cutaneous Presentation: A Biomarker Phase Ib/Ila Study (NCT03192202). <i>Blood</i> , 2018 , 132, 2908-2908	2.2	5
95	Final Results of the Phase I/II Trial of Weekly Bortezomib In Combination with Temsirolimus (CCI-779) In Relapsed or Relapsed/Refractory Multiple Myeloma Specifically In Patients Refractory to Bortezomib. <i>Blood</i> , 2010 , 116, 990-990	2.2	5

94	A Somatic Variant in MYD88 (L265P) Revealed by Whole Genome Sequencing Differentiates Lymphoplasmacytic Lymphoma From Marginal Zone Lymphomas. <i>Blood</i> , 2011 , 118, 261-261	2.2	5
93	Tumor infiltrating and peritumoral T cells and expression of PD-L1 in BRCA1/2-mutated high grade serous ovarian cancers.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 5512-5512	2.2	5
92	Phase I study of sapacitabine and seliciclib in patients with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2503-2503	2.2	5
91	Effect of dexamethasone in glioblastoma (GBM) patients on systemic and intratumoral T-cell responses induced by personalized neoantigen-targeting vaccine.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 2020-2020	2.2	5
90	Low peripheral blood derived neutrophil-to-lymphocyte ratio (dNLR) is associated with increased tumor T-cell infiltration and favorable outcomes to first-line pembrolizumab in non-small cell lung cancer 2021 , 9,		5
89	Multiparametric in situ imaging of NPM1-mutated acute myeloid leukemia reveals prognostically-relevant features of the marrow microenvironment. <i>Modern Pathology</i> , 2020 , 33, 1380-1388	2.8	4
88	Comprehensive Genomic Analysis of Primary Mediastinal B-Cell Lymphoma. <i>Blood</i> , 2018 , 132, 1564-1564	2.2	4
87	Effect Of Treatment With The JAK2-Selective Inhibitor Fedratinib (SAR302503) On Bone Marrow Histology In Patients With Myeloproliferative Neoplasms With Myelofibrosis. <i>Blood</i> , 2013 , 122, 2823-2823	2.2	4
86	Quantitative Assessment of PD-L1 Expression in Classical Hodgkin Lymphoma Suggests a Critical Role for Tumor Associated Macrophages in Suppressing Anti-Tumor Immunity. <i>Blood</i> , 2015 , 126, 1440-1440	2.2	4
85	Chromosome 9p24.1/PD-L1/PD-L2 Alterations and PD-L1 Expression and Treatment Outcomes in Patients with Classical Hodgkin Lymphoma Treated with Nivolumab (PD-1 Blockade). <i>Blood</i> , 2016 , 128, 2923-2923	2.2	4
84	Analysis of colorectal cancer patients treated on ETCTN 10021: A multicenter randomized trial of combined PD-L1 and CTLA-4 inhibition with targeted low-dose or hypofractionated radiation.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 49-49	2.2	4
83	Meta-Analysis of PD-L1 Expression As a Predictor of Survival After Checkpoint Blockade.. <i>JCO Precision Oncology</i> , 2020 , 4, 1196-1206	3.6	4
82	IL-12 gene-deficient C57BL / 6 mice are susceptible to Leishmania donovani but have diminished hepatic immunopathology 2000 , 30, 834		4
81	A Simple and Effective Method for Flow Cytometric Study of Lymphoid Malignancies Using Needle Core Biopsy Specimens. <i>Cytometry Part B - Clinical Cytometry</i> , 2018 , 94, 637-643	3.4	3
80	PD-1 Blockade for Diffuse Large B-Cell Lymphoma after Autologous Stem Cell Transplantation. <i>Blood</i> , 2018 , 132, 706-706	2.2	3
79	Combination of Nab-Rapamycin and Perifosine Induces Synergistic Cytotoxicity and Antitumor Activity Via Autophagy and Apoptosis in Multiple Myeloma (MM). <i>Blood</i> , 2008 , 112, 3663-3663	2.2	3
78	GNB1 Activating Mutations Promote Myeloid and Lymphoid Neoplasms Targetable By Combined PI3K/mTOR Inhibition. <i>Blood</i> , 2014 , 124, 3567-3567	2.2	3
77	Double Expressing (MYC/BCL2) and Double-Hit Diffuse Large B-Cell Lymphomas Have Inferior Survival Following Autologous Stem Cell Transplantation. <i>Blood</i> , 2015 , 126, 522-522	2.2	3

76	In Silico and Functional Characterization of TBL1XR1 as a Tumor Suppressor in Large B-Cell Lymphomas. <i>Blood</i> , 2016 , 128, 612-612	2.2	3
75	Double-Hit and Double-Expressor Lymphomas Are Not Associated with an Adverse Outcome after Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2016 , 128, 830-830	2.2	3
74	Immune checkpoint blockade for glioblastoma: Preclinical activity of single agent and combinatorial therapy.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 2084-2084	2.2	3
73	Multiplex Tissue Imaging Harmonization: A Multicenter Experience from CIMAC-CIDC Immuno-Oncology Biomarkers Network. <i>Clinical Cancer Research</i> , 2021 , 27, 5072-5083	12.9	3
72	PD-1 Blockade with Pembrolizumab for Classical Hodgkin Lymphoma after Autologous Stem Cell Transplantation. <i>Blood</i> , 2018 , 132, 1650-1650	2.2	2
71	Comprehensive Genomic Analysis of Flow-Sorted Hodgkin Reed Sternberg Cells Reveals Additional Genetic Bases of Immune Evasion. <i>Blood</i> , 2018 , 132, 1559-1559	2.2	2
70	Integrated Genetic and Topological Analysis Reveals a Hodgkin-like Mechanism of Immune Escape in T-Cell/Histiocyte-Rich Large B-Cell Lymphoma. <i>Blood</i> , 2018 , 132, 1579-1579	2.2	2
69	Title: Clinical and Biological Evaluation of the Novel CD30/CD16A Tetravalent Bispecific Antibody (AFM13) in Relapsed or Refractory CD30-Positive Lymphoma with Cutaneous Presentation: A Biomarker Phase Ib/Ila Study (NCT03192202). <i>Blood</i> , 2020 , 136, 25-26	2.2	2
68	Actionable Genetic Features of Primary Testicular and Primary Central Nervous System Lymphomas. <i>Blood</i> , 2014 , 124, 74-74	2.2	2
67	Sequencing-Based Detection of Circulating Tumor DNA in the Autologous Stem Cell Grafts of Patients with Diffuse Large B-Cell Lymphoma Undergoing Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2015 , 126, 3156-3156	2.2	2
66	Prevalence and predictors of androgen receptor (AR) and programmed death-ligand 1 (PD-L1) expression in BRCA1-associated and sporadic triple negative breast cancer (TNBC).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1005-1005	2.2	2
65	Association of POLE-mutated and MSI endometrial cancers with an elevated number of tumor-infiltrating and peritumoral lymphocytes and higher expression of PD-L1.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 5511-5511	2.2	2
64	Response and oligoclonal resistance to pembrolizumab in uterine leiomyosarcoma: Genomic, neoantigen, and immunohistochemical evaluation.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 11043-11043	2.2	2
63	Comprehensive Immunoprofiling of High-Risk Oral Proliferative and Localized Leukoplakia. <i>Cancer Research Communications</i> , 2021 , 1, 30-40		2
62	MITI minimum information guidelines for highly multiplexed tissue images.. <i>Nature Methods</i> , 2022 , 19, 262-267	21.6	2
61	Landscape of helper and regulatory antitumour CD4 T cells in melanoma.. <i>Nature</i> , 2022 , 605, 532-538	50.4	2
60	P2RY8-CRLF2 Fusion-Positive Acute Myeloid Leukemia With Myelodysplasia-Related Changes: Response to Novel Therapy. <i>JCO Precision Oncology</i> , 2020 , 4, 152-160	3.6	1
59	Selective Inhibition of HDAC6 with a New Prototype Inhibitor (ACY-1215) Overcomes Bortezomib Resistance In Multiple Myeloma (MM). <i>Blood</i> , 2010 , 116, 2997-2997	2.2	1

58	Pharmacodynamic and Pharmacokinetic Properties of a Novel and Selective HDAC6 Inhibitor, ACY-1215, in Combination with Bortezomib in Multiple Myeloma. <i>Blood</i> , 2011 , 118, 2912-2912	2.2	1
57	Biomarker Correlation with Outcomes in Patients with Relapsed or Refractory Multiple Myeloma on a Phase I Study of Everolimus in Combination with Lenalidomide,. <i>Blood</i> , 2011 , 118, 3966-3966	2.2	1
56	Disruption Of Super Enhancer-Driven Cancer Dependencies In Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2013 , 122, 3021-3021	2.2	1
55	Preclinical Analyses Of The Chemical JAK2 Inhibitor, SAR302503, In Classical Hodgkin Lymphoma and Primary Mediastinal Large B-Cell Lymphoma. <i>Blood</i> , 2013 , 122, 4230-4230	2.2	1
54	CXCR4 Upregulation Is a Biomarker Of Sensitivity To Targeted Inhibition Of B-Cell Receptor Signaling In Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2013 , 122, 631-631	2.2	1
53	DNA Copy Number Gains of TCF4 (E2-2) Are Associated with Poor Outcome in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016 , 128, 2686-2686	2.2	1
52	Analysis of immune infiltrates in a genomically characterized clinical cohort of head and neck squamous cell carcinoma (HNSCC) patients (pts).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 6052-6052	2.2	1
51	CIMAC-CIDC tissue imaging harmonization.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3125-3125	2.2	1
50	655 Landscape of helper and regulatory CD4+ T cells in melanoma 2021 , 9, A684-A684		1
49	374 A phase IB trial of ziv-aflibercept plus pembrolizumab in patients with advanced solid tumors 2021 , 9, A402-A404		1
48	PD-L1 and PD-L2 Genetic Alterations Define Classical Hodgkin Lymphoma and Predict Outcome. <i>Blood</i> , 2015 , 126, 176-176	2.2	1
47	Selective HDAC6 Inhibition Via ACY-1215, Either Alone or in Combination with Bortezomib, Restores Osteoblast Function and Suppresses Osteoclast Differentiation in Multiple Myeloma. <i>Blood</i> , 2011 , 118, 2908-2908	2.2	1
46	Combined Targeting of the MET and FGF Receptor Tyrosine Kinases Induces Sustained AML Cell Death by Preventing Compensatory Upregulation of HGF in Response to MET Kinase Inhibition. <i>Blood</i> , 2011 , 118, 1405-1405	2.2	1
45	Diagnostic Accuracy of a Defined Immunophenotypic and Molecular Genetic Approach for Peripheral T/NK-Cell Lymphomas: A North American PTCL Study Group Project. <i>Blood</i> , 2012 , 120, 1545-1545	2.2	1
44	Nodular primary cutaneous melanoma is associated with PD-L1 expression. <i>European Journal of Dermatology</i> , 2020 , 30, 352-357	0.8	1
43	First-in-human CAN-3110 (ICP-34.5 expressing HSV-1 oncolytic virus) in patients with recurrent high-grade glioma.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 2009-2009	2.2	1
42	Clinicopathologic and genomic correlates of tumor-infiltrating immune cells and immunotherapy efficacy in NSCLC.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 9121-9121	2.2	1
41	Association of a very high tumor mutational load with increased CD8+ and PD-1+ T-cell infiltration and improved clinical outcomes to PD-(L)1 blockade across different PD-L1 expression levels in non-small cell lung cancer.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 9018-9018	2.2	1

40	Duration of symptoms does not correlate with results of T-cell gene rearrangement studies in patients evaluated for cutaneous T-cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 2015 , 42, 618-21	1.7	O
39	T Cell Determinants of Response and Resistance to PD-1 Blockade in Richter's Transformation. <i>Blood</i> , 2019 , 134, 680-680	2.2	O
38	Clinical and Immunologic Activity of Ipilimumab Following Decitabine Priming in Post-Allogeneic Transplant and Transplant-Naïve Patients with Relapsed or Refractory Myelodysplastic Syndromes and Acute Myeloid Leukemia: A Multi-Center Phase 1, Two-Arm, Dose-Escalation Study. <i>Blood</i> , 2019 , 134, 2015-2015	2.2	O
37	Pathology of durable stable disease in melanoma patients treated with ipilimumab, nivolumab, or ipilimumab, and nivolumab combination therapy.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 9567-9567	2.2	O
36	Synergistic melanoma cell death mediated by inhibition of both MCL1 and BCL2 in high-risk tumors driven by NF1/PTEN loss. <i>Oncogene</i> , 2021 , 40, 5718-5729	9.2	O
35	A phase II trial of abemaciclib (abema) and atezolizumab (atezo) in unselected and CDK12-loss metastatic castration-resistant prostate cancer (mCRPC).. <i>Journal of Clinical Oncology</i> , 2022 , 40, TPS213-TPS213	2.2	O
34	Abstract P1-04-05: Multiplexed immunofluorescence staining of intra-tumoral immune cell populations and associations with immunohistochemical, clinical, and pathologic variables in breast cancer. <i>Cancer Research</i> , 2022 , 82, P1-04-05-P1-04-05	10.1	O
33	67 Cancer aneuploidy is associated with a distinct tumor immune microenvironment and impacts outcomes to immune checkpoint inhibition in nonsquamous non-small cell lung cancer 2021 , 9, A74-A75		
32	700 Increasing MHC-I expression to potentiate immune checkpoint blockade therapy 2021 , 9, A728-A728		
31	Genetic Perturbation of CD70/CD27 Co-Stimulation Promotes the Development of Bcl6-Driven Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2021 , 138, 713-713	2.2	
30	The tumor-immune microenvironment (TME) in HR+/HER2- metastatic breast cancer (mBC): Relationship to non-metastatic (met) tumors and prior treatment (tx) received.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 1054-1054	2.2	
29	Comparative Genomic Analyses Defines Shared and Unique Features of cHL and PMBL and New Mechanisms of Sensitivity to PD-1 Blockade. <i>Blood</i> , 2019 , 134, 1493-1493	2.2	
28	Sequencing-Based Detection of Minimal Residual Disease Is Associated with Outcomes after Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Lymphoid Malignancies. <i>Blood</i> , 2014 , 124, 3961-3961	2.2	
27	Resolving the Biological Heterogeneity of B-Cell Lymphoma, Unclassifiable, with Features Intermediate Between DLBCL and BL (BCL-U) Using Quantitative Profiles of Oncogenic Signaling Networks. <i>Blood</i> , 2015 , 126, 3903-3903	2.2	
26	Comprehensive Analyses of Genetic Features Identify Coordinate Signatures in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2015 , 126, 3922-3922	2.2	
25	Phenotypic and Transcriptional Characterization of Non-Hodgkin Lymphomas from Malawi Defines Targetable Disease Subsets. <i>Blood</i> , 2015 , 126, 2655-2655	2.2	
24	Diffuse Large B-Cell Lymphoma Patient-Derived Xenograft Models Capture Molecular and Biologic Heterogeneity and Inform Therapy. <i>Blood</i> , 2015 , 126, 817-817	2.2	
23	Immune biomarkers and treatment (tx) outcome in hormone receptor-positive (HR+) breast cancer (BC) patients (pts) treated with preoperative chemotherapy (preop chemo) plus bevacizumab (bev).. <i>Journal of Clinical Oncology</i> , 2017 , 35, e12134-e12134	2.2	

22	Association of distinct baseline tissue biomarkers with response to nivolumab (NIVO) and ipilimumab (IPI) in melanoma: CheckMate 064.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 9515-9515	2.2
21	Expression and Targeted Inhibition of the Immunoregulatory Carbohydrate-Binding Lectin, Galectin 1, in EBV-Driven Post-Transplant Lymphoproliferative Disorders.. <i>Blood</i> , 2009 , 114, 96-96	2.2
20	Histone Deacetylase Inhibitors Demonstrate Significant Preclinical Activity as Single Agents, and in Combination with Bortezomib in Waldenstrom's Macroglobulinemia.. <i>Blood</i> , 2009 , 114, 4785-4785	2.2
19	Significant Biological Role of Sp1 Transactivation in Myeloma: Potential Therapeutic Application.. <i>Blood</i> , 2009 , 114, 1841-1841	2.2
18	Mir-15a/16-1 Cluster Is Frequently Deleted In Primary Hodgkin Lymphoma and Modulates Multiple Survival Pathways Including AP-1. <i>Blood</i> , 2010 , 116, 746-746	2.2
17	Integrative Analysis Reveals Multiple Alterations of p53 Signaling Pathway Components In Primary Diffuse Large B-Cell Lymphomas. <i>Blood</i> , 2010 , 116, 635-635	2.2
16	Kruppel-Like Factor 10 (KLF10)-Deficient Mice Have Marked Defects In EPC Differentiation, Function, and Angiogenesis. <i>Blood</i> , 2010 , 116, 4314-4314	2.2
15	Biology and Therapeutic Targeting of Sp1 Transactivation In Myeloma. <i>Blood</i> , 2010 , 116, 134-134	2.2
14	Aberrant Expression of Hepatocyte Growth Factor Induces Autocrine MET Activation Providing a Novel Therapeutic Target In Acute Myeloid Leukemia.. <i>Blood</i> , 2010 , 116, 1042-1042	2.2
13	Molecular Profiling of Extramedullary and Medullary Plasmacytomas Compared to Multiple Myeloma. <i>Blood</i> , 2010 , 116, 4042-4042	2.2
12	Molecular Ontogeny of Donor-Derived Lymphomas Occurring After Transplantation,. <i>Blood</i> , 2011 , 118, 3671-3671	2.2
11	Phase I study of sequential sapacitabine and seliciclib in patients with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3053-3053	2.2
10	Impact of Operator Techniques On Quality of Bone Marrow Assessment. <i>Blood</i> , 2012 , 120, 2055-2055	2.2
9	A Structural Basis for p53-Deficiency, Deregulated Cell Cycle and Unfavorable Outcome in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2012 , 120, 1534-1534	2.2
8	A Targeted Mutational Landscape of Angioimmunoblastic T-Cell Lymphoma: Association Between Advanced Age and Mutations in TET2 and DNMT3A. <i>Blood</i> , 2012 , 120, 299-299	2.2
7	BET Bromodomain Inhibition Targets Both c-Myc and IL7R in Acute Lymphoblastic Leukemia. <i>Blood</i> , 2012 , 120, 672-672	2.2
6	Targeting Oncogenic Interleukin-7 Receptor Signaling With N-Acetylcysteine In T-Cell Acute Lymphoblastic Leukemia. <i>Blood</i> , 2013 , 122, 2535-2535	2.2
5	Alterations In Mitochondrial Priming May Be a Mechanism For Acquired Resistance To Therapy In Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2013 , 122, 1764-1764	2.2

- 4 Is radiation necrosis in radiated melanoma brain metastasis increasing because immunotherapy is contributing to this or are patients just living longer?. *Journal of Clinical Oncology*, **2021**, 39, e21518-e21518
- 3 Clinicopathologic, genomic, and tumor microenvironment correlates of aneuploidy and immunotherapy outcomes in NSCLC.. *Journal of Clinical Oncology*, **2021**, 39, 9119-9119 2.2
- 2 Reply to Z. Wu et al. *Journal of Clinical Oncology*, **2018**, 36, 2657 2.2
- 1 FOXP3+ T-cell infiltration is associated with improved outcomes in metastatic urothelial carcinoma (mUC) treated with immune-checkpoint inhibitors (ICI).. *Journal of Clinical Oncology*, **2022**, 40, 549-549 2.2