

Ana Carbonell-Baeza

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8024854/ana-carbonell-baeza-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 papers	1,715 citations	24 h-index	37 g-index
88 ext. papers	2,139 ext. citations	3.3 avg, IF	5.35 L-index

#	Paper	IF	Citations
82	Physical activity and exercise in the management of chronic widespread musculoskeletal pain: A focus on fibromyalgia 2022 , 523-544		
81	Association of Self-Reported Physical Fitness with Pregnancy Related Symptoms the GESTAFIT Project. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
80	Emotional intelligence impairments in women with fibromyalgia: Associations with widespread pain. <i>Journal of Health Psychology</i> , 2021 , 26, 1901-1912	3.1	4
79	A cross-sectional association of physical fitness with positive and negative affect in children and adolescents: the up & down study. <i>Pediatrics International</i> , 2021 , 63, 202-209	1.2	
78	Association of objectively measured sedentary behavior and physical activity levels with health-related quality of life in middle-aged women: The FLAMENCO project. <i>Menopause</i> , 2020 , 27, 437-443	2.5	5
77	Are Parental Rules regarding Screen Behaviors Associated with Youth Sedentary Behavior? The UP&DOWN Study. <i>American Journal of Family Therapy</i> , 2020 , 48, 53-69	0.9	4
76	Physical Fitness and Self-Rated Health in Children and Adolescents: Cross-Sectional and Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
75	Sedentary Time, Physical Activity, and Sleep Duration: Associations with Body Composition in Fibromyalgia. The Al-Andalus Project. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
74	Lower Fatigue in Fit and Positive Women with Fibromyalgia: The al-Andalus Project. <i>Pain Medicine</i> , 2019 , 20, 2506-2515	2.8	7
73	Promoting the Assessment of Physical Activity and Cardiorespiratory Fitness in Assessing the Role of Vascular Risk on Cognitive Decline in Older Adults. <i>Frontiers in Physiology</i> , 2019 , 10, 670	4.6	1
72	Are changes in telomerase activity and telomere length due to different exercise modalities, intensity, or methods: intermittency?. <i>European Heart Journal</i> , 2019 , 40, 3198-3199	9.5	4
71	Changes in Body Composition and Physical Fitness in Adolescents with Down Syndrome: The UP&DOWN Longitudinal Study. <i>Childhood Obesity</i> , 2019 , 15, 397-405	2.5	1
70	Association of self-reported physical fitness with pain during pregnancy: The GESTAFIT Project. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 1022-1030	4.6	9
69	Translation and cross-cultural adaptation of the Pregnancy Physical Activity Questionnaire (PPAQ) into Spanish. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 3954-3961	2	3
68	High Levels of Physical Fitness Are Associated With Better Health-Related Quality of Life in Women With Fibromyalgia: The al-Andalus Project. <i>Physical Therapy</i> , 2019 , 99, 1481-1494	3.3	5
67	Body Composition Changes Following a Concurrent Exercise Intervention in Perimenopausal Women: The FLAMENCO Project Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
66	Doctor, ask your perimenopausal patient about her physical fitness; association of self-reported physical fitness with cardiometabolic and mental health in perimenopausal women: the FLAMENCO project. <i>Menopause</i> , 2019 , 26, 1146-1153	2.5	9

65	Cost-effectiveness of a primary care-based exercise intervention in perimenopausal women. The FLAMENCO Project. <i>Gaceta Sanitaria</i> , 2019 , 33, 529-535	2.2	3
64	Therapeutic validity of exercise interventions in the management of fibromyalgia. <i>Journal of Sports Medicine and Physical Fitness</i> , 2019 , 59, 828-838	1.4	10
63	Association of sedentary time and physical fitness with ideal cardiovascular health in perimenopausal women: The FLAMENCO project. <i>Maturitas</i> , 2019 , 120, 53-60	5	13
62	Sedentary time, physical activity, and sleep quality in fibromyalgia: The al-Bdalus project. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 266-274	4.6	15
61	Reader response: Circulating cortisol and cognitive and structural brain measures: The Framingham Heart Study. <i>Neurology</i> , 2019 , 93, 684-685	6.5	
60	Identification of candidate genes associated with fibromyalgia susceptibility in southern Spanish women: the al-Bdalus project. <i>Journal of Translational Medicine</i> , 2018 , 16, 43	8.5	6
59	The discordance between subjectively and objectively measured physical function in women with fibromyalgia: association with catastrophizing and self-efficacy cognitions. The al-Bdalus project. <i>Disability and Rehabilitation</i> , 2018 , 40, 329-337	2.4	26
58	The TT genotype of the rs6860 polymorphism of the charged multivesicular body protein 1A gene is associated with susceptibility to fibromyalgia in southern Spanish women. <i>Rheumatology International</i> , 2018 , 38, 531-533	3.6	4
57	Lifestyle Clusters in School-Aged Youth and Longitudinal Associations with Fatness: The UP&DOWN Study. <i>Journal of Pediatrics</i> , 2018 , 203, 317-324.e1	3.6	19
56	Association of physical fitness, body composition, cardiometabolic markers and adherence to the Mediterranean diet with bone mineral density in perimenopausal women. The FLAMENCO project. <i>Journal of Sports Sciences</i> , 2017 , 35, 880-887	3.6	11
55	Biodanza Reduces Acute Pain Severity in Women with Fibromyalgia. <i>Pain Management Nursing</i> , 2017 , 18, 318-327	2.5	3
54	The Potential of Established Fitness Cut-off Points for Monitoring Women with Fibromyalgia: The al-Bdalus Project. <i>International Journal of Sports Medicine</i> , 2017 , 38, 359-369	3.6	5
53	Adaptation profiles comprising objective and subjective measures in fibromyalgia: the al-Bdalus project. <i>Rheumatology</i> , 2017 , 56, 2015-2024	3.9	26
52	Convergent validation of a questionnaire to assess the mode and frequency of commuting to and from school. <i>Scandinavian Journal of Public Health</i> , 2017 , 45, 612-620	3	42
51	Physical fitness reference standards in fibromyalgia: The al-Bdalus project. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017 , 27, 1477-1488	4.6	15
50	Independent and joint associations of physical activity and fitness with fibromyalgia symptoms and severity: The al-Bdalus project. <i>Journal of Sports Sciences</i> , 2017 , 35, 1565-1574	3.6	10
49	Cardiorespiratory Fitness Cutoff Points for Early Detection of Present and Future Cardiovascular Risk in Children: A 2-Year Follow-up Study. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 1753-1762	6.4	25
48	International Fitness Scale (IFIS): Construct Validity and Reliability in Women With Fibromyalgia: The al-Bdalus Project. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 395-404	2.8	19

47	Maternal physical activity before and during the prenatal period and the offspring's academic performance in youth. The UP&DOWN study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 1414-20	2	18
46	Association of Physical Fitness with Depression in Women with Fibromyalgia. <i>Pain Medicine</i> , 2016 , 17, 1542-52	2.8	17
45	Factor structure of the Positive and Negative Affect Schedule (PANAS) in adult women with fibromyalgia from Southern Spain: the al-Bdalus project. <i>PeerJ</i> , 2016 , 4, e1822	3.1	15
44	Gender Differences in Symptoms, Health-Related Quality of Life, Sleep Quality, Mental Health, Cognitive Performance, Pain-Cognition, and Positive Health in Spanish Fibromyalgia Individuals: The Al-Bdalus Project. <i>Pain Research and Management</i> , 2016 , 2016, 5135176	2.6	11
43	The association of total and central body fat with pain, fatigue and the impact of fibromyalgia in women; role of physical fitness. <i>European Journal of Pain</i> , 2016 , 20, 811-21	3.7	12
42	Subgroups of fibromyalgia patients using the 1990 American College of Rheumatology criteria and the modified 2010 preliminary diagnostic criteria: the al-Bdalus project. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S26-33	2.2	9
41	Reliability and feasibility of physical fitness tests in female fibromyalgia patients. <i>International Journal of Sports Medicine</i> , 2015 , 36, 157-62	3.6	39
40	Ageing influence in the evolution of strength and muscle mass in women with fibromyalgia: the al-Bdalus project. <i>Rheumatology International</i> , 2015 , 35, 1243-50	3.6	6
39	Independent and combined association of overall physical fitness and subjective well-being with fibromyalgia severity: the al-Bdalus project. <i>Quality of Life Research</i> , 2015 , 24, 1865-73	3.7	25
38	Illness perception and fibromyalgia impact on female patients from Spain and the Netherlands: do cultural differences exist?. <i>Rheumatology International</i> , 2015 , 35, 1985-93	3.6	13
37	Association of Physical Fitness With Fibromyalgia Severity in Women: The al-Bdalus Project. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1599-605	2.8	24
36	Fibromyalgia has a larger impact on physical health than on psychological health, yet both are markedly affected: the al-Bdalus project. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 563-570	5.3	62
35	Cost-effectiveness of an exercise intervention program in perimenopausal women: the Fitness League Against MENopause COst (FLAMENCO) randomized controlled trial. <i>BMC Public Health</i> , 2015 , 15, 555	4.1	15
34	Association of different levels of depressive symptoms with symptomatology, overall disease severity, and quality of life in women with fibromyalgia. <i>Quality of Life Research</i> , 2015 , 24, 2951-7	3.7	28
33	Association of sleep patterns with psychological positive health and health complaints in children and adolescents. <i>Quality of Life Research</i> , 2015 , 24, 885-95	3.7	23
32	Association of Physical Fitness With Pain in Women With Fibromyalgia: The al-Bdalus Project. <i>Arthritis Care and Research</i> , 2015 , 67, 1561-70	4.7	41
31	Differences in sedentary time and physical activity between female patients with fibromyalgia and healthy controls: the al-Bdalus project. <i>Arthritis and Rheumatology</i> , 2015 , 67, 3047-57	9.5	38
30	Fitness testing in the fibromyalgia diagnosis: the al-Bdalus project. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 451-9	1.2	26

29	Validation of the modified 2010 American College of Rheumatology diagnostic criteria for fibromyalgia in a Spanish population. <i>Rheumatology</i> , 2014 , 53, 1803-11	3.9	52
28	Follow-up in healthy schoolchildren and in adolescents with Down syndrome: psycho-environmental and genetic determinants of physical activity and its impact on fitness, cardiovascular diseases, inflammatory biomarkers and mental health; the UP&DOWN study. <i>BMC Public Health</i> , 2014 , 14, 400	4.1	54
27	Efectos de los programas de intervenci3n enfocados al tratamiento del sobrepeso/obesidad infantil y adolescente. <i>Revista Andaluza De Medicina Del Deporte</i> , 2014 , 7, 33-43	1	5
26	Comparison of physical activity using questionnaires (leisure time physical activity instrument and physical activity at home and work instrument) and accelerometry in fibromyalgia patients: the Al-3ndalus project. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 1903-1911.e2	2.8	17
25	Usefulness of fitness testing to establish metabolic syndrome in perimenopausal Moroccan women. <i>European Journal of Cardiovascular Nursing</i> , 2014 , 13, 524-31	3.3	13
24	Effectiveness of Tai-Chi for decreasing acute pain in fibromyalgia patients. <i>International Journal of Sports Medicine</i> , 2014 , 35, 418-23	3.6	13
23	Are there differences in quality of life, symptomatology and functional capacity among different obesity classes in women with fibromyalgia? The al-3ndalus project. <i>Rheumatology International</i> , 2014 , 34, 811-21	3.6	14
22	Fitness testing as a discriminative tool for the diagnosis and monitoring of fibromyalgia. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013 , 23, 415-23	4.6	24
21	Fibromyalgia's key symptoms in normal-weight, overweight, and obese female patients. <i>Pain Management Nursing</i> , 2013 , 14, 268-276	2.5	21
20	The 6-minute walk test in female fibromyalgia patients: relationship with tenderness, symptomatology, quality of life, and coping strategies. <i>Pain Management Nursing</i> , 2013 , 14, 193-199	2.5	20
19	Objectively measured sedentary time and physical activity in women with fibromyalgia: a cross-sectional study. <i>BMJ Open</i> , 2013 , 3,	3	26
18	A warm water pool-based exercise program decreases immediate pain in female fibromyalgia patients: uncontrolled clinical trial. <i>International Journal of Sports Medicine</i> , 2013 , 34, 600-5	3.6	11
17	Spanish adaptation and psychometric properties of the Sedentary Behaviour Questionnaire for fibromyalgia patients: the al-Andalus study. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, S22-33	2.2	7
16	Land- and water-based exercise intervention in women with fibromyalgia: the al-Andalus physical activity randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 18	2.8	29
15	Are there gender differences in quality of life and symptomatology between fibromyalgia patients?. <i>American Journal of Men's Health</i> , 2012 , 6, 314-9	2.2	16
14	Effectiveness of a tai-chi training and detraining on functional capacity, symptomatology and psychological outcomes in women with fibromyalgia. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 614196	2.3	26
13	Multidimensional Fatigue Inventory: Spanish adaptation and psychometric properties for fibromyalgia patients. The Al-Andalus study. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, 94-102	2.2	21
12	Multidisciplinary and biodanza intervention for the management of fibromyalgia. <i>Acta Reumatol3gica Portuguesa</i> , 2012 , 37, 240-50	0.7	6

11	Fitness, fatness and cardiovascular profile in South Spanish and North Moroccan women. <i>Nutricion Hospitalaria</i> , 2012 , 27, 227-31	1	1
10	Analysis of the body composition of Spanish women with fibromyalgia. <i>Reumatología Clínica (English Edition)</i> , 2011 , 7, 7-12	0.1	
9	T'ai-Chi intervention in men with fibromyalgia: a multiple-patient case report. <i>Journal of Alternative and Complementary Medicine</i> , 2011 , 17, 187-9	2.4	3
8	Handgrip strength test as a complementary tool in the assessment of fibromyalgia severity in women. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 83-8	2.8	37
7	Pain and functional capacity in female fibromyalgia patients. <i>Pain Medicine</i> , 2011 , 12, 1667-75	2.8	51
6	Does a 3-month multidisciplinary intervention improve pain, body composition and physical fitness in women with fibromyalgia?. <i>British Journal of Sports Medicine</i> , 2011 , 45, 1189-95	10.3	44
5	Relationship of weight status with mental and physical health in female fibromyalgia patients. <i>Obesity Facts</i> , 2011 , 4, 443-8	5.1	21
4	Preliminary findings of a 4-month Tai Chi intervention on tenderness, functional capacity, symptomatology, and quality of life in men with fibromyalgia. <i>American Journal of Men's Health</i> , 2011 , 5, 421-9	2.2	12
3	Test-Retest reliability of Biodex Balance SD on physically active old people. <i>Journal of Human Sport and Exercise</i> , 2011 , 6, 444-451	1.5	45
2	Efficacy of Biodanza for treating women with fibromyalgia. <i>Journal of Alternative and Complementary Medicine</i> , 2010 , 16, 1191-200	2.4	24
1	Hip flexibility is the main determinant of the back-saver sit-and-reach test in adolescents. <i>Journal of Sports Sciences</i> , 2010 , 28, 641-8	3.6	26