
Alessandro Del Conte

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8025212/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Ramucirumab plus erlotinib in patients with untreated, EGFR-mutated, advanced non-small-cell lung cancer (RELAY): a randomised, double-blind, placebo-controlled, phase 3 trial. Lancet Oncology, The, 2019, 20, 1655-1669. | 5.1 | 418 |
| 2 | Expression pattern of receptor activator of NFκB (RANK) in a series of primary solid tumors and related bone metastases. Journal of Cellular Physiology, 2011, 226, 780-784. | 2.0 | 118 |
| 3 | Radical radiation therapy for oligometastatic breast cancer: Results of a prospective phase II trial. Radiotherapy and Oncology, 2018, 126, 177-180. | 0.3 | 116 |
| 4 | First-line pembrolizumab in advanced non–small cell lung cancer patients with poor performance status. European Journal of Cancer, 2020, 130, 155-167. | 1.3 | 98 |
| 5 | Use of nivolumab in elderly patients with advanced squamous non–small-cell lung cancer: results from the Italian cohort of an expanded access programme. European Journal of Cancer, 2018, 100, 126-134. | 1.3 | 83 |
| 6 | Stereotactic Body Radiation Therapy for Re-irradiation of Persistent or Recurrent Non-Small Cell Lung Cancer. International Journal of Radiation Oncology Biology Physics, 2014, 88, 1114-1119. | 0.4 | 79 |
| 7 | Local High-Dose Radiotherapy Induces Systemic Immunomodulating Effects of Potential Therapeutic Relevance in Oligometastatic Breast Cancer. Frontiers in Immunology, 2017, 8, 1476. | 2.2 | 54 |
| 8 | Tomotherapy after Pleurectomy/Decortication or Biopsy for Malignant Pleural Mesothelioma Allows the Delivery of High Dose of Radiation in Patients with Intact Lung. Journal of Thoracic Oncology, 2012, 7, 1862-1866. | 0.5 | 53 |
| 9 | Metronomic oral vinorelbine in advanced breast cancer and non-small-cell lung cancer: current status and future development. Future Oncology, 2016, 12, 373-387. | 1.1 | 43 |
| 10 | LKB1 Expression Correlates with Increased Survival in Patients with Advanced Non–Small Cell Lung Cancer Treated with Chemotherapy and Bevacizumab. Clinical Cancer Research, 2017, 23, 3316-3324. | 3.2 | 43 |
| 11 | Radical Radiation Therapy After Lung-Sparing Surgery for Malignant Pleural Mesothelioma: Survival, Pattern of Failure, and Prognostic Factors. International Journal of Radiation Oncology Biology Physics, 2015, 93, 606-613. | 0.4 | 42 |
| 12 | Efficacy and safety of rechallenge treatment with gefitinib in patients with advanced non-small cell lung cancer. Lung Cancer, 2016, 99, 31-37. | 0.9 | 31 |
| 13 | First-Line Osimertinib in Patients with <i>EGFR</i> -Mutant Advanced Non-Small Cell Lung Cancer: Outcome and Safety in the Real World: FLOWER Study. Oncologist, 2022, 27, 87-e115. | 1.9 | 25 |
| 14 | Safety of First-line Chemotherapy with Metronomic Single-agent Oral Vinorelbine in Elderly Patients with NSCLC. Anticancer Research, 2017, 37, 3189-3194. | 0.5 | 20 |
| 15 | Clinical Features and Progression Pattern of Acquired T790M-positive Compared With T790M-negative EGFR Mutant Non–small-cell Lung Cancer: Catching Tumor and Clinical Heterogeneity Over Time Through Liquid Biopsy. Clinical Lung Cancer, 2020, 21, 1-14.e3. | 1.1 | 19 |
| 16 | Phase II study of liposome-encapsulated doxorubicin plus cyclophosphamide, followed by sequential trastuzumab plus docetaxel as primary systemic therapy for breast cancer patients withAHER2 overexpression or amplification. Breast, 2013, 22, 1101-1107. | 0.9 | 16 |
| 17 | Concurrent chemoradiotherapy with tomotherapy in locally advanced non-small cell lung cancer: a phase i, docetaxel dose-escalation study, with hypofractionated radiation regimen. BMC Cancer, 2013, 13, 513. | 1.1 | 16 |
| 18 | Complete Response of Colorectal Liver Metastases after Intra-Arterial Chemotherapy. Tumori, 2008, 94, 489-492. | 0.6 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Radical Hemithoracic Radiotherapy Versus Palliative Radiotherapy in Non-metastatic Malignant Pleural Mesothelioma: Results from a Phase 3 Randomized Clinical Trial. International Journal of Radiation Oncology Biology Physics, 2021, 109, 1368-1376. | 0.4 | 13 |
| 20 | Final results of the SENECA (SEcond line NintEdanib in non-small cell lung CAncer) trial. Lung Cancer, 2019, 134, 210-217. | 0.9 | 12 |
| 21 | Oral maintenance metronomic vinorelbine versus best supportive care in advanced non-small-cell lung cancer after platinum-based chemotherapy: The MA.NI.LA. multicenter, randomized, controlled, phase II trial. Lung Cancer, 2019, 132, 17-23. | 0.9 | 12 |
| 22 | Chemotherapy-induced nausea and vomiting (CINV) in patients with advanced lung cancer during the first-line treatment: assessment by physicians, nurses, and patients from an Italian multicenter survey. Supportive Care in Cancer, 2018, 26, 1841-1849. | 1.0 | 10 |
| 23 | Bisphosphonate-Induced Osteonecrosis of the Jaw 32 Months After Interruption of Zoledronate in a Patient With Multiple Myeloma. Journal of Oral and Maxillofacial Surgery, 2010, 68, 1179-1182. | 0.5 | 9 |
| 24 | Be-TeaM: An Italian real-world observational study on second-line therapy for EGFR-mutated NSCLC patients. Lung Cancer, 2020, 140, 71-79. | 0.9 | 8 |
| 25 | Diagnosis of Malignant Pleural Effusion Using CT Scan and Pleural-Fluid Cytology Together. A Preliminary Case–Control Study. Anticancer Research, 2020, 40, 1135-1139. | 0.5 | 8 |
| 26 | Acquired Resistance to Osimertinib in EGFR-Mutated Non-Small Cell Lung Cancer: How Do We Overcome It?. International Journal of Molecular Sciences, 2022, 23, 6936. | 1.8 | 8 |
| 27 | A Multi-Center, Real-Life Experience on Liquid Biopsy Practice for EGFR Testing in Non-Small Cell Lung Cancer (NSCLC) Patients. Diagnostics, 2020, 10, 765. | 1.3 | 7 |
| 28 | Real-world data on treatment outcomes in EGFR-mutant non-small-cell lung cancer patients receiving osimertinib in second or further lines. Future Oncology, 2021, 17, 2513-2527. | 1.1 | 7 |
| 29 | Patients' Attitudes and Physicians' Perceptions Toward Maintenance Therapy for Advanced Non–Small-cell Lung Cancer: A Multicenter Italian Survey. Clinical Lung Cancer, 2017, 18, 381-387. | 1.1 | 6 |
| 30 | Diagnostic Accuracy of Pleural Fluid Cytology, Carcinoembryonic Antigen and C-Reactive Protein Together in Patients With Pulmonary Metastases and Malignant Pleural Effusion. Anticancer Research, 2020, 40, 5877-5881. | 0.5 | 6 |
| 31 | Cyclophosphamide with or without fluorouracil followed by subcutaneous or intravenous interleukin-2 use in solid tumors: A feasibility off-label experience. Cytokine, 2019, 113, 50-60. | 1.4 | 5 |
| 32 | Real-world outcomes according to treatment strategies in ALK-rearranged non-small-cell lung cancer (NSCLC) patients: an Italian retrospective study. Clinical and Translational Oncology, 2020, 22, 294-301. | 1.2 | 4 |
| 33 | Women With Synchronous or Metachronous Lung and Ovarian Cancer: A Multi-Institutional Report. In Vivo, 2019, 33, 2021-2026. | 0.6 | 3 |
| 34 | Fludarabine combination therapy for follicular lymphoma followed by acute myeloid leukemia: two further case records. Leukemia, 2008, 22, 1781-1782. | 3.3 | 1 |
| 35 | 77P Glycolytic marker monocarboxylate transporter 4 (MCT4) and outcome to bevacizumab (bev): An exploratory analysis in advanced non-small cell lung cancer (A-NSCLC). Journal of Thoracic Oncology, 2016, 11, S88. | 0.5 | 1 |
| 36 | Esophageal ultrasound with ultrasound bronchoscope (EUS-B) guided left adrenal biopsy: Case report with review of literature. Respiratory Medicine Case Reports, 2019, 26, 154-156. | 0.2 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Neoadjuvant chemotherapy with nonpegylated liposome-encapsulated doxorubicin (NPLD) plus cyclophosphamide followed by trastuzumab plus nabpaclitaxel for HER2-positive breast cancer (BC) Journal of Clinical Oncology, 2014, 32, 648-648. | 0.8 | 1 |
| 38 | Cyclophosphamide with (+)/without (-) fluorouracil followed by subcutaneous or intravenous interleukin-2 in solid tumors: An off-label experience Journal of Clinical Oncology, 2017, 35, e14621-e14621. | 0.8 | 1 |
| 39 | 51P Diagnostic value of carcinoembryonic antigen, lactate dehydrogenase and C-reactive protein in patients with pleural effusion undergoing VATS thoracentesis. Journal of Thoracic Oncology, 2016, 11, S76. | 0.5 | 0 |
| 40 | 49P Accuracy of pleural fluid cytology in patients with malignant pleural effusion from non-small-cell lung cancer, pulmonary metastases and pleural mesothelioma. A case–control study. Journal of Thoracic Oncology, 2016, 11, S75. | 0.5 | 0 |
| 41 | Interleukin-2 (IL-2) chrono-infusion (CHI) in metastatic renal cell carcinoma (mRCC): A phase I/II study Journal of Clinical Oncology, 2012, 30, 423-423. | 0.8 | 0 |
| 42 | Offlabel nab-paclitaxel: Gemcitabine chemotherapy in advanced pancreatic cancer—A monoinstitutional experience Journal of Clinical Oncology, 2014, 32, e15239-e15239. | 0.8 | 0 |
| 43 | Everolimus plus exemestane for hormone resistant metastatic breast cancer (MBC): A single institutional experience Journal of Clinical Oncology, 2015, 33, e11576-e11576. | 0.8 | 0 |
| 44 | Randomized, double-blind, placebo-controlled trial of evofosfamide (Evo) and pemetrexed (Pem) in advanced non-squamous non-small cell lung cancer (n-s NSCLC) Journal of Clinical Oncology, 2016, 34, 9075-9075. | 0.8 | 0 |
| 45 | Listening understanding and acting (lung): focus on communicational issue in thoracic oncology. Translational Cancer Research, 2018, 8, S16-S22. | 0.4 | 0 |
| 46 | A randomized phase II trial of maintenance oral metronomic vinorelbine versus close observation in advanced non-small cell lung cancer (NSCLC) following platinum-based chemotherapy: MA.NI.LA. trial Journal of Clinical Oncology, 2018, 36, e21101-e21101. | 0.8 | 0 |
| 47 | Clinical features and progression pattern of T790M+ compared with T790M-EGFR mutant NSCLC Journal of Clinical Oncology, 2019, 37, e20612-e20612. | 0.8 | 0 |
| 48 | Cyclophosphamide, Fluorouracil and subcutaneous Interleukin-2 in the treatment of advanced GIST: A Case Report. Surgical Case Reports, 2019, , 1-5. | 0.0 | 0 |