Aysen Gargili

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/802603/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	High prevalence and different genotypes of Crimean-Congo hemorrhagic fever virus genome in questing unfed adult Hyalomma marginatum in Thrace, Turkey. Ticks and Tick-borne Diseases, 2021, 12, 101622.	2.7	6
2	The Effects of Nitric Oxide and Inhibitor, and Combination of Albendazole and Praziquantel On Liver in Mice Injected with Echinococcus granulosus Larvae. Acta Tropica, 2021, 219, 105917.	2.0	5
3	Interactions of Human Dermal Dendritic Cells and Langerhans Cells Treated with Hyalomma Tick Saliva with Crimean-Congo Hemorrhagic Fever Virus. Viruses, 2018, 10, 381.	3.3	16
4	The role of ticks in the maintenance and transmission of Crimean-Congo hemorrhagic fever virus: A review of published field and laboratory studies. Antiviral Research, 2017, 144, 93-119.	4.1	159
5	Cryptosporidiosis in Humans with Reference to the First Case of Cryptosporidium hominis Infection in Turkey. Haseki Tip Bulteni, 2017, 55, 194-198.	0.3	3
6	Revisiting detachment techniques in human-biting ticks. Journal of the American Academy of Dermatology, 2016, 75, 393-397.	1.2	12
7	External morphological anomalies in ixodid ticks from Thrace, Turkey. Experimental and Applied Acarology, 2015, 67, 457-466.	1.6	28
8	Evaluation of 10 Cases of Lyme Disease Presenting with Erythema Migrans in Istanbul, Turkey. Mikrobiyoloji Bulteni, 2015, 49, 525-531.	0.4	4
9	Preferences of different tick species for human hosts in Turkey. Experimental and Applied Acarology, 2013, 61, 349-355.	1.6	22
10	Borrelia burgdorferi s.l. and Rickettsia spp. in Ticks Collected from European Part of Turkey. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2013, , .	0.1	4
11	Influence of laboratory animal hosts on the life cycle of Hyalomma marginatum and implications for an in vivo transmission model for Crimean-Congo hemorrhagic fever virus. Frontiers in Cellular and Infection Microbiology, 2013, 3, 39.	3.9	29
12	<i>Rickettsia</i> Species in Ticks Removed from Humans in Istanbul, Turkey. Vector-Borne and Zoonotic Diseases, 2012, 12, 938-941.	1.5	49
13	The effects of dietary oregano essential oil on live performance, carcass yield, serum immunoglobulin G level, and oocyst count in broilers. Journal of Applied Poultry Research, 2012, 21, 630-636.	1.2	42
14	Crimean-Congo Hemorrhagic Fever in European Part of Turkey: Genetic Analysis of the Virus Strains from Ticks and a Seroepidemiological Study in Humans. Vector-Borne and Zoonotic Diseases, 2011, 11, 747-752.	1.5	45
15	The trend towards habitat fragmentation is the key factor driving the spread of Crimean-Congo haemorrhagic fever. Epidemiology and Infection, 2010, 138, 1194-1203.	2.1	58
16	The first clinical case due to AP92 like strain of Crimean-Congo Hemorrhagic Fever virus and a field survey. BMC Infectious Diseases, 2009, 9, 90.	2.9	89
17	Ticks biting humans in the urban area of Istanbul. Parasitology Research, 2008, 102, 551-553.	1.6	54
18	Modeling the Spatial Distribution of Crimean-Congo Hemorrhagic Fever Outbreaks in Turkey. Vector-Borne and Zoonotic Diseases, 2007, 7, 667-678.	1.5	77

#	Article	IF	CITATIONS
19	An early warning system for Crimean-Congo haemorrhagic fever seasonality in Turkey based on remote sensing technology. Geospatial Health, 2007, 2, 127.	0.8	31
20	Imported Crimean-Congo hemorrhagic fever cases in Istanbul. BMC Infectious Diseases, 2007, 7, 54.	2.9	46
21	Seroepidemiology of Borrelia burgdorferi sensu lato and Anaplasma phagocytophilum in wild mice captured in Northern Turkey. Epidemiology and Infection, 2005, 133, 331-336.	2.1	7