

# Anders Dalsgaard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8026553/publications.pdf>

Version: 2024-02-01

84  
papers

2,247  
citations

218381

26  
h-index

264894

42  
g-index

85  
all docs

85  
docs citations

85  
times ranked

2866  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Salmonella Salamae and S. Waycross isolated from Nile perch in Lake Victoria show limited human pathogenic potential. <i>Scientific Reports</i> , 2022, 12, 4229.   | 1.6 | 7         |
| 2  | Rectal Colonization and Nosocomial Transmission of Carbapenem-Resistant <i>Acinetobacter baumannii</i> in an Intensive Care Unit, Southwest Nigeria. <i>Frontiers in Medicine</i> , 2022, 9, 846051.  | 1.2 | 8         |
| 3  | Characterisation of <i>Salmonella</i> Enteritidis ST11 and ST1925 Associated with Human Intestinal and Extra-Intestinal Infections in Singapore. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5671.   | 1.2 | 5         |
| 4  | Characterization of antimicrobial-resistant <i>Staphylococcus aureus</i> from retail foods in Beijing, China. <i>Food Microbiology</i> , 2021, 93, 103603.  | 2.1 | 26        |
| 5  | Genomic Analysis of Antimicrobial Resistance and Resistance Plasmids in <i>Salmonella</i> Serovars from Poultry in Nigeria. <i>Antibiotics</i> , 2021, 10, 99.  | 1.5 | 29        |
| 6  | Large-Scale <i>Staphylococcus aureus</i> Foodborne Disease Poisoning Outbreak among Primary School Children. <i>Microbiology Research</i> , 2021, 12, 43-52.  | 0.8 | 25        |
| 7  | The Incidence, Intensity, and Risk Factors for Soil Transmissible Helminthes Infections among Waste Handlers in a Large Coastal Periurban Settlement in Southern Ghana. <i>Journal of Environmental and Public Health</i> , 2021, 2021, 1-12. | 0.4 | 4         |
| 8  | ESBL and AmpC $\beta$ -Lactamase Encoding Genes in <i>E. coli</i> From Pig and Pig Farm Workers in Vietnam and Their Association With Mobile Genetic Elements. <i>Frontiers in Microbiology</i> , 2021, 12, 629139.                           | 1.5 | 16        |
| 9  | Association between antimicrobial usage and resistance in <i>Salmonella</i> from poultry farms in Nigeria. <i>BMC Veterinary Research</i> , 2021, 17, 234.  | 0.7 | 26        |
| 10 | Genetic Comparison of ESBL-Producing <i>Escherichia coli</i> from Workers and Pigs at Vietnamese Pig Farms. <i>Antibiotics</i> , 2021, 10, 1165.  | 1.5 | 9         |
| 11 | Co-occurrence of antimicrobial and metal resistance genes in pig feces and agricultural fields fertilized with slurry. <i>Science of the Total Environment</i> , 2021, 792, 148259.   | 3.9 | 21        |
| 12 | Research note: Occurrence of <i>mcr-1</i> encoded colistin resistance in <i>Escherichia coli</i> from pigs and pig farm workers in Vietnam. <i>FEMS Microbes</i> , 2021, 1, .   | 0.8 | 2         |
| 13 | Molecular Characteristics and Zoonotic Potential of <i>Salmonella</i> Weltevreden From Cultured Shrimp and Tilapia in Vietnam and China. <i>Frontiers in Microbiology</i> , 2020, 11, 1985.   | 1.5 | 15        |
| 14 | Prevalence and risk factors of <i>Salmonella</i> in commercial poultry farms in Nigeria. <i>PLoS ONE</i> , 2020, 15, e0238190.  | 1.1 | 31        |
| 15 | Dietary Risk Assessment Due to the Consumption of Polycyclic Aromatic Hydrocarbon in Two Commonly Consumed Street Vended Foods. <i>Polycyclic Aromatic Compounds</i> , 2020, , 1-11.  | 1.4 | 2         |
| 16 | Health risks of toxic metals (Al, Fe and Pb) in two common street vended foods, fufu and fried-rice, in Kumasi, Ghana. <i>Scientific African</i> , 2020, 7, e00289.   | 0.7 | 10        |
| 17 | Distribution of <i>Salmonella</i> Serovars in Humans, Foods, Farm Animals and Environment, Companion and Wildlife Animals in Singapore. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5774.            | 1.2 | 17        |
| 18 | The association between meat inspection codes, footpad lesions and thinning of broiler flocks in the Danish broiler production. <i>Preventive Veterinary Medicine</i> , 2020, 185, 105205.  | 0.7 | 9         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Prevalence and genomic characterization of Salmonella Weltevreden in commercial pig feed. <i>Veterinary Microbiology</i> , 2020, 246, 108725.  | 0.8 | 18        |
| 20 | Influence of zinc on CTX-M-1 $\beta$ -lactamase expression in <i>Escherichia coli</i> . <i>Journal of Global Antimicrobial Resistance</i> , 2020, 22, 613-619.   | 0.9 | 6         |
| 21 | Nisin Damages the Septal Membrane and Triggers DNA Condensation in Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 1007.   | 1.5 | 32        |
| 22 | Genome-Based Analysis of Extended-Spectrum $\beta$ -Lactamase-Producing <i>Escherichia coli</i> in the Aquatic Environment and Nile Perch ( <i>Lates niloticus</i> ) of Lake Victoria, Tanzania. <i>Frontiers in Microbiology</i> , 2020, 11, 108. | 1.5 | 16        |
| 23 | Risk of faecal pollution among waste handlers in a resource-deprived coastal peri-urban settlement in Southern Ghana. <i>PLoS ONE</i> , 2020, 15, e0239587.  | 1.1 | 6         |
| 24 | Prevalence and risk factors of Salmonella in commercial poultry farms in Nigeria. , 2020, 15, e0238190.  |     | 0         |
| 25 | Prevalence and risk factors of Salmonella in commercial poultry farms in Nigeria. , 2020, 15, e0238190.  |     | 0         |
| 26 | Prevalence and risk factors of Salmonella in commercial poultry farms in Nigeria. , 2020, 15, e0238190.  |     | 0         |
| 27 | Prevalence and risk factors of Salmonella in commercial poultry farms in Nigeria. , 2020, 15, e0238190.  |     | 0         |
| 28 | Total Dietary Intake and Health Risks Associated with Exposure to Aflatoxin B1, Ochratoxin A and Fuminisins of Children in Lao Cai Province, Vietnam. <i>Toxins</i> , 2019, 11, 638.   | 1.5 | 14        |
| 29 | Antimicrobial Resistance and Virulence Gene Profiles of Methicillin-Resistant and -Susceptible <i>Staphylococcus aureus</i> From Food Products in Denmark. <i>Frontiers in Microbiology</i> , 2019, 10, 2681.                                      | 1.5 | 33        |
| 30 | Cholera hotspots and surveillance constraints contributing to recurrent epidemics in Tanzania. <i>BMC Research Notes</i> , 2019, 12, 664.  | 0.6 | 7         |
| 31 | Evaluation of antimicrobial products used in tilapia ( <i>Oreochromis spp.</i> ) and whiteleg shrimp ( <i>Litopenaeus vannamei</i> ) aquaculture. <i>Aquaculture Research</i> , 2019, 50, 925-933.   | 0.9 | 2         |
| 32 | Surveillance and Genomics of Toxigenic <i>Vibrio cholerae</i> O1 From Fish, Phytoplankton and Water in Lake Victoria, Tanzania. <i>Frontiers in Microbiology</i> , 2019, 10, 901.  | 1.5 | 20        |
| 33 | Tilapia ( <i>Oreochromis niloticus</i> ) as a Putative Reservoir Host for Survival and Transmission of <i>Vibrio cholerae</i> O1 Biotype El Tor in the Aquatic Environment. <i>Frontiers in Microbiology</i> , 2019, 10, 1215.                     | 1.5 | 16        |
| 34 | Bacterial content and characterization of antibiotic resistant <i>Staphylococcus aureus</i> in Danish sushi products and association with food inspector rankings. <i>International Journal of Food Microbiology</i> , 2019, 305, 108244.          | 2.1 | 18        |
| 35 | Probabilistic modeling for an integrated temporary acquired immunity with norovirus epidemiological data. <i>Infectious Disease Modelling</i> , 2019, 4, 99-114.   | 1.2 | 1         |
| 36 | Prevalence and characterisation of Salmonella Waycross and Salmonella enterica subsp. salamae in Nile perch ( <i>Lates niloticus</i> ) of Lake Victoria, Tanzania. <i>Food Control</i> , 2019, 100, 28-34.   | 2.8 | 11        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Cephalosporin-resistant <i>Escherichia coli</i> isolated from farm workers and pigs in northern Vietnam. <i>Tropical Medicine and International Health</i> , 2018, 23, 415-424.  | 1.0 | 20        |
| 38 | Quality of antimicrobial products used in white leg shrimp ( <i>Litopenaeus vannamei</i> ) aquaculture in Northern Vietnam. <i>Aquaculture</i> , 2018, 482, 167-175.   | 1.7 | 16        |
| 39 | The Use of a Combined Bioinformatics Approach to Locate Antibiotic Resistance Genes on Plasmids From Whole Genome Sequences of <i>Salmonella enterica</i> Serovars From Humans in Ghana. <i>Frontiers in Microbiology</i> , 2018, 9, 1010.                                       | 1.5 | 38        |
| 40 | Leaching of viruses and other microorganisms naturally occurring in pig slurry to tile drains on a well-structured loamy field in Denmark. <i>Hydrogeology Journal</i> , 2017, 25, 1045-1062.  | 0.9 | 16        |
| 41 | <i>Salmonella</i> Weltevreden in integrated and non-integrated tilapia aquaculture systems in Guangdong, China. <i>Food Microbiology</i> , 2017, 65, 19-24.  | 2.1 | 24        |
| 42 | Use practices of antimicrobials and other compounds by shrimp and fish farmers in Northern Vietnam. <i>Aquaculture Reports</i> , 2017, 7, 40-47.   | 0.7 | 55        |
| 43 | Microbial quality and safety of fresh and dried <i>Rastrineobola argentea</i> from Lake Victoria, Tanzania. <i>Food Control</i> , 2017, 81, 16-22.   | 2.8 | 7         |
| 44 | Probabilistic quantitative microbial risk assessment model of norovirus from wastewater irrigated vegetables in Ghana using genome copies and fecal indicator ratio conversion for estimating exposure dose. <i>Science of the Total Environment</i> , 2017, 601-602, 1712-1719. | 3.9 | 22        |
| 45 | Sources and fate of antimicrobials in integrated fish-pig and non-integrated tilapia farms. <i>Science of the Total Environment</i> , 2017, 595, 393-399.  | 3.9 | 13        |
| 46 | Prevalence and characterization of <i>Salmonella</i> among humans in Ghana. <i>Tropical Medicine and Health</i> , 2017, 45, 3.   | 1.0 | 44        |
| 47 | Prevalence and antibiotic resistance of coagulase-negative <i>Staphylococci</i> isolated from poultry farms in three regions of Ghana. <i>Infection and Drug Resistance</i> , 2017, Volume 10, 175-183.  | 1.1 | 28        |
| 48 | Toxigenic <i>Vibrio cholerae</i> O1 in vegetables and fish raised in wastewater irrigated fields and stabilization ponds during a non-cholera outbreak period in Morogoro, Tanzania: an environmental health study. <i>BMC Research Notes</i> , 2016, 9, 466.                    | 0.6 | 40        |
| 49 | Dietary exposure to aflatoxin B <sub>1</sub> , ochratoxin A and fumonisins of adults in Lao Cai province, Viet Nam: A total dietary study approach. <i>Food and Chemical Toxicology</i> , 2016, 98, 127-133.   | 1.8 | 46        |
| 50 | Environmental contamination and transmission of <i>Ascaris suum</i> in Danish organic pig farms. <i>Parasites and Vectors</i> , 2016, 9, 80.   | 1.0 | 33        |
| 51 | Aflatoxins and fumonisins in rice and maize staple cereals in Northern Vietnam and dietary exposure in different ethnic groups. <i>Food Control</i> , 2016, 70, 191-200.   | 2.8 | 39        |
| 52 | Management measures to control diseases reported by tilapia ( <i>Oreochromis</i> spp.) and whiteleg shrimp ( <i>Litopenaeus vannamei</i> ) farmers in Guangdong, China. <i>Aquaculture</i> , 2016, 457, 91-99.   | 1.7 | 52        |
| 53 | An evaluation of fish health-management practices and occupational health hazards associated with <i>Pangasius catfish</i> ( <i>Pangasianodon hypophthalmus</i> ) aquaculture in the Mekong Delta, Vietnam. <i>Aquaculture Research</i> , 2016, 47, 2778-2794.                   | 0.9 | 35        |
| 54 | <i>Cryptosporidium</i> and <i>Giardia</i> in Danish organic pig farms: Seasonal and age-related variation in prevalence, infection intensity and species/genotypes. <i>Veterinary Parasitology</i> , 2015, 214, 29-39.   | 0.7 | 47        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The role of rice fields, fish ponds and water canals for transmission of fish-borne zoonotic trematodes in aquaculture ponds in Nam Dinh Province, Vietnam. <i>Parasites and Vectors</i> , 2015, 8, 625.   | 1.0 | 26        |
| 56 | Quality of Antimicrobial Products Used in Striped Catfish ( <i>Pangasianodon hypophthalmus</i> ) Aquaculture in Vietnam. <i>PLoS ONE</i> , 2015, 10, e0124267.   | 1.1 | 29        |
| 57 | Multidrug-Resistant <i>Streptococcus pneumoniae</i> Isolates from Healthy Ghanaian Preschool Children. <i>Microbial Drug Resistance</i> , 2015, 21, 636-642.   | 0.9 | 12        |
| 58 | Elimination of enrofloxacin in striped catfish ( <i>Pangasianodon hypophthalmus</i> ) following on-farm treatment. <i>Aquaculture</i> , 2015, 438, 1-5.  | 1.7 | 28        |
| 59 | Integrated parasite management: path to sustainable control of fishborne trematodes in aquaculture. <i>Trends in Parasitology</i> , 2015, 31, 8-15.  | 1.5 | 32        |
| 60 | Clonal distribution of pneumococcal serotype 19F isolates from Ghana. <i>Infection, Genetics and Evolution</i> , 2015, 31, 68-72.  | 1.0 | 2         |
| 61 | Transmission of antibiotic-resistant <i>Escherichia coli</i> between cattle, humans and the environment in peri-urban livestock keeping communities in Morogoro, Tanzania. <i>Preventive Veterinary Medicine</i> , 2015, 118, 477-482.                 | 0.7 | 36        |
| 62 | Withdrawal time for sulfamethoxazole and trimethoprim following treatment of striped catfish ( <i>Pangasianodon hypophthalmus</i> ) and hybrid red tilapia ( <i>Oreochromis mossambicus</i> — <i>Oreochromis</i> ) Tj ETQq0 0 0 ngBT /Overlock 10 Tf 5 | 1.1 | 10        |
| 63 | Identification and Antimicrobial Resistance of Bacteria Isolated from Probiotic Products Used in Shrimp Culture. <i>PLoS ONE</i> , 2015, 10, e0132338.   | 1.1 | 42        |
| 64 | Clonal Occurrence of <i>Salmonella Weltevreden</i> in Cultured Shrimp in the Mekong Delta, Vietnam. <i>PLoS ONE</i> , 2015, 10, e0134252.  | 1.1 | 29        |
| 65 | A Quantitative Assessment Method for <i>Ascaris</i> Eggs on Hands. <i>PLoS ONE</i> , 2014, 9, e96731.  | 1.1 | 14        |
| 66 | High Reinfection Rate after Preventive Chemotherapy for Fishborne Zoonotic Trematodes in Vietnam. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2958.  | 1.3 | 14        |
| 67 | Reinfection of Dogs with Fish-Borne Zoonotic Trematodes in Northern Vietnam following a Single Treatment with Praziquantel. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2625.  | 1.3 | 8         |
| 68 | Simple Fecal Flotation Is a Superior Alternative to Quadruple Kato Katz Smear Examination for the Detection of Hookworm Eggs in Human Stool. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3313.   | 1.3 | 33        |
| 69 | Water used to moisten vegetables is a source of <i>Escherichia coli</i> and protozoan parasite contamination at markets in Hanoi, Vietnam. <i>Journal of Water and Health</i> , 2014, 12, 896-900.   | 1.1 | 10        |
| 70 | Survival of <i>Salmonella</i> spp. and fecal indicator bacteria in Vietnamese biogas digesters receiving pig slurry. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 785-795.  | 2.1 | 27        |
| 71 | Hygienic aspects of livestock manure management and biogas systems operated by small-scale pig farmers in Vietnam. <i>Science of the Total Environment</i> , 2014, 470-471, 53-57.   | 3.9 | 32        |
| 72 | The prevalence and diversity of intestinal parasitic infections in humans and domestic animals in a rural Cambodian village. <i>Parasitology International</i> , 2014, 63, 597-603.  | 0.6 | 95        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Survival of <i>Ascaris suum</i> and <i>Ascaridia galli</i> eggs in liquid manure at different ammonia concentrations and temperatures. <i>Veterinary Parasitology</i> , 2014, 204, 249-257.       | 0.7 | 21        |
| 74 | Development and survival of <i>Ascaris suum</i> eggs in deep litter of pigs. <i>Parasitology</i> , 2014, 141, 1646-1656.  | 0.7 | 7         |
| 75 | Risks for fishborne zoonotic trematodes in <i>Tilapia</i> production systems in Guangdong province, China. <i>Veterinary Parasitology</i> , 2013, 198, 223-229.                                   | 0.7 | 22        |
| 76 | Use of veterinary medicines, feed additives and probiotics in four major internationally traded aquaculture species farmed in Asia. <i>Aquaculture</i> , 2013, 412-413, 231-243.                  | 1.7 | 288       |
| 77 | Viability of <i>Ascaris suum</i> eggs in stored raw and separated liquid slurry. <i>Parasitology</i> , 2013, 140, 378-384.  | 0.7 | 8         |
| 78 | Smell: an overlooked factor in sanitation promotion. <i>Waterlines</i> , 2013, 32, 106-112.   | 0.1 | 18        |
| 79 | <i>Escherichia coli</i> Contamination of Fish Raised in Integrated Pig-Fish Aquaculture Systems in Vietnam. <i>Journal of Food Protection</i> , 2012, 75, 1317-1319.                              | 0.8 | 22        |
| 80 | <i>Enterococcus</i> and <i>Streptococcus</i> spp. associated with chronic and self-medicated urinary tract infections in Vietnam. <i>BMC Infectious Diseases</i> , 2012, 12, 320.                 | 1.3 | 24        |
| 81 | Impact of Medicated Feed on the Development of Antimicrobial Resistance in Bacteria at Integrated Pig-Fish Farms in Vietnam. <i>Applied and Environmental Microbiology</i> , 2011, 77, 4494-4498. | 1.4 | 53        |
| 82 | Fate and risks of potentially toxic elements in wastewater-fed food production systems—the examples of Cambodia and Vietnam. <i>Irrigation and Drainage Systems</i> , 2010, 24, 127-142.          | 0.5 | 7         |
| 83 | Hygiene and sanitation among ethnic minorities in Northern Vietnam: Does government promotion match community priorities?. <i>Social Science and Medicine</i> , 2010, 71, 994-1001.               | 1.8 | 61        |
| 84 | Impact of Integrated Fish Farming on Antimicrobial Resistance in a Pond Environment. <i>Applied and Environmental Microbiology</i> , 2002, 68, 6036-6042.   | 1.4 | 175       |