
Eric Pui Fung Chow

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8026674/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Understanding the duration of tongue kissing among female sex workers for potential oropharyngeal–oropharyngeal gonorrhoea transmission. Sexually Transmitted Infections, 2023, 99, 75-76.	0.8	1
2	Comparison of the patterns of chlamydia and gonorrhoea at the oropharynx, anorectum and urethra among men who have sex with men. Sexually Transmitted Infections, 2022, 98, 11-16.	0.8	16
3	The Impact of Mouthwash on the Oropharyngeal Microbiota of Men Who Have Sex with Men: a Substudy of the OMEGA Trial. Microbiology Spectrum, 2022, , e0175721.	1.2	5
4	Combination Therapy for <i>Mycoplasma genitalium</i> , and New Insights Into the Utility of <i>parC</i> Mutant Detection to Improve Cure. Clinical Infectious Diseases, 2022, 75, 813-823.	2.9	24
5	Response time to an SMS link for a sexual health survey. Sexual Health, 2022, , .	0.4	1
6	Trichomoniasis among men presenting to a sexual health clinic in Melbourne, Australia. Sexual Health, 2022, 19, 70-73.	0.4	1
7	Universal lymphogranuloma venereum (LGV) testing of rectal chlamydia in men who have sex with men and detection of asymptomatic LGV. Sexually Transmitted Infections, 2022, 98, 582-585.	0.8	10
8	HIV testing frequency and associated factors among five key populations in ten cities of China: a cross-sectional study. BMC Infectious Diseases, 2022, 22, 195.	1.3	6
9	HIV and STI Testing Preferences for Men Who Have Sex with Men in High-Income Countries: A Scoping Review. International Journal of Environmental Research and Public Health, 2022, 19, 3002.	1.2	13
10	Factors associated with group sex in heterosexual males and females attending a sexual health clinic in Melbourne, Australia: a cross-sectional survey. Sexual Health, 2022, 19, 39-45.	0.4	1
11	Sexual mixing patterns among male–female partnerships in Melbourne, Australia. Sexual Health, 2022, 19, 33-38.	0.4	1
12	A cross-sectional study of male and female kissing partners among men who have sex with men. Sexual Health, 2022, 19, 27-32.	0.4	1
13	Newly arrived Asian-born gay men in Australia: exploring men's HIV knowledge, attitudes, prevention strategies and facilitators toward safer sexual practices. BMC Infectious Diseases, 2022, 22, 209.	1.3	11
14	Improving Access to Sexual Health Services in General Practice Using a Hub-and-Spoke Model: A Mixed-Methods Evaluation. International Journal of Environmental Research and Public Health, 2022, 19, 3935.	1.2	2
15	A Machine-Learning-Based Risk-Prediction Tool for HIV and Sexually Transmitted Infections Acquisition over the Next 12 Months. Journal of Clinical Medicine, 2022, 11, 1818.	1.0	17
16	Sexual Activities and Changes in Condom Use in Group Sex Events Among Female Sex Workers in Melbourne, Australia. Frontiers in Public Health, 2022, 10, 834901.	1.3	2
17	The diagnostic accuracy of pooled testing from multiple individuals for the detection of Chlamydia trachomatis and Neisseria gonorrhoeae: a systematic review. International Journal of Infectious Diseases, 2022, 118, 183-193.	1.5	4
18	Human Papillomavirus Antibody Levels Following Vaccination or Natural Infection Among Young Men Who Have Sex With Men. Clinical Infectious Diseases, 2022, 75, 323-329.	2.9	4

#	Article	IF	CITATIONS
19	Is the end of gonorrhoea in sight?. Lancet Infectious Diseases, The, 2022, 22, 919-921.	4.6	4
20	ls SMS text or email more effective for recruitment into sexual health research?. Sexually Transmitted Infections, 2022, 98, 390-390.	0.8	4
21	Characterisation of Treponema pallidum lineages within the contemporary syphilis outbreak in Australia: a genomic epidemiological analysis. Lancet Microbe, The, 2022, 3, e417-e426.	3.4	19
22	Preferences for HIV Testing Services and HIV Self-Testing Distribution Among Migrant Gay, Bisexual, and Other Men Who Have Sex With Men in Australia. Frontiers in Medicine, 2022, 9, 839479.	1.2	3
23	Preferences of men who have sex with men for performing anal self-examination for the detection of anal syphilis in Australia: A discrete choice experiment. The Lancet Regional Health - Western Pacific, 2022, 21, 100401.	1.3	1
24	Sampling time for self-taking an oropharyngeal swab for gonorrhoea and chlamydia testing. Sexual Health, 2022, , .	0.4	0
25	Inhibitory Activity of Antibacterial Mouthwashes and Antiseptic Substances against Neisseria gonorrhoeae. Antimicrobial Agents and Chemotherapy, 2022, , e0004222.	1.4	Ο
26	Real-world trends in incidence of bacterial sexually transmissible infections among gay and bisexual men using HIV pre-exposure prophylaxis (PrEP) in Australia following nationwide PrEP implementation: an analysis of sentinel surveillance data. Lancet Infectious Diseases, The, 2022, 22, 1231-1241.	4.6	17
27	Using machine learning approaches to predict timely clinic attendance and the uptake of HIV/STI testing post clinic reminder messages. Scientific Reports, 2022, 12, .	1.6	2
28	A cross-sectional survey on attitudes of men who have sex with men towards anal self-examination for detection of anal syphilis. Scientific Reports, 2022, 12, .	1.6	2
29	Human papillomavirus vaccine coverage in male-male partnerships attending a sexual health clinic in Melbourne, Australia. Human Vaccines and Immunotherapeutics, 2022, 18, .	1.4	Ο
30	Accessible health care is critical to the effective control of sexually transmitted infections. Sexual Health, 2022, , .	0.4	5
31	How is cervical cancer screening discussed with clients at a sexual health clinic in Melbourne, Australia?. Sexual Health, 2022, , .	0.4	О
32	Evidence supports use of on-demand PrEP for HIV prevention. Lancet HIV,the, 2022, , .	2.1	0
33	Patterns of Sexual Practices, Sexually Transmitted Infections and Other Genital Infections in Women Who Have Sex with Women Only (WSWO), Women Who Have Sex with Men Only (WSMO) and Women Who Have Sex with Men and Women (WSMW): Findings from a Sexual Health Clinic in Melbourne, Australia. 2011–2019. Archives of Sexual Behavior. 2022. 51. 2651-2665.	1.2	7
34	The acceptability and usability of two <scp>HIV</scp> selfâ€ŧest kits among men who have sex with men: a randomised crossover trial. Medical Journal of Australia, 2022, 217, 149-154.	0.8	6
35	Kissing, fellatio, and analingus as risk factors for oropharyngeal gonorrhoea in men who have sex with men: A cross-sectional study. EClinicalMedicine, 2022, 51, 101557.	3.2	8
36	Incidence and duration of incident oropharyngeal gonorrhoea and chlamydia infections among men who have sex with men: prospective cohort study. Sexually Transmitted Infections, 2021, 97, 452-458.	0.8	19

#	Article	IF	CITATIONS
37	Age pattern of sexual activities with the most recent partner among men who have sex with men in Melbourne, Australia: a cross-sectional study. BMJ Sexual and Reproductive Health, 2021, 47, e4-e4.	0.9	14
38	Love during lockdown: findings from an online survey examining the impact of COVID-19 on the sexual health of people living in Australia. Sexually Transmitted Infections, 2021, 97, 357-362.	0.8	98
39	Sex is associated with the persistence of nonâ€optimal vaginal microbiota following treatment for bacterial vaginosis: a prospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 756-767.	1.1	17
40	Predicting the diagnosis of HIV and sexually transmitted infections among men who have sex with men using machine learning approaches. Journal of Infection, 2021, 82, 48-59.	1.7	29
41	HIV non-occupational postexposure prophylaxis (nPEP) usage among five key populations in China. Sexually Transmitted Infections, 2021, 97, 411-413.	0.8	8
42	Associations between oral sex practices and frequent mouthwash use in heterosexuals: a cross-sectional survey in Melbourne, Australia. BMJ Open, 2021, 11, e041782.	0.8	1
43	Are <i>Mycoplasma hominis</i> , <i>Ureaplasma urealyticum</i> and <i>Ureaplasma parvum</i> Associated With Specific Genital Symptoms and Clinical Signs in Nonpregnant Women?. Clinical Infectious Diseases, 2021, 73, 659-668.	2.9	22
44	HIV non-occupational post-exposure prophylaxis (nPEP) awareness and promotion among five key populations in China: A cross-sectional study. The Lancet Regional Health - Western Pacific, 2021, 7, 100086.	1.3	3
45	Clinical Presentation of Incident Syphilis Among Men Who Have Sex with Men Taking HIV Pre-Exposure Prophylaxis in Melbourne, Australia. Clinical Infectious Diseases, 2021, 73, e934-e937.	2.9	9
46	Brief Report: Group Sex Among Men Who Have Sex With Men in the Era of PrEP: A Cross-Sectional Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, e23-e27.	0.9	4
47	Brief Report: Changes in PrEP Use, Sexual Practice, and Use of Face Mask During Sex Among MSM During the Second Wave of COVID-19 in Melbourne, Australia. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, 153-156.	0.9	33
48	Culture obtained from urethral swab of asymptomatic men who screen positive for Neisseria gonorrhoeae by urine nucleic acid amplification testing. Sexually Transmitted Infections, 2021, , sextrans-2020-054690.	0.8	2
49	Nonclassical Pathogens as Causative Agents of Proctitis in Men who Have Sex With Men. Open Forum Infectious Diseases, 2021, 8, ofab137.	0.4	11
50	Paying for Sex Among Males and Females: A Cross-Sectional Survey in Melbourne, Australia. Sexually Transmitted Diseases, 2021, 48, 195-199.	0.8	3
51	Global estimates for the lifetime cost of managing HIV. Aids, 2021, 35, 1273-1281.	1.0	11
52	Timing of primary syphilis treatment and impact on the development of treponemal antibodies: a cross-sectional clinic-based study. Sexually Transmitted Infections, 2021, , sextrans-2020-054739.	0.8	5
53	The Experience of Using Dating Applications for Sexual Hook-Ups: A Qualitative Exploration among HIV-Negative Men Who Have Sex With Men in Hong Kong. Journal of Sex Research, 2021, 58, 785-794.	1.6	7
54	Reflex Detection of Ciprofloxacin Resistance in Neisseria gonorrhoeae by Use of the SpeeDx ResistancePlus GC Assay. Journal of Clinical Microbiology, 2021, 59, .	1.8	13

#	Article	IF	CITATIONS
55	Spatial and Temporal Epidemiology of Infectious Syphilis in Victoria, Australia, 2015–2018. Sexually Transmitted Diseases, 2021, 48, e178-e182.	0.8	18
56	Developing and testing of an interactive internet-based intervention to reduce sexual harm of sexualised drug use (â€~chemsex') among men who have sex with men in Hong Kong: a study protocol for a randomised controlled trial. BMC Public Health, 2021, 21, 713.	1.2	6
57	HIV Testing and Diagnoses During the COVID-19 Pandemic in Melbourne, Australia. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, e114-e115.	0.9	23
58	Modelling the multiple anatomical site transmission of Mycoplasma genitalium among men who have sex with men in Australia. Scientific Reports, 2021, 11, 11087.	1.6	3
59	Oropharyngeal gonorrhoea infections among heterosexual women and heterosexualÂmen with urogenital gonorrhoea attending a sexual health clinic in Melbourne, Australia. Clinical Microbiology and Infection, 2021, 27, 1799-1804.	2.8	5
60	The Presence or Absence of Symptoms Among Cases of Urethral Gonorrhoea Occurring in a Cohort of Men Taking Human Immunodeficiency Virus Pre-exposure Prophylaxis in the PrEPX Study. Open Forum Infectious Diseases, 2021, 8, ofab263.	0.4	1
61	Antiseptic mouthwash for gonorrhoea prevention (OMEGA): a randomised, double-blind, parallel-group, multicentre trial. Lancet Infectious Diseases, The, 2021, 21, 647-656.	4.6	24
62	Evaluation of the online partner messaging service for sexually transmitted infections "Let Them Know― Sexually Transmitted Diseases, 2021, Publish Ahead of Print, 12-14.	0.8	5
63	Azithromycin or Doxycycline for Asymptomatic Rectal <i>Chlamydia trachomatis</i> . New England Journal of Medicine, 2021, 384, 2418-2427.	13.9	42
64	What do young people in high-income countries want from STI testing services? A systematic review. Sexually Transmitted Infections, 2021, 97, 574-583.	0.8	7
65	Is it the end of mouthwash as an intervention for gonorrhoea?. Lancet Infectious Diseases, The, 2021, 21, 763-764.	4.6	1
66	The clinical indications for testing women for Mycoplasma genitalium. Sexually Transmitted Infections, 2021, , sextrans-2020-054818.	0.8	3
67	Associations Between Methods of Meeting Sexual Partners and Sexual Practices Among Heterosexuals: Cross-sectional Study in Melbourne, Australia. JMIR Formative Research, 2021, 5, e26202.	0.7	4
68	Effect on genital warts in Australian female and heterosexual male individuals after introduction of the national human papillomavirus gender-neutral vaccination programme: an analysis of national sentinel surveillance data from 2004–18. Lancet Infectious Diseases, The, 2021, 21, 1747-1756.	4.6	17
69	Time to healthcare-seeking following the onset of STI-associated symptoms during two waves of the COVID-19 pandemic in Melbourne, Australia. Sexually Transmitted Infections, 2021, , sextrans-2021-055204.	0.8	2
70	Sexual health service adaptations to the coronavirus disease 2019 (COVIDâ€19) pandemic in Australia: a nationwide online survey. Australian and New Zealand Journal of Public Health, 2021, 45, 622-627.	0.8	19
71	Treponema pallidum detection in lesion and non-lesion sites in men who have sex with men with early syphilis: a prospective, cross-sectional study. Lancet Infectious Diseases, The, 2021, 21, 1324-1331.	4.6	32
72	Exploring the attitudes of men who have sex with men on anal self-examination for early detection of primary anorectal syphilis: a qualitative study. BMC Infectious Diseases, 2021, 21, 982.	1.3	5

#	Article	IF	CITATIONS
73	Intra-Anal Imiquimod Cream against Human Papillomavirus Infection in Men Who Have Sex with Men Living with HIV: A Single-Arm, Open-Label Pilot Study. Journal of Clinical Medicine, 2021, 10, 4477.	1.0	0
74	506Mathematical modelling of the transmission of Neisseria gonorrhoeae in men who have sex with men. International Journal of Epidemiology, 2021, 50, .	0.9	0
75	Epidemiology of anal human papillomavirus infection and high-grade squamous intraepithelial lesions in 29 900 men according to HIV status, sexuality, and age: a collaborative pooled analysis of 64 studies. Lancet HIV,the, 2021, 8, e531-e543.	2.1	77
76	Prevalence of human papillomavirus in young men who have sex with men after the implementation of gender-neutral HPV vaccination: a repeated cross-sectional study. Lancet Infectious Diseases, The, 2021, 21, 1448-1457.	4.6	37
77	Genital warts trends in Australian and overseas-born people in Australia: A cross-sectional trend analysis to measure progress towards control and elimination. The Lancet Regional Health - Western Pacific, 2021, 16, 100251.	1.3	1
78	A comparison of cotton-tipped and nylon flocked swabs for culture of Neisseria gonorrhoeae from oropharyngeal samples. Diagnostic Microbiology and Infectious Disease, 2021, 101, 115455.	0.8	1
79	Sexually Transmitted Infection Diagnoses and Access to a Sexual Health Service Before and After the National Lockdown for COVID-19 in Melbourne, Australia. Open Forum Infectious Diseases, 2021, 8, ofaa536.	0.4	60
80	HIV, Sexually Transmitted Infections and Sexual Practices Among Male Sex Workers Attending a Sexual Health Clinic in Melbourne, Australia: 2010 to 2018. Sexually Transmitted Diseases, 2021, 48, 103-108.	0.8	7
81	Modelling the contribution that different sexual practices involving the oropharynx and saliva have on <i>Neisseria gonorrhoeae</i> infections at multiple anatomical sites in men who have sex with men. Sexually Transmitted Infections, 2021, 97, 183-189.	0.8	14
82	Human Papillomavirus Vaccine Course Completion Among Gay and Bisexual Men Who Have Sex With Men From a Time-Limited HPV Vaccination Catch-Up Program in Victoria, Australia. Frontiers in Public Health, 2021, 9, 754112.	1.3	5
83	Comparing HIV Post-Exposure Prophylaxis, Testing, and New Diagnoses in Two Australian Cities with Different Lockdown Measures during the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 10814.	1.2	9
84	A Prospective, Open-Label Pilot Study of Concurrent Male Partner Treatment for Bacterial Vaginosis. MBio, 2021, 12, e0232321.	1.8	22
85	Potential effect of antiseptic mouthwash on the incidence of Neisseria gonorrhoeae among men who have sex with men: a mathematical modelling study. BMJ Open, 2021, 11, e052823.	0.8	1
86	Diagnostic accuracy of pooling urine, anorectal, and oropharyngeal specimens for the detection of Chlamydia trachomatis and Neisseria gonorrhoeae: a systematic review and meta-analysis. BMC Medicine, 2021, 19, 285.	2.3	4
87	Spatial mapping of gonorrhoea notifications by sexual practice in Victoria, Australia, 2017–2019. Australian and New Zealand Journal of Public Health, 2021, 45, 672-674.	0.8	4
88	Drug and Alcohol Use with Condomless Anal Sex among Men Who Have Sex with Men in Melbourne, Australia: A Retrospective Data Analysis from 2011 to 2017. Archives of Sexual Behavior, 2021, , 1.	1.2	2
89	Oral, Vaginal and Anal Sexual Practices among Heterosexual Males and Females Attending a Sexual Health Clinic: A Cross-Sectional Survey in Melbourne, Australia. International Journal of Environmental Research and Public Health, 2021, 18, 12668.	1.2	5
90	Modelling the potential role of saliva use during masturbation in the transmission of Neisseria gonorrhoeae at multiple anatomical sites. Sexual Health, 2021, 18, 466.	0.4	2

#	Article	IF	CITATIONS
91	The Diagnostic Accuracy of Syndromic Management for Genital Ulcer Disease: A Systematic Review and Meta-Analysis. Frontiers in Medicine, 2021, 8, 806605.	1.2	7
92	Access to HIV Antiretroviral Therapy among People Living with HIV in Melbourne during the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 12765.	1.2	4
93	Accuracy of Self-reported Human Papillomavirus Vaccination Status Among Gay and Bisexual Adolescent Males: Cross-sectional Study. JMIR Public Health and Surveillance, 2021, 7, e32407.	1.2	5
94	Gardnerella vaginalis Clade Distribution Is Associated With Behavioral Practices and Nugent Score in Women Who Have Sex With Women. Journal of Infectious Diseases, 2020, 221, 454-463.	1.9	21
95	Resistance-Guided Antimicrobial Therapy Using Doxycycline–Moxifloxacin and Doxycycline–2.5 g Azithromycin for the Treatment of Mycoplasma genitalium Infection: Efficacy and Tolerability. Clinical Infectious Diseases, 2020, 71, 1461-1468.	2.9	73
96	Getting to the Bottom of It: Sexual Positioning and Stage of Syphilis at Diagnosis, and Implications for Syphilis Screening. Clinical Infectious Diseases, 2020, 71, 318-322.	2.9	17
97	Extragenital Mycoplasma genitalium infections among men who have sex with men. Sexually Transmitted Infections, 2020, 96, 10-18.	0.8	20
98	Hepatitis A vaccine uptake among men who have sex with men from a time-limited vaccination programme in Melbourne in 2018. Sexually Transmitted Infections, 2020, 96, 110-114.	0.8	8
99	Drug use and the influence on kissing among men who have sex with men in Melbourne, Australia. International Journal of STD and AIDS, 2020, 31, 16-21.	0.5	4
100	An open-label, parallel-group, randomised controlled trial of antiseptic mouthwash versusÂantibiotics for oropharyngeal gonorrhoea treatment (OMEGA2). Scientific Reports, 2020, 10, 19386.	1.6	10
101	Chlamydia trachomatis transmission between the oropharynx, urethra and anorectum in men who have sex with men: a mathematical model. BMC Medicine, 2020, 18, 326.	2.3	13
102	Sites in the oropharynx reached by different methods of using mouthwash: clinical implication for oropharyngeal gonorrhoea prevention. Sexually Transmitted Infections, 2020, 96, 358-360.	0.8	4
103	Treating male partners of women with bacterial vaginosis (StepUp): a protocol for a randomised controlled trial to assess the clinical effectiveness of male partner treatment for reducing the risk of BV recurrence. BMC Infectious Diseases, 2020, 20, 834.	1.3	9
104	Doxycycline and Sitafloxacin Combination Therapy for Treating Highly Resistant <i>Mycoplasma genitalium</i> . Emerging Infectious Diseases, 2020, 26, 1870-1874.	2.0	20
105	The Preferred Qualities of Human Immunodeficiency Virus Testing and Self-Testing Among Men Who Have Sex With Men: A Discrete Choice Experiment. Value in Health, 2020, 23, 870-879.	0.1	16
106	Postexposure prophylaxis during COVID-19 lockdown in Melbourne, Australia. Lancet HIV,the, 2020, 7, e528-e529.	2.1	20
107	Treatment efficacy for pharyngeal Neisseria gonorrhoeae: a systematic review and meta-analysis of randomized controlled trials. Journal of Antimicrobial Chemotherapy, 2020, 75, 3109-3119.	1.3	16
108	Changing the Use of HIV Pre-exposure Prophylaxis Among Men Who Have Sex With Men During the COVID-19 Pandemic in Melbourne, Australia, Open Forum Infectious Diseases, 2020, 7, ofaa275	0.4	72

#	Article	IF	CITATIONS
109	Meningococcal vaccine uptake among men who have sex with men in response to an invasive meningococcal C disease outbreak in Melbourne, Australia. Sexually Transmitted Infections, 2020, 96, 246-250.	0.8	5
110	Duration of gargling and rinsing among frequent mouthwash users: a cross-sectional study. BMJ Open, 2020, 10, e040754.	0.8	3
111	Domestic HPV vaccine price and economic returns for cervical cancer prevention in China: a cost-effectiveness analysis. The Lancet Global Health, 2020, 8, e1335-e1344.	2.9	86
112	Age, ethnic and travel-related disparities in kissing and sexual practices among heterosexual men in Melbourne, Australia. Sexual Health, 2020, 17, 279.	0.4	8
113	Clinical presentation of asymptomatic and symptomatic women who tested positive for genital gonorrhoea at a sexual health service in Melbourne, Australia. Epidemiology and Infection, 2020, 148, e240.	1.0	8
114	Disparities in characteristics in accessing public Australian sexual health services between Medicareâ€eligible and Medicareâ€ineligible men who have sex with men. Australian and New Zealand Journal of Public Health, 2020, 44, 363-368.	0.8	9
115	Pooling Pharyngeal, Anorectal, and Urogenital Samples for Screening Asymptomatic Men Who Have Sex with Men for Chlamydia trachomatis and Neisseria gonorrhoeae. Journal of Clinical Microbiology, 2020, 58, .	1.8	16
116	The safe use of dating applications among men who have sex with men: a study protocol for a randomised controlled trial to evaluate an interactive web-based intervention to reduce risky sexual behaviours. BMC Public Health, 2020, 20, 795.	1.2	10
117	Changing from Clinician-Collected to Self-Collected Throat Swabs for Oropharyngeal Gonorrhea and Chlamydia Screening among Men Who Have Sex with Men. Journal of Clinical Microbiology, 2020, 58, .	1.8	15
118	Clinical presentation of asymptomatic and symptomatic heterosexual men who tested positive for urethral gonorrhoea at a sexual health clinic in Melbourne, Australia. BMC Infectious Diseases, 2020, 20, 486.	1.3	20
119	Prevalence of mutations associated with resistance to macrolides and fluoroquinolones in Mycoplasma genitalium: a systematic review and meta-analysis. Lancet Infectious Diseases, The, 2020, 20, 1302-1314.	4.6	154
120	Human papillomavirus vaccination and sexual practices among men who have sex with men in Melbourne, Australia: a cross-sectional study. International Journal of STD and AIDS, 2020, 31, 312-317.	0.5	4
121	Sexual practices of female sex workers in Melbourne, Australia: an anonymous cross-sectional questionnaire study in 2017–18. Sexual Health, 2020, 17, 53.	0.4	22
122	Brief Report: Sexual Mixing Patterns by HIV Status and PrEP Use Among Men Who Have Sex With Men Partnerships in Melbourne, 2011–2018. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 99-102.	0.9	7
123	Prevalence of <i>Mycoplasma genitalium</i> by anatomical site in men who have sex with men: a systematic review and meta-analysis. Sexually Transmitted Infections, 2020, 96, 563-570.	0.8	25
124	Immunity to hepatitis A among men who have sex with men attending a large sexual health clinic in Melbourne, Australia, 2012–2018. Sexually Transmitted Infections, 2020, 96, 265-270.	0.8	4
125	Are genital examinations necessary for STI screening for female sex workers? An audit of decriminalized and regulated sex workers in Melbourne, Australia. PLoS ONE, 2020, 15, e0231547.	1.1	3
126	Seasonal variations in kissing and sexual activities among men who have sex with men in Melbourne, Australia: implications for seasonal sexually transmissible infection preventions and interventions. Sexual Health, 2020, 17, 149.	0.4	5

#	Article	IF	CITATIONS
127	Nudgeathons to control HIV: designing strategies using behavioural economics. Aids, 2020, 34, 2337-2340.	1.0	6
128	Trends and differences in sexual practices and sexually transmitted infections in men who have sex with men only (MSMO) and men who have sex with men and women (MSMW): a repeated cross-sectional study in Melbourne, Australia. BMJ Open, 2020, 10, e037608.	0.8	12
129	Oro-anal sexual practice among female sex workers in Melbourne: implication for extragenital gonorrhoea and chlamydia transmission. Sexual Health, 2020, 17, 296.	0.4	3
130	Group sex events among female sex workers in Melbourne, Australia. Sexual Health, 2020, 17, 534.	0.4	4
131	"Moving from one environment to another, it doesn't automatically change everything― Exploring the transnational experience of Asian-born gay and bisexual men who have sex with men newly arrived in Australia. PLoS ONE, 2020, 15, e0242788.	1.1	10
132	Title is missing!. , 2020, 15, e0242788.		0
133	Title is missing!. , 2020, 15, e0242788.		0
134	Title is missing!. , 2020, 15, e0242788.		0
135	Title is missing!. , 2020, 15, e0242788.		0
136	Title is missing!. , 2020, 15, e0242788.		0
137	Title is missing!. , 2020, 15, e0242788.		Ο
138	Outcomes of Resistance-guided Sequential Treatment of <i>Mycoplasma genitalium</i> Infections: A Prospective Evaluation. Clinical Infectious Diseases, 2019, 68, 554-560.	2.9	141
139	Sex with a transgender or gender diverse person among patients attending a sexual health centre in Melbourne, Australia. Sexually Transmitted Infections, 2019, 95, 46-52.	0.8	4
140	Trends and Risk Factors for Antimicrobial-Resistant Neisseria gonorrhoeae , Melbourne, Australia, 2007 to 2018. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	19
141	Is differential access to prevention distorting HIV epidemiology in Australia?. Lancet HIV,the, 2019, 6, e492.	2.1	2
142	Models of gonorrhoea transmission from the mouth and saliva. Lancet Infectious Diseases, The, 2019, 19, e360-e366.	4.6	61
143	Characteristics of recently arrived Asian men who have sex with men diagnosed with HIV through sexual health services in Melbourne and Sydney. Australian and New Zealand Journal of Public Health, 2019, 43, 424-428.	0.8	28
144	Risk factors for urethral gonorrhoea infection among heterosexual males in Melbourne, Australia: 2007–17. Sexual Health, 2019, 16, 508.	0.4	20

#	Article	IF	CITATIONS
145	The role of saliva in gonorrhoea and chlamydia transmission to extragenital sites among men who have sex with men: new insights into transmission. Journal of the International AIDS Society, 2019, 22, e25354.	1.2	40
146	Risk Factors for Asymptomatic Enteric Pathogen Detection Among Men Who Have Sex With Men. Open Forum Infectious Diseases, 2019, 6, ofz326.	0.4	14
147	Risk of Subsequent HIV Infection Following Sexually Transmissible Infections Among Men Who Have Sex With Men. Open Forum Infectious Diseases, 2019, 6, ofz376.	0.4	9
148	A comparative, retrospective analysis of HIV testing among gay, bisexual and other men who have sex with men in Melbourne, Australia. Australian and New Zealand Journal of Public Health, 2019, 43, 419-423.	0.8	3
149	Translating mouthwash use for gonorrhoea prevention into a public health campaign: identifying current knowledge and research gaps. Sexual Health, 2019, 16, 433.	0.4	16
150	Use of doxycycline prophylaxis among gay and bisexual men in Melbourne. Lancet HIV,the, 2019, 6, e568-e569.	2.1	16
151	Bridging of Neisseria gonorrhoeae lineages across sexual networks in the HIV pre-exposure prophylaxis era. Nature Communications, 2019, 10, 3988.	5.8	69
152	Prevalence of human papillomavirus in teenage heterosexual males following the implementation of female and male school-based vaccination in Australia: 2014–2017. Vaccine, 2019, 37, 6907-6914.	1.7	18
153	Anal human papillomavirus infections in young unvaccinated men who have sex with men attending a sexual health clinic for HPV vaccination in Melbourne, Australia. Vaccine, 2019, 37, 6271-6275.	1.7	10
154	Oropharyngeal Gonorrhea in Absence of Urogenital Gonorrhea in Sexual Network of Male and Female Participants, Australia, 2018. Emerging Infectious Diseases, 2019, 25, 1373-1376.	2.0	21
155	Population-level impact and herd effects following the introduction of human papillomavirus vaccination programmes: updated systematic review and meta-analysis. Lancet, The, 2019, 394, 497-509.	6.3	630
156	Prevalence of genital and oropharyngeal chlamydia and gonorrhoea among female sex workers in Melbourne, Australia, 2015–2017: need for oropharyngeal testing. Sexually Transmitted Infections, 2019, 95, 398-401.	0.8	33
157	Factors associated with anorectal <i>Chlamydia trachomatis</i> or <i>Neisseria gonorrhoeae</i> test positivity in women: a systematic review and meta-analysis. Sexually Transmitted Infections, 2019, 95, 361-367.	0.8	20
158	Kissing may be an important and neglected risk factor for oropharyngeal gonorrhoea: a cross-sectional study in men who have sex with men. Sexually Transmitted Infections, 2019, 95, 516-521.	0.8	47
159	Epidemiology and prevention of sexually transmitted infections in men who have sex with men at risk of HIV. Lancet HIV,the, 2019, 6, e396-e405.	2.1	114
160	Evidence for a new paradigm of gonorrhoea transmission: cross-sectional analysis of Neisseria gonorrhoeae infections by anatomical site in both partners in 60 male couples. Sexually Transmitted Infections, 2019, 95, 437-442.	0.8	25
161	Symptoms, Sites, and Significance of <i>Mycoplasma genitalium</i> in Men Who Have Sex with Men. Emerging Infectious Diseases, 2019, 25, 719-727.	2.0	72
162	Trends in diagnosis of pelvic inflammatory disease in an Australian sexual health clinic, 2002–16: before and after clinical audit feedback. Sexual Health, 2019, 16, 247-253.	0.4	3

#	Article	IF	CITATIONS
163	Conorrhoea: tackling the global epidemic in the era of rising antimicrobial resistance. Sexual Health, 2019, 16, 397.	0.4	3
164	Conorrhoea gone wild: rising incidence of gonorrhoea and associated risk factors among gay and bisexual men attending Australian sexual health clinics. Sexual Health, 2019, 16, 457.	0.4	26
165	Bacterial Load of Chlamydia trachomatis in the Posterior Oropharynx, Tonsillar Fossae, and Saliva among Men Who Have Sex with Men with Untreated Oropharyngeal Chlamydia. Journal of Clinical Microbiology, 2019, 58, .	1.8	10
166	Associations between oral sex practices and frequent mouthwash use in men who have sex with men: implications for gonorrhoea prevention. Sexual Health, 2019, 16, 473.	0.4	9
167	Oropharyngeal and Genital Gonorrhea Infections Among Women and Heterosexual Men Reporting Sexual Contact With Partners With Gonorrhea: Implication for Oropharyngeal Testing of Heterosexual Gonorrhea Contacts. Sexually Transmitted Diseases, 2019, 46, 743-747.	0.8	23
168	Incidence, Clearance, and Persistence of Anal Human Papillomavirus in Men Who Have Sex With Men Living With Human Immunodeficiency Virus: Implications for Human Papillomavirus Vaccination. Sexually Transmitted Diseases, 2019, 46, 229-233.	0.8	15
169	Human papillomavirus vaccine uptake among young gay and bisexual men who have sex with men with a time-limited targeted vaccination programme through sexual health clinics in Melbourne in 2017. Sexually Transmitted Infections, 2019, 95, 181-186.	0.8	23
170	Increasing proportion of herpes simplex virus type 1 among women and men diagnosed with first-episode anogenital herpes: a retrospective observational study over 14 years in Melbourne, Australia. Sexually Transmitted Infections, 2019, 95, 307-313.	0.8	21
171	Co-circulation of Multidrug-resistant Shigella Among Men Who Have Sex With Men in Australia. Clinical Infectious Diseases, 2019, 69, 1535-1544.	2.9	77
172	International travel as risk factor for Chlamydia trachomatis infections among young heterosexuals attending a sexual health clinic in Melbourne, Australia, 2007 to 2017. Eurosurveillance, 2019, 24, .	3.9	7
173	Meet the Editors. Sexual Health, 2019, 16, i.	0.4	0
174	Kissing while high on ecstasy: lessons from a gay dance party attendee. Sexually Transmitted Infections, 2018, 94, 143-143.	0.8	5
175	Risk factors for oropharyngeal gonorrhoea in men who have sex with men: an age-matched case–control study. Sexually Transmitted Infections, 2018, 94, 359-364.	0.8	27
176	Whole-genome sequencing reveals transmission of gonococcal antibiotic resistance among men who have sex with men: an observational study. Sexually Transmitted Infections, 2018, 94, 151-157.	0.8	42
177	New thinking on gonorrhoea control in MSM. Current Opinion in Infectious Diseases, 2018, 31, 45-49.	1.3	24
178	Rising Chlamydia and Gonorrhoea Incidence and Associated Risk Factors Among Female Sex Workers in Australia: A Retrospective Cohort Study. Sexually Transmitted Diseases, 2018, 45, 199-206.	0.8	25
179	Age-Specific Pattern of Anogenital Wart in Men Who Have Sex With Men. Sexually Transmitted Diseases, 2018, 45, 186-188.	0.8	3
180	Should Asymptomatic Men Who Have Sex With Men Be Screened for Oropharyngeal Chlamydia? Clinical Outcomes From a Cross-Sectional Study. Sexually Transmitted Diseases, 2018, 45, 103-106.	0.8	11

#	Article	IF	CITATIONS
181	The frequency of kissing as part of sexual activity differs depending on how men meet their male casual sexual partners. International Journal of STD and AIDS, 2018, 29, 598-602.	0.5	4
182	Clinical factors associated with syphilis concordance in men in sexual partnerships: a cross-sectional couples study. Sexually Transmitted Infections, 2018, 94, 571-573.	0.8	8
183	Concordance of gonorrhoea of the rectum, pharynx and urethra in same-sex male partnerships attending a sexual health service in Melbourne, Australia. BMC Infectious Diseases, 2018, 18, 95.	1.3	17
184	Evaluation of the Implementation of a New Nurse-Led Express "Test-And-Go―Human Immunodeficiency Virus/Sexually Transmitted Infection Testing Service for Men Who Have Sex With Men at a Sexual Health Center in Melbourne, Australia. Sexually Transmitted Diseases, 2018, 45, 429-434.	0.8	7
185	Clinical Characteristics of Anorectal Mycoplasma genitalium Infection and Microbial Cure in Men Who Have Sex With Men. Sexually Transmitted Diseases, 2018, 45, 522-526.	0.8	31
186	Getting the terminology right in sexual health research: the importance of accurately classifying fuck buddies among men who have sex with men. Sexually Transmitted Infections, 2018, 94, 487-489.	0.8	11
187	Fuckbuddy partnerships among men who have sex with men – a marker of sexually transmitted infection risk. International Journal of STD and AIDS, 2018, 29, 44-50.	0.5	2
188	Reply to Kenyon. Clinical Infectious Diseases, 2018, 66, 812-813.	2.9	0
189	Saliva use in sex: Associations with use of smartphone dating applications in men who have sex with men. International Journal of STD and AIDS, 2018, 29, 362-366.	0.5	6
190	Detection of human papillomavirus in urine among heterosexual men in relation to location of genital warts and circumcision status. Sexually Transmitted Infections, 2018, 94, 222-225.	0.8	4
191	Doxycycline post-exposure prophylaxis: let the debate begin. Lancet Infectious Diseases, The, 2018, 18, 233-234.	4.6	7
192	Patterns of sexual behaviour and sexual healthcare needs among transgender individuals in Melbourne, Australia, 2011–2014. Sexually Transmitted Infections, 2018, 94, 212-215.	0.8	16
193	Sampling technique and detection rates of oropharyngeal and anorectal gonorrhoea using nucleic acid amplification tests in men who have sex with men. Sexually Transmitted Infections, 2018, 94, 287-292.	0.8	6
194	Incidence of renal Fanconi syndrome in patients taking antiretroviral therapy including tenofovir disoproxil fumarate. International Journal of STD and AIDS, 2018, 29, 227-236.	0.5	15
195	Incorporating digital anorectal examinations for anal cancer screening into routine <scp>HIV</scp> care for men who have sex with men living with <scp>HIV</scp> : a prospective cohort study. Journal of the International AIDS Society, 2018, 21, e25192.	1.2	13
196	HIV Testing With and Without a Clinical Consultation Among Men Who Have Sex With Men: A Randomized Controlled Trial. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 406-412.	0.9	3
197	Associations Between Anorectal Chlamydia and Oroanal Sex or Saliva Use as a Lubricant for Anal Sex: A Cross-sectional Survey. Sexually Transmitted Diseases, 2018, 45, 506-510.	0.8	20
198	Non-consensual condom removal, reported by patients at a sexual health clinic in Melbourne, Australia. PLoS ONE, 2018, 13, e0209779.	1.1	29

#	Article	IF	CITATIONS
199	Incident HIV infection has fallen rapidly in men who have sex with men in Melbourne, Australia (2013–2017) but not in the newly-arrived Asian-born. BMC Infectious Diseases, 2018, 18, 410.	1.3	53
200	Decline in new HIV diagnoses among MSM in Melbourne. Lancet HIV,the, 2018, 5, e479-e481.	2.1	23
201	Factors associated with declining to report the number of sexual partners using computer-assisted self-interviewing: a cross-sectional study among individuals attending a sexual health centre in Melbourne, Australia. Sexual Health, 2018, 15, 350.	0.4	18
202	Use of Pristinamycin for Macrolide-Resistant <i>Mycoplasma genitalium</i> Infection. Emerging Infectious Diseases, 2018, 24, 328-335.	2.0	58
203	Only recent sexual partners contribute to oropharyngeal gonorrhoea positivity: the number of sexual partners over different time periods as an indicator of gonorrhoea and chlamydia infection duration among men who have sex with men. Sexual Health, 2018, 15, 342.	0.4	6
204	Evaluation of Preexposure (PrEP) Eligibility Criteria, Using Sexually Transmissible Infections as Markers of Human Immunodeficiency Virus (HIV) Risk at Enrollment in PrEPX, a Large Australian HIV PrEP Trial. Clinical Infectious Diseases, 2018, 67, 1847-1852.	2.9	9
205	Access to sexual health services after the rapid roll out of the launch of pre-exposure prophylaxis for HIV in Melbourne, Australia: a retrospective cross-sectional analysis. Sexual Health, 2018, 15, 528.	0.4	14
206	Meet the Editors. Sexual Health, 2018, 15, i.	0.4	0
207	Trends in gonorrhoea infection and overseas sexual contacts among females attending a sexual health centre in Melbourne, Australia, 2008-2015. Communicable Diseases Intelligence (2018), 2018, 42, .	0.3	6
208	Human papillomavirus prevalence in unvaccinated heterosexual males following a national female vaccination program. Journal of Infectious Diseases, 2017, 215, jiw530.	1.9	28
209	Quadrivalent vaccine-targeted human papillomavirus genotypes in heterosexual men after the Australian female human papillomavirus vaccination programme: a retrospective observational study. Lancet Infectious Diseases, The, 2017, 17, 68-77.	4.6	72
210	Provision of HIV test results by telephone is both safe and efficient for men who have sex with men. International Journal of STD and AIDS, 2017, 28, 39-44.	0.5	0
211	Human papillomavirus vaccination in men who have sex with men – what will be required by 2020 for the same dramatic changes seen in heterosexuals. Sexual Health, 2017, 14, 123.	0.4	17
212	<i>Neisseria gonorrhoeae</i> DNA bacterial load in men with symptomatic and asymptomatic gonococcal urethritis. Sexually Transmitted Infections, 2017, 93, 478-481.	0.8	41
213	Increased Syphilis Testing of Men Who Have Sex With Men: Greater Detection of Asymptomatic Early Syphilis and Relative Reduction in Secondary Syphilis. Clinical Infectious Diseases, 2017, 65, 389-395.	2.9	65
214	Utility of risk-based chlamydia testing in primary care: analysis of retrospective surveillance data among women in Melbourne, Australia. Sexual Health, 2017, 14, 268.	0.4	0
215	Treatment Outcomes for Rectal Lymphogranuloma Venereum in Men Who Have Sex with Men Using Doxycycline, Azithromycin, or Both: A Review of Clinical Cases. Sexually Transmitted Diseases, 2017, 44, 245-248.	0.8	10
216	Increased Detection of Pharyngeal and Rectal Gonorrhea in Men Who Have Sex With Men After Transition From Culture To Nucleic Acid Amplification Testing. Sexually Transmitted Diseases, 2017, 44, 114-117.	0.8	71

#	Article	IF	CITATIONS
217	Anorectal swabs as a marker of male-to-male sexual exposure in STI surveillance systems. Epidemiology and Infection, 2017, 145, 2530-2535.	1.0	10
218	Asymptomatic and symptomatic urethral gonorrhoea in men who have sex with men attending a sexual health service. Clinical Microbiology and Infection, 2017, 23, 555-559.	2.8	36
219	Azithromycin 1.5g Over 5 Days Compared to 1g Single Dose in Urethral <i>Mycoplasma genitalium</i> : Impact on Treatment Outcome and Resistance. Clinical Infectious Diseases, 2017, 64, 250-256.	2.9	59
220	Antiseptic mouthwash against pharyngealNeisseria gonorrhoeae: a randomised controlled trial and an in vitro study. Sexually Transmitted Infections, 2017, 93, 88-93.	0.8	64
221	Early sexual experiences of teenage heterosexual males in Australia: a cross-sectional survey. BMJ Open, 2017, 7, e016779.	0.8	6
222	Neisseria gonorrhoeae Transmission Among Men Who Have Sex With Men: An Anatomical Site-Specific Mathematical Model Evaluating the Potential Preventive Impact of Mouthwash. Sexually Transmitted Diseases, 2017, 44, 586-592.	0.8	54
223	Time from HIV infection to virological suppression. Aids, 2017, 31, 2377-2385.	1.0	10
224	Willingness to change behaviours to reduce the risk of pharyngeal gonorrhoea transmission and acquisition in men who have sex with men: a cross-sectional survey. Sexually Transmitted Infections, 2017, 93, 499-502.	0.8	20
225	Should Female Partners of Men With Non-Gonococcal Urethritis, Negative for Chlamydia trachomatis and Mycoplasma genitalium, Be Informed and Treated? Clinical Outcomes From a Partner Study of Heterosexual Men With NGU. Sexually Transmitted Diseases, 2017, 44, 126-130.	0.8	1
226	Self-Reported Use of Mouthwash and Pharyngeal Gonorrhoea Detection by Nucleic Acid Amplification Test. Sexually Transmitted Diseases, 2017, 44, 593-595.	0.8	13
227	Targeted human papillomavirus vaccination for young men who have sex with men in Australia yields significant population benefits and is cost-effective. Vaccine, 2017, 35, 4923-4929.	1.7	38
228	Could antiseptic mouthwash inhibit pharyngeal <i>Neisseria gonorrhoeae</i> ? Further research is required. Sexually Transmitted Infections, 2017, 93, 403-403.	0.8	4
229	A cross-sectional study of HIV and STIs among male sex workers attending Australian sexual health clinics. Sexually Transmitted Infections, 2017, 93, 299-302.	0.8	11
230	A multicentre double-blind randomised controlled trial evaluating the efficacy of daily use of antibacterial mouthwash against oropharyngeal gonorrhoea among men who have sex with men: the OMEGA (Oral Mouthwash use to Eradicate GonorrhoeA) study protocol. BMC Infectious Diseases, 2017, 17, 456.	1.3	44
231	Predictors and incidence of sexually transmitted Hepatitis C virus infection in HIV positive men who have sex with men. BMC Infectious Diseases, 2017, 17, 185.	1.3	22
232	P4.31â€Kissing is associated with the source for meeting casual partners: an implication for gonorrhoea transmission and control in men who have sex with men. , 2017, , .		1
233	Testing for HIV/STIs in China: Challenges, Opportunities, and Innovations. BioMed Research International, 2017, 2017, 1-3.	0.9	5
234	The influence of sexual activity on the vaginal microbiota and Gardnerella vaginalis clade diversity in young women. PLoS ONE, 2017, 12, e0171856.	1.1	81

#	Article	IF	CITATIONS
235	Time from HIV diagnosis to commencement of antiretroviral therapy as an indicator to supplement the HIV cascade: Dramatic fall from 2011 to 2015. PLoS ONE, 2017, 12, e0177634.	1.1	17
236	Concordance of chlamydia infections of the rectum and urethra in same-sex male partnerships: a cross-sectional analysis. BMC Infectious Diseases, 2017, 17, 22.	1.3	11
237	Chlamydia Infection Between Men and Women: A Cross-Sectional Study of Heterosexual Partnerships. Open Forum Infectious Diseases, 2017, 4, ofx160.	0.4	8
238	<i>Mycoplasma genitalium</i> Infection in Adults Reporting Sexual Contact with Infected Partners, Australia, 2008–2016. Emerging Infectious Diseases, 2017, 23, 1826-1833.	2.0	23
239	Frequent Transmission of Gonorrhea in Men Who Have Sex with Men. Emerging Infectious Diseases, 2017, 23, 102-104.	2.0	89
240	Sexually Transmitted Infections in Melbourne, Australia from 1918 to 2016: nearly a century of data. Communicable Diseases Intelligence, 2017, 41, E212-E222.	0.5	15
241	Population-Level Effects of Human Papillomavirus Vaccination Programs on Infections with Nonvaccine Genotypes. Emerging Infectious Diseases, 2016, 22, 1732-1740.	2.0	77
242	A Comparison of the Performance of Different Age-Based Paediatric Weight Estimation Formulae in Hong Kong Children. Hong Kong Journal of Emergency Medicine, 2016, 23, 3-12.	0.4	1
243	Systematic Review and Meta-Analysis of Doxycycline Efficacy for Rectal Lymphogranuloma Venereum in Men Who Have Sex with Men. Emerging Infectious Diseases, 2016, 22, 1778-1784.	2.0	26
244	Assortative sexual mixing patterns in male–female and male–male partnerships in Melbourne, Australia: implications for HIV and sexually transmissible infection transmission. Sexual Health, 2016, 13, 451.	0.4	14
245	Assortative sexual mixing among heterosexuals in Australia: implications for herd protection in males from a female human papillomavirus vaccination program. Sexual Health, 2016, 13, 395.	0.4	8
246	Adherence to, and acceptability of, Listerine® mouthwash as a potential preventive intervention for pharyngeal gonorrhoea among men who have sex with men in Australia: a longitudinal study. Sexual Health, 2016, 13, 494.	0.4	14
247	Effects of multiple types of stigma on the probability of HIV disclosure to sex partners: a systematic review. Sexual Health, 2016, 13, 516.	0.4	12
248	Sensitivity of HIV rapid tests compared with fourth-generation enzyme immunoassays or HIV RNA tests. Aids, 2016, 30, 1951-1960.	1.0	26
249	Summer heat: a cross-sectional analysis of seasonal differences in sexual behaviour and sexually transmissible diseases in Melbourne, Australia. Sexually Transmitted Infections, 2016, 92, 286-291.	0.8	22
250	Saliva use as a lubricant for anal sex is a risk factor for rectal gonorrhoea among men who have sex with men, a new public health message: a cross-sectional survey. Sexually Transmitted Infections, 2016, 92, 532-536.	0.8	50
251	Seasonal variation in gonorrhoea incidence among men who have sex with men. Sexual Health, 2016, 13, 589.	0.4	5
252	Herd protection from the female HPV vaccination programme – Authors' reply. Lancet Infectious Diseases, The, 2016, 16, 1334-1335.	4.6	2

#	Article	IF	CITATIONS
253	Duration of syphilis symptoms at presentations in men who have sex with men in Australia: are current public health campaigns effective?. Epidemiology and Infection, 2016, 144, 113-122.	1.0	10
254	Finger counting method is more accurate than ageâ€based weight estimation formulae in estimating the weight of Hong Kong children presenting to the emergency department. EMA - Emergency Medicine Australasia, 2016, 28, 691-697.	0.5	5
255	Neisseria gonorrhoeae Bacterial DNA Load in the Pharynges and Saliva of Men Who Have Sex with Men. Journal of Clinical Microbiology, 2016, 54, 2485-2490.	1.8	52
256	O003â€Saliva use as a lubricant for anal sex is a risk factor for rectal gonorrhoea among men who have sex with men, a new public health message: a cross-sectional survey. Sexually Transmitted Infections, 2016, 92, A1.3-A2.	0.8	0
257	Association between sexual mixing and genital warts in heterosexual men in Australia: the herd protection from the female human papillomavirus vaccination program. Sexual Health, 2016, 13, 489.	0.4	8
258	Epidemics of STIs; ask why. Sexually Transmitted Infections, 2016, 92, 329-330.	0.8	2
259	Risk Practices in the Era of Smartphone Apps for Meeting Partners: A Cross-Sectional Study Among Men Who Have Sex with Men in Melbourne, Australia. AIDS Patient Care and STDs, 2016, 30, 151-154.	1.1	37
260	Prevention of mother-to-child HIV transmission cascade in China: a systematic review and meta-analysis. Sexually Transmitted Infections, 2016, 92, 116-123.	0.8	33
261	Detection of <i>Neisseria gonorrhoeae</i> in the pharynx and saliva: implications for gonorrhoea transmission: TableÂ1. Sexually Transmitted Infections, 2016, 92, 347-349.	0.8	51
262	Trends in gonorrhoea positivity by nucleic acid amplification test versus culture among Australian heterosexual men with a low prevalence of gonorrhoea, 2007–2014. Sexually Transmitted Infections, 2016, 92, 625-628.	0.8	9
263	Duration of gonorrhoea and chlamydia infection at the pharynx and rectum among men who have sex with men: a systematic review. Sexual Health, 2016, 13, 199.	0.4	62
264	Was an epidemic of gonorrhoea among heterosexuals attending an Adelaide sexual health services associated with variations in sex work policing policy?. Sexually Transmitted Infections, 2016, 92, 377-379.	0.8	7
265	Characteristics of adenovirus urethritis among heterosexual men and men who have sex with men: a review of clinical cases. Sexually Transmitted Infections, 2016, 92, 172-174.	0.8	12
266	Prevalence, awareness, treatment and control of high blood pressure among Chinese rural population in Haimen, Jiangsu. Journal of Human Hypertension, 2016, 30, 225-230.	1.0	4
267	Characteristics, sexual practices and sexually transmissible infections diagnoses of men who have sex with men and use non-occupational HIV post-exposure prophylaxis in Victoria, Australia. Sexual Health, 2016, 13, 555.	0.4	4
268	HIV Incidence and Predictors of Incident HIV among Men Who Have Sex with Men Attending a Sexual Health Clinic in Melbourne, Australia. PLoS ONE, 2016, 11, e0156160.	1.1	27
269	Pharyngeal Gonorrhoea: The Willingness of Australian Men Who Have Sex with Men to Change Current Sexual Practices to Reduce Their Risk of Transmission—A Qualitative Study. PLoS ONE, 2016, 11, e0164033.	1.1	25
270	Rate of repeat diagnoses in men who have sex with men for Chlamydia trachomatis and Neisseria gonorrhoeae: a retrospective cohort study. Sexual Health, 2015, 12, 418.	0.4	8

#	Article	IF	CITATIONS
271	Testing for HIV among men who have sex with men needs a paradigm shift in Australia, given the minimal increase between 2003 and 2013 in Melbourne, Australia. Sexual Health, 2015, 12, 373.	0.4	8
272	Increasing trends of syphilis among men who have sex with men in high income countries. Sexual Health, 2015, 12, 155.	0.4	71
273	A systematic review and meta-analysis of the prevalence, trends, and geographical distribution of HIV among Chinese female sex workers (2000–2011): implications for preventing sexually transmitted HIV. International Journal of Infectious Diseases, 2015, 39, 76-86.	1.5	26
274	Sustained high prevalence of viral hepatitis and sexually transmissible infections among female sex workers in China: a systematic review and meta-analysis. BMC Infectious Diseases, 2015, 16, 2.	1.3	33
275	Behavioral Interventions Improve Condom Use and HIV Testing Uptake Among Female Sex Workers in China: A Systematic Review and Meta-Analysis. AIDS Patient Care and STDs, 2015, 29, 454-460.	1.1	22
276	Early presentation of symptomatic individuals is critical in controlling sexually transmissible infections. Sexual Health, 2015, 12, 181.	0.4	22
277	The HIV care cascade: a systematic review of data sources, methodology and comparability. Journal of the International AIDS Society, 2015, 18, 20634.	1.2	92
278	HIV Notification "Rate― Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 70, e61-e62.	0.9	1
279	Risk Behaviours among Female Sex Workers in China: A Systematic Review and Data Synthesis. PLoS ONE, 2015, 10, e0120595.	1.1	36
280	Barriers and Potential Improvements for Needle and Syringe Exchange Programs (NSPs) in China: A Qualitative Study from Perspectives of Both Health and Public Security Sectors. PLoS ONE, 2015, 10, e0130654.	1.1	6
281	Gonorrhoea notifications and nucleic acid amplification testing in a very lowâ€prevalence Australian female population. Medical Journal of Australia, 2015, 202, 321-323.	0.8	25
282	Methadone maintenance treatment programme reduces criminal activity and improves social well-being of drug users in China: a systematic review and meta-analysis. BMJ Open, 2015, 5, e005997-e005997.	0.8	82
283	A second peak in genital warts in later life suggests that behavioural factors explain a second peak in human papillomavirus prevalence in older women. Sexual Health, 2015, 12, 277.	0.4	3
284	Ongoing decline in genital warts among young heterosexuals 7â€years after the Australian human papillomavirus (HPV) vaccination programme. Sexually Transmitted Infections, 2015, 91, 214-219.	0.8	98
285	A cross-sectional survey on the health status and the health-related quality of life of the elderly after flood disaster in Bazhong city, Sichuan, China. BMC Public Health, 2015, 15, 163.	1.2	40
286	Shifting Patterns of the HIV Epidemic in Southwest China: A Case Study Based on Sentinel Surveillance, 1995–2012. AIDS Patient Care and STDs, 2015, 29, 314-320.	1.1	5
287	Substantial Increases in Chlamydia and Gonorrhea Positivity Unexplained by Changes in Individual-Level Sexual Behaviors Among Men Who Have Sex With Men in an Australian Sexual Health Service From 2007 to 2013. Sexually Transmitted Diseases, 2015, 42, 81-87.	0.8	64
288	Chlamydia infection in individuals reporting contact with sexual partners with chlamydia: a cross-sectional study of sexual health clinic attendees. Sexually Transmitted Infections, 2015, 91, 434-439.	0.8	12

#	Article	IF	CITATIONS
289	Human papillomavirus in young women with Chlamydia trachomatis infection 7 years after the Australian human papillomavirus vaccination programme: a cross-sectional study. Lancet Infectious Diseases, The, 2015, 15, 1314-1323.	4.6	56
290	Factors associated with self-reported unprotected anal intercourse among men who have sex with men in Changsha city of Hunan province, China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 1332-1342.	0.6	14
291	Ratio of anogenital warts between different anatomical sites in homosexual and heterosexual individuals in Australia, 2002–2013: implications for susceptibility of different anatomical sites to genital warts. Epidemiology and Infection, 2015, 143, 1495-1499.	1.0	11
292	High prevalence of rectal gonorrhoea among men reporting contact with men with gonorrhoea: Implications for epidemiological treatment. BMC Public Health, 2015, 15, 658.	1.2	12
293	Routine <scp>CD</scp> 4 cell count monitoring seldom contributes to clinical decisionâ€making on antiretroviral therapy in virologically suppressed <scp>HIV</scp> â€infected patients. HIV Medicine, 2015, 16, 196-200.	1.0	11
294	Rural-to-urban migrants are at high risk of sexually transmitted and viral hepatitis infections in China: a systematic review and meta-analysis. BMC Infectious Diseases, 2014, 14, 490.	1.3	55
295	HIV Prevalence Trends, Risky Behaviours, and Governmental and Community Responses to the Epidemic among Men Who Have Sex with Men in China. BioMed Research International, 2014, 2014, 1-19.	0.9	61
296	Socio-cultural influences on the transmission of HIV among gay men in rural China. Culture, Health and Sexuality, 2014, 16, 302-315.	1.0	22
297	Disparities and Risks of Sexually Transmissible Infections among Men Who Have Sex with Men in China: A Meta-Analysis and Data Synthesis. PLoS ONE, 2014, 9, e89959.	1.1	51
298	Testing Commercial Sex Workers for Sexually Transmitted Infections in Victoria, Australia: An Evaluation of the Impact of Reducing the Frequency of Testing. PLoS ONE, 2014, 9, e103081.	1.1	44
299	Mother-to-child transmission rate of HIV and use of drugs to prevent the transmission in China: a systematic review. Academic Journal of Second Military Medical University, 2014, 35, 1094.	0.0	3
300	Pregnancy, delivery mode, and infant feeding among HIV-infected women in China: a meta-analysis. Academic Journal of Second Military Medical University, 2014, 35, 1220.	0.0	1
301	Ability to access community-based needle-syringe programs and injecting behaviors among drug users: a cross-sectional study in Hunan Province, China. Harm Reduction Journal, 2013, 10, 8.	1.3	13
302	Prevalence of HIV and syphilis infections among long-distance truck drivers in China: a data synthesis and meta-analysis. International Journal of Infectious Diseases, 2013, 17, e2-e7.	1.5	20
303	HIV prevalence in China: integration of surveillance data and a systematic review. Lancet Infectious Diseases, The, 2013, 13, 955-963.	4.6	229
304	HIV Disease Burden and Related Risk Behaviours Among Men Who Have Sex with Men in Yuxi Prefecture, Yunnan Province, China: 2010â^'2011. AIDS and Behavior, 2013, 17, 2387-2394.	1.4	9
305	Pattern of HIV testing and multiple sexual partnerships among men who have sex with men in China. BMC Infectious Diseases, 2013, 13, 549.	1.3	30
306	High HIV Prevalence and Risk of Infection Among Rural-to-Urban Migrants in Various Migration Stages in China. Sexually Transmitted Diseases, 2013, 40, 136-147.	0.8	51

#	Article	IF	CITATIONS
307	Are Wives of Gay Men Becoming the Next Target of HIV Infection in China?. Sexually Transmitted Diseases, 2013, 40, 964-965.	0.8	17
308	Methadone Maintenance Treatment Participant Retention and Behavioural Effectiveness in China: A Systematic Review and Meta-Analysis. PLoS ONE, 2013, 8, e68906.	1.1	60
309	Sexually Transmitted Infections among Heterosexual Male Clients of Female Sex Workers in China: A Systematic Review and Meta-Analysis. PLoS ONE, 2013, 8, e71394.	1.1	32
310	Qualitative exploration of HIV-related sexual behaviours and multiple partnerships among Chinese men who have sex with men living in a rural area of Yunnan Province, China. Sexual Health, 2013, 10, 533.	0.4	22
311	Trends in HIV Transmission According to Differences in Numbers of Sexual Partnerships Among Men Who Have Sex with Men in China. , 2013, , 147-176.		0
312	Estimating HIV incidence among female partners of bisexual men in China. International Journal of Infectious Diseases, 2012, 16, e312-e320.	1.5	39
313	HIV and HCV prevalence among entrants to methadone maintenance treatment clinics in China: a systematic review and meta-analysis. BMC Infectious Diseases, 2012, 12, 130.	1.3	54
314	Distributions and trends in sexual behaviors and HIV incidence among men who have sex with men in China. BMC Public Health, 2012, 12, 546.	1.2	30
315	Risk factors associated with HIV/HCV infection among entrants in methadone maintenance treatment clinics in China: A systematic review and meta-analysis. Drug and Alcohol Dependence, 2012, 126, 286-295.	1.6	28
316	HIV and Sexually Transmissible Infections among Money Boys in China: A Data Synthesis and Meta-Analysis. PLoS ONE, 2012, 7, e48025.	1.1	47
317	Patterns of Condom Use Among Men Who Have Sex with Men in China: A Systematic Review and Meta-Analysis. AIDS and Behavior, 2012, 16, 653-663.	1.4	58
318	The rate of <scp>HIV</scp> testing is increasing among men who have sex with men in <scp>C</scp> hina. HIV Medicine, 2012, 13, 255-263.	1.0	53
319	Describing the Chinese HIV Surveillance System and the Influences of Political Structures and Social Stigma. Open AIDS Journal, 2012, 6, 163-168.	0.1	26
320	Men Who have Sex with Men in China have Relatively Low Numbers of Sexual Partners. Gastroenterology Insights, 2011, 3, e10.	0.7	10
321	What is the potential for bisexual men in China to act as a bridge of HIV transmission to the female population? Behavioural evidence from a systematic review and meta-analysis. BMC Infectious Diseases, 2011, 11, 242.	1.3	106
322	Human Immunodeficiency Virus Prevalence Is Increasing Among Men Who Have Sex With Men in China: Findings From a Review and Meta-Analysis. Sexually Transmitted Diseases, 2011, 38, 845-857.	0.8	90
323	Understanding HIV in China. Sexually Transmitted Infections, 2011, 87, 450-450.	0.8	0
324	HIV and Syphilis Co-Infection Increasing among Men Who Have Sex with Men in China: A Systematic Review and Meta-Analysis. PLoS ONE, 2011, 6, e22768.	1.1	93

#	Article	IF	CITATIONS
325	The Next Era of HIV in China: Rapidly Spreading Epidemics Among Men Who Have Sex With Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 55, e32-e34.	0.9	28
326	Role of saliva use during masturbation in the transmission of Chlamydia trachomatis in men who have sex with men. Epidemiology and Infection, 0, , 1-21.	1.0	1
327	Access to HIV Antiretroviral Therapy Among People Living with HIV in Melbourne During the COVID-19 Pandemic. SSRN Electronic Journal, 0, , .	0.4	0
328	Reduction in Domestic HPV Vaccine Price Enables Good Economic Returns for Cervical Cancer Prevention in China: A Cost-Effectiveness Analysis. SSRN Electronic Journal, 0, , .	0.4	0
329	Bridging of <i>Neisseria Gonorrhoeae</i> Across Diverse Sexual Networks in the HIV Pre-Exposure Prophylaxis (PrEP) Era: A Clinical and Molecular Epidemiological Study. SSRN Electronic Journal, 0, , .	0.4	1
330	Predicting the Diagnosis of HIV and Sexually Transmitted Infections Among Men Who Have Sex with Men Using Different Machine Learning Approaches. SSRN Electronic Journal, 0, , .	0.4	2
331	Modelling the Contribution that Different Sexual Practices Involving the Oropharynx and Saliva Have on <i>Neisseria gonorrhoeae</i> Infections at Multiple Anatomical Sites in Men Who Have Sex with Men. SSRN Electronic Journal, 0, , .	0.4	0
332	Global Estimates for the Lifetime Cost of Managing HIV: A Systematic Review. SSRN Electronic Journal, 0, , .	0.4	0
333	HIV Non-Occupational Postexposure Prophylaxis (nPEP) Awareness, Usage, Willingness, and Promotion in China: A Cross-Sectional Study Among Five Key Populations. SSRN Electronic Journal, O, , .	0.4	0
334	Clinical and laboratory aspects of condylomata lata lesions of syphilis. Sexually Transmitted Infections, 0, , sextrans-2021-055385.	0.8	0