

ValÃria Gallo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8026831/publications.pdf>

Version: 2024-02-01

35

papers

346

citations

840776

11

h-index

888059

17

g-index

35

all docs

35

docs citations

35

times ranked

379

citing authors

#	ARTICLE	IF	CITATIONS
1	Derby <i>Hypsaurus</i>: a historical review and update of its whereabouts. Historical Biology, 2023, 35, 1002-1010.	1.4	0
2	Revision of †<i>Ellimmichthys longicostatus</i> (Clupeomorpha: †<i>Ellimmichthyiformes</i>) from the Lower Cretaceous of Brazil with comments on the taxonomy of related species. Journal of South American Earth Sciences, 2021, 105, 103006.	1.4	4
3	A new late devonian fish fauna from Northeastern Brazil. Historical Biology, 2021, 33, 3444-3453.	1.4	3
4	Paleoecologia x Ecologia: Uma interação necessária?. Revista Sustinere, 2021, 9, 254-296.	0.1	1
5	†<i>Ellimma longipectoralis</i> sp. nov. (Teleostei: Clupeomorpha: †<i>Ellimmichthyiformes</i>) from the Aptian of the Santos Basin, southeastern Brazil. Journal of South American Earth Sciences, 2020, 98, 102318.	1.4	7
6	Cranial anatomy of the predatory actinopterygian <i>Brazilichthys macrognathus</i> from the Permian (Cisuralian) Pedra de Fogo Formation, Parnaíba Basin, Brazil. Journal of Vertebrate Paleontology, 2019, 39, e1639722.	1.0	10
7	Distributional patterns of Aptian-Albian paleoichthyoфаuna of Brazil and Africa based on Track Analysis. Anais Da Academia Brasileira De Ciencias, 2019, 91, e20160456.	0.8	2
8	Quasimodichthys gen. nov. (Neopterygii: Semionotiformes): A morphological and ontogenetic study. Journal of South American Earth Sciences, 2018, 88, 132-143.	1.4	3
9	New chondrichthyan fin spines from the Pedra de Fogo Formation, Brazil. Journal of South American Earth Sciences, 2017, 76, 389-396.	1.4	7
10	Lepisosteoid-type fish scales in the Barremian-Aptian (Lower Cretaceous) of the Sanfranciscana Basin, Southeastern Brazil. Cretaceous Research, 2017, 70, 1-7.	1.4	8
11	New sarcopterygians from the Carboniferous Poti Formation and from the Permian Rio do Rasto Formation, Brazil. Revista Brasileira De Paleontologia, 2017, 19, 401-406.	0.4	3
12	Distributional patterns of living ungulates (Mammalia: Cetartiodactyla and Perissodactyla) of the Neotropical region, the South American transition zone and Andean region. Journal of South American Earth Sciences, 2016, 71, 63-70.	1.4	3
13	Distributional patterns of enchodontoid fishes in the Late Cretaceous. Cretaceous Research, 2016, 65, 223-231.	1.4	9
14	Historical relationship of the Caribbean and Amazonian Miocene ichthyoфаunas: A hypothesis reviewed under a biogeographical approach. Geobios, 2015, 48, 309-320.	1.4	6
15	Estado da arte sobre a ictioфаuna mesozoica do Brasil. Ciência E Cultura, 2015, 67, 30-32.	0.0	0
16	Distributional patterns of ?Mawsoniidae (Sarcopterygii: Actinistia). Anais Da Academia Brasileira De Ciencias, 2014, 86, 159-170.	0.8	15
17	<i>Atolchelys lepida</i>, a new side-necked turtle from the Early Cretaceous of Brazil and the age of crown Pleurodira. Biology Letters, 2014, 10, 20140290.	2.3	48
18	Distributional patterns of herbivore megamammals during the Late Pleistocene of South America. Anais Da Academia Brasileira De Ciencias, 2013, 85, 533-546.	0.8	17

#	ARTICLE	IF	CITATIONS
19	A new protacanthopterygian fish from the Upper Cretaceous (Turonian) of the Pelotas Basin, southern Brazil. <i>Cretaceous Research</i> , 2012, 34, 116-123.	1.4	2
20	Phylogenetic relationships of the elopomorph fish <i>Paraelops cearensis</i> Silva Santos revisited: Evidence from new specimens. <i>Cretaceous Research</i> , 2012, 37, 148-154.	1.4	7
21	First record of a clupeomorph fish in the Neuquén Group (Portezuelo Formation), Upper Cretaceous of Patagonia, Argentina. <i>Cretaceous Research</i> , 2011, 32, 223-235.	1.4	6
22	Taxonomic review and phylogenetic analysis of Enchodontoiidei (Teleostei: Aulopiformes). <i>Anais Da Academia Brasileira De Ciencias</i> , 2011, 83, 483-511.	0.8	28
23	Panbiogeographical analysis of the shark genus <i>Rhizoprionodon</i> (Chondrichthyes.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 500	1.6	11
24	A possible occurrence of Diodontidae (Teleostei, Tetraodontiformes) in the Upper Cretaceous of the Paraíba Basin, northeastern Brazil. <i>Cretaceous Research</i> , 2009, 30, 599-604.	1.4	12
25	Santanasalmo elegans gen. et sp. nov., a basal euteleostean fish from the Lower Cretaceous of the Araripe Basin, northeastern Brazil. <i>Cretaceous Research</i> , 2009, 30, 1357-1366.	1.4	8
26	Panbiogeographical analysis of distribution patterns in hagfishes (Craniata: Myxinidae). <i>Journal of Biogeography</i> , 2008, 35, 1258-1268.	3.0	15
27	Track analysis of the marine palaeofauna from the Turonian (Late Cretaceous). <i>Journal of Biogeography</i> , 2007, 34, 1167-1172.	3.0	12
28	A NEW DERCTID FISH (NEOTELEOSTEI: AULOPIFORMES) FROM THE TURONIAN OF THE PELOTAS BASIN, SOUTHERN BRAZIL. <i>Palaeontology</i> , 2006, 49, 445-456.	2.2	13
29	Redescription of <i>Lepidotes piauhyensis</i> Roxo and Lüfgren, 1936 (Neopterygii, Semionotiformes,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 2005, 25, 757-769.	1.0	19
30	<i>Farinichthys gigas</i> , a new albulid fish (Teleostei: Elopomorpha) from the Paleocene of the Pernambuco-Paraíba Basin, northeastern Brazil. <i>Journal of Vertebrate Paleontology</i> , 2003, 22, 747-758.	1.0	7
31	A new species of <i>Lepidotes</i> (Neopterygii: Semionotiformes: Semionotidae) from the Santana Formation, Lower Cretaceous of northeastern Brazil. <i>Journal of Vertebrate Paleontology</i> , 2003, 23, 47-53.	1.0	24
32	A new pleuropholid, <i>Gondwanapleuropholis longimaxillaris</i> n. g., n. sp. (Actinopterygii: Teleostei) from the Jurassic of north east Brazil. <i>Comptes Rendus - Palevol</i> , 2002, 1, 697-703.	0.2	8
33	Vertebrate assemblage from the Maria Farinha Formation after the K-T boundary. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2001, 219, 261-284.	0.4	12
34	A possible chelonian egg from the Brazilian late cretaceous. <i>Anais Da Academia Brasileira De Ciencias</i> , 2000, 72, 187-193.	0.8	15
35	<i>Lophionotus parnaibensis</i> , sp. nov. (Semionotiformes, Semionotidae) in the Upper Jurassic of the Parnaíba Basin, Northeastern Brazil. <i>Journal of Vertebrate Paleontology</i> , 0, .	1.0	1