

# Peter W Swaan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8027201/publications.pdf>

Version: 2024-02-01

123  
papers

10,353  
citations

53939

47  
h-index

38517

99  
g-index

128  
all docs

128  
docs citations

128  
times ranked

13380  
citing authors

#	ARTICLE	IF	CITATIONS
1	S-acylation status of bile acid transporter hASBT regulates its function, metabolic stability, membrane expression, and phosphorylation state. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2021, 1863, 183510.	1.4	3
2	Identification of Key Amino Acids that Impact Organic Solute Transporter $OST\pm/\hat{2}$ . <i>Molecular Pharmacology</i> , 2021, 100, 599-608.	1.0	0
3	Quantification of common and planar bile acids in tissues and cultured cells. <i>Journal of Lipid Research</i> , 2020, 61, 1524-1535.	2.0	8
4	Trends in Research and Graduate Programs in Schools and Colleges of Pharmacy, Part 1: Programs. <i>American Journal of Pharmaceutical Education</i> , 2020, 84, 7643.	0.7	3
5	Trends in Research and Graduate Affairs in Schools and Colleges of Pharmacy, Part 2: Students. <i>American Journal of Pharmaceutical Education</i> , 2020, 84, 7642.	0.7	4
6	Trends in Research and Graduate Affairs in Schools and Colleges of Pharmacy, Part 3: Underrepresented Minorities. <i>American Journal of Pharmaceutical Education</i> , 2020, 84, 7641.	0.7	9
7	Tyrosine Phosphorylation Regulates Plasma Membrane Expression and Stability of the Human Bile Acid Transporter ASBT ( $SLC10A2$ ). <i>Molecular Pharmaceutics</i> , 2019, 16, 3569-3576.	2.3	10
8	Mechanistic Insights of Phenobarbital-Mediated Activation of Human but Not Mouse Pregnane X Receptor. <i>Molecular Pharmacology</i> , 2019, 96, 345-354.	1.0	27
9	Human bile acid transporter ASBT (SLC10A2) forms functional non-covalent homodimers and higher order oligomers. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018, 1860, 645-653.	1.4	17
10	Post-translational modifications of transporters. , 2018, 192, 88-99.		107
11	Molecular Modeling of Drug-Transporter Interactions: An International Transporter Consortium Perspective. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 818-835.	2.3	43
12	Identification of novel MRP3 inhibitors based on computational models and validation using an in vitro membrane vesicle assay. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 103, 52-59.	1.9	17
13	Molecular Basis of Metabolism-Mediated Conversion of PK11195 from an Antagonist to an Agonist of the Constitutive Androstane Receptor. <i>Molecular Pharmacology</i> , 2017, 92, 75-87.	1.0	12
14	Planar bile acids in health and disease. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 2269-2276.	1.4	27
15	Internalization and Subcellular Trafficking of Poly-l-lysine Dendrimers Are Impacted by the Site of Fluorophore Conjugation. <i>Molecular Pharmaceutics</i> , 2015, 12, 1961-1969.	2.3	12
16	Potent and Selective Inhibition of Plasma Membrane Monoamine Transporter by HIV Protease Inhibitors. <i>Drug Metabolism and Disposition</i> , 2015, 43, 1773-1780.	1.7	50
17	Toward Predicting Drug-Induced Liver Injury: Parallel Computational Approaches to Identify Multidrug Resistance Protein 4 and Bile Salt Export Pump Inhibitors. <i>Drug Metabolism and Disposition</i> , 2015, 43, 725-734.	1.7	37
18	The Role of Transporters in Toxicity and Disease. <i>Drug Metabolism and Disposition</i> , 2014, 42, 541-545.	1.7	32

#	ARTICLE	IF	CITATIONS
19	Risk Factors for Development of Cholestatic Drug-Induced Liver Injury: Inhibition of Hepatic Basolateral Bile Acid Transporters Multidrug Resistance-Associated Proteins 3 and 4. Drug Metabolism and Disposition, 2014, 42, 665-674.	1.7	140
20	Microfluidic Preparation of Liposomes to Determine Particle Size Influence on Cellular Uptake Mechanisms. Pharmaceutical Research, 2014, 31, 401-413.	1.7	124
21	Resveratrol promotes degradation of the human bile acid transporter ASBT (SLC10A2). Biochemical Journal, 2014, 459, 301-312.	1.7	28
22	Intracellular Ca <sup>2+</sup> Release Mediates Cationic but Not Anionic Poly(amidoamine) (PAMAM) Dendrimer-Induced Tight Junction Modulation. Pharmaceutical Research, 2014, 31, 2429-2438.	1.7	15
23	Activation of the constitutive androstane receptor inhibits gluconeogenesis without affecting lipogenesis or fatty acid synthesis in human hepatocytes. Toxicology and Applied Pharmacology, 2014, 279, 33-42.	1.3	31
24	Identification of Novel Activators of Constitutive Androstane Receptor from FDA-Approved Drugs by Integrated Computational and Biological Approaches. Pharmaceutical Research, 2013, 30, 489-501.	1.7	42
25	Identification of Novel Breast Cancer Resistance Protein (BCRP) Inhibitors by Virtual Screening. Molecular Pharmaceutics, 2013, 10, 1236-1248.	2.3	38
26	Riboflavin-Targeted Polymer Conjugates for Breast Tumor Delivery. Pharmaceutical Research, 2013, 30, 1799-1812.	1.7	29
27	The solute carrier family 10 (SLC10): Beyond bile acid transport. Molecular Aspects of Medicine, 2013, 34, 252-269.	2.7	145
28	Transmembrane Domain V Plays a Stabilizing Role in the Function of Human Bile Acid Transporter SLC10A2. Biochemistry, 2013, 52, 5117-5124.	1.2	14
29	ITC Recommendations for Transporter Kinetic Parameter Estimation and Translational Modeling of Transport-Mediated PK and DDIs in Humans. Clinical Pharmacology and Therapeutics, 2013, 94, 64-79.	2.3	172
30	Transmembrane Domain II of the Human Bile Acid Transporter SLC10A2 Coordinates Sodium Translocation. Journal of Biological Chemistry, 2013, 288, 32394-32404.	1.6	9
31	The Report of the 2012-2013 Research and Graduate Affairs Committee. American Journal of Pharmaceutical Education, 2013, 77, s9.	0.7	2
32	Microfluidic synthesis of PEGylated liposomes. , 2012, , .		0
33	Putative Irreversible Inhibitors of the Human Sodium-Dependent Bile Acid Transporter (hASBT); Tj ETQq1 1 0.784314 rgBT /Overlock 10 Pharmaceutical Research, 2012, 29, 1821-1831.	1.7	6
34	G3.5 PAMAM dendrimers enhance transepithelial transport of SN38 while minimizing gastrointestinal toxicity. Journal of Controlled Release, 2011, 150, 318-325.	4.8	95
35	Identification and Validation of Novel Human Pregnane X Receptor Activators among Prescribed Drugs via Ligand-Based Virtual Screening. Drug Metabolism and Disposition, 2011, 39, 337-344.	1.7	42
36	Molecular Analysis and Structure-Activity Relationship Modeling of the Substrate/Inhibitor Interaction Site of Plasma Membrane Monoamine Transporter. Journal of Pharmacology and Experimental Therapeutics, 2011, 339, 376-385.	1.3	19

#	ARTICLE	IF	CITATIONS
37	Transmembrane Helix 1 Contributes to Substrate Translocation and Protein Stability of Bile Acid Transporter SLC10A2. <i>Journal of Biological Chemistry</i> , 2011, 286, 27322-27332.	1.6	15
38	ATP-Binding Cassette Transporter Expression in Human Placenta as a Function of Pregnancy Condition. <i>Drug Metabolism and Disposition</i> , 2011, 39, 1000-1007.	1.7	50
39	Cellular Entry of G3.5 Poly (amido amine) Dendrimers by Clathrin- and Dynamin-Dependent Endocytosis Promotes Tight Junctional Opening in Intestinal Epithelia. <i>Pharmaceutical Research</i> , 2010, 27, 1547-1557.	1.7	58
40	Publication Ethics—A Guide for Submitting Manuscripts to Pharmaceutical Research. <i>Pharmaceutical Research</i> , 2010, 27, 1757-1758.	1.7	9
41	Human effector/initiator gene sets that regulate myometrial contractility during term and preterm labor. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 474.e1-474.e20.	0.7	53
42	Membrane transporters in drug development. <i>Nature Reviews Drug Discovery</i> , 2010, 9, 215-236.	21.5	2,886
43	The Ethanol Metabolite Acetaldehyde Increases Paracellular Drug Permeability In Vitro and Oral Bioavailability In Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 326-333.	1.3	19
44	Targeting Drug Transporters — Combining In Silico and In Vitro Approaches to Predict In Vivo. <i>Methods in Molecular Biology</i> , 2010, 637, 65-103.	0.4	17
45	Structural Requirements of the ASBT by 3D-QSAR Analysis Using Aminopyridine Conjugates of Chenodeoxycholic Acid. <i>Bioconjugate Chemistry</i> , 2010, 21, 2038-2048.	1.8	15
46	Transepithelial transport of PEGylated anionic poly(amidoamine) dendrimers: Implications for oral drug delivery. <i>Journal of Controlled Release</i> , 2009, 138, 78-85.	4.8	90
47	Pharmaceutical Research—Looking Ahead. <i>Pharmaceutical Research</i> , 2009, 26, 491-491.	1.7	1
48	Science Beyond Impact Factors. <i>Pharmaceutical Research</i> , 2009, 26, 743-745.	1.7	1
49	The Cytosolic Half of Helix III Forms the Substrate Exit Route during Permeation Events of the Sodium/Bile Acid Cotransporter ASBT. <i>Biochemistry</i> , 2009, 48, 8528-8539.	1.2	16
50	Evaluation of the Effect of Ethanol's Toxic Metabolite Acetaldehyde on the Gastrointestinal Oligopeptide Transporter, PEPT1: In Vitro and in Vivo Studies. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 162-170.	1.4	7
51	Potential Oral Delivery of 7-Ethyl-10-Hydroxy-Camptothecin (SN-38) using Poly(amidoamine) Dendrimers. <i>Pharmaceutical Research</i> , 2008, 25, 1723-1729.	1.7	92
52	Design of high-affinity peptide conjugates with optimized fluorescence quantum yield as markers for small peptide transporter PEPT1 (SLC15A1). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 2555-2557.	1.0	6
53	Design, Synthesis, Cytoselective Toxicity, Structure—Activity Relationships, and Pharmacophore of Thiazolidinone Derivatives Targeting Drug-Resistant Lung Cancer Cells. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 1242-1251.	2.9	155
54	Endocytosis Inhibitors Prevent Poly(amidoamine) Dendrimer Internalization and Permeability across Caco-2 Cells. <i>Molecular Pharmaceutics</i> , 2008, 5, 364-369.	2.3	139

#	ARTICLE	IF	CITATIONS
55	Intracellular Processing of Riboflavin in Human Breast Cancer Cells. <i>Molecular Pharmaceutics</i> , 2008, 5, 839-848.	2.3	29
56	Machine Learning Methods and Docking for Predicting Human Pregnane X Receptor Activation. <i>Chemical Research in Toxicology</i> , 2008, 21, 1457-1467.	1.7	65
57	Cytosolic Half of Transmembrane Domain IV of the Human Bile Acid Transporter hASBT (SLC10A2) Forms Part of the Substrate Translocation Pathway. <i>Biochemistry</i> , 2008, 47, 3606-3614.	1.2	20
58	Conformational Flexibility of Helix VI Is Essential for Substrate Permeation of the Human Apical Sodium-Dependent Bile Acid Transporter. <i>Molecular Pharmacology</i> , 2008, 73, 305-313.	1.0	24
59	Multi-level Analysis of Organic Anion Transporters 1, 3, and 6 Reveals Major Differences in Structural Determinants of Antiviral Discrimination. <i>Journal of Biological Chemistry</i> , 2008, 283, 8654-8663.	1.6	89
60	Bacterial Peptide Recognition and Immune Activation Facilitated by Human Peptide Transporter <i>hPEPT2</i> . <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2008, 39, 536-542.	1.4	58
61	Conserved Aspartic Acid Residues Lining the Extracellular Loop I of Sodium-coupled Bile Acid Transporter ASBT Interact with Na <sup>+</sup> and 7 $\beta$ -OH Moieties on the Ligand Cholestane Skeleton. <i>Journal of Biological Chemistry</i> , 2008, 283, 20653-20663.	1.6	17
62	Electrostatic and potential cation- $\pi$ forces may guide the interaction of extracellular loop III with Na <sup>+</sup> and bile acids for human apical Na <sup>+</sup> -dependent bile acid transporter. <i>Biochemical Journal</i> , 2008, 410, 391-400.	1.7	20
63	Structural Variation Governs Substrate Specificity for Organic Anion Transporter (OAT) Homologs. <i>Journal of Biological Chemistry</i> , 2007, 282, 23841-23853.	1.6	79
64	Bias in Estimation of Transporter Kinetic Parameters from Overexpression Systems: Interplay of Transporter Expression Level and Substrate Affinity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 320, 133-144.	1.3	32
65	Dynamin 2 Regulates Riboflavin Endocytosis in Human Placental Trophoblasts. <i>Molecular Pharmacology</i> , 2007, 72, 553-562.	1.0	18
66	Surface Acetylation of Polyamidoamine (PAMAM) Dendrimers Decreases Cytotoxicity while Maintaining Membrane Permeability. <i>Bioconjugate Chemistry</i> , 2007, 18, 2054-2060.	1.8	267
67	Analogs of Methyllycaonitine as Novel Noncompetitive Inhibitors of Nicotinic Receptors: Pharmacological Characterization, Computational Modeling, and Pharmacophore Development. <i>Molecular Pharmacology</i> , 2007, 71, 1288-1297.	1.0	24
68	Human Pregnane X Receptor Antagonists and Agonists Define Molecular Requirements for Different Binding Sites. <i>Molecular Pharmacology</i> , 2007, 72, 592-603.	1.0	143
69	Endocytic mechanisms for targeted drug delivery. <i>Advanced Drug Delivery Reviews</i> , 2007, 59, 748-758.	6.6	897
70	Endocytosis and Interaction of Poly (Amidoamine) Dendrimers with Caco-2 Cells. <i>Pharmaceutical Research</i> , 2007, 24, 2138-2145.	1.7	173
71	Computational Models to Assign Biopharmaceutics Drug Disposition Classification from Molecular Structure. <i>Pharmaceutical Research</i> , 2007, 24, 2249-2262.	1.7	61
72	cAMP-Coupled Riboflavin Trafficking in Placental Trophoblasts: A Dynamic and Ordered Process. <i>Biochemistry</i> , 2006, 45, 6095-6104.	1.2	11

#	ARTICLE	IF	CITATIONS
73	Rapid Identification of P-glycoprotein Substrates and Inhibitors. <i>Drug Metabolism and Disposition</i> , 2006, 34, 1976-1984.	1.7	136
74	Membrane Topology of Human ASBT (SLC10A2) Determined by Dual Label Epitope Insertion Scanning Mutagenesis. New Evidence for Seven Transmembrane Domains. <i>Biochemistry</i> , 2006, 45, 943-953.	1.2	54
75	Computational Modeling of Drug Disposition. , 2006, , 495-512.		5
76	Design of novel synthetic MTS conjugates of bile acids for site-directed sulfhydryl labeling of cysteine residues in bile acid binding and transporting proteins. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 1473-1476.	1.0	7
77	Cytoskeletal scaffolds regulate riboflavin endocytosis and recycling in placental trophoblasts. <i>Journal of Nutritional Biochemistry</i> , 2006, 17, 821-829.	1.9	9
78	Pharmacophore-based discovery of ligands for drug transporters. <i>Advanced Drug Delivery Reviews</i> , 2006, 58, 1431-1450.	6.6	101
79	Identification of interactive gene networks: A novel approach in gene array profiling of myometrial events during guinea pig pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 1513-1523.	0.7	30
80	Pregnancy and estradiol modulate myometrial G-protein pathways in the guinea pig. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 275-287.	0.7	4
81	Transport of Poly(Amidoamine) Dendrimers across Caco-2 Cell Monolayers: Influence of Size, Charge and Fluorescent Labeling. <i>Pharmaceutical Research</i> , 2006, 23, 2818-2826.	1.7	157
82	Computational approaches to modeling drug transporters. <i>European Journal of Pharmaceutical Sciences</i> , 2006, 27, 411-424.	1.9	67
83	Transmembrane Domain VII of the Human Apical Sodium-Dependent Bile Acid Transporter ASBT (SLC10A2) Lines the Substrate Translocation Pathway. <i>Molecular Pharmacology</i> , 2006, 70, 1565-1574.	1.0	35
84	Recognition, Cointernalization, and Recycling of an Avian Riboflavin Carrier Protein in Human Placental Trophoblasts. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 317, 465-472.	1.3	21
85	Electrophysiological Characterization and Modeling of the Structure Activity Relationship of the Human Concentrative Nucleoside Transporter 3 (hCNT3). <i>Molecular Pharmacology</i> , 2006, 69, 1542-1553.	1.0	48
86	In silico strategies for modeling membrane transporter function. <i>Drug Discovery Today</i> , 2005, 10, 663-671.	3.2	39
87	Reengineering the pharmaceutical industry by crash-testing molecules. <i>Drug Discovery Today</i> , 2005, 10, 1191-1200.	3.2	32
88	In Vitro and Pharmacophore-Based Discovery of Novel hPEPT1 Inhibitors. <i>Pharmaceutical Research</i> , 2005, 22, 512-517.	1.7	68
89	Molecular Determinants of Substrate/Inhibitor Binding to the Human and Rabbit Renal Organic Cation Transporters hOCT2 and rbOCT2. <i>Molecular Pharmacology</i> , 2005, 67, 1067-1077.	1.0	96
90	Comparative Pharmacophore Modeling of Organic Anion Transporting Polypeptides: A Meta-Analysis of Rat Oatp1a1 and Human OATP1B1. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 314, 533-541.	1.3	90

#	ARTICLE	IF	CITATIONS
91	Functional Characterization of the Peptide Transporter PEPT2 in Primary Cultures of Human Upper Airway Epithelium. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2005, 32, 319-325.	1.4	35
92	Efflux of Depsipeptide FK228 (FR901228, NSC-630176) Is Mediated by P-Glycoprotein and Multidrug Resistance-Associated Protein 1. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 313, 268-276.	1.3	69
93	Site-Directed Mutagenesis and Use of Bile Acid <sup>3</sup> MTS Conjugates to Probe the Role of Cysteines in the Human Apical Sodium-Dependent Bile Acid Transporter (SLC10A2). <i>Biochemistry</i> , 2005, 44, 8908-8917.	1.2	37
94	Drug-prescribing challenges during pregnancy. <i>Current Obstetrics &amp; Gynaecology</i> , 2005, 15, 157-165.	0.2	10
95	Topology Scanning and Putative Three-Dimensional Structure of the Extracellular Binding Domains of the Apical Sodium-Dependent Bile Acid Transporter (SLC10A2). <i>Biochemistry</i> , 2004, 43, 11380-11392.	1.2	62
96	A Novel Rhodamine <sup>6</sup> Riboflavin Conjugate Probe Exhibits Distinct Fluorescence Resonance Energy Transfer that Enables Riboflavin Trafficking and Subcellular Localization Studies. <i>Molecular Pharmaceutics</i> , 2004, 1, 257-266.	2.3	24
97	A Ligand-Based Approach To Identify Quantitative Structure <sup>7</sup> Activity Relationships for the Androgen Receptor. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 3765-3776.	2.9	71
98	Development of Computational Models for Enzymes, Transporters, Channels, and Receptors Relevant to ADME/Tox. <i>Reviews in Computational Chemistry</i> , 2004, , 333-415.	1.5	38
99	Carrier-Mediated Mechanisms for Cellular Drug Transport. , 2004, , 107-128.		1
100	Structural Determinants of P-Glycoprotein-Mediated Transport of Glucocorticoids. <i>Pharmaceutical Research</i> , 2003, 20, 1794-1803.	1.7	112
101	Current perspectives on the cellular uptake and trafficking of riboflavin. <i>Advanced Drug Delivery Reviews</i> , 2003, 55, 1467-1483.	6.6	108
102	Microfabricated porous silicon particles enhance paracellular delivery of insulin across intestinal Caco-2 cell monolayers. <i>Pharmaceutical Research</i> , 2003, 20, 110-116.	1.7	185
103	Cytoskeletal motors and cargo in membrane trafficking: opportunities for high specificity in drug intervention. <i>Drug Discovery Today</i> , 2003, 8, 494-502.	3.2	22
104	Involvement of Endocytic Organelles in the Subcellular Trafficking and Localization of Riboflavin. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 306, 681-687.	1.3	31
105	Molecular Basis of Vitamin E Action. <i>Journal of Biological Chemistry</i> , 2003, 278, 43508-43515.	1.6	258
106	STRUCTURAL BIOLOGY AND FUNCTION OF SOLUTE TRANSPORTERS: IMPLICATIONS FOR IDENTIFYING AND DESIGNING SUBSTRATES. <i>Drug Metabolism Reviews</i> , 2002, 34, 709-750.	1.5	62
107	Camptothecins. <i>Drugs</i> , 2002, 62, 2039-2057.	4.9	254
108	Modeling of active transport systems. <i>Advanced Drug Delivery Reviews</i> , 2002, 54, 329-354.	6.6	76



#	ARTICLE	IF	CITATIONS
109	Straight-Chain Naltrexone Ester Prodrugs: Diffusion and Concurrent Esterase Biotransformation in Human Skin. <i>Journal of Pharmaceutical Sciences</i> , 2002, 91, 2571-2578.	1.6	62
110	Towards a new age of virtual ADME/TOX and multidimensional drug discovery. <i>Journal of Computer-Aided Molecular Design</i> , 2002, 16, 381-401.	1.3	85
111	Downregulation of topoisomerase I in differentiating human intestinal epithelial cells. <i>International Journal of Cancer</i> , 2001, 94, 200-207.	2.3	10
112	Sequential processing of human Prol-1beta by caspase-1 and subsequent folding determined by a combined in vitro and in silico approach. <i>Pharmaceutical Research</i> , 2001, 18, 1083-1090.	1.7	16
113	Progress in predicting human ADME parameters in silico. <i>Journal of Pharmacological and Toxicological Methods</i> , 2000, 44, 251-272.	0.3	240
114	Towards a new age of virtual ADME/TOX and multidimensional drug discovery. <i>Molecular Diversity</i> , 2000, 5, 255-275.	2.1	25
115	Determination of membrane protein glycation in diabetic tissue. <i>AAPS PharmSci</i> , 1999, 1, 27-33.	1.3	13
116	Recent advances in intestinal macromolecular drug delivery via receptor-mediated transport pathways. , 1998, 15, 826-834.		77
117	Enhanced Transepithelial Transport of Peptides by Conjugation to Cholic Acid. <i>Bioconjugate Chemistry</i> , 1997, 8, 520-525.	1.8	69
118	Molecular Determinants of Recognition for the Intestinal Peptide Carrier. <i>Journal of Pharmaceutical Sciences</i> , 1997, 86, 596-602.	1.6	53
119	Molecular modeling of the intestinal bile acid carrier: a comparative molecular field analysis study. <i>Journal of Computer-Aided Molecular Design</i> , 1997, 11, 581-588.	1.3	49
120	Use of the intestinal bile acid transporter for the uptake of cholic acid conjugates with HIV-1 protease inhibitory activity. <i>Pharmaceutical Research</i> , 1997, 14, 176-180.	1.7	35
121	Use of the intestinal and hepatic bile acid transporters for drug delivery. <i>Advanced Drug Delivery Reviews</i> , 1996, 20, 59-82.	6.6	28
122	Molecular mechanism for the relative binding affinity to the intestinal peptide carrier. Comparison of three ACE-inhibitors: enalapril, enalaprilat, and lisinopril. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1995, 1236, 31-38.	1.4	82
123	Determination of transport rates for arginine and acetaminophen in rabbit intestinal tissues in vitro. <i>Pharmaceutical Research</i> , 1994, 11, 283-287.	1.7	21