

# Max Bachmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8028734/publications.pdf>

Version: 2024-02-01

84  
papers

2,664  
citations

212478

28  
h-index

232693

48  
g-index

87  
all docs

87  
docs citations

87  
times ranked

4205  
citing authors

#	ARTICLE	IF	CITATIONS
1	HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality, evidence-informed surgical, maternal and newborn, and primary care: protocol for pre-implementation phase studies. <i>Global Health Action</i> , 2022, 15, 1987044.	0.7	11
2	Integrating Care for Diabetes and Hypertension with HIV Care in Sub-Saharan Africa: A Scoping Review. <i>International Journal of Integrated Care</i> , 2022, 22, 6.	0.1	17
3	Effect of a brief motivational interview and text message intervention targeting tobacco smoking, alcohol use and medication adherence to improve tuberculosis treatment outcomes in adult patients with tuberculosis: a multicentre, randomised controlled trial of the ProLife programme in South Africa. <i>BMI Open</i> , 2022, 12, e056496.	0.8	10
4	Prospective study of factors associated with asthma attack recurrence (ATTACK) in children from three Ecuadorian cities during COVID-19: a study protocol. <i>BMJ Open</i> , 2022, 12, e056295.	0.8	0
5	Lifestyle Intervention With or Without Lay Volunteers to Prevent Type 2 Diabetes in People With Impaired Fasting Glucose and/or Nondiabetic Hyperglycemia. <i>JAMA Internal Medicine</i> , 2021, 181, 168.	2.6	33
6	Addressing the quality of paediatric primary care: health worker and caregiver perspectives from a process evaluation of PACK child, a health systems intervention in South Africa. <i>BMC Pediatrics</i> , 2021, 21, 58.	0.7	0
7	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial.. <i>Journal of Affective Disorders</i> , 2021, 282, 112-121.	2.0	18
8	Effect of COVID-19 lockdown on hospital admissions and mortality in rural KwaZulu-Natal, South Africa: interrupted time series analysis. <i>BMJ Open</i> , 2021, 11, e047961.	0.8	37
9	Identifying contextual determinants of problems in tuberculosis care provision in South Africa: a theory-generating case study. <i>Infectious Diseases of Poverty</i> , 2021, 10, 67.	1.5	8
10	Effects of the Norfolk diabetes prevention lifestyle intervention (NDPS) on glycaemic control in screen-detected type 2 diabetes: a randomised controlled trial. <i>BMC Medicine</i> , 2021, 19, 183.	2.3	4
11	Implementation and Scale-Up of Integrated Depression Care in South Africa: An Observational Implementation Research Protocol. <i>Psychiatric Services</i> , 2021, 72, 1065-1075.	1.1	10
12	Integrating HIV, diabetes and hypertension services in Africa: study protocol for a cluster randomised trial in Tanzania and Uganda. <i>BMJ Open</i> , 2021, 11, e047979.	0.8	0
13	Integrating diabetes, hypertension and HIV care in sub-Saharan Africa: a Delphi consensus study on international best practice. <i>BMC Health Services Research</i> , 2021, 21, 1235.	0.9	10
14	Vaccination against COVID-19 and society's return to normality in England: a modelling study of impacts of different types of naturally acquired and vaccine-induced immunity. <i>BMJ Open</i> , 2021, 11, e053507.	0.8	10
15	Diabetes, employment and behavioural risk factors in China: Marginal structural models versus fixed effects models. <i>Economics and Human Biology</i> , 2020, 39, 100925.	0.7	2
16	Post-lockdown SARS-CoV-2 nucleic acid screening in nearly ten million residents of Wuhan, China. <i>Nature Communications</i> , 2020, 11, 5917.	5.8	140
17	Strengthening integration of chronic care in Africa: protocol for the qualitative process evaluation of integrated HIV, diabetes and hypertension care in a cluster randomised controlled trial in Tanzania and Uganda. <i>BMJ Open</i> , 2020, 10, e039237.	0.8	16
18	Bridging the mental health treatment gap: effects of a collaborative care intervention (matrix) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 1 <i>Community Health</i> , 2020, 8, e000263.	0.6	5

#	ARTICLE	IF	CITATIONS
19	Patient-level predictors of detection of depressive symptoms, referral, and uptake of depression counseling among chronic care patients in KwaZulu-Natal, South Africa. <i>Global Mental Health</i> (Cambridge, England), 2020, 7, e18.	1.0	6
20	Ethical issues in intervention studies on the prevention and management of diabetes and hypertension in sub-Saharan Africa. <i>BMJ Global Health</i> , 2020, 5, e002193.	2.0	10
21	Addressing the quality and scope of paediatric primary care in South Africa: evaluating contextual impacts of the introduction of the Practical Approach to Care Kit for children (PACK Child). <i>BMC Health Services Research</i> , 2020, 20, 479.	0.9	10
22	Comorbidities between tuberculosis and common mental disorders: a scoping review of epidemiological patterns and person-centred care interventions from low-to-middle income and BRICS countries. <i>Infectious Diseases of Poverty</i> , 2020, 9, 4.	1.5	50
23	Prevalence and health effects of communicable and non-communicable disease comorbidity in rural KwaZulu-Natal, South Africa. <i>Tropical Medicine and International Health</i> , 2019, 24, 1198-1207.	1.0	20
24	ImPROving TB outcomes by modifying LIFE-style behaviours through a brief motivational intervention followed by short text messages (ProLife): study protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 457.	0.7	7
25	Determinants of diagnostic discordance for non-diabetic hyperglycaemia and Type 2 diabetes using paired glycated haemoglobin measurements in a large English primary care population: cross-sectional study. <i>Diabetic Medicine</i> , 2019, 36, 1478-1486.	1.2	1
26	Does service heterogeneity have an impact on acute hospital length of stay in stroke? A UK-based multicentre prospective cohort study. <i>BMJ Open</i> , 2019, 9, e024506.	0.8	6
27	Effects of PACK guide training on the management of asthma and chronic obstructive pulmonary disease by primary care clinicians: a pragmatic cluster randomised controlled trial in Florianópolis, Brazil. <i>BMJ Global Health</i> , 2019, 4, e001921.	2.0	10
28	Socioeconomic position and depression in South African adults with long-term health conditions: a longitudinal study of causal pathways. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 199-209.	1.8	16
29	Strengthening the quality of paediatric primary care: protocol for the process evaluation of a health systems intervention in South Africa. <i>BMJ Global Health</i> , 2018, 3, e000945.	2.0	8
30	Linkage to primary care after home-based blood pressure screening in rural KwaZulu-Natal, South Africa: a population-based cohort study. <i>BMJ Open</i> , 2018, 8, e023369.	0.8	10
31	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. <i>Trials</i> , 2018, 19, 193.	0.7	36
32	Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. <i>Trials</i> , 2018, 19, 192.	0.7	25
33	Study Protocol: The Norfolk Diabetes Prevention Study [NDPS]: a 46-month multi-centre, randomised, controlled parallel group trial of a lifestyle intervention [with or without additional support from lay lifestyle mentors with Type 2 diabetes] to prevent transition to Type 2 diabetes in high risk groups with non-diabetic hyperglycaemia, or impaired fasting glucose. <i>BMC Public Health</i> , 2017, 17, 31.	1.2	16
34	Impact of travel time and rurality on presentation and outcomes of symptomatic colorectal cancer: a cross-sectional cohort study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e460-e466.	0.7	24
35	Socioeconomic and modifiable predictors of blood pressure control for hypertension in primary care attenders in the Western Cape, South Africa. <i>South African Medical Journal</i> , 2016, 106, 1241.	0.2	6
36	Geographical disparities in access to cancer management and treatment services in England. <i>Health and Place</i> , 2016, 42, 11-18.	1.5	34

#	ARTICLE	IF	CITATIONS
37	Risk of diabetic retinopathy at first screen in children at 12 and 13 years of age. <i>Diabetic Medicine</i> , 2016, 33, 1655-1658.	1.2	23
38	Lifestyle interventions for weight loss in adults with severe obesity: a systematic review. <i>Clinical Obesity</i> , 2016, 6, 395-403.	1.1	66
39	Screening attendance, age group and diabetic retinopathy level at first screen. <i>Diabetic Medicine</i> , 2016, 33, 904-911.	1.2	46
40	Association of increasing age with receipt of specialist care and long-term mortality in patients with non-ST elevation myocardial infarction. <i>Age and Ageing</i> , 2016, 45, 96-103.	0.7	8
41	Socioeconomic and modifiable predictors of blood pressure control for hypertension in primary care attenders in the Western Cape, South Africa. <i>South African Medical Journal</i> , 2016, 106, 1241.	0.2	4
42	The SOAR stroke score predicts hospital length of stay in acute stroke: an external validation study. <i>International Journal of Clinical Practice</i> , 2015, 69, 659-665.	0.8	13
43	Innovating to improve primary care in less developed countries: towards a global model: Table A1. <i>BMJ Innovations</i> , 2015, 1, 196-203.	1.0	58
44	Patient characteristics predicting failure to receive indicated care for type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 247-258.	1.1	5
45	Self-reported quality of care for older adults from 2004 to 2011: a cohort study. <i>Age and Ageing</i> , 2014, 43, 716-720.	0.7	10
46	Effectiveness of directly observed treatment of tuberculosis: a systematic review of controlled studies. <i>International Journal of Tuberculosis and Lung Disease</i> , 2014, 18, 1092-1098.	0.6	34
47	Economic inequalities in burden of illness, diagnosis and treatment of five long-term conditions in England: panel study. <i>BMJ Open</i> , 2014, 4, e005530.	0.8	9
48	Evaluation of a multidisciplinary tier 3 weight management service for adults with morbid obesity, or obesity and comorbidities, based in primary care. <i>Clinical Obesity</i> , 2014, 4, 254-266.	1.1	46
49	The association between older age and receipt of care and outcomes in patients with acute coronary syndromes: a cohort study of the Myocardial Ischaemia National Audit Project (MINAP). <i>European Heart Journal</i> , 2014, 35, 1551-1558.	1.0	130
50	OP32â€¦Symptoms, Diagnosis and Treatment in Socio-Economic Inequalities of Health. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, A17.1-A17.	2.0	0
51	Evaluation of a systematic postal screening and treatment service for genital Chlamydia trachomatis, with remote clinic access via the internet: a cross-sectional study, East of England. <i>Sexually Transmitted Infections</i> , 2012, 88, 375-381.	0.8	16
52	Incidence and Progression of Diabetic Retinopathy During 17 Years of a Population-Based Screening Program in England. <i>Diabetes Care</i> , 2012, 35, 592-596.	4.3	115
53	Use of haemoglobin A1c to detect impaired fasting glucose or Type 2 diabetes in a United Kingdom community based population. <i>Diabetes Research and Clinical Practice</i> , 2012, 96, 211-216.	1.1	17
54	Outreach education for integration of HIV/AIDS care, antiretroviral treatment, and tuberculosis care in primary care clinics in South Africa: PALSA PLUS pragmatic cluster randomised trial. <i>BMJ: British Medical Journal</i> , 2011, 342, d2022-d2022.	2.4	63

#	ARTICLE	IF	CITATIONS
55	Cost-effectiveness of community-based treatment of severe acute malnutrition in children. Expert Review of Pharmacoeconomics and Outcomes Research, 2010, 10, 605-612.	0.7	28
56	Quality of Life and Financial Measures in HIV/AIDS in Southern Africa. , 2010, , 3223-3243.		0
57	Effect on tuberculosis outcomes of educational outreach to South African clinics during two randomised trials. International Journal of Tuberculosis and Lung Disease, 2010, 14, 311-7.	0.6	16
58	Is it feasible to pool funds for local children's services in England? Evidence from the national evaluation of children's trust pathfinders. Journal of Health Services Research and Policy, 2009, 14, 27-34.	0.8	2
59	Integrating children's services in England: national evaluation of children's trusts. Child: Care, Health and Development, 2009, 35, 257-265.	0.8	24
60	Trends in yield and effects of screening intervals during 17 years of a large UK community-based diabetic retinopathy screening programme. Diabetic Medicine, 2009, 26, 1040-1047.	1.2	62
61	Diabetic retinopathy and socioeconomic deprivation in Gloucestershire. Journal of Medical Screening, 2008, 15, 118-121.	1.1	62
62	Self reported receipt of care consistent with 32 quality indicators: national population survey of adults aged 50 or more in England. BMJ: British Medical Journal, 2008, 337, a957-a957.	2.4	158
63	Expert consensus on contamination in educational trials elicited by a Delphi exercise. Medical Education, 2007, 41, 196-204.	1.1	28
64	To freeze or not to freeze: a cost-effectiveness analysis of wart treatment. British Journal of Dermatology, 2007, 156, 687-692.	1.4	19
65	What are children's trusts? Early findings from a national survey. Child: Care, Health and Development, 2006, 32, 137-146.	0.8	7
66	Integrating children's services to promote children's welfare: early findings from the implementation of children's trusts in England. Child Abuse Review, 2006, 15, 377-395.	0.4	14
67	Economic causes and effects of AIDS in South African households. Aids, 2006, 20, 1861-1867.	1.0	29
68	Effectiveness and cost effectiveness of early and late prevention of HIV/AIDS progression with antiretrovirals or antibiotics in Southern African adults. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2006, 18, 109-120.	0.6	35
69	Effectiveness and cost effectiveness of syndromic sexually transmitted infection packages in South African primary care: cluster randomised trial. Sexually Transmitted Infections, 2006, 82, 290-294.	0.8	10
70	Effects of specialisation on treatment and outcomes in screen-detected breast cancers in Wales: cohort study. British Journal of Cancer, 2006, 94, 36-42.	2.9	32
71	Effectiveness and cost-effectiveness of salicylic acid and cryotherapy for cutaneous warts. An economic decision model. Health Technology Assessment, 2006, 10, iii, ix-87.	1.3	37
72	Fisherfolk are among groups most at risk of HIV: cross-country analysis of prevalence and numbers infected. Aids, 2005, 19, 1939-1946.	1.0	114

#	ARTICLE	IF	CITATIONS
73	Effect of educational outreach to nurses on tuberculosis case detection and primary care of respiratory illness: pragmatic cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2005, 331, 750-754.	2.4	133
74	Quality of primary care for sexually transmitted diseases in Durban, South Africa: influences of patient, nurse, organizational and socioeconomic characteristics. <i>International Journal of STD and AIDS</i> , 2004, 15, 388-394.	0.5	16
75	Relationships between HIV/AIDS, income and expenditure over time in deprived South African households. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2004, 16, 817-826.	0.6	37
76	Influence of specialization on the management and outcome of patients with pancreatic cancer. <i>British Journal of Surgery</i> , 2003, 90, 171-177.	0.1	58
77	Socio-economic inequalities in diabetes complications, control, attitudes and health service use: a cross-sectional study. <i>Diabetic Medicine</i> , 2003, 20, 921-929.	1.2	156
78	Costs and concentration of cancer care: evidence for pancreatic, oesophageal and gastric cancers in National Health Service hospitals. <i>Journal of Health Services Research and Policy</i> , 2003, 8, 75-82.	0.8	15
79	Cohort study in South and West England of the influence of specialization on the management and outcome of patients with oesophageal and gastric cancers. <i>British Journal of Surgery</i> , 2002, 89, 914-922.	0.1	130
80	The effect of skin diseases on quality of life in patients from different social and ethnic groups in Cape Town, South Africa. <i>International Journal of Dermatology</i> , 2000, 39, 826-831.	0.5	57
81	Primary Care Groups: Trade-offs in Managing Budgets and Risk. <i>Public Money and Management</i> , 2000, 20, 53-62.	1.2	13
82	Impact of diabetic retinopathy screening on a British district population: case detection and blindness prevention in an evidence-based model. <i>Journal of Epidemiology and Community Health</i> , 1998, 52, 45-52.	2.0	53
83	Why Wait so Long for Child Care? An Analysis of Waits, Queues and Work in a South African Urban Health Centre. <i>Tropical Doctor</i> , 1997, 27, 34-38.	0.2	10
84	Determining the size of a total purchasing site to manage the financial risks of rare costly referrals: computer simulation model. <i>BMJ: British Medical Journal</i> , 1996, 313, 1054-1057.	2.4	11