

# Luciano Lazzarini Wolff

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8028951/publications.pdf>

Version: 2024-02-01

12  
papers

147  
citations

1307594

7  
h-index

1372567

10  
g-index

12  
all docs

12  
docs citations

12  
times ranked

240  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | <scp>NEOTROPICAL FRESHWATER FISHES</scp>: A dataset of occurrence and abundance of freshwater fishes in the Neotropics. <i>Ecology</i> , 2023, 104, e3713.   | 3.2 | 7         |
| 2  | Seasonal records of benthic macroinvertebrates in a stream on the eastern edge of the Iguaçu National Park, Brazil. <i>Biodiversity Data Journal</i> , 2020, 8, e54754.  | 0.8 | 1         |
| 3  | Ecomorphological variations and food supply drive trophic relationships in the fish fauna of a pristine neotropical stream. <i>Environmental Biology of Fishes</i> , 2019, 102, 783-800.   | 1.0 | 15        |
| 4  | Seasonal changes at population and individual levels in the diet of juvenile catfish in a Neotropical floodplain. <i>Journal of Freshwater Ecology</i> , 2018, 33, 273-284.  | 1.2 | 10        |
| 5  | Fish fauna in forested and rural streams from an ecoregion of high endemism, lower Iguaçu River basin, Brazil. <i>Biota Neotropica</i> , 2018, 18, .   | 0.5 | 17        |
| 6  | Diet and ecomorphological relationships of an endemic, species-poor fish assemblage in a stream in the Iguaçu National Park. <i>Neotropical Ichthyology</i> , 2015, 13, 245-254.   | 1.0 | 18        |
| 7  | Trophic structure of fish fauna along the longitudinal gradient of a first-order rural stream. <i>Acta Limnologica Brasiliensia</i> , 2015, 27, 381-393.   | 0.4 | 8         |
| 8  | Longitudinal use of feeding resources and distribution of fish trophic guilds in a coastal Atlantic stream, southern Brazil. <i>Neotropical Ichthyology</i> , 2013, 11, 375-386.   | 1.0 | 24        |
| 9  | Spatial, seasonal and ontogenetic variation in the diet of <i>Astyanax aff. fasciatus</i> (Ostariophysi: Tj ETQq1 1 0.784314 rgBT /Oyerlock 1  | 1.0 | 24        |
| 10 | Population structure and somatic indexes of <i>Hypostomus cf. ancistroides</i> (Siluriformes, Loricariidae) collected from the Bonito river, Ivaí-river basin, Turvo, Paraná. <i>Brazilian Archives of Biology and Technology</i> , 2008, 51, 493-502. | 0.5 | 7         |
| 11 | Population structure of <i>Phalloceros caudimaculatus</i> (Hensel, 1868) (Cyprinodontiformes, Poeciliidae) collected in a brook in Guarapuava, PR. <i>Brazilian Archives of Biology and Technology</i> , 2007, 50, 417-423.                            | 0.5 | 11        |
| 12 | Fish habitat associations along a longitudinal gradient in a preserved coastal Atlantic stream, Brazil. <i>Zoologia</i> , 0, 34, 1-13.   | 0.5 | 5         |