## Lihong Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8029343/publications.pdf

Version: 2024-02-01



LIHONG ZHOU

#	Article	IF	CITATIONS
1	San-Wu-Huang-Qin decoction attenuates tumorigenesis and mucosal barrier impairment in the AOM/DSS model by targeting gut microbiome. Phytomedicine, 2022, 98, 153966.	5.3	10
2	Jianpi Jiedu Recipe inhibits colorectal cancer liver metastasis via regulating ITGBL1-rich extracellular vesicles mediated activation of cancer-associated fibroblasts. Phytomedicine, 2022, 100, 154082.	5.3	11
3	Effect of PRM1201 Combined With Adjuvant Chemotherapy on Preventing Recurrence and Metastasis of Stage III Colon Cancer: A Randomized, Double-Blind, Placebo-Controlled Clinical Trial. Frontiers in Oncology, 2021, 11, 618793.	2.8	3
4	Underlying mechanisms and drug intervention strategies for the tumour microenvironment. Journal of Experimental and Clinical Cancer Research, 2021, 40, 97.	8.6	22
5	β-Arrestin1 Promotes Colorectal Cancer Metastasis Through GSK-3β/β-Catenin Signaling- Mediated Epithelial-to-Mesenchymal Transition. Frontiers in Cell and Developmental Biology, 2021, 9, 650067.	3.7	7
6	Long noncoding RNA <i>NEAT1</i> promotes tumorigenesis in <i>H. pylori</i> gastric cancer by sponging miRâ€30a to regulate COXâ€2/BCL9 pathway. Helicobacter, 2021, 26, e12847.	3.5	10
7	Mufangji Decoction and Its Active Ingredient Patchouli Alcohol Inhibit Tumor Growth through Regulating Akt/mTOR-Mediated Autophagy in Nonsmall-Cell Lung Cancer. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-11.	1.2	7
8	YYFZBJS ameliorates colorectal cancer progression in ApcMin/+ mice by remodeling gut microbiota and inhibiting regulatory T-cell generation. Cell Communication and Signaling, 2020, 18, 113.	6.5	52
9	Tanshinone IIA Inhibits Epithelial-to-Mesenchymal Transition Through Hindering β-Arrestin1 Mediated β-Catenin Signaling Pathway in Colorectal Cancer. Frontiers in Pharmacology, 2020, 11, 586616.	3.5	13
10	Primary tumors release ITGBL1-rich extracellular vesicles to promote distal metastatic tumor growth through fibroblast-niche formation. Nature Communications, 2020, 11, 1211.	12.8	141
11	Traditional Chinese Medicine Combined With Chemotherapy and Cetuximab or Bevacizumab for Metastatic Colorectal Cancer: A Randomized, Double-Blind, Placebo-Controlled Clinical Trial. Frontiers in Pharmacology, 2020, 11, 478.	3.5	22
12	Tanshinone IIA reduces secretion of pro‑angiogenic factors and inhibits angiogenesis in human colorectal cancer. Oncology Reports, 2020, 43, 1159-1168.	2.6	16
13	JMJD2C promotes colorectal cancer metastasis via regulating histone methylation of MALAT1 promoter and enhancing l²-catenin signaling pathway. Journal of Experimental and Clinical Cancer Research, 2019, 38, 435.	8.6	46
14	MALAT1 regulates the transcriptional and translational levels of proto-oncogene RUNX2 in colorectal cancer metastasis. Cell Death and Disease, 2019, 10, 378.	6.3	84
15	Tanshinone IIA inhibits β-catenin/VEGF-mediated angiogenesis by targeting TGF-β1 in normoxic and HIF-1αÂin hypoxic microenvironments in human colorectal cancer. Cancer Letters, 2017, 403, 86-97.	7.2	137
16	miR-30a acts as a tumor suppressor by double-targeting COX-2 and BCL9 in H. pylori gastric cancer models. Scientific Reports, 2017, 7, 7113.	3.3	60
17	JianPi JieDu Recipe Inhibits Epithelial-to-Mesenchymal Transition in Colorectal Cancer through TGF- <i>β</i> /Smad Mediated Snail/E-Cadherin Expression. BioMed Research International, 2017, 2017, 1-11. 	1.9	20
18	Overexpression of colorectal cancer oncogene CHRDL2 predicts a poor prognosis. Oncotarget, 2017, 8, 11489-11506.	1.8	13

**LIHONG ZHOU** 

#	Article	IF	CITATIONS
19	Homeodomain-interacting protein kinase 2 (HIPK2): a promising target for anti-cancer therapies. Oncotarget, 2017, 8, 20452-20461.	1.8	48
20	Berberine Inhibits Invasion and Metastasis of Colorectal Cancer Cells via COX-2/PGE2 Mediated JAK2/STAT3 Signaling Pathway. PLoS ONE, 2015, 10, e0123478.	2.5	122
21	Resveratrol suppresses epithelial-to-mesenchymal transition in colorectal cancer through TGF-β1/Smads signaling pathway mediated Snail/E-cadherin expression. BMC Cancer, 2015, 15, 97.	2.6	162
22	5-hydroxytryptamine receptor (5-HT1DR) promotes colorectal cancer metastasis by regulating Axin1/β-catenin/MMP-7 signaling pathway. Oncotarget, 2015, 6, 25975-25987.	1.8	47
23	Gene expression profiling and bioinformatics analysis of gastric carcinoma. Experimental and Molecular Pathology, 2014, 96, 361-366.	2.1	20
24	Helicobacter pylori promotes VEGF expression via the p38 MAPK-mediated COX-2-PGE2 pathway in MKN45 cells. Molecular Medicine Reports, 2014, 10, 2123-2129.	2.4	18