

Adejumoke I Ayede

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8029599/publications.pdf>

Version: 2024-02-01

40
papers

1,788
citations

566801

15
h-index

433756

31
g-index

41
all docs

41
docs citations

41
times ranked

2296
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal and Neonatal Morbidity and Mortality Among Pregnant Women With and Without COVID-19 Infection. <i>JAMA Pediatrics</i> , 2021, 175, 817.	3.3	910
2	Simplified antibiotic regimens compared with injectable procaine benzylpenicillin plus gentamicin for treatment of neonates and young infants with clinical signs of possible serious bacterial infection when referral is not possible: a randomised, open-label, equivalence trial. <i>Lancet</i> , The, 2015, 385, 1767-1776.	6.3	120
3	Strengthening the Reporting of Observational Studies in Epidemiology for Newborn Infection (STROBE-NI): an extension of the STROBE statement for neonatal infection research. <i>Lancet Infectious Diseases</i> , The, 2016, 16, e202-e213.	4.6	120
4	Hygiene and sanitation risk factors of diarrhoeal disease among under-five children in Ibadan, Nigeria. <i>African Health Sciences</i> , 2015, 14, 1001.	0.3	89
5	Oral amoxicillin compared with injectable procaine benzylpenicillin plus gentamicin for treatment of neonates and young infants with fast breathing when referral is not possible: a randomised, open-label, equivalence trial. <i>Lancet</i> , The, 2015, 385, 1758-1766.	6.3	67
6	Adoption of paediatric and neonatal pulse oximetry by 12 hospitals in Nigeria: a mixed-methods realist evaluation. <i>BMJ Global Health</i> , 2018, 3, e000812.	2.0	50
7	Antenatal corticosteroids for women at risk of imminent preterm birth in low-resource countries: the case for equipoise and the need for efficacy trials. <i>BMJ Global Health</i> , 2017, 2, e000398.	2.0	44
8	Time to Full Enteral Feeding for Very Low Birth Weight Infants Varies Markedly Among Hospitals Worldwide But May Not Be Associated With Incidence of Necrotizing Enterocolitis: The NEOMUNE-NeoNutriNet Cohort Study. <i>Journal of Parenteral and Enteral Nutrition</i> , 2019, 43, 658-667.	1.3	42
9	Hypoxaemia in hospitalised children and neonates: A prospective cohort study in Nigerian secondary-level hospitals. <i>EClinicalMedicine</i> , 2019, 16, 51-63.	3.2	40
10	Early Use of Antibiotics Is Associated with a Lower Incidence of Necrotizing Enterocolitis in Preterm, Very Low Birth Weight Infants: The NEOMUNE-NeoNutriNet Cohort Study. <i>Journal of Pediatrics</i> , 2020, 227, 128-134.e2.	0.9	36
11	Providing oxygen to children and newborns: a multi-faceted technical and clinical assessment of oxygen access and oxygen use in secondary-level hospitals in southwest Nigeria. <i>International Health</i> , 2020, 12, 60-68.	0.8	34
12	Effects of prenatal exposure to maternal COVID-19 and perinatal care on neonatal outcome: results from the INTERCOVID Multinational Cohort Study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 488.e1-488.e17.	0.7	32
13	Oxygen systems to improve clinical care and outcomes for children and neonates: A stepped-wedge cluster-randomised trial in Nigeria. <i>PLoS Medicine</i> , 2019, 16, e1002951.	3.9	29
14	Care seeking behaviour and aspects of quality of care by caregivers for children under five with and without pneumonia in Ibadan, Nigeria. <i>Journal of Global Health</i> , 2018, 8, 020805.	1.2	20
15	Improving oxygen therapy for children and neonates in secondary hospitals in Nigeria: study protocol for a stepped-wedge cluster randomised trial. <i>Trials</i> , 2017, 18, 502.	0.7	19
16	The international Perinatal Outcomes in the Pandemic (iPOP) study: protocol. <i>Wellcome Open Research</i> , 2021, 6, 21.	0.9	18
17	Diagnosis of pneumonia and malaria in Nigerian hospitals: A prospective cohort study. <i>Pediatric Pulmonology</i> , 2020, 55, S37-S50.	1.0	17
18	Management of possible serious bacterial infection in young infants where referral is not possible in the context of existing health system structure in Ibadan, South-west Nigeria. <i>PLoS ONE</i> , 2021, 16, e0248720.	1.1	17

#	ARTICLE	IF	CITATIONS
19	Acute kidney injury among paediatric emergency room admissions in a tertiary hospital in South West Nigeria: a cohort study. CKJ: Clinical Kidney Journal, 2019, 12, 521-526.	1.4	15
20	Temporal changes in haematocrit following artemisinin-based combination treatments of uncomplicated falciparum malaria in children. BMC Infectious Diseases, 2015, 15, 454.	1.3	11
21	A prospective validation study in South-West Nigeria on caregiver report of childhood pneumonia and antibiotic treatment using Demographic and Health Survey (DHS) and Multiple Indicator Cluster Survey (MICS) questions. Journal of Global Health, 2018, 8, 020806.	1.2	9
22	Neonatal pain management in sub-Saharan Africa. The Lancet Child and Adolescent Health, 2020, 4, 713-714.	2.7	7
23	Is caffeine available and affordable in low and middle-income countries? A survey in sub-Saharan Africa. Seminars in Fetal and Neonatal Medicine, 2020, 25, 101182.	1.1	7
24	Blood transfusion impact on levels of some phthalate esters in blood, urine and breast milk of some nursing mothers in Ibadan South-Western Nigeria. International Journal of Environmental Analytical Chemistry, 2021, 101, 702-718.	1.8	6
25	Oxygen systems and quality of care for children with pneumonia, malaria and diarrhoea: Analysis of a stepped-wedge trial in Nigeria. PLoS ONE, 2021, 16, e0254229.	1.1	5
26	A multi-country implementation research initiative to jump-start scale-up of outpatient management of possible serious bacterial infections (PSBI) when a referral is not feasible: Summary findings and implications for programs. PLoS ONE, 2022, 17, e0269524.	1.1	5
27	Prevalence of clinical signs of possible serious bacterial infection and mortality associated with them from population-based surveillance of young infants from birth to 2 months of age. PLoS ONE, 2021, 16, e0247457.	1.1	4
28	Status of Some Basic Antioxidants in Pre- and Postmalaria Treatment in Children. Journal of Child Science, 2018, 08, e31-e35.	0.1	3
29	Clinical signs of possible serious infection and associated mortality among young infants presenting at first-level health facilities. PLoS ONE, 2021, 16, e0253110.	1.1	3
30	A survey among healthcare professionals from seven countries reported diverse nutritional practices of late preterm infants. Acta Paediatrica, International Journal of Paediatrics, 2022, 111, 1362-1371.	0.7	3
31	Simplified antibiotic regimens for neonatal sepsisâ€”AFRINEST â€” Authors' reply. Lancet, The, 2015, 386, 1339.	6.3	2
32	Costs and cost-effectiveness of management of possible serious bacterial infections in young infants in outpatient settings when referral to a hospital was not possible: Results from randomized trials in Africa. PLoS ONE, 2021, 16, e0247977.	1.1	2
33	Effect of a Brief Supportive and Educational Intervention on the Psychological Well-Being of Mothers with Babies in Neonatal Wards of a Tertiary Hospital in Ibadan, Nigeria. Journal of Tropical Pediatrics, 2021, 67, .	0.7	1
34	Addressing racial inequities in neuropsychological assessment requires international prescriptive standards, not demographically adjusted norms. Nature Reviews Neurology, 2022, 18, 377-377.	4.9	1
35	Poliomyelitis in Nigeria. The Lancet Global Health, 2014, 2, e319.	2.9	0
36	Title is missing!. , 2019, 16, e1002951.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2019, 16, e1002951.		0
38	Title is missing!. , 2019, 16, e1002951.		0
39	Title is missing!. , 2019, 16, e1002951.		0
40	Title is missing!. , 2019, 16, e1002951.		0