

Jun Sakata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8029999/publications.pdf>

Version: 2024-02-01

27
papers

550
citations

687363

13
h-index

642732

23
g-index

27
all docs

27
docs citations

27
times ranked

774
citing authors

#	ARTICLE	IF	CITATIONS
1	Number of Positive Lymph Nodes Independently Determines the Prognosis After Resection in Patients with Gallbladder Carcinoma. <i>Annals of Surgical Oncology</i> , 2010, 17, 1831-1840.	1.5	70
2	Assessment of lymph node status in gallbladder cancer: location, number, or ratio of positive nodes. <i>World Journal of Surgical Oncology</i> , 2012, 10, 87.	1.9	67
3	Regional lymphadenectomy for gallbladder cancer: Rational extent, technical details, and patient outcomes. <i>World Journal of Gastroenterology</i> , 2012, 18, 2775.	3.3	61
4	Mode of Hepatic Spread From Gallbladder Carcinoma: An Immunohistochemical Analysis of 42 Hepatectomized Specimens. <i>American Journal of Surgical Pathology</i> , 2010, 34, 65-74.	3.7	56
5	Assessment of the Nodal Status in Ampullary Carcinoma: The Number of Positive Lymph Nodes Versus the Lymph Node Ratio. <i>World Journal of Surgery</i> , 2011, 35, 2118-2124.	1.6	48
6	"Extended" radical cholecystectomy for gallbladder cancer: Long-term outcomes, indications and limitations. <i>World Journal of Gastroenterology</i> , 2012, 18, 4736.	3.3	38
7	Comparison of Number Versus Ratio of Positive Lymph Nodes in the Assessment of Lymph Node Status in Extrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 225-234.	1.5	25
8	Lymphatic spread of T2 gallbladder carcinoma: Regional lymphadenectomy is required independent of tumor location. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1446-1452.	1.0	24
9	Perimuscular connective tissue contains more and larger lymphatic vessels than the shallower layers in human gallbladders. <i>World Journal of Gastroenterology</i> , 2007, 13, 4480.	3.3	24
10	Depth of invasion determines the postresectional prognosis for patients with T1 extrahepatic cholangiocarcinoma. <i>Cancer</i> , 2010, 116, 400-405.	4.1	21
11	Surgical management of carcinoma in situ at ductal resection margins in patients with extrahepatic cholangiocarcinoma. <i>Annals of Gastroenterological Surgery</i> , 2018, 2, 359-366.	2.4	21
12	Generation of sphingosine-1-phosphate is enhanced in biliary tract cancer patients and is associated with lymphatic metastasis. <i>Scientific Reports</i> , 2018, 8, 10814.	3.3	18
13	Relevance of Dissection of the Posterior Superior Pancreaticoduodenal Lymph Nodes in Gallbladder Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 2474-2481.	1.5	17
14	Alteration of p53-binding protein 1 expression as a risk factor for local recurrence in patients undergoing resection for extrahepatic cholangiocarcinoma. <i>International Journal of Oncology</i> , 2011, 38, 1227-36.	3.3	10
15	Genetic analysis in the clinical management of biliary tract cancer. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 316-323.	2.4	8
16	A giant pelvic solitary fibrous tumor with Doege's Potter syndrome successfully treated with transcatheter arterial embolization followed by surgical resection: a case report. <i>Surgical Case Reports</i> , 2020, 6, 299.	0.6	7
17	Clinicopathological Characteristics and Surgical Outcomes of Primary Cystic Duct Carcinoma: A Multi-institutional Study. <i>World Journal of Surgery</i> , 2020, 44, 3875-3883.	1.6	6
18	Early DNA damage response in residual carcinoma in situ at ductal stumps and local recurrence in patients undergoing resection for extrahepatic cholangiocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2013, 20, 362-369.	2.6	5

#	ARTICLE	IF	CITATIONS
19	NQO1 as a Marker of Chemosensitivity and Prognosis for Colorectal Liver Metastasis. <i>Anticancer Research</i> , 2021, 41, 1563-1570.	1.1	5
20	Outcome of radical surgery for gallbladder carcinoma according to TNM stage: implications for adjuvant therapeutic strategies. <i>Langenbeck's Archives of Surgery</i> , 2021, 406, 801-811.	1.9	4
21	Oncological outcomes of surgery for recurrent biliary tract cancer: who are the best candidates?. <i>Hpb</i> , 2021, 23, 1371-1382.	0.3	4
22	Anatomic location of residual disease after initial cholecystectomy independently determines outcomes after re-resection for incidental gallbladder cancer. <i>Langenbeck's Archives of Surgery</i> , 2021, 406, 1521-1532.	1.9	4
23	Unveiling microbiome profiles in human inner body fluids and tumor tissues with pancreatic or biliary tract cancer. <i>Scientific Reports</i> , 2022, 12, .	3.3	4
24	Evolution of radical resection for perihilar cholangiocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018, 25, 249-251.	2.6	3
25	Perihilar or (Hilar) Cholangiocarcinoma: Interventional to Surgical Management. , 2019, , .		0
26	Living donor liver transplantation for more than 30-year survived patients with native liver after Kasai operation for biliary atresia. <i>Transplantation Reports</i> , 2020, 5, 100052.	0.4	0
27	Clinicopathological Characteristics and Surgical Outcomes of Primary Cystic Duct Carcinoma: A Multi-institutional Study. <i>World Journal of Surgery</i> , 2021, 45, 1613-1615.	1.6	0