

Adrian Aguilera

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8030407/publications.pdf>

Version: 2024-02-01

67
papers

2,370
citations

257101

24
h-index

264894

42
g-index

80
all docs

80
docs citations

80
times ranked

3381
citing authors

#	ARTICLE	IF	CITATIONS
1	Linguistic analysis of Latinx patients'™ responses to a text messaging adjunct during cognitive behavioral therapy for depression. <i>Behaviour Research and Therapy</i> , 2022, 150, 104027.	1.6	6
2	Applying the Digital Health Social Justice Guide. <i>Frontiers in Digital Health</i> , 2022, 4, 807886.	1.5	8
3	App-Based Mindfulness Meditation for People of Color Who Experience Race-Related Stress: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2022, 11, e35196.	0.5	2
4	Who Benefits Most from Adding Technology to Depression Treatment and How? An Analysis of Engagement with a Texting Adjunct for Psychotherapy. <i>Telemedicine Journal and E-Health</i> , 2021, 27, 39-46.	1.6	8
5	Technology ecosystems. <i>Interactions</i> , 2021, 28, 66-71.	0.8	14
6	A Text Messaging Intervention for Coping With Social Distancing During COVID-19 (StayWell at Home): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e23592.	0.5	7
7	Adaptive learning algorithms to optimize mobile applications for behavioral health: guidelines for design decisions. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2021, 28, 1225-1234.	2.2	9
8	Understanding co-occurring depression symptoms and alcohol use symptoms among cisgender sexual minority women. <i>Journal of Gay and Lesbian Social Services</i> , 2021, 33, 427-450.	0.9	2
9	Conducting Internet-Based Visits for Onboarding Populations With Limited Digital Literacy to an mHealth Intervention: Development of a Patient-Centered Approach. <i>JMIR Formative Research</i> , 2021, 5, e25299.	0.7	27
10	A Text Messaging Intervention (StayWell at Home) to Counteract Depression and Anxiety During COVID-19 Social Distancing: Pre-Post Study. <i>JMIR Mental Health</i> , 2021, 8, e25298.	1.7	17
11	Developing Messaging Content for a Physical Activity Smartphone App Tailored to Low-Income Patients: User-Centered Design and Crowdsourcing Approach. <i>JMIR MHealth and UHealth</i> , 2021, 9, e21177.	1.8	14
12	Differences in objectively measured daily physical activity patterns related to depressive symptoms in community dwelling women " mPED trial. <i>Preventive Medicine Reports</i> , 2021, 22, 101325.	0.8	1
13	The need for feminist intersectionality in digital health. <i>The Lancet Digital Health</i> , 2021, 3, e526-e533.	5.9	63
14	Promoting Physical Activity Through Conversational Agents: Mixed Methods Systematic Review. <i>Journal of Medical Internet Research</i> , 2021, 23, e25486.	2.1	27
15	Conversational Physical Activity Coaches for Spanish and English Speaking Women: A User Design Study. <i>Frontiers in Digital Health</i> , 2021, 3, 747153.	1.5	8
16	Ease of use of electronic health records and relational coordination among primary care team members. <i>Health Care Management Review</i> , 2020, 45, 267-275.	0.6	10
17	A preliminary study on the acceptability of a brief SMS program for perinatal women. <i>Health Informatics Journal</i> , 2020, 26, 1079-1087.	1.1	10
18	mHealth app using machine learning to increase physical activity in diabetes and depression: clinical trial protocol for the DIAMANTE Study. <i>BMJ Open</i> , 2020, 10, e034723.	0.8	58

#	ARTICLE	IF	CITATIONS
19	Feasibility, Acceptability, and Influence of mHealth-Supported N-of-1 Trials for Enhanced Cognitive and Emotional Well-Being in US Volunteers. <i>Frontiers in Public Health</i> , 2020, 8, 260.	1.3	6
20	Clinical interventions with sexual minority clients: Review, critique, and future directions. <i>Journal of Gay and Lesbian Social Services</i> , 2020, 32, 421-439.	0.9	5
21	The Need for a Mental Health Technology Revolution in the COVID-19 Pandemic. <i>Frontiers in Psychiatry</i> , 2020, 11, 523.	1.3	169
22	Technology Ecosystems: Rethinking Resources for Mental Health. , 2020, , .		3
23	NCOG-21. INTERIM RESULTS OF THREE COGNITIVE REHABILITATION STRATEGIES IN PATIENTS WITH LOWER GRADE GLIOMAS. <i>Neuro-Oncology</i> , 2020, 22, ii133-ii134.	0.6	2
24	Design and acceptability of a psychosocial text messaging intervention for victims of gender-based violence. <i>Health Informatics Journal</i> , 2019, 25, 1588-1594.	1.1	5
25	Use of Digital Mental Health for Marginalized and Underserved Populations. <i>Current Treatment Options in Psychiatry</i> , 2019, 6, 243-255.	0.7	145
26	Exploratory Study of Psychosocial Therapies with Text Messages to Mobile Phones in Groups of Vulnerable Immigrant Women. <i>Journal of Medical Systems</i> , 2019, 43, 277.	2.2	15
27	Engaging users in the design of an mHealth, text message-based intervention to increase physical activity at a safety-net health care system. <i>JAMIA Open</i> , 2019, 2, 489-497.	1.0	22
28	A Seat at the Table: Strategic Engagement in Service Activities for Early-Career Faculty From Underrepresented Groups in the Academy. <i>Academic Medicine</i> , 2019, 94, 1089-1093.	0.8	35
29	Effectiveness of a Multimodal Digital Psychotherapy Platform for Adult Depression: A Naturalistic Feasibility Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e10948.	1.8	30
30	Assessing Mobile Phone Digital Literacy and Engagement in User-Centered Design in a Diverse, Safety-Net Population: Mixed Methods Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e14250.	1.8	73
31	Homework Completion via Telephone and In-Person Cognitive Behavioral Therapy Among Latinos. <i>Cognitive Therapy and Research</i> , 2018, 42, 340-347.	1.2	7
32	Collaborative Care for Depression among Patients with Limited English Proficiency: a Systematic Review. <i>Journal of General Internal Medicine</i> , 2018, 33, 347-357.	1.3	21
33	Implementing Group CBT for Depression Among Latinos in a Primary Care Clinic. <i>Cognitive and Behavioral Practice</i> , 2018, 25, 135-144.	0.9	23
34	El presente y futuro de la terapia psicosocial para personas vulnerables en EspaÃ±a. QuÃ© pueden aportar los telÃ©fonos mÃ³viles. <i>Cuadernos De Trabajo Social</i> , 2018, 31, 223-233.	0.3	0
35	Feasibility study of a cell phone intervention to promote mental health among deported mexican migrants. <i>Salud Publica De Mexico</i> , 2018, 60, 379.	0.1	2
36	Improved Diabetes Care Management Through a Text-Message Intervention for Low-Income Patients: Mixed-Methods Pilot Study. <i>JMIR Diabetes</i> , 2018, 3, e15.	0.9	22

#	ARTICLE	IF	CITATIONS
37	Homework completion via telephone and in-person Cognitive Behavioral Therapy among Latinos. <i>Cognitive Therapy and Research</i> , 2018, 42, 340-347.	1.2	0
38	Ecological momentary interventions for depression and anxiety. <i>Depression and Anxiety</i> , 2017, 34, 540-545.	2.0	117
39	How Can Geography and Mobile Phones Contribute to Psychotherapy?. <i>Journal of Medical Systems</i> , 2017, 41, 92.	2.2	8
40	Mobile Phone-Based Mood Ratings Prospectively Predict Psychotherapy Attendance. <i>Behavior Therapy</i> , 2017, 48, 614-623.	1.3	17
41	Psychosocial therapies through mobile phones with women victims of gender violence. , 2017, , .		0
42	Usability and Feasibility Study of a Remote Cognitive Behavioral Therapy System with Long-Term Unemployed Women. <i>Journal of Technology in Human Services</i> , 2017, 35, 219-230.	0.9	9
43	The Case for Jointly Targeting Diabetes and Depression Among Vulnerable Patients Using Digital Technology. <i>JMIR Diabetes</i> , 2017, 2, e1.	0.9	9
44	Automated Text Messaging as an Adjunct to Cognitive Behavioral Therapy for Depression: A Clinical Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e148.	2.1	101
45	Well-Being Tracking via Smartphone-Measured Activity and Sleep: Cohort Study. <i>JMIR MHealth and UHealth</i> , 2017, 5, e137.	1.8	41
46	Detecting change in depressive symptoms from daily wellbeing questions, personality, and activity. , 2016, , .		14
47	Expanding Adolescent Depression Prevention Through Simple Communication Technologies. <i>Journal of Adolescent Health</i> , 2016, 59, 373-374.	1.2	0
48	Mobile Phones and Psychosocial Therapies with Vulnerable People: a First State of the Art. <i>Journal of Medical Systems</i> , 2016, 40, 157.	2.2	31
49	Depression prevention and treatment interventions: Evolution of the San Francisco Latino Mental Health Research Program.. , 2016, , 247-271.		1
50	Digital Technology and Mental Health Interventions: Opportunities and Challenges. <i>Arbor</i> , 2015, 191, a210.	0.1	38
51	Daily mood ratings via text message as a proxy for clinic based depression assessment. <i>Journal of Affective Disorders</i> , 2015, 175, 471-474.	2.0	66
52	Familism and psychological health: The intervening role of closeness and social support.. <i>Cultural Diversity and Ethnic Minority Psychology</i> , 2014, 20, 191-201.	1.3	205
53	Qualitative Feedback From a Text Messaging Intervention for Depression: Benefits, Drawbacks, and Cultural Differences. <i>JMIR MHealth and UHealth</i> , 2014, 2, e46.	1.8	64
54	Prompting Depression Treatment Seeking among Smokers: A Comparison of Participants from Six Countries in an Internet Stop Smoking RCT. <i>Journal of Technology in Human Services</i> , 2013, 31, 238-247.	0.9	4

#	ARTICLE	IF	CITATIONS
55	Perceptions of Efficacy, Expressed Emotion, and the Course of Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 833-840.	0.5	5
56	Mobile, social, and wearable computing and the evolution of psychological practice.. <i>Professional Psychology: Research and Practice</i> , 2012, 43, 622-626.	0.6	275
57	Assessing the Impact of Relative Social Position and Absolute Community Resources on Depression and Obesity Among Smokers. <i>American Journal of Community Psychology</i> , 2012, 50, 211-216.	1.2	6
58	Interpreting the Outcomes of Automated Internet-Based Randomized Trials: Example of an International Smoking Cessation Study. <i>Journal of Medical Internet Research</i> , 2012, 14, e5.	2.1	30
59	From Online Randomized Controlled Trials to Participant Preference Studies: Morphing the San Francisco Stop Smoking Site into a Worldwide Smoking Cessation Resource. <i>Journal of Medical Internet Research</i> , 2012, 14, e64.	2.1	37
60	There's an App for That: Information Technology Applications for Cognitive Behavioral Practitioners. <i>The Behavior Therapist</i> , 2012, 35, 65-73.	0.2	33
61	Factor structure of the CES-D in a sample of Spanish- and English-speaking smokers on the Internet. <i>Psychiatry Research</i> , 2011, 185, 269-274.	1.7	30
62	Text messaging as an adjunct to CBT in low-income populations: A usability and feasibility pilot study.. <i>Professional Psychology: Research and Practice</i> , 2011, 42, 472-478.	0.6	144
63	Expressed emotion and sociocultural moderation in the course of schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2010, 119, 875-885.	2.0	51
64	Group cognitive-behavioral therapy for depression in Spanish: culture-sensitive manualized treatment in practice. <i>Journal of Clinical Psychology</i> , 2010, 66, 857-867.	1.0	75
65	La CLAVE to increase psychosis literacy of Spanish-speaking community residents and family caregivers.. <i>Journal of Consulting and Clinical Psychology</i> , 2009, 77, 763-774.	1.6	38
66	Community Determinants of Latinos' Use of Mental Health Services. <i>Psychiatric Services</i> , 2008, 59, 408-413.	1.1	24
67	Community Determinants of Latinos' Use of Mental Health Services. <i>Psychiatric Services</i> , 2008, 59, 408-413.	1.1	14