

Li-Ru You

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8030947/publications.pdf>

Version: 2024-02-01

30
papers

1,849
citations

471509

17
h-index

477307

29
g-index

30
all docs

30
docs citations

30
times ranked

2997
citing authors

#	ARTICLE	IF	CITATIONS
1	Lamin A-mediated nuclear lamina integrity is required for proper ciliogenesis. <i>EMBO Reports</i> , 2020, 21, e49680.	4.5	10
2	KRasG12D expression in the bone marrow vascular niche affects hematopoiesis with inflammatory signals. <i>Experimental Hematology</i> , 2019, 79, 3-15.e4.	0.4	9
3	DNA Damage, Liver Injury, and Tumorigenesis: Consequences of DDX3X Loss. <i>Molecular Cancer Research</i> , 2019, 17, 555-566.	3.4	29
4	Pten Haplodeficiency Accelerates Liver Tumor Growth in miR-122a ^{-/-} Null Mice via Expansion of Periportal Hepatocyte-Like Cells. <i>American Journal of Pathology</i> , 2018, 188, 2688-2702.	3.8	6
5	COUP-TFII is required for morphogenesis of the neural crest-derived tympanic ring. <i>Scientific Reports</i> , 2017, 7, 12386.	3.3	8
6	DDX3 Represses Stemness by Epigenetically Modulating Tumor-suppressive miRNAs in Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2016, 6, 28637.	3.3	29
7	Targeted inactivation of murine <i>Ddx3x</i> : essential roles of <i>Ddx3x</i> in placentation and embryogenesis. <i>Human Molecular Genetics</i> , 2016, 25, ddw143.	2.9	68
8	Î2-catenin activation drives thymoma initiation and progression in mice. <i>Oncotarget</i> , 2015, 6, 13978-13993.	1.8	8
9	Role of OVCA1/DPH1 in craniofacial abnormalities of Miller-Dieker syndrome. <i>Human Molecular Genetics</i> , 2014, 23, 5579-5596.	2.9	34
10	Thymic epithelial Î2-catenin is required for adult thymic homeostasis and function. <i>Immunology and Cell Biology</i> , 2013, 91, 511-523.	2.3	18
11	Conditionally Ablated Pten in Prostate Basal Cells Promotes Basal-to-Luminal Differentiation and Causes Invasive Prostate Cancer in Mice. <i>American Journal of Pathology</i> , 2013, 182, 975-991.	3.8	92
12	The Wilms TM tumor suppressor <i>Wt1</i> regulates Coronin 1B expression in the epicardium. <i>Experimental Cell Research</i> , 2013, 319, 1365-1381.	2.6	10
13	Î2-Glycoprotein I inhibits VEGF-induced endothelial cell growth and migration via suppressing phosphorylation of VEGFR2, ERK1/2, and Akt. <i>Molecular and Cellular Biochemistry</i> , 2013, 372, 9-15.	3.1	10
14	Endocardial Cushion Morphogenesis and Coronary Vessel Development Require Chicken Ovalbumin Upstream Promoter-Transcription Factor II. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, e135-46.	2.4	45
15	Rho Gtpase Cdc42 Is Essential for Endothelial Niche Maintenance in the Bone Marrow and Hematopoiesis. <i>Blood</i> , 2012, 120, 508-508.	1.4	1
16	Novel Method to Study Mouse Bone Marrow Endothelial Cells in Vivo and in Vitro. <i>Blood</i> , 2012, 120, 617-617.	1.4	5
17	Gene targeting and expression analysis of mouse <i>Tem1</i> /endosialin using a lacZ reporter. <i>Gene Expression Patterns</i> , 2011, 11, 316-326.	0.8	24
18	Expression of <i>Crip2</i> , a LIM-domain-only protein, in the mouse cardiovascular system under physiological and pathological conditions. <i>Gene Expression Patterns</i> , 2011, 11, 384-394.	0.8	20

#	ARTICLE	IF	CITATIONS
19	Expression analysis of an evolutionary conserved metallophosphodiesterase gene, <i>Mpped1</i> , in the normal and β -catenin deficient malformed dorsal telencephalon. <i>Developmental Dynamics</i> , 2010, 239, 1797-1806.	1.8	15
20	Transgenic mice exhibiting inducible and spontaneous Cre activities driven by a bovine keratin 5 promoter that can be used for the conditional analysis of basal epithelial cells in multiple organs. <i>Journal of Biomedical Science</i> , 2009, 16, 2.	7.0	29
21	Tumor Spectrum, Tumor Latency and Tumor Incidence of the Pten-Deficient Mice. <i>PLoS ONE</i> , 2007, 2, e1237.	2.5	26
22	Surprise in the Battle Field of Vein vs. Artery. <i>Organogenesis</i> , 2005, 2, 31-32.	1.2	0
23	Suppression of Notch signalling by the COUP-TFII transcription factor regulates vein identity. <i>Nature</i> , 2005, 435, 98-104.	27.8	567
24	COUP-TFII is essential for radial and anteroposterior patterning of the stomach. <i>Development (Cambridge)</i> , 2005, 132, 2179-2189.	2.5	109
25	Mouse lacking <i>COUP-TFII</i> as an animal model of Bochdalek-type congenital diaphragmatic hernia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 16351-16356.	7.1	149
26	Mechanisms for Inhibition of Hepatitis B Virus Gene Expression and Replication by Hepatitis C Virus Core Protein. <i>Journal of Biological Chemistry</i> , 2003, 278, 591-607.	3.4	140
27	Direct interaction of two homeoproteins, Homothorax and Extradenticle, is essential for EXD nuclear localization and function. <i>Mechanisms of Development</i> , 2000, 91, 279-291.	1.7	78
28	Hepatitis C Virus Core Protein Enhances NF- κ B Signal Pathway Triggering by Lymphotoxin- β Receptor Ligand and Tumor Necrosis Factor Alpha. <i>Journal of Virology</i> , 1999, 73, 1672-1681.	3.4	148
29	Hepatitis C Virus Core Protein Interacts with Cellular Putative RNA Helicase. <i>Journal of Virology</i> , 1999, 73, 2841-2853.	3.4	155
30	The hepatitis B virus X-C fusion protein is unlikely to be produced by the mechanism of ribosomal frameshifting. <i>Virology</i> , 1990, 178, 584-587.	2.4	7