

# Hans-Martin Fritsche

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8031153/publications.pdf>

Version: 2024-02-01

111  
papers

5,454  
citations

57631

44  
h-index

88477

70  
g-index

116  
all docs

116  
docs citations

116  
times ranked

4289  
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidemiology, diagnosis, preoperative evaluation and prognostic assessment of upper-tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017, 35, 379-387.	1.2	260
2	Impact of Distal Ureter Management on Oncologic Outcomes Following Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>European Urology</i> , 2014, 65, 210-217.	0.9	201
3	Predicting Clinical Outcomes After Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>European Urology</i> , 2012, 61, 818-825.	0.9	188
4	Discrepancy between clinical and pathological stage: external validation of the impact on prognosis in an international radical cystectomy cohort. <i>BJU International</i> , 2011, 107, 898-904.	1.3	184
5	Early Versus Deferred Cystectomy for Initial High-Risk pT1G3 Urothelial Carcinoma of the Bladder: Do Risk Factors Define Feasibility of Bladder-Sparing Approach?. <i>European Urology</i> , 2008, 53, 146-152.	0.9	179
6	Prognostic Role of Lymphovascular Invasion in Patients with Urothelial Carcinoma of the Upper Urinary Tract: An International Validation Study. <i>European Urology</i> , 2010, 57, 1064-1071.	0.9	169
7	Characteristics and Outcomes of Patients with Clinical T1 Grade 3 Urothelial Carcinoma Treated with Radical Cystectomy: Results from an International Cohort. <i>European Urology</i> , 2010, 57, 300-309.	0.9	159
8	Prediction of 90-day Mortality After Radical Cystectomy for Bladder Cancer in a Prospective European Multicenter Cohort. <i>European Urology</i> , 2014, 66, 156-163.	0.9	156
9	Gender differences in radical nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2011, 29, 481-486.	1.2	149
10	Prediction of Intravesical Recurrence After Radical Nephroureterectomy: Development of a Clinical Decision-making Tool. <i>European Urology</i> , 2014, 65, 650-658.	0.9	134
11	The Effectiveness of Off-Protocol Adjuvant Chemotherapy for Patients with Urothelial Carcinoma of the Urinary Bladder. <i>Clinical Cancer Research</i> , 2010, 16, 4461-4467.	3.2	133
12	International validation of the prognostic value of lymphovascular invasion in patients treated with radical cystectomy. <i>BJU International</i> , 2010, 105, 1402-1412.	1.3	132
13	Association Between the Number of Dissected Lymph Nodes During Pelvic Lymphadenectomy and Cancer-Specific Survival in Patients with Lymph Node-Negative Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2011, 18, 2018-2025.	0.7	112
14	Stage-Specific Impact of Tumor Location on Oncologic Outcomes in Patients With Upper and Lower Tract Urothelial Carcinoma Following Radical Surgery. <i>European Urology</i> , 2012, 62, 677-684.	0.9	93
15	Sarcopenia as a comorbidity-independent predictor of survival following radical cystectomy for bladder cancer. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 505-513.	2.9	93
16	Fourteen-year oncological and functional outcomes of high-intensity focused ultrasound in localized prostate cancer. <i>BJU International</i> , 2013, 112, 322-329.	1.3	91
17	Impact of tumour location versus multifocality in patients with upper tract urothelial carcinoma treated with nephroureterectomy and bladder cuff excision: a homogeneous series without perioperative chemotherapy. <i>BJU International</i> , 2012, 110, E7-13.	1.3	90
18	The WHO classification of 1973 is more suitable than the WHO classification of 2004 for predicting survival in pT1 urothelial bladder cancer. <i>BJU International</i> , 2011, 107, 404-408.	1.3	86

#	ARTICLE	IF	CITATIONS
19	Comorbidity and Performance Indices as Predictors of Cancer-Independent Mortality But Not of Cancer-Specific Mortality After Radical Cystectomy for Urothelial Carcinoma of the Bladder. <i>European Urology</i> , 2012, 62, 662-670.	0.9	86
20	Oncological outcomes after laparoscopic and open radical nephroureterectomy: results from an international cohort. <i>BJU International</i> , 2011, 108, 406-412.	1.3	84
21	Female Gender Is Associated With a Worse Survival After Radical Cystectomy for Urothelial Carcinoma of the Bladder: A Competing Risk Analysis. <i>Urology</i> , 2014, 83, 863-868.	0.5	82
22	Concomitant carcinoma in situ as an independent prognostic parameter for recurrence and survival in upper tract urothelial carcinoma: a multicenter analysis of 772 patients. <i>World Journal of Urology</i> , 2011, 29, 487-494.	1.2	77
23	Predictors of cancer-specific mortality after disease recurrence following radical cystectomy. <i>BJU International</i> , 2013, 111, E30-6.	1.3	77
24	Lymph Node Density Affects Cancer-Specific Survival in Patients with Lymph Node-Positive Urothelial Bladder Cancer Following Radical Cystectomy. <i>European Urology</i> , 2011, 59, 712-718.	0.9	76
25	Predictive capacity of four comorbidity indices estimating perioperative mortality after radical cystectomy for urothelial carcinoma of the bladder. <i>BJU International</i> , 2012, 110, E222-7.	1.3	74
26	External Validation of Postoperative Nomograms for Prediction of All-Cause Mortality, Cancer-Specific Mortality, and Recurrence in Patients With Urothelial Carcinoma of the Bladder. <i>European Urology</i> , 2012, 61, 58-64.	0.9	69
27	Clinical Nodal Staging Scores for Bladder Cancer: A Proposal for Preoperative Risk Assessment. <i>European Urology</i> , 2012, 61, 237-242.	0.9	69
28	Sarcopenia predicts 90-day mortality and postoperative complications after radical cystectomy for bladder cancer. <i>World Journal of Urology</i> , 2018, 36, 1201-1207.	1.2	68
29	Obesity is associated with worse oncological outcomes in patients treated with radical cystectomy. <i>BJU International</i> , 2013, 111, 249-255.	1.3	67
30	Analysis of Sex Differences in Cancer-Specific Survival and Perioperative Mortality Following Radical Cystectomy: Results of a Large German Multicenter Study of Nearly 2500 Patients with Urothelial Carcinoma of the Bladder. <i>Gender Medicine</i> , 2012, 9, 481-489.	1.4	65
31	Predicting individual outcomes after radical cystectomy: an external validation of current nomograms. <i>BJU International</i> , 2010, 106, 342-348.	1.3	64
32	Stage pT0 at Radical Cystectomy Confers Improved Survival: An International Study of 4,430 Patients. <i>Journal of Urology</i> , 2010, 184, 888-894.	0.2	64
33	Chronological age is not an independent predictor of clinical outcomes after radical nephroureterectomy. <i>World Journal of Urology</i> , 2011, 29, 473-480.	1.2	62
34	Macroscopic sessile tumor architecture is a pathologic feature of biologically aggressive upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012, 30, 666-672.	0.8	62
35	Lymphadenectomy for Bladder Cancer at the Time of Radical Cystectomy. <i>European Urology</i> , 2013, 64, 266-276.	0.9	62
36	Lymphovascular invasion is an independent predictor of oncological outcomes in patients with lymph node-negative urothelial bladder cancer treated by radical cystectomy: a multicentre validation trial. <i>BJU International</i> , 2010, 106, 493-499.	1.3	61

#	ARTICLE	IF	CITATIONS
37	The Post-Ureteroscopic Lesion Scale (PULS): a multicenter video-based evaluation of inter-rater reliability. <i>World Journal of Urology</i> , 2014, 32, 1033-1040.	1.2	58
38	No overt influence of lymphadenectomy on cancer-specific survival in organ-confined versus locally advanced upper urinary tract urothelial carcinoma undergoing radical nephroureterectomy: a retrospective international, multi-institutional study. <i>World Journal of Urology</i> , 2011, 29, 465-472.	1.2	55
39	Gender-specific differences in cancer-specific survival after radical cystectomy for patients with urothelial carcinoma of the urinary bladder in pathologic tumor stage T4a. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1141-1147.	0.8	55
40	Water-Jetâ€Aided Transurethral Dissection of Urothelial Carcinoma: A Prospective Clinical Study. <i>Journal of Endourology</i> , 2011, 25, 1599-1603.	1.1	52
41	Prognostic factors and outcomes in primary urethral cancer: results from the international collaboration on primary urethral carcinoma. <i>World Journal of Urology</i> , 2016, 34, 97-103.	1.2	51
42	Impact of Preoperative Anemia on Oncologic Outcomes of Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Journal of Urology</i> , 2014, 191, 316-322.	0.2	49
43	Pathologic Nodal Staging Score for Bladder Cancer: A Decision Tool for Adjuvant Therapy After Radical Cystectomy. <i>European Urology</i> , 2013, 63, 371-378.	0.9	47
44	Multicolor FISH (UroVysion) Facilitates Follow-up of Patients With High-Grade Urothelial Carcinoma of the Bladder. <i>American Journal of Clinical Pathology</i> , 2010, 134, 597-603.	0.4	45
45	Racial differences in the outcome of patients with urothelial carcinoma of the upper urinary tract: an international study. <i>BJU International</i> , 2011, 108, E304-E309.	1.3	44
46	Gender differences in clinicopathological features and survival in surgically treated patients with renal cell carcinoma: an analysis of the multicenter CORONA database. <i>World Journal of Urology</i> , 2013, 31, 1073-1080.	1.2	39
47	Disease-free survival as a surrogate for overall survival in upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2013, 31, 5-11.	1.2	39
48	Multicenter validation of the prognostic value of patient age in patients treated with radical cystectomy. <i>World Journal of Urology</i> , 2012, 30, 753-759.	1.2	33
49	Gender-dependent cancer-specific survival following radical cystectomy. <i>World Journal of Urology</i> , 2012, 30, 707-713.	1.2	31
50	Oncologic Outcomes of Kidney Sparing Surgery versus Radical Nephroureterectomy for the Elective Treatment of Clinically Organ Confined Upper Tract Urothelial Carcinoma of the Distal Ureter. <i>Journal of Urology</i> , 2016, 195, 1354-1361.	0.2	30
51	Prediction of cancerâ€specific survival after radical cystectomy in <scp>pT4a</scp> urothelial carcinoma of the bladder: development of a tool for clinical decisionâ€making. <i>BJU International</i> , 2016, 117, 272-279.	1.3	29
52	Prognostic risk stratification of pathological stage T2N0 bladder cancer after radical cystectomy. <i>BJU International</i> , 2011, 108, 687-692.	1.3	28
53	Predictors of survival in patients with disease recurrence after radical nephroureterectomy. <i>BJU International</i> , 2014, 113, 911-917.	1.3	28
54	Risk stratification for locoregional recurrence after radical cystectomy for urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2015, 33, 1753-1761.	1.2	28

#	ARTICLE	IF	CITATIONS
55	Optimizing outcome reporting after radical cystectomy for organ-confined urothelial carcinoma of the bladder using oncological trifecta and pentaefecta. <i>World Journal of Urology</i> , 2015, 33, 1945-1950.	1.2	28
56	Influence of Body Mass Index on Clinical Outcome Parameters, Complication Rate and Survival after Radical Cystectomy: Evidence from a Prospective European Multicentre Study. <i>Urologia Internationalis</i> , 2018, 101, 16-24.	0.6	28
57	Bladder sparing approach for initial T1G3 bladder cancer: Do multifocality, size of tumor or concomitant carcinoma <i>in situ</i> matter? A long-term analysis of 132 patients. <i>International Journal of Urology</i> , 2007, 14, 995-999.	0.5	27
58	The Charlson Comorbidity Index Predicts Survival after Disease Recurrence in Patients following Radical Cystectomy for Urothelial Carcinoma of the Bladder. <i>Urologia Internationalis</i> , 2014, 93, 303-310.	0.6	27
59	Preoperative C-Reactive Protein in the Serum: A Prognostic Biomarker for Upper Urinary Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Urologia Internationalis</i> , 2014, 93, 352-360.	0.6	27
60	Outcomes and prognostic factors in patients with a single lymph node metastasis at time of radical cystectomy. <i>BJU International</i> , 2013, 111, 74-84.	1.3	26
61	Introduction and First Clinical Application of a Simplified Immunohistochemical Validation System Confirms Prognostic Impact of KI-67 and CK20 for Stage T1 Urothelial Bladder Carcinoma: Single-Center Analysis of Eight Biomarkers in a Series of Three Hundred Six Patients. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 537-544.	0.9	26
62	Prognostic Value of Perinodal Lymphovascular Invasion Following Radical Cystectomy for Lymph Node-positive Urothelial Carcinoma. <i>European Urology</i> , 2013, 63, 739-744.	0.9	25
63	Predictors of Survival in Patients With Soft Tissue Surgical Margin Involvement at Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2013, 20, 1027-1034.	0.7	25
64	Transurethral <i>in bloc</i> submucosal hydrodissection vs conventional resection for resection of non-muscle-invasive bladder cancer (HYBRIDBLUE): a randomised, multicentre trial. <i>BJU International</i> , 2020, 126, 509-519.	1.3	25
65	International validation of the prognostic value of subclassification for AJCC stage pT3 upper tract urothelial carcinoma of the renal pelvis. <i>BJU International</i> , 2012, 110, 674-681.	1.3	24
66	Prognostic value of histopathological tumour growth patterns at the invasion front of T1G3 urothelial carcinoma of the bladder. <i>Scandinavian Journal of Urology and Nephrology</i> , 2009, 43, 282-287.	1.4	22
67	Ki-67, mini-chromosome maintenance 2 protein ( <i>MCM2</i> ) and geminin have no independent prognostic relevance for cancer-specific survival in surgically treated squamous cell carcinoma of the penis. <i>BJU International</i> , 2013, 112, E383-90.	1.3	22
68	Inherent Grading Characteristics of Individual Pathologists Contribute to Clinically and Prognostically Relevant Interobserver Discordance Concerning Broders' Grading of Penile Squamous Cell Carcinomas. <i>Urologia Internationalis</i> , 2013, 90, 207-213.	0.6	22
69	Adjuvant cisplatin-based combined chemotherapy for lymph node ( <i>LN</i> ) positive urothelial carcinoma of the bladder ( <i>UCB</i> ) after radical cystectomy ( <i>RC</i> ): a retrospective international study of >1500 patients. <i>BJU International</i> , 2015, 115, 722-727.	1.3	22
70	Effect of Hospital and Surgeon Case Volume on Perioperative Quality of Care and Short-term Outcomes After Radical Cystectomy for Muscle-invasive Bladder Cancer: Results From a European Tertiary Care Center Cohort. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e809-e817.	0.9	21
71	Preoperative allogeneic blood transfusion does not adversely affect oncological outcomes after radical cystectomy for urinary bladder cancer: a propensity score-weighted European multicentre study. <i>BJU International</i> , 2018, 121, 101-110.	1.3	21
72	Pathological upstaging detected in radical cystectomy procedures is associated with a significantly worse tumour-specific survival rate for patients with clinical T1 urothelial carcinoma of the urinary bladder. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011, 45, 251-257.	1.4	20

#	ARTICLE	IF	CITATIONS
73	Online Discussion on #KidneyStones: A Longitudinal Assessment of Activity, Users and Content. PLoS ONE, 2016, 11, e0160863.	1.1	20
74	Concomitant Carcinoma in situ in Cystectomy Specimens Is Not Associated with Clinical Outcomes after Surgery. Urologia Internationalis, 2011, 87, 42-48.	0.6	19
75	Comparative Analysis of Gender-Related Differences in Symptoms and Referral Patterns prior to Initial Diagnosis of Urothelial Carcinoma of the Bladder: A Prospective Cohort Study. Urologia Internationalis, 2015, 94, 37-44.	0.6	19
76	EORTC Progression Score Identifies Patients at High Risk of Cancer-Specific Mortality After Radical Cystectomy for Secondary Muscle-Invasive Bladder Cancer. Clinical Genitourinary Cancer, 2014, 12, 278-286.	0.9	18
77	Comparative analysis of comorbidity and performance indices for prediction of oncological outcomes in patients with upper tract urothelial carcinoma who were treated with radical nephroureterectomy. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 1141-1150.	0.8	18
78	Effectiveness of Adjuvant Chemotherapy After Radical Cystectomy for Locally Advanced and/or Pelvic Lymph Node-Positive Muscle-invasive Urothelial Carcinoma of the Bladder: A Propensity Score-Weighted Competing Risks Analysis. European Urology Focus, 2018, 4, 252-259.	1.6	18
79	Nerve Quantification and Computerized Planimetry to Evaluate Periprostatic Nerve Distribution-Does Size Matter?. Urology, 2009, 74, 398-403.	0.5	16
80	Multicenter evaluation of the prognostic value of pT0 stage after radical cystectomy due to urothelial carcinoma of the bladder. BJU International, 2011, 108, E278-E283.	1.3	16
81	Does increasing the nodal yield improve outcomes in patients without nodal metastasis at radical cystectomy?. World Journal of Urology, 2012, 30, 807-814.	1.2	16
82	Radical cystectomy and the implications of comorbidity. Expert Review of Anticancer Therapy, 2014, 14, 289-295.	1.1	15
83	Prognostic value of prior history of urothelial carcinoma of the bladder in patients with upper urinary tract urothelial carcinoma: results from a retrospective multicenter study. World Journal of Urology, 2015, 33, 1005-1013.	1.2	14
84	Impact of Perioperative Allogenic Blood Transfusion on Survival After Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma. Clinical Genitourinary Cancer, 2016, 14, 96-104.	0.9	14
85	Prospective blinded comparison of real-time sonoelastography targeted versus randomised biopsy of the prostate in the primary and re-biopsy setting. World Journal of Urology, 2012, 30, 219-223.	1.2	13
86	Antiplatelet and Anticoagulative Medication During Shockwave Lithotripsy. Journal of Endourology, 2014, 28, 1034-1039.	1.1	13
87	Concomitant Seminal Vesicle Invasion in pT4a Urothelial Carcinoma of the Bladder with Contiguous Prostatic Infiltration is an Adverse Prognosticator for Cancer-Specific Survival after Radical Cystectomy. Annals of Surgical Oncology, 2014, 21, 4034-4040.	0.7	13
88	Prospective evaluation of interobserver variability of the hydronephrosis index and the renal resistive index as sonographic examination methods for the evaluation of acute hydronephrosis. BJU International, 2012, 110, E350-6.	1.3	12
89	Recurrence and progression in patients with non-muscle invasive bladder cancer: Prognostic models including multicolor fluorescence <i>in situ</i> hybridization molecular grading. International Journal of Urology, 2014, 21, 968-972.	0.5	12
90	The German linguistic validation of the Ureteral Stent Symptoms Questionnaire (USSQ). World Journal of Urology, 2017, 35, 443-447.	1.2	12

#	ARTICLE	IF	CITATIONS
91	Radiation exposure during retrograde intrarenal surgery (RIRS): a prospective multicenter evaluation. <i>World Journal of Urology</i> , 2021, 39, 217-224.	1.2	10
92	Outcome of Patients with Pathological Tumor Stage T3 Urothelial Carcinoma of the Bladder following Radical Cystectomy in a Single-Center Series with 116 Patients. <i>Urologia Internationalis</i> , 2014, 93, 311-319.	0.6	9
93	Prognostic Significance of Incidental Prostate Cancer at Radical Cystoprostatectomy for Bladder Cancer. <i>Urologia Internationalis</i> , 2016, 97, 42-48.	0.6	9
94	Oncological long-term outcome of whole gland HIFU and open radical prostatectomy: a comparative analysis. <i>World Journal of Urology</i> , 2019, 37, 2073-2080.	1.2	9
95	Improving the compliance of the recurrent stone-former. <i>Arab Journal of Urology Arab Association of Urology</i> , 2012, 10, 342-346.	0.7	8
96	Comparative analysis of the effect of prostatic invasion patterns on cancer-specific mortality after radical cystectomy in pT4a urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 432.e1-432.e8.	0.8	8
97	Impact of photodynamic diagnosis-assisted transurethral resection of bladder tumors on the prognostic outcome after radical cystectomy: results from PROMETRICS 2011. <i>World Journal of Urology</i> , 2017, 35, 245-250.	1.2	8
98	Final results of the PrAVAC trial: prevention of wound complications following inguinal lymph node dissection in patients with penile cancer using epidermal vacuum-assisted wound closure. <i>World Journal of Urology</i> , 2021, 39, 613-620.	1.2	8
99	Oncological Outcomes of Patients with Concomitant Bladder and Urethral Carcinoma. <i>Urologia Internationalis</i> , 2016, 97, 134-141.	0.6	7
100	What do patients with urothelial cancer know about the association of their tumor disease with smoking habits? Results of a German survey study. <i>Investigative and Clinical Urology</i> , 2018, 59, 91.	1.0	7
101	Prognostic Model for Predicting Survival in Patients with Disease Recurrence Following Radical Cystectomy. <i>European Urology Focus</i> , 2015, 1, 75-81.	1.6	6
102	Randomized Crossover-Controlled Evaluation of Simultaneous Bilateral Transcutaneous Electrostimulation of the Posterior Tibial Nerve During Urodynamic Studies in Patients With Lower Urinary Tract Symptoms. <i>International Neurourology Journal</i> , 2021, 25, 337-346.	0.5	5
103	Prognostic impact of infiltration of the vagina and/or uterus in women undergoing anterior pelvic exenteration for urothelial carcinoma of the bladder: results of a contemporary multicentre series. <i>World Journal of Urology</i> , 2015, 33, 343-350.	1.2	4
104	Awareness and perception of multidrug-resistant organisms and antimicrobial therapy among internists vs. surgeons of different specialties: Results from the German MR2 Survey. <i>Caspian Journal of Internal Medicine</i> , 2019, 10, 132-141.	0.1	4
105	Influence of Gender and Age on the Willingness to Reduce Nicotine Consumption—Results of a Survey in Urological Cancer Patients (KRAUT Study). <i>Clinical Genitourinary Cancer</i> , 2018, 16, e1181-e1187.	0.9	3
106	Prospective Evaluation of Predictive Parameters for Urinary Tract Infection in Patients with Acute Renal Colic. <i>Journal of Emergency Medicine</i> , 2018, 55, 319-326.	0.3	2
107	The enlightenment of bladder cancer treatment: origin and progress of photodynamic diagnosis. <i>Future Oncology</i> , 2011, 7, 1057-1066.	1.1	1
108	Prospective evaluation of intra-observer variability of the hydronephrosis index in sonographic examination of 44 patients with acute renal colic. <i>World Journal of Urology</i> , 2014, 32, 691-695.	1.2	1

#	ARTICLE	IF	CITATIONS
109	Reply to Michael Froehner, Rainer Koch and Manfred P. Wirth's Letter to the Editor re: Roman Mayr, Matthias May, Thomas Martini, et al. Comorbidity and Performance Indices as Predictors of Cancer-Independent Mortality But Not of Cancer-Specific Mortality After Radical Cystectomy for Urothelial Carcinoma of the Bladder. <i>Eur Urol</i> 2012;62:662-70. <i>European Urology</i> , 2013, 63, e10.	0.9	0
110	Postoperative Leukocytosis After Robotic-Assisted Radical Prostatectomy Is Not Associated with Perioperative Outcome and Histopathological Findings. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2015, 25, 808-813.	0.5	0
111	Impact of Male Patient Information on Quality of Urine Examination (PIQUE Study). <i>Urologia Internationalis</i> , 2021, , 1-5.	0.6	0