

# Mi-Die Xu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8031269/publications.pdf>

Version: 2024-02-01

68  
papers

2,600  
citations

218677

26  
h-index

197818

49  
g-index

70  
all docs

70  
docs citations

70  
times ranked

3916  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Calcipotriol abrogates cancer-associated fibroblast-derived IL-8-mediated oxaliplatin resistance in gastric cancer cells via blocking PI3K/Akt signaling. <i>Acta Pharmacologica Sinica</i> , 2023, 44, 178-188.                      | 6.1 | 15        |
| 2  | DUBR suppresses migration and invasion of human lung adenocarcinoma cells via ZBTB11-mediated inhibition of oxidative phosphorylation. <i>Acta Pharmacologica Sinica</i> , 2022, 43, 157-166.   | 6.1 | 13        |
| 3  | Stanniocalcin-2 promotes cell EMT and glycolysis via activating ITGB2/FAK/SOX6 signaling pathway in nasopharyngeal carcinoma. <i>Cell Biology and Toxicology</i> , 2022, 38, 259-272.   | 5.3 | 14        |
| 4  | Comprehensive molecular characterization and identification of prognostic signature in stomach adenocarcinoma on the basis of energy-metabolism-related genes. <i>World Journal of Gastrointestinal Oncology</i> , 2022, 14, 478-497. | 2.0 | 4         |
| 5  | A Lipid Metabolism-Based Seven-Gene Signature Correlates with the Clinical Outcome of Lung Adenocarcinoma. <i>Journal of Oncology</i> , 2022, 2022, 1-18.   | 1.3 | 1         |
| 6  | The Fibrillin-1/VEGFR2/STAT2 signaling axis promotes chemoresistance via modulating glycolysis and angiogenesis in ovarian cancer organoids and cells. <i>Cancer Communications</i> , 2022, 42, 245-265.                              | 9.2 | 42        |
| 7  | Molecular signatures of tumor progression in pancreatic adenocarcinoma identified by energy metabolism characteristics. <i>BMC Cancer</i> , 2022, 22, 404.  | 2.6 | 2         |
| 8  | Human Epidermal Growth Factor Receptor 2 Overexpression and Amplification in Patients With Colorectal Cancer: A Large-Scale Retrospective Study in Chinese Population. <i>Frontiers in Oncology</i> , 2022, 12, 842787.               | 2.8 | 3         |
| 9  | Dual HER2 Targeted Therapy With Pyrotinib and Trastuzumab in Refractory HER2 Positive Metastatic Colorectal Cancer: A Result From HER2-FUSCC-G Study. <i>Clinical Colorectal Cancer</i> , 2022, 21, 347-353.                          | 2.3 | 10        |
| 10 | Short-form RON (sf-RON) enhances glucose metabolism to promote cell proliferation via activating $\beta$ -catenin/SIX1 signaling pathway in gastric cancer. <i>Cell Biology and Toxicology</i> , 2021, 37, 35-49.                     | 5.3 | 6         |
| 11 | Identification of lipid metabolism-related genes as prognostic indicators in papillary thyroid cancer. <i>Acta Biochimica Et Biophysica Sinica</i> , 2021, 53, 1579-1589.   | 2.0 | 21        |
| 12 | Atezolizumab prolongs overall survival over docetaxel in advanced non-small-cell lung cancer patients harboring <i>STK11</i> or <i>KEAP1</i> mutation. <i>Oncolmmunology</i> , 2021, 10, 1865670.                                     | 4.6 | 9         |
| 13 | Programmed death ligand-1 regulates angiogenesis and metastasis by participating in the c-MYC/VEGFR2 signaling axis in ovarian cancer. <i>Cancer Communications</i> , 2021, 41, 511-527.  | 9.2 | 31        |
| 14 | Effects of CAF-Derived MicroRNA on Tumor Biology and Clinical Applications. <i>Cancers</i> , 2021, 13, 3160.  | 3.7 | 12        |
| 15 | FBP1 regulates proliferation, metastasis, and chemoresistance by participating in C-MYC/STAT3 signaling axis in ovarian cancer. <i>Oncogene</i> , 2021, 40, 5938-5949.  | 5.9 | 23        |
| 16 | Lnc-RP11-536-k7.3/SOX2/HIF-1 signaling axis regulates oxaliplatin resistance in patient-derived colorectal cancer organoids. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 348.                             | 8.6 | 37        |
| 17 | Extracellular vesicle-derived miR-320a targets ZC3H12B to inhibit tumorigenesis, invasion, and angiogenesis in ovarian cancer. <i>Discover Oncology</i> , 2021, 12, 51.   | 2.1 | 4         |
| 18 | Emerging Roles of Long Noncoding RNAs in Immuno-Oncology. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 722904.   | 3.7 | 8         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Screening of Breast Cancer Methylation Biomarkers Based on the TCGA Database. <i>International Journal of General Medicine</i> , 2021, Volume 14, 9833-9839.   | 1.8 | 3         |
| 20 | Primary appendiceal mucinous neoplasm: Gynecological manifestations, management, and prognosis. <i>Gynecologic Oncology</i> , 2020, 156, 357-362.  | 1.4 | 5         |
| 21 | LINC00152 Promotes Tumor Progression and Predicts Poor Prognosis by Stabilizing BCL6 From Degradation in the Epithelial Ovarian Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 555132.                         | 2.8 | 9         |
| 22 | Advanced Non-Small Cell Lung Cancer Patients With Low Tumor Mutation Burden Might Derive Benefit From Immunotherapy. <i>Journal of Immunotherapy</i> , 2020, 43, 189-195.  | 2.4 | 14        |
| 23 | GCNT4 is Associated with Prognosis and Suppress Cell Proliferation in Gastric Cancer. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 8601-8613.   | 2.0 | 8         |
| 24 | Development and validation of a DNA repair gene signature for prognosis prediction in Colon Cancer. <i>Journal of Cancer</i> , 2020, 11, 5918-5928.  | 2.5 | 9         |
| 25 | Characteristics of lipid metabolism-related gene expression-based molecular subtype in papillary thyroid cancer. <i>Acta Biochimica Et Biophysica Sinica</i> , 2020, 52, 1166-1170.                              | 2.0 | 5         |
| 26 | Development and Clinical Validation of a 90-Gene Expression Assay for Identifying Tumor Tissue Origin. <i>Journal of Molecular Diagnostics</i> , 2020, 22, 1139-1150.  | 2.8 | 13        |
| 27 | Chondroitin polymerizing factor (CHPF) promotes development of malignant melanoma through regulation of CDK1. <i>Cell Death and Disease</i> , 2020, 11, 496.   | 6.3 | 18        |
| 28 | A non-linear association between blood tumor mutation burden and prognosis in NSCLC patients receiving atezolizumab. <i>Oncolmmunology</i> , 2020, 9, 1731072.   | 4.6 | 30        |
| 29 | Gene expression profiling of cells of origin of squamous cell carcinomas in head-and-neck, esophagus, and lung. <i>Acta Biochimica Et Biophysica Sinica</i> , 2020, 52, 211-214.                                 | 2.0 | 2         |
| 30 | Prognostic and Predictive Value of Blood Tumor Mutational Burden in Patients With Lung Cancer Treated With Docetaxel. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020, 18, 582-589.    | 4.9 | 10        |
| 31 | Appendiceal mucinous neoplasm mimics ovarian tumors: Challenges for preoperative and intraoperative diagnosis and clinical implication. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2120-2125.      | 1.0 | 19        |
| 32 | Clinicopathological features and prognosis of AFP-producing colorectal cancer: a single-center analysis of 20 cases. <i>Cancer Management and Research</i> , 2019, Volume 11, 4557-4567.                         | 1.9 | 26        |
| 33 | Comparisons of Cardiotoxicity and Efficacy of Anthracycline-Based Therapies in Breast Cancer: A Network Meta-Analysis of Randomized Clinical Trials. <i>Oncology Research and Treatment</i> , 2019, 42, 405-413. | 1.2 | 21        |
| 34 | Gene Expression Profiling for Diagnosis of Triple-Negative Breast Cancer: A Multicenter, Retrospective Cohort Study. <i>Frontiers in Oncology</i> , 2019, 9, 354.  | 2.8 | 29        |
| 35 | DEPDC1B knockdown inhibits the development of malignant melanoma through suppressing cell proliferation and inducing cell apoptosis. <i>Experimental Cell Research</i> , 2019, 379, 48-54.                       | 2.6 | 27        |
| 36 | The Nrf2/HO-1 axis can be a prognostic factor in clear cell renal cell carcinoma. <i>Cancer Management and Research</i> , 2019, Volume 11, 1221-1230.  | 1.9 | 16        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | &lt;p&gt;Pathological risk factors for lymph node metastasis in patients with submucosal invasive colorectal carcinoma&lt;/p&gt;. Cancer Management and Research, 2019, Volume 11, 1107-1114.                                 | 1.9  | 15        |
| 38 | Amphicrine carcinoma of the stomach and intestine: a clinicopathologic and pan-cancer transcriptome analysis of a distinct entity. Cancer Cell International, 2019, 19, 310.  | 4.1  | 20        |
| 39 | MET amplification, expression, and exon 14 mutations in colorectal adenocarcinoma. Human Pathology, 2018, 77, 108-115.  | 2.0  | 18        |
| 40 | The polycomb group protein EZH2 induces epithelialâ€mesenchymal transition and pluripotent phenotype of gastric cancer cells by binding to PTEN promoter. Journal of Hematology and Oncology, 2018, 11, 9.                    | 17.0 | 94        |
| 41 | Hedgehog Interacting Protein 1 is a Prognostic Marker and Suppresses Cell Metastasis in Gastric Cancer. Journal of Cancer, 2018, 9, 4642-4649.  | 2.5  | 18        |
| 42 | CTHRC1 overexpression predicts poor survival and enhances epithelialâ€mesenchymal transition in colorectal cancer. Cancer Medicine, 2018, 7, 5643-5654.   | 2.8  | 42        |
| 43 | The lncRNA NEAT1 activates Wnt/Î²-catenin signaling and promotes colorectal cancer progression via interacting with DDX5. Journal of Hematology and Oncology, 2018, 11, 113.  | 17.0 | 247       |
| 44 | miR-106b-5p inhibits the invasion and metastasis of colorectal cancer by targeting CTSA. OncoTargets and Therapy, 2018, Volume 11, 3835-3845.   | 2.0  | 46        |
| 45 | Magnetic Resonance Imaging Features of Breast Encapsulated Papillary Carcinoma. Journal of Computer Assisted Tomography, 2018, 42, 536-541.   | 0.9  | 4         |
| 46 | The prognostic value of age in non-metastatic gastric cancer after gastrectomy: a retrospective study in the U.S. and China. Journal of Cancer, 2018, 9, 1188-1199.   | 2.5  | 16        |
| 47 | Emerging roles of long non-coding RNAs in tumor metabolism. Journal of Hematology and Oncology, 2018, 11, 106.  | 17.0 | 72        |
| 48 | PTTG3P promotes gastric tumour cell proliferation and invasion and is an indicator of poor prognosis. Journal of Cellular and Molecular Medicine, 2017, 21, 3360-3371.  | 3.6  | 42        |
| 49 | A Positive Feedback Loop of lncRNA- <i>PVT1</i> and FOXM1 Facilitates Gastric Cancer Growth and Invasion. Clinical Cancer Research, 2017, 23, 2071-2080.  | 7.0  | 210       |
| 50 | Linc00152 promotes Cancer Cell Proliferation and Invasion and Predicts Poor Prognosis in Lung adenocarcinoma. Journal of Cancer, 2017, 8, 2042-2050.  | 2.5  | 34        |
| 51 | Identification and validation of a 44-gene expression signature for the classification of renal cell carcinomas. Journal of Experimental and Clinical Cancer Research, 2017, 36, 176.   | 8.6  | 17        |
| 52 | Upregulation of the Non-Coding RNA OTUB1-isoform 2 Contributes to Gastric Cancer Cell Proliferation and Invasion and Predicts Poor Gastric Cancer Prognosis. International Journal of Biological Sciences, 2016, 12, 545-557. | 6.4  | 14        |
| 53 | OTUB1-catalyzed deubiquitination of FOXM1 facilitates tumor progression and predicts a poor prognosis in ovarian cancer. Oncotarget, 2016, 7, 36681-36697.  | 1.8  | 50        |
| 54 | Circulating Long RNAs in Serum Extracellular Vesicles: Their Characterization and Potential Application as Biomarkers for Diagnosis of Colorectal Cancer. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1158-1166. | 2.5  | 175       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Pituitary tumor-transforming gene-1 serves as an independent prognostic biomarker for gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 107-115.   | 5.3 | 28        |
| 56 | Pan-cancer transcriptome analysis reveals a gene expression signature for the identification of tumor tissue origin. <i>Modern Pathology</i> , 2016, 29, 546-556.  | 5.5 | 60        |
| 57 | Long non-coding RNA Linc00152 is a positive prognostic factor for and demonstrates malignant biological behavior in clear cell renal cell carcinoma. <i>American Journal of Cancer Research</i> , 2016, 6, 285-99.                         | 1.4 | 49        |
| 58 | OTUB1 promotes tumor invasion and predicts a poor prognosis in gastric adenocarcinoma. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 2234-44.  | 0.0 | 17        |
| 59 | Circulating <scp>CUDR</scp>, <scp>LSINCT</scp> and <scp>PTENP</scp>1 long noncoding <scp>RNA</scp>s in sera distinguish patients with gastric cancer from healthy controls. <i>International Journal of Cancer</i> , 2015, 137, 1128-1135. | 5.1 | 143       |
| 60 | Overexpression of stathmin 1 is a poor prognostic biomarker in non-small cell lung cancer. <i>Laboratory Investigation</i> , 2015, 95, 56-64.  | 3.7 | 62        |
| 61 | Reciprocal repression between TUSC7 and miR-23b in gastric cancer. <i>International Journal of Cancer</i> , 2015, 137, 1269-1278.  | 5.1 | 82        |
| 62 | Focusing on long noncoding RNA dysregulation in gastric cancer. <i>Tumor Biology</i> , 2015, 36, 129-141.  | 1.8 | 26        |
| 63 | Down-regulation of ncRAN, a long non-coding RNA, contributes to colorectal cancer cell migration and invasion and predicts poor overall survival for colorectal cancer patients. <i>Molecular Carcinogenesis</i> , 2015, 54, 742-750.      | 2.7 | 61        |
| 64 | BCL6 is a negative prognostic factor and exhibits pro-oncogenic activity in ovarian cancer. <i>American Journal of Cancer Research</i> , 2015, 5, 255-66.  | 1.4 | 21        |
| 65 | Long Non-Coding RNA LSINCT5 Predicts Negative Prognosis and Exhibits Oncogenic Activity in Gastric Cancer. <i>Medicine (United States)</i> , 2014, 93, e303.   | 1.0 | 51        |
| 66 | Long non-coding RNAs in colorectal cancer: implications for pathogenesis and clinical application. <i>Modern Pathology</i> , 2014, 27, 1310-1320.  | 5.5 | 101       |
| 67 | Low expression of LOC285194 is associated with poor prognosis in colorectal cancer. <i>Journal of Translational Medicine</i> , 2013, 11, 122.  | 4.4 | 130       |
| 68 | The miR-34 family is upregulated and targets <i>ACSL1</i> in dimethylnitrosamine-induced hepatic fibrosis in rats. <i>FEBS Journal</i> , 2011, 278, 1522-1532.   | 4.7 | 115       |