

# Jan Kotek

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8032241/jan-kotek-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97  
papers

3,342  
citations

33  
h-index

56  
g-index

103  
ext. papers

3,575  
ext. citations

4.3  
avg, IF

4.78  
L-index

#	Paper	IF	Citations
97	Complexes of cyclen side-bridged with a methylene-bis(phosphinate) group. <i>Polyhedron</i> , <b>2021</b> , 196, 114994	2.7	1
96	1,4,7-Triazacyclononane (tacn) with N,N'-bridging methylene-bis(phosphinic acid) group and its complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2021</b> , 647, 1261-1268	1.3	0
95	Ten-Membered Rings or Larger With One or More Nitrogen Atoms <b>2021</b> , 591-591		
94	Selective and clean synthesis of aminoalkyl--phosphinic acids from hypophosphorous acid by phospho-Mannich reaction.. <i>RSC Advances</i> , <b>2020</b> , 10, 21329-21349	3.7	2
93	Paramagnetic Cobalt(II) Complexes with Cyclam Derivatives: Toward F MRI Contrast Agents. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 10071-10082	5.1	7
92	Al(III)-NTA-fluoride: a simple model system for Al-F binding with interesting thermodynamics. <i>Dalton Transactions</i> , <b>2020</b> , 49, 13726-13736	4.3	0
91	Cross-Bridged Cyclam with Phosphonate and Phosphinate Pendant Arms: Chelators for Copper Radioisotopes with Fast Complexation. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 8432-8443	5.1	5
90	The solid-state structures and ligand cavity evaluation of lanthanide(iii) complexes of a DOTA analogue with a (dibenzylamino)methylphosphinate pendant arm. <i>Dalton Transactions</i> , <b>2020</b> , 49, 1555-1569	4.3	0
89	Formation of gadolinium ferritin from clinical magnetic resonance contrast agents. <i>Nanoscale Advances</i> , <b>2020</b> , 2, 5567-5571	5.1	1
88	Analysis of wild <i>Taraxacum bicorne</i> Dahlst. (Compositae/Tripudinae) as a potential alternative natural rubber crop. <i>Genetic Resources and Crop Evolution</i> , <b>2019</b> , 66, 1341-1361	2	2
87	Lanthanide Complexes of DO3A-(Dibenzylamino)methylphosphinate: Effect of Protonation of the Dibenzylamino Group on the Water-Exchange Rate and the Binding of Human Serum Albumin. <i>Inorganic Chemistry</i> , <b>2019</b> , 58, 5196-5210	5.1	7
86	Coordination Behavior of 1,4-Disubstituted Cyclen Endowed with Phosphonate, Phosphonate Monoethylester, and H-Phosphinate Pendant Arms. <i>Molecules</i> , <b>2019</b> , 24,	4.8	3
85	Low-molecular-weight paramagnetic F contrast agents for fluorine magnetic resonance imaging. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2019</b> , 32, 115-122	2.8	4
84	NOTA Complexes with Copper(II) and Divalent Metal Ions: Kinetic and Thermodynamic Studies. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 3061-3072	5.1	22
83	Complexes of phosphonate and phosphinate derivatives of dipicolylamine. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 7713-7722	3.6	4
82	Transition metal complexes of tris(aminomethyl)phosphine oxide (tampo) [Thermodynamic and X-ray diffraction studies. <i>Inorganica Chimica Acta</i> , <b>2018</b> , 469, 217-226	2.7	2
81	Self-Assembled Thermo-responsive Polymeric Nanogels for F MR Imaging. <i>Biomacromolecules</i> , <b>2018</b> , 19, 3515-3524	6.9	38

80	Neuro-inflammatory effects of photodegradative products of bilirubin. <i>Scientific Reports</i> , <b>2018</b> , 8, 7444	4.9	18
79	Lanthanide(iii) complexes of monophosphinate/monophosphonate DOTA-analogues: effects of the substituents on the formation rate and radiolabelling yield. <i>Dalton Transactions</i> , <b>2018</b> , 47, 13006-13015	4.3	11
78	Optimization of the selectivity and rate of copper radioisotope complexation: formation and dissociation kinetic studies of 1,4,8-trimethylcyclam-based ligands with different coordinating pendant arms. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 11908-11929	3.6	8
77	Eu(III) Complex with DO3A-amino-phosphonate Ligand as a Concentration-Independent pH-Responsive Contrast Agent for Magnetic Resonance Spectroscopy (MRS). <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 2078-2091	5.1	12
76	Synthesis and characterization of monophosphinic acid DOTA derivative: A smart tool with functionalities for multimodal imaging. <i>Bioorganic and Medicinal Chemistry</i> , <b>2017</b> , 25, 4297-4303	3.4	1
75	Optical imaging of localized chemical events using programmable diamond quantum nanosensors. <i>Nature Communications</i> , <b>2017</b> , 8, 14701	17.4	94
74	Paramagnetic F Relaxation Enhancement in Nickel(II) Complexes of N-Trifluoroethyl Cyclam Derivatives and Cell Labeling for F MRI. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 13337-13348	5.1	23
73	DOTA analogues with a phosphinate-iminodiacetate pendant arm: modification of the complex formation rate with a strongly chelating pendant. <i>Dalton Transactions</i> , <b>2017</b> , 46, 10484-10497	4.3	7
72	Ln(iii)-complexes of a DOTA analogue with an ethylenediamine pendant arm as pH-responsive PARACEST contrast agents. <i>Dalton Transactions</i> , <b>2016</b> , 45, 3486-96	4.3	9
71	Nickel(II) complexes of N-CH <sub>2</sub> CF <sub>3</sub> cyclam derivatives as contrast agents for (19)F magnetic resonance imaging. <i>Dalton Transactions</i> , <b>2016</b> , 45, 474-8	4.3	18
70	Bifunctional cyclam-based ligands with phosphorus acid pendant moieties for radiocopper separation: thermodynamic and kinetic studies. <i>Chemistry - A European Journal</i> , <b>2015</b> , 21, 4671-87	4.8	17
69	Cyclam Derivatives with a Bis(phosphinate) or a Phosphinato-Phosphonate Pendant Arm: Ligands for Fast and Efficient Copper(II) Complexation for Nuclear Medical Applications. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 11751-66	5.1	26
68	Aminoalkyl-1,1-bis(phosphinic acids): Stability, Acid-Base, and Coordination Properties. <i>European Journal of Inorganic Chemistry</i> , <b>2014</b> , 2014, 4357-4368	2.3	10
67	Phosphinate Analogues of Ida and Nta with Low Basicity of Nitrogen Atom: Acid-Base and Complexation Properties. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , <b>2014</b> , 189, 933-945	1	2
66	Formation and dissociation kinetics of copper(II) complexes with tetraphosphorus acid DOTA analogs. <i>Polyhedron</i> , <b>2014</b> , 67, 449-455	2.7	7
65	Thermodynamic and kinetic study of scandium(III) complexes of DTPA and DOTA: a step toward scandium radiopharmaceuticals. <i>Chemistry - A European Journal</i> , <b>2014</b> , 20, 7944-55	4.8	44
64	Bis(phosphonate)-Building Blocks Modified with Fluorescent Dyes. <i>Heteroatom Chemistry</i> , <b>2013</b> , 24, 413-425	3	
63	Lanthanide(III) complexes of aminoethyl-DO3A as PARACEST contrast agents based on decoordination of the weakly bound amino group. <i>Dalton Transactions</i> , <b>2013</b> , 42, 15735-47	4.3	17

62	Methylene-bis[(aminomethyl)phosphinic acids]: synthesis, acid-base and coordination properties. <i>Dalton Transactions</i> , <b>2013</b> , 42, 2414-22	4.3	13
61	Synthesis and Characterization of Ligands and their Gadolinium(III) Complexes <b>2013</b> , 83-155		2
60	Gadolinium- and manganite-based contrast agents with fluorescent probes for both magnetic resonance and fluorescence imaging of pancreatic islets: a comparative study. <i>ChemMedChem</i> , <b>2013</b> , 8, 614-21	3.7	24
59	Lanthanide(III) complexes that contain a self-immolative arm: potential enzyme responsive contrast agents for magnetic resonance imaging. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 1408-18	4.8	27
58	Gadolinium complexes of monophosphinic acid DOTA derivatives conjugated to cyclodextrin scaffolds: efficient MRI contrast agents for higher magnetic fields. <i>Dalton Transactions</i> , <b>2012</b> , 41, 13509-13	4.9	29
57	Tris(phosphonomethyl) Cyclen Derivatives: Synthesis, AcidBase Properties and Complexation Studies with Cu <sup>2+</sup> and Zn <sup>2+</sup> Ions. <i>European Journal of Inorganic Chemistry</i> , <b>2012</b> , 2012, 2533-2547	2.3	10
56	1-hydroxy-1,1-bis(H-phosphinates): Synthesis, stability, and sorption properties. <i>Heteroatom Chemistry</i> , <b>2012</b> , 23, 195-201	1.2	19
55	Mn <sup>2+</sup> complexes with 12-membered pyridine based macrocycles bearing carboxylate or phosphonate pendant arm: crystallographic, thermodynamic, kinetic, redox, and <sup>1</sup> H/ <sup>17</sup> O relaxation studies. <i>Inorganic Chemistry</i> , <b>2011</b> , 50, 12785-801	5.1	62
54	A New Tris(phosphonomethyl) Monoacetic Acid Cyclam Derivative: Synthesis, Acid-Base and Metal Complexation Studies. <i>European Journal of Inorganic Chemistry</i> , <b>2011</b> , 2011, 527-538	2.3	5
53	Modification of Nanocrystalline TiO <sub>2</sub> with Phosphonate- and Bis(phosphonate)-Bearing Macrocyclic Complexes: Sorption and Stability Studies. <i>European Journal of Inorganic Chemistry</i> , <b>2011</b> , 2011, 1981-1989	2.3	26
52	Mn <sup>2+</sup> complexes of 1-oxa-4,7-diazacyclononane based ligands with acetic, phosphonic and phosphinic acid pendant arms: stability and relaxation studies. <i>Dalton Transactions</i> , <b>2011</b> , 40, 10131-46	4.3	36
51	Dual imaging probes for magnetic resonance imaging and fluorescence microscopy based on perovskite manganite nanoparticles. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 157-164		34
50	Phosphonate-titanium dioxide assemblies: platform for multimodal diagnostic-therapeutic nanoprobcs. <i>Journal of Medicinal Chemistry</i> , <b>2011</b> , 54, 5185-94	8.3	40
49	Mn(2+) complexes with pyridine-containing 15-membered macrocycles: thermodynamic, kinetic, crystallographic, and ( <sup>1</sup> H)/( <sup>17</sup> O) relaxation studies. <i>Inorganic Chemistry</i> , <b>2010</b> , 49, 3224-38	5.1	89
48	Gallium(III) complexes of DOTA and DOTA-monoamide: kinetic and thermodynamic studies. <i>Inorganic Chemistry</i> , <b>2010</b> , 49, 10960-9	5.1	104
47	Towards MRI contrast agents responsive to Ca(II) and Mg(II) ions: metal-induced oligomerization of dota-bisphosphonate conjugates. <i>Contrast Media and Molecular Imaging</i> , <b>2010</b> , 5, 294-6	3.2	17
46	A triazacyclononane-based bifunctional phosphinate ligand for the preparation of multimeric <sup>68</sup> Ga tracers for positron emission tomography. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 7174-85	4.8	122
45	Cyclodextrin-based bimodal fluorescence/MRI contrast agents: an efficient approach to cellular imaging. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 10094-102	4.8	44

44	Lanthanide(III) complexes of 4,10-bis(phosphonomethyl)-1,4,7,10-tetraazacyclododecane-1,7-diacetic acid (trans-H6do2a2p) in solution and in the solid state: structural studies along the series. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 8446-65	4.8	41
43	<sup>1</sup> H NMR relaxivity of aqueous suspensions of titanium dioxide nanoparticles coated with a gadolinium(III) chelate of a DOTA-monoamide with a phenylphosphonate pendant arm. <i>Journal of Materials Chemistry</i> , <b>2009</b> , 19, 1494		17
42	Lanthanide(III) Complexes of Phosphorus Acid Analogues of H4DOTA as Model Compounds for the Evaluation of the Second-Sphere Hydration. <i>European Journal of Inorganic Chemistry</i> , <b>2009</b> , 2009, 119-136	2.3	52
41	Metal Complexes of 4,11-Dimethyl-1,4,8,11-tetraazacyclotetradecane-1,8-bis(methylphosphonic acid) □ Thermodynamic and Formation/Decomplexation Kinetic Studies. <i>European Journal of Inorganic Chemistry</i> , <b>2009</b> , 2009, 3577-3592	2.3	27
40	Pyridine-N-oxide analogues of DOTA and their gadolinium(III) complexes endowed with a fast water exchange on the square-antiprismatic isomer. <i>Inorganic Chemistry</i> , <b>2009</b> , 48, 455-65	5.1	36
39	Lanthanide(III) complexes of pyridine-N-oxide analogues of DOTA in solution and in the solid state. A new kind of isomerism in complexes of DOTA-like ligands. <i>Inorganic Chemistry</i> , <b>2009</b> , 48, 466-75	5.1	39
38	Complexes of hydrophilic triphenylphosphines modified with gem-bis(phosphonate) moiety. An unusual simultaneous cis and trans arrangements in the Pt(II) dinuclear complex. <i>Dalton Transactions</i> , <b>2009</b> , 4942-53	4.3	4
37	Gd(III) complex of a monophosphinate-bis(phosphonate) DOTA analogue with a high relaxivity; Lanthanide(III) complexes for imaging and radiotherapy of calcified tissues. <i>Dalton Transactions</i> , <b>2009</b> , 3204-14	4.3	34
36	Gadolinium(III) complexes as MRI contrast agents: ligand design and properties of the complexes. <i>Dalton Transactions</i> , <b>2008</b> , 3027-47	4.3	410
35	Coordination properties of cyclam (1,4,8,11-tetraazacyclotetradecane) endowed with two methylphosphonic acid pendant arms in the 1,4-positions. <i>Dalton Transactions</i> , <b>2008</b> , 5378-86	4.3	22
34	Unsymmetrically substituted side-bridged cyclam derivatives and their Cu(II) and Zn(II) complexes. <i>New Journal of Chemistry</i> , <b>2008</b> , 32, 496-504	3.6	18
33	Ten-membered Rings or Larger with One or More Nitrogen Atoms <b>2008</b> , 613-666		4
32	Thermodynamic study of lanthanide(III) complexes with bifunctional monophosphinic acid analogues of H4dota and comparative kinetic study of yttrium(III) complexes. <i>Dalton Transactions</i> , <b>2007</b> , 535-49	4.3	75
31	Gadolinium(III) complexes of mono- and diethyl esters of monophosphonic acid analogue of DOTA as potential MRI contrast agents: solution structures and relaxometric studies. <i>Dalton Transactions</i> , <b>2007</b> , 493-501	4.3	68
30	Aminoalkylbis(phosphonates): Their Complexation Properties in Solution and in the Solid State. <i>European Journal of Inorganic Chemistry</i> , <b>2007</b> , 2007, 333-344	2.3	60
29	Synthesis and Coordination Behavior of Symmetrical Tetraamine Phosphinic Acids. <i>European Journal of Inorganic Chemistry</i> , <b>2007</b> , 2007, 3881-3891	2.3	4
28	Ternary Complexes of Zinc(II), Cyclen and Pyridinecarboxylic Acids. <i>European Journal of Inorganic Chemistry</i> , <b>2007</b> , 2007, 3974-3987	2.3	18
27	Study of Thermodynamic and Kinetic Stability of Transition Metal and Lanthanide Complexes of DTPA Analogues with a Phosphorus Acid Pendant Arm. <i>European Journal of Inorganic Chemistry</i> , <b>2006</b> , 2006, 1976-1986	2.3	30

26	Selective Protection of 1,4,8,11-Tetraazacyclotetradecane (Cyclam) in Position 1,4 with the Phosphonothioyl Group and Synthesis of a Cyclam-1,4-bis(methylphosphonic Acid). Crystal Structures of Several Cyclic Phosphonothioamides. <i>Collection of Czechoslovak Chemical Communications</i> , <b>2006</b> , 71, 337-367		8
25	Thermodynamic, kinetic and solid-state study of divalent metal complexes of 1,4,8,11-tetraazacyclotetradecane (cyclam) bearing two trans (1,8-)methylphosphonic acid pendant arms. <i>Dalton Transactions</i> , <b>2006</b> , 5184-97	4.3	25
24	Phosphinic derivative of DTPA conjugated to a G5 PAMAM dendrimer: an $^{17}O$ and $^1H$ relaxation study of its Gd(III) complex. <i>Dalton Transactions</i> , <b>2006</b> , 3399-406	4.3	41
23	Three in one: TSA, TSA $\delta$ and SA units in one crystal structure of a yttrium(III) complex with a monophosphinated H4dota analogue. <i>Inorganic Chemistry</i> , <b>2006</b> , 45, 3097-102	5.1	36
22	Capillary electrophoretic separation and kinetic study of inert copper(II) complexes of 1,8-bis(methylphosphonate) derivative of cyclam. <i>Polyhedron</i> , <b>2006</b> , 25, 1884-1892	2.7	5
21	Synthesis and coordination properties of palladium(II) and platinum(II) complexes with phosphonated triphenylphosphine derivatives. <i>Journal of Organometallic Chemistry</i> , <b>2006</b> , 691, 2409-2423	2.3	20
20	Cyclam (1,4,8,11-tetraazacyclotetradecane) with one methylphosphonate pendant arm: a new ligand for selective copper(II) binding. <i>Dalton Transactions</i> , <b>2005</b> , 2908-15	4.3	40
19	Anion recognition by alpha-arylazo-N-confused calix[4]pyrroles. <i>Organic and Biomolecular Chemistry</i> , <b>2005</b> , 3, 2921-3	3.9	32
18	A bisphosphonate monoamide analogue of DOTA: a potential agent for bone targeting. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 16477-85	16.4	121
17	Synthesis of a bifunctional monophosphinic acid DOTA analogue ligand and its lanthanide(III) complexes. A gadolinium(III) complex endowed with an optimal water exchange rate for MRI applications. <i>Organic and Biomolecular Chemistry</i> , <b>2005</b> , 3, 112-7	3.9	81
16	Crystal structures of lanthanide(III) complexes with cyclen derivative bearing three acetate and one methylphosphonate pendants. <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 5591-9	5.1	76
15	Thermodynamic and Kinetic Studies of Lanthanide(III) Complexes with H5do3ap (1,4,7,10-Tetraazacyclododecane-1,4,7-triacetic-10-(methylphosphonic Acid)), a Monophosphonate Analogue of H4dota. <i>Collection of Czechoslovak Chemical Communications</i> , <b>2005</b> , 70, 1909-1942		59
14	Lanthanide(III) complexes of a mono(methylphosphonate) analogue of H4dota: the influence of protonation of the phosphonate moiety on the TSAP/SAP isomer ratio and the water exchange rate. <i>Chemistry - A European Journal</i> , <b>2005</b> , 11, 2373-84	4.8	102
13	Application of Dipon, (1,4,8,11-Tetraazacyclotetradecane-4,11-bis(methylphosphonic acid) as Selective Complexing Agent for Determination of Copper(II). <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , <b>2004</b> , 49, 11-15		11
12	Selective Kinetic Determination of Cu $^{2+}$ with Tetraazamacrocyclic Bis(Methylphosphonate) Ligand (Dipon). <i>Mikrochimica Acta</i> , <b>2004</b> , 148, 21	5.8	11
11	A gadolinium(III) complex of a carboxylic-phosphorus acid derivative of diethylenetriamine covalently bound to inulin, a potential macromolecular MRI contrast agent. <i>Bioconjugate Chemistry</i> , <b>2004</b> , 15, 881-9	6.3	65
10	Lanthanide(III) complexes of novel mixed carboxylic-phosphorus acid derivatives of diethylenetriamine: a step towards more efficient MRI contrast agents. <i>Chemistry - A European Journal</i> , <b>2003</b> , 9, 5899-915	4.8	82
9	High thermodynamic stability and extraordinary kinetic inertness of copper(II) complexes with 1,4,8,11-tetraazacyclotetradecane-1,8-bis(methylphosphonic acid): example of a rare isomerism between kinetically inert penta- and hexacoordinated copper(II) complexes. <i>Chemistry - A European Journal</i> , <b>2003</b> , 9, 222-48	4.8	68



8	Novel polymeric metal complexes of calix[4]arene-11,23-diphosphonic acid: synthesis and structure determination. <i>Inorganica Chimica Acta</i> , <b>2002</b> , 335, 27-35	2.7	26
7	. <i>European Journal of Organic Chemistry</i> , <b>2001</b> , 2001, 3899-3901	3.2	34
6	Complexes of tetraazacycles bearing methylphosphinic/phosphonic acid pendant arms with copper(II), zinc(II) and lanthanides(III). A comparison with their acetic acid analogues. <i>Coordination Chemistry Reviews</i> , <b>2001</b> , 216-217, 287-312	23.2	208
5	The cis/trans-isomerism on cobalt(III) complexes with 1,4,8,11-tetraazacyclotetradecane-1,8-bis(methylphosphonic acid). <i>Inorganica Chimica Acta</i> , <b>2001</b> , 317, 324-330	2.7	21
4	Unusual cis/trans Isomerism in Octahedral Nickel(II) Complexes with 1,4,8,11-Tetraazacyclotetradecane-1,8-bis(methylphosphonic Acid) as a Ligand. <i>Collection of Czechoslovak Chemical Communications</i> , <b>2001</b> , 66, 363-381		15
3	A Clean Conversion of D-Glucosamine Hydrochloride to a Pyrazine in the Presence of Phenylboronate or Borate <b>2001</b> , 2001, 3899		4
2	Crystal Structures and Reactivity of 3a,5a,8a,10a-Tetraazaperhydropyrene Derivatives. An Alternative Approach to Selective Nitrogen Alkylation of 1,4,8,11-Tetraazacyclotetradecane (Cyclam). <i>Collection of Czechoslovak Chemical Communications</i> , <b>2000</b> , 65, 243-266		31
1	Bis(methylphosphonic Acid) Derivatives of 1,4,8,11-Tetraazacyclotetradecane (Cyclam). Synthesis, Crystal and Molecular Structures, and Solution Properties. <i>Collection of Czechoslovak Chemical Communications</i> , <b>2000</b> , 65, 1289-1316		33